


DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF


Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Landolt-rings W-N Code



$L^* / Y$ (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$\{w^*\}$ CIE LAB,r (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%


www.ps.bam.de/CE97/10L/L97E00SP.PS/.PDF;  
 S: Output Linearization (OL) data CE97/10L/L97E00SP.DAT in Distiller Startup (S) Directory

250 mm +/- 1%

Form: 1, Serie: 1, Page: 1  
 input: nnn0\* setcmykcolor  
 2003-05-01, name1  
 Test device type: name2 output: Startup (S) data dependend  
 PS operator used: nnn0\* setcmykcolor  
 ISO/IEC 19752-test chart, form 1  
 Proposal by DIN NI28


224 mm (+/- 1 mm)

170 mm (+/- 1 mm)



224 mm (+/- 1 mm)


170 mm (+/- 1 mm)




See for similar files: <http://www.ps.bam.de/CE97/>  
 Technical information: <http://www.ps.bam.de/19752>

Version 2.0, io=2??


BAM registration: 20030501-CE97/10L/L97E02SP.PS/.PDF  
 application for yield test of monochromatic printers  
 BAM material: code=rh4ta




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: *nnn0\* setcmykcolor*




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: *cmj0\* setcmykcolor*




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: *nnn0\* setcmykcolor*



Picture C4: Landolt-rings W-N; PS operator: *nnn0\* setcmykcolor*





Picture C5: Line raster under 45° (or 135°); PS operator: *nnn0\* setcmykcolor*



Picture C6: Line raster under 90° (or 0°); Use of the PS operator *nnn0\* setcmykcolor*








See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?

BAM registration: 20030501-CE97/10L/L97E04SP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

170 mm (+/- 1 mm)




Grey Page

See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?

White Page


See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?





See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?


BAM registration: 20030501-CE97/10L/L97E07SP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



Black Page


Form 8: Black area 150 mm x 230 mm and rectangles 10 mm x 10 mm for yield or emission; PS operator used: nnn0\* setcmykcolor

Form: 8, Series: 1, Page: 9




See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?

BAM registration: 20030501-CE97/10L/L97E08SP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002



Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



$L^*$ / $Y$ (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$w^*$ $f_{CIÉLAB,F}^*$ (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%

www.ps.bam.de/CE97/10L/L97E00SP.PS/.PDF;  
 S: Output Linearization (OL) data CE97/10L/L97E00SP.DAT in Distiller Startup (S) Directory

250 mm +/- 1%

Form: 1, Serie: 2, Page: 1


input: nnn0\* setcmykcolor  
 2003-05-01, name1  
 Test device type: name2 output: Startup (S) data dependend

Form 1: "LSB" letter with some graphic for yield or emission; PS operator used: nnn0\* setcmykcolor

ISO/IEC 19752-test chart, form 1  
 Proposal by DIN NI28


224 mm (+/- 1 mm)

170 mm (+/- 1 mm)



224 mm (+/- 1 mm)


170 mm (+/- 1 mm)




See for similar files: <http://www.ps.bam.de/CE97/>  
 Technical information: <http://www.ps.bam.de/19752>

Version 2.0, io=2,2?


BAM registration: 20030501-CE97/10L/L97E02SP.PS/.PDF  
 application for yield test of monochromatic printers  
 BAM material: code=rh4ta




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: *nnn0\* setcmykcolor*




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: *cmj0\* setcmykcolor*




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: *nnn0\* setcmykcolor*



Picture C4: Landolt-rings W-N; PS operator: *nnn0\* setcmykcolor*





Picture C5: Line raster under 45° (or 135°); PS operator: *nnn0\* setcmykcolor*



Picture C6: Line raster under 90° (or 0°); Use of the PS operator *nnn0\* setcmykcolor*








See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?

BAM registration: 20030501-CE97/10L/L97E04SP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers




170 mm (+/- 1 mm)






Grey Page

See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?




White Page

See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?



See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?


BAM registration: 20030501-CE97/10L/L97E07SP.PS/.PDF  
application for yield test of monochromatic printers  
BAM material: code=rh4ta



Black Page

Form 8: Black area 150 mm x 230 mm and rectangles 10 mm x 10 mm for yield or emission; PS operator used: nnn0\* setcmykcolor

Form: 8, Series: 2, Page: 9



See for similar files: <http://www.ps.bam.de/CE97/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2?

BAM registration: 20030501-CE97/10L/L97E08SP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

