


DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF


Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, necneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Landolt-rings W-N Code



$L^* / Y$ (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$\{x\}^{*}_{CIE\text{LAB},F}$ (relative) $w^*$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%

Form 1: "LSB" letter with some graphic for yield or emission; PS operator used: 000n\* setcmykcolor  
 ISO/IEC 19752-test chart, form 1  
 Proposal by DIN NI28


input: 000n\* setcmykcolor  
 name1 2003-05-01, name1  
 name2 output: cmy0\*/000n\* setcmykcolor  
 Test device type: cmy0\*/000n\* setcmykcolor

www.ps.bam.de/CE99/10L/L99E00FP.PS/.PDF; linearized output  
 F: Output Linearization (OL) data CE99/10L/L99E00FP.DAT in File (F)

250 mm +/- 1%


224 mm (+/- 1 mm)

170 mm (+/- 1 mm)




224 mm (+/- 1 mm)

170 mm (+/- 1 mm)




See for similar files: <http://www.ps.bam.de/CE99/>  
 Technical information: <http://www.ps.bam.de/19752>


BAM registration: 20030501-CE99/10L/L99E02FP.PS/.PDF BAM material: code=rh4ta  
 application for yield test of monochromatic printers




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: 000n\* setcmykcolor




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: 000n\* setcmykcolor




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: 000n\* setcmykcolor





Picture C4: Landolt-rings W-N; PS operator: 000n\* setcmykcolor



Picture C5: Line raster under 45° (or 135°); PS operator: 000n\* setcmykcolor




Picture C6: Line raster under 90° (or 0°); Use of the PS operator 000n\* setcmykcolor



See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752>

BAM registration: 20030501-CE99/10L/L99E03FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



170 mm (+/- 1 mm)

N 0001\*



N 0000\*

Form 4: Grey areas 14 mm x 14 mm for yield or emission: 10% geometrical and 5% visual area coverage; PS operator used: 000n\* setcmycolor

Form: 4, Serie: 1, Page: 5



ISO/IEC 19752-test chart, form 4  
Proposal by DIN NI28

2003-05-01, name1 input: 000n\* setcmycolor  
Test device type: name2 output: cmy0\*/000n\* setcmycolor



Version 2.0, io=0,0; iORS; oORS, CIELAB









See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752>

BAM registration: 20030501-CE99/10L/L99E04FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

170 mm (+/- 1 mm)







See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0; iORS; oORS, CIELAB

BAM registration: 20030501-CE99/10L/L99E05FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers




Grey Page



White Page


See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0; iORS; oORS, CIELAB





See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0; iORS; oORS, CIELAB

BAM registration: 20030501-CE99/10L/L99E07FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers





Black Page

Form 8: Black area 150 mm x 230 mm and rectangles 10 mm x 10 mm for yield or emission; PS operator used: 000n\* setcmykcolor

Form: 8, Series: 1, Page: 9


ISO/IEC 19752-test chart, form 8  
Proposal by DIN NI28

2003-05-01, name1 input: 000n\* setcmykcolor  
Test device type: name2 output: cmy0\*/000n\* setcmykcolor



See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0; iORS; oORS, CIELAB

BAM registration: 20030501-CE99/10L/L99E08FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers




Form 9: Grey rectangles 115 mm x 14.4 mm for yield or emission; PS operator used: 000n\* setcmykcolor

Form: 9, Serie: 1, Page: 10

ISO/IEC 19752-test chart, form 9  
Proposal by DIN NI28  
2003-05-01, name1 input: 000n\* setcmykcolor  
Test device type: name2 output: cmy0\*/000n\* setcmykcolor

DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002



Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, necneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



$L^* / Y$ (absolute)	18,0/2,5	23,1/3,8	28,2/5,5	33,3/7,7	38,5/10,3	43,6/13,6	48,8/17,4	54,0/21,9	59,1/27,2	64,3/33,2	69,5/40,0	74,7/47,8	79,8/56,5	85,0/66,1	90,2/76,8	95,4/88,6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$\{x\}^{*}_{CIE\text{LAB},F}$ (relative) $w^*$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%


www.ps.bam.de/CE99/10L/L99E00FP.PS/.PDF; linearized output  
 F: Output Linearization (OL) data CE99/10L/L99E00FP.DAT in File (F)

250 mm +/- 1%

Form 1: "LSB" letter with some graphic for yield or emission; PS operator used: 000n\* setcmykcolor  
 ISO/IEC 19752-test chart, form 1  
 Proposal by DIN NI28  
 Form 1, Serie: 2, Page: 1  
 input: 000n\* setcmykcolor  
 Test device type: cmy0\*/000n\* setcmykcolor


224 mm (+/- 1 mm)

170 mm (+/- 1 mm)




224 mm (+/- 1 mm)

170 mm (+/- 1 mm)




See for similar files: <http://www.ps.bam.de/CE99/>  
 Technical information: <http://www.ps.bam.de/19752>


BAM registration: 20030501-CE99/10L/L99E02FP.PS/.PDF BAM material: code=rh4ta  
 application for yield test of monochromatic printers




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: 000n\* setcmykcolor




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: 000n\* setcmykcolor




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: 000n\* setcmykcolor





Picture C4: Landolt-rings W-N; PS operator: 000n\* setcmykcolor



Picture C5: Line raster under 45° (or 135°); PS operator: 000n\* setcmykcolor




Picture C6: Line raster under 90° (or 0°); Use of the PS operator 000n\* setcmykcolor



See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752>

BAM registration: 20030501-CE99/10L/L99E03FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers





Version 2.0, io=0,0; iORS; oORS, CIELAB



Form 4: Grey areas 14 mm x 14 mm for yield or emission: 10% geometrical and 5% visual area coverage; PS operator used: 000n\* setcmycolor

Form: 4, Serie: 2, Page: 5

ISO/IEC 19752-test chart, form 4  
Proposal by DIN NI28

2003-05-01, name1 input: 000n\* setcmycolor  
Test device type: name2 output: cmy0\*/000n\* setcmycolor






See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752>

BAM registration: 20030501-CE99/10L/L99E04FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers

170 mm (+/- 1 mm)





Grey Page


See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752>

Version 2.0, io=0,0; iORS; oORS, CIELAB

White Page


See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752>

Version 2.0, io=0,0; iORS; oORS, CIELAB



See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0; iORS; oORS, CIELAB

BAM registration: 20030501-CE99/10L/L99E07FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers





Black Page

Form 8: Black area 150 mm x 230 mm and rectangles 10 mm x 10 mm for yield or emission; PS operator used: 000n\* setcmykcolor

Form: 8, Series: 2, Page: 9


ISO/IEC 19752-test chart, form 8  
Proposal by DIN NI28

2003-05-01, name1 input: 000n\* setcmykcolor  
Test device type: name2 output: cmy0\*/000n\* setcmykcolor



See for similar files: <http://www.ps.bam.de/CE99/>  
Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=0,0; iORS; oORS, CIELAB

BAM registration: 20030501-CE99/10L/L99E08FP.PS/.PDF BAM material: code=rh4ta  
application for yield test of monochromatic printers



Form 9: Grey rectangles 115 mm x 14.4 mm for yield or emission; PS operator used: 000n\* setcmykcolor

Form: 9, Serie: 2, Page: 10

ISO/IEC 19752-test chart, form 9  
Proposal by DIN NI28

2003-05-01, name1 input: 000n\* setcmykcolor  
Test device type: name2 output: cmy0\*/000n\* setcmykcolor