www.ps.bam.de/LE33/10S/S33E00NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E00NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 1/16, Serie: 1/1, Page: 1 Page: count: 1

LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3* = o3* = 0.0 = const.*

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3* = o3* = 0.066 = const.*

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E01NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

www.ps.bam.de/LE33/10S/S33E02NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E02NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta
/LE33/ Form: 3/16, Serie: 1/1, Page: 3 Page: count: 3

LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3* = o3* = 0.133 = const.*

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

www.ps.bam.de/LE33/10S/S33E03NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3* = o3* = 0.2 = const.*

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E03NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 4/16, Serie: 1/1, Page: 4 Page: count: 4

www.ps.bam.de/LE33/10S/S33E04NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3* = o3* = 0.266* = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E04NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 5/16, Serie: 1/1, Page: 5 Page: count: 5

www.ps.bam.de/LE33/10S/S33E05NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.333 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E05NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 6/16, Serie: 1/1, Page: 6 Page: count: 6

www.ps.bam.de/LE33/10S/S33E06NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.4 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E06NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 7/16, Serie: 1/1, Page: 7 Page: count: 7

www.ps.bam.de/LE33/10S/S33E07NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3* = o3* = 0.466* = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E07NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 8/16, Serie: 1/1, Page: 8 Page: count: 8

www.ps.bam.de/LE33/10S/S33E08NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.533 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E08NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 9/16, Serie: 1/1, Page: 9 Page: count: 9

www.ps.bam.de/LE33/10S/S33E09NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.6 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E09NP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 10/16,Serie: 1/1, Page: 10 Page: count: 10

www.ps.bam.de/LE33/10S/S33E0ANP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.666 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E0ANP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 11/16,Serie: 1/1, Page: 11 Page: count: 11



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.733 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E0BNP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 12/16,Serie: 1/1, Page: 12 Page: count: 12

www.ps.bam.de/LE33/10S/S33E0CNP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.8 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E0CNP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer systems

/LE33/ Form: 13/16,Serie: 1/1, Page: 13 Page: count: 13

www.ps.bam.de/LE33/10S/S33E0DNP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.866 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E0DNP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 14/16,Serie: 1/1, Page: 14 Page: count: 14

www.ps.bam.de/LE33/10S/S33E0ENP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3** = *o3** = 0.933 = const.

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E0ENP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 15/16,Serie: 1/1, Page: 15 Page: count: 15

www.ps.bam.de/LE33/10S/S33E0FNP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

(olv3* = 1.0, l3*, v3*)



(olv3* = 1.0, 0, 1)

(olv3* = 1.0, 1, 0)

See for similar files: http://www.ps.bam.de/LE33/
Technical information: http://www.ps.bam.de Version 2.1, io=1,1

BAM registration: 20050501-LE33/10S/S33E0FNP.PS/.PDF
application for measurement of printer systems

BAM material: code=rha4ta

/LE33/ Form: 16/16,Serie: 1/1, Page: 16 Page: count: 16

LE330−7, Test chart file with 16x16x16 (=4096) colours; Device dependent colour coordinates olv3* of ISO/IEC 15775:1999 as input; *r3* = o3* = 1.0 = const.*

BAM-test chart no. LE33; Systems ORS18 and TLS00
4096 (=16x16x16) colours of ISO/IEC 15775:1999

input: *olv3* setrgbcolor*
output: *no change compared to input*