




WE800-1. Change of PDT (LMS) in colour vision; Adaptation




WE800-2. Change of PDT (LMS) in colour vision; Adaptation




WE801-1. Change of PDT (LMS) in colour vision; Adaptation




WE801-2. Change of PDT (LMS) in colour vision; Adaptation




WE800-3. Change of PDT (LMS) in colour vision; Adaptation




WE800-4. Change of PDT (LMS) in colour vision; Adaptation




WE801-3. Change of PDT (LMS) in colour vision; Adaptation




WE801-4. Change of PDT (LMS) in colour vision; Adaptation




WE800-5. Change of PDT (LMS) in colour vision; Adaptation




WE800-6. Change of PDT (LMS) in colour vision; Adaptation




WE801-5. Change of PDT (LMS) in colour vision; Adaptation




WE801-6. Change of PDT (LMS) in colour vision; Adaptation




WE800-7. Change of PDT (LMS) in colour vision; Adaptation



WE800-8. Change of PDT (LMS) in colour vision; Adaptation



WE801-7. Change of PDT (LMS) in colour vision; Adaptation



WE801-8. Change of PDT (LMS) in colour vision; Adaptation

BAM-test chart no. WE80; colour vision and adaptation  
 Logarithmic cone sensitivity and ratios or differences

input: cmy0\* setcmkycolor  
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/WE80/>  
 Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1

BAM registration: 20060601 - WE80/L80E00N1.PS/.TXT  
 application for measurement of printer or monitor systems

BAM material: code=ha4ta