




WE880-1. Change of PDT (LMS) in colour vision; Adaptation




WE880-2. Change of PDT (LMS) in colour vision; Adaptation




WE881-1. Change of PDT (LMS) in colour vision; Adaptation




WE881-2. Change of PDT (LMS) in colour vision; Adaptation




WE880-3. Change of PDT (LMS) in colour vision; Adaptation




WE880-4. Change of PDT (LMS) in colour vision; Adaptation




WE881-3. Change of PDT (LMS) in colour vision; Adaptation




WE881-4. Change of PDT (LMS) in colour vision; Adaptation




WE880-5. Change of PDT (LMS) in colour vision; Adaptation




WE880-6. Change of PDT (LMS) in colour vision; Adaptation




WE881-5. Change of PDT (LMS) in colour vision; Adaptation




WE881-6. Change of PDT (LMS) in colour vision; Adaptation




WE880-7. Change of PDT (LMS) in colour vision; Adaptation



WE880-8. Change of PDT (LMS) in colour vision; Adaptation



WE881-7. Change of PDT (LMS) in colour vision; Adaptation



WE881-8. Change of PDT (LMS) in colour vision; Adaptation

BAM-test chart no. WE88; colour vision and adaptation  
 Logarithmic cone sensitivity and ratios or differences

input: cmy0\* setcmkycolor  
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/WE88/>  
 Technical information: <http://www.ps.bam.de>  
 Version 2.1, io=1,1

BAM registration: 20060601 - WE88/L88E00N1.PS/.TXT  
 application for measurement of printer or monitor systems  
 BAM material: code=ha4ta