




WE900-1. Change of PDT (LMS) in colour vision; Adaptation




WE900-2. Change of PDT (LMS) in colour vision; Adaptation




WE901-1. Change of PDT (LMS) in colour vision; Adaptation




WE901-2. Change of PDT (LMS) in colour vision; Adaptation




WE900-3. Change of PDT (LMS) in colour vision; Adaptation




WE900-4. Change of PDT (LMS) in colour vision; Adaptation




WE901-3. Change of PDT (LMS) in colour vision; Adaptation




WE901-4. Change of PDT (LMS) in colour vision; Adaptation




WE900-5. Change of PDT (LMS) in colour vision; Adaptation




WE900-6. Change of PDT (LMS) in colour vision; Adaptation




WE901-5. Change of PDT (LMS) in colour vision; Adaptation




WE901-6. Change of PDT (LMS) in colour vision; Adaptation




WE900-7. Change of PDT (LMS) in colour vision; Adaptation



WE900-8. Change of PDT (LMS) in colour vision; Adaptation



WE901-7. Change of PDT (LMS) in colour vision; Adaptation



WE901-8. Change of PDT (LMS) in colour vision; Adaptation

BAM-test chart no. WE90; colour vision and adaptation
 Logarithmic cone sensitivity and ratios or differences

input: cmy0* setcmkycolor
 output: no change compared to input

See for similar files: <http://www.ps.bam.de/WE90/>
 Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1

BAM registration: 20060601 - WE90/L90E00N1.PS/.TXT
 application for measurement of printer or monitor systems

BAM material: code=ha4ta