



Siehe ähnliche Dateien: <http://www.ps.bam.de/YG40/>
 Technische Information: <http://www.ps.bam.de> Version 2.1, io=1,1



ORS18					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OM	47.94	65.31	52.07	83.53	39
YM	90.37	-11.15	96.17	96.82	97
LM	50.9	-62.96	36.71	72.89	150
CM	58.62	-30.62	-42.74	52.59	234
VM	25.72	31.45	-44.35	54.38	305
MM	48.13	75.2	-6.79	75.51	355
NM	18.01	0.5	-0.46	0.69	317
WM	95.41	-0.98	4.76	4.86	102
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272




ORS18a; adaptierte CIELAB-Daten					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	47.94	65.39	50.52	82.63	38
YMa	90.37	-10.26	91.75	92.32	96
LMa	50.9	-62.83	34.96	71.91	151
CMa	58.62	-30.34	-45.01	54.3	236
VMa	25.72	31.1	-44.4	54.22	305
MMa	48.13	75.28	-8.36	75.74	354
NMa	18.01	0.0	0.0	0.0	0
WMa	95.41	0.0	0.0	0.0	0
RCIE	39.92	58.66	26.98	64.57	25
JCIE	81.26	-2.16	67.76	67.79	92
GCIE	52.23	-42.25	11.76	43.87	164
BCIE	30.57	1.15	-46.84	46.86	271

%Umfang
 $u^*_{rel} = 94$
 %Regularität
 $g^*_{H,rel} = 58$
 $g^*_{C,rel} = 54$

%Umfang
 $u^*_{rel} = 93$
 %Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

Daten der 2x2x2=8 Farben im Farbmetrik-System ORS18; Sechs Buntonwinkel des Farbgerätes: (21.9, 107.3, 142.3, 197.9, 293.9, 326.1); Vier Buntonwinkel der Elementarfarben: (25.5, 92.3, 162.2, 271.7)

n	Nr.	System	a^*_3	l^*_3	v^*_3	e^*	f^*	c^*	h^*	n^*	w^*	LCH [°] CIE	a^*b^* CIE	XYZ [°] CIE	\mathcal{N}^* CIE	XYZ [°] RGB	RGB [°] sRGB	RGB [°] AdobeRGB
0	0	ORS18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	18.0 0.0 0.0	0.0 0.0 0.0	2.4 2.5 2.7	0.313 0.313	0.027 0.028	0.031 0.184 0.184	0.184 0.198 0.198
1	0	ORS18	0.0	0.0	1.0	0.778	0.5	1.0	0.847	0.0	0.0	25.7 54.2 305.0	31.1 -44.3	7.1 4.7 21.4	0.215 0.215	0.081 0.053	0.242 0.271 0.192	0.537 0.259 0.205
2	0	ORS18	0.0	1.0	0.0	0.35	0.5	1.0	0.419	0.0	0.0	50.9 71.9 150.9	-62.7 35.0	8.7 19.2 7.1	0.249 0.249	0.098 0.217	0.08 -0.691	0.596 0.237
3	0	ORS18	0.0	1.0	1.0	0.586	0.5	1.0	0.656	0.0	0.0	58.6 54.3 236.0	-30.2 -44.9	18.8 26.6 71.3	0.161 0.161	0.212 0.3	0.805 -2.27	0.659 0.307
4	0	ORS18	1.0	0.0	0.0	0.036	0.5	1.0	0.105	0.0	0.0	47.9 82.6 37.7	65.4 50.5	30.1 16.7 2.9	0.605 0.605	0.34 0.189	0.033 0.904	0.177 0.128
5	0	ORS18	1.0	0.0	1.0	0.914	0.5	1.0	0.982	0.0	0.0	48.1 75.7 353.7	75.3 -8.3	33.1 16.9 22.9	0.454 0.454	0.373 0.191	0.258 0.9	0.077 0.542
6	0	ORS18	1.0	1.0	0.0	0.197	0.5	1.0	0.268	0.0	0.0	90.4 92.3 96.4	-10.2 91.8	68.5 77.1 10.5	0.439 0.439	0.773 0.87	0.118 1.046	0.949 -0.122
7	0	ORS18	1.0	1.0	1.0	0.0	1.0	0.0	0.0	1.0	0.0	95.4 0.0 0.0	0.0 0.0	84.2 88.6 96.5	0.313 0.313	0.95 1.0	1.089 1.0	1.0 1.0 1.0



BAM-Registrierung: 20061101-YG40/L40G00N1.PS/TXT
 Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen
 YG40 Form 18, Seite 11, Seite 1
 Seite 1 von 1
 BAM-Material-Code=thada

