

Documentation of assessor colour-vision properties for visual assessment

The assessor has **normal** colour vision according to one test:

underline: Yes/No

either according to DIN 6160:1996 with Anomaloskop of Nagel

underline: Yes/unknown

or with test charts using colour points according to Ishihara

underline: Yes/unknown

or tested with, please specify:

underline: Yes/unknown

For visual evaluation of the display (Monitor, data projector) output

Office workplace illumination is daylight (clouded/north sky)

underline: Yes/No

PDF file: http://farbe.li.tu-berlin.de/AE19/AE19F0PX_CY8_3.PDF

underline: Yes/No

PS file: http://farbe.li.tu-berlin.de/AE19/AE19F0PX_CY8_3.PS

underline: Yes/No

picture A7_{dd} contrast range: (>F:0) (F:0) (E:0) (D:0) (C:0) (A:0) (9:0) (7:0) (5:0) (3:0) (<3:0)

compare standard print output according to ISO/IEC 15775 with range F:0

underline: Yes/No

Remark: In daylighted offices the contrast range is in many cases:

on display between: >F:0 and E:0 (monitor), D:0 and 3:0 (data projector)

Only for optional colorimetric specification with PDF/PS file output

PDF file: http://farbe.li.tu-berlin.de/AE19/AE19F0PX_CY8_3.PDF

picture A7_{dd}

underline: Yes/No

PS file: http://farbe.li.tu-berlin.de/AE19/AE19F0PX_CY8_3.PS

picture A7_{dd}

or underline: Yes/No

colour measurement and specification for:

CIE standard illuminant D65, 2 degree observer, CIE 45/0 geometry:

underline: Yes/No

If No, please give other parameters:

Colorimetric specification for 17 step colours of <http://farbe.li.tu-berlin.de/OE70/OE70L1NP.PDF>

Exchange of CIELAB data in file <http://farbe.li.tu-berlin.de/AE82/AE82L0NP.TXT> and transfer

of the PS file AE82L0NP.PS (= .TXT) to the PDF-file AE82L0NP.PDF

underline: Yes/No

If No, please describe other method: