



# LMS\_F02\_L cone excitation

$$\log \sqrt{\bar{s}_{F02\_L,s}(\lambda) / \{0,5\bar{l}_{F02\_L,s}(\lambda) + 0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$




# LMS\_F02\_L cone excitation

$$\log \sqrt{\bar{F}_{F02\_L,s}(\lambda) / \{0,5\bar{l}_{F02\_L,s}(\lambda) + 0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$




# LMS\_F02\_L cone excitation

$$\log \frac{\bar{F}_{F02\_L,s}(\lambda)}{\{0,5\bar{l}_{F02\_L,s}(\lambda)+0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$



# LMS\_F02\_L cone excitation

$$\log \sqrt{\bar{F}_{F02\_L,s}(\lambda) / \{0,5\bar{l}_{F02\_L,s}(\lambda) + 0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$



# LMS\_F02\_L cone excitation

$$\log \frac{\bar{F}_{F02\_L,s}(\lambda)}{\{0,5\bar{l}_{F02\_L,s}(\lambda)+0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$

2,0

1,0

0,0

400

500

600

700

wavelength  $\lambda$ /nm

$$E00: \Sigma \bar{F}_{F02\_L,s}(\lambda) = 99,93$$

$$x_{F02\_L,s} = 0,2319$$

$$y_{F02\_L,s} = 0,2682$$

# LMS\_F02\_L cone excitation

$$\log \sqrt{\bar{F}_{F02\_L,s}(\lambda) / \{0,5\bar{l}_{F02\_L,s}(\lambda) + 0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$

2,0

1,0

0,0

400

500

600

700

wavelength  $\lambda$ /nm


$$C00: \Sigma \bar{F}_{F02\_L,s}(\lambda) = 113,35$$

$$x_{F02\_L,s} = 0,2114$$

$$y_{F02\_L,s} = 0,2530$$

# LMS\_F02\_L cone excitation

$$\log \frac{\bar{F}_{F02\_L,s}(\lambda)}{\{0,5\bar{l}_{F02\_L,s}(\lambda)+0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$



# LMS\_F02\_L cone excitation

$$\log \sqrt{\bar{F}_{F02\_L,s}(\lambda) / \{0,5\bar{l}_{F02\_L,s}(\lambda) + 0,5\bar{m}_{F02\_L,s}(\lambda)\}}$$

