

LMS_17Ms cone sensitivity; $XYZ_w=100$

$$\bar{l}_{17MsE,D}(\lambda) = [\mathbf{B}_{11}\bar{x}_{17MsE,D}(\lambda) + \mathbf{B}_{12}\bar{y}_{17MsE,D}(\lambda)$$


$$+ \mathbf{B}_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; \mathbf{E00}, \mathbf{D65}$$

$$\mathbf{B}_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$



***LMS_17Ms* cone sensitivity; $XYZ_w=100$**

$$\bar{l}_{17MsE,D}(\lambda) = [\mathbf{B}_{11}\bar{x}_{17MsE,D}(\lambda) + \mathbf{B}_{12}\bar{y}_{17MsE,D}(\lambda)$$


$$+ \mathbf{B}_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; \mathbf{E00}, \mathbf{D50}$$

$$\mathbf{B}_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$



LMS_17Ms cone sensitivity; $XYZ_w=100$

$$\bar{l}_{17MsE,D}(\lambda) = [\mathbf{B}_{11}\bar{x}_{17MsE,D}(\lambda) + \mathbf{B}_{12}\bar{y}_{17MsE,D}(\lambda)$$


$$+ \mathbf{B}_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; \mathbf{E00}, \mathbf{P40}$$

$$\mathbf{B}_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$



LMS_17Ms cone sensitivity; $XYZ_w=100$

$$\bar{l}_{17MsE,D}(\lambda) = [B_{11}\bar{x}_{17MsE,D}(\lambda) + B_{12}\bar{y}_{17MsE,D}(\lambda)$$


$$+ B_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; E00, A00$$

$$B_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$



LMS_17Ms cone sensitivity; $XYZ_w=100$

$$\bar{l}_{17MsE,D}(\lambda) = [\mathbf{B}_{11}\bar{x}_{17MsE,D}(\lambda) + \mathbf{B}_{12}\bar{y}_{17MsE,D}(\lambda)$$


$$+ \mathbf{B}_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; \mathbf{E00}, \mathbf{E00}$$

$$\mathbf{B}_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$



***LMS_17Ms* cone sensitivity; $XYZ_w=100$**

$$\bar{l}_{17MsE,D}(\lambda) = [\mathbf{B}_{11}\bar{x}_{17MsE,D}(\lambda) + \mathbf{B}_{12}\bar{y}_{17MsE,D}(\lambda)$$


$$+ \mathbf{B}_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; \mathbf{E00}, \mathbf{C00}$$

$$\mathbf{B}_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$



LMS_17Ms cone sensitivity; $XYZ_w=100$

$$\bar{l}_{17MsE,D}(\lambda) = [B_{11}\bar{x}_{17MsE,D}(\lambda) + B_{12}\bar{y}_{17MsE,D}(\lambda)$$


$$+ B_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; E00, P00$$

$$B_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$



LMS_17Ms cone sensitivity; $XYZ_w=100$

$$\bar{l}_{17MsE,D}(\lambda) = [\mathbf{B}_{11}\bar{x}_{17MsE,D}(\lambda) + \mathbf{B}_{12}\bar{y}_{17MsE,D}(\lambda)$$

$$+ \mathbf{B}_{13}\bar{z}_{17MsE,D}(\lambda)]S(\lambda)_{E,D}; t_{sa}=0,00; \mathbf{E00}, \mathbf{Q00}$$

$$\mathbf{B}_{1j}: 0,5050 \quad 0,6666 \quad -0,1717 \quad (\lambda=570)$$

$$l_{17MsE,D}=0,3333; 0,3333$$

$$s_{17MsE,D}=0,3333; 0,3333$$

$$\Sigma \bar{l}_{17MsE,D}(\lambda) = 100,00; 99,99$$

