

HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$


$$\bar{s}_{\text{F10\_X,s}}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{F10\_X,s}}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

D65:  $\Sigma \bar{s}_{\text{F10\_X,s}}(\lambda) = 50,15$

$x_{\text{F10\_X,s}} = 0,3133$

$y_{\text{F10\_X,s}} = 0,3306$



HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$


$$\bar{s}_{\text{F10\_X,s}}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{F10\_X,s}}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

D50:  $\Sigma \bar{s}_{\text{F10\_X,s}}(\lambda) = 37,53$

$x_{\text{F10\_X,s}} = 0,3484$

$y_{\text{F10\_X,s}} = 0,3607$



HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$


$$\bar{s}_{\text{F10\_X,s}}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{F10\_X,s}}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

P40:  $\Sigma \bar{s}_{\text{F10\_X,s}}(\lambda) = 29,51$

$x_{\text{F10\_X,s}} = 0,3831$

$y_{\text{F10\_X,s}} = 0,3775$



HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$


$$\bar{s}_{\text{F10\_X},s}(\lambda) = \mathbf{B}_{31}\bar{x}_{\text{F10\_X},s}(\lambda) + \mathbf{B}_{32}\bar{y}_{\text{F10\_X},s}(\lambda) + \mathbf{B}_{33}\bar{z}_{\text{F10\_X},s}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

A00:  $\Sigma \bar{s}_{\text{F10\_X},s}(\lambda) = 15,78$

$x_{\text{F10\_X},s} = 0,4527$

$y_{\text{F10\_X},s} = 0,4087$



HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$


$$\bar{s}_{\text{F10\_X,s}}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{F10\_X,s}}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

E00:  $\Sigma \bar{s}_{\text{F10\_X,s}}(\lambda) = 46,66$

$x_{\text{F10\_X,s}} = 0,3331$

$y_{\text{F10\_X,s}} = 0,3330$



HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$


$$\bar{s}_{\text{F10\_X,s}}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{F10\_X,s}}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

C00:  $\Sigma \bar{s}_{\text{F10\_X,s}}(\lambda) = 54,27$

$x_{\text{F10\_X,s}} = 0,3101$

$y_{\text{F10\_X,s}} = 0,3185$



HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$


$$\bar{s}_{\text{F10\_X,s}}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{F10\_X,s}}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

P00:  $\Sigma \bar{s}_{\text{F10\_X,s}}(\lambda) = 37,54$

$x_{\text{F10\_X,s}} = 0,3617$

$y_{\text{F10\_X,s}} = 0,3534$



HPE\_CIEF10\_X cone sensitivity  $Y_{\text{sum}}=100$

$$\bar{s}_{\text{F10\_X,s}}(\lambda) = \mathbf{B}_{31} \bar{x}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{32} \bar{y}_{\text{F10\_X,s}}(\lambda) + \mathbf{B}_{33} \bar{z}_{\text{F10\_X,s}}(\lambda)$$

$\mathbf{B}_{3j}$     0,000    0,000    0,4657     $\lambda=440$

Q00:  $\Sigma \bar{s}_{\text{F10\_X,s}}(\lambda) = 57,79$

$x_{\text{F10\_X,s}} = 0,3054$

$y_{\text{F10\_X,s}} = 0,3099$

