


lin[sensitivity]


$$\begin{aligned} \log O_o &= -0,35[u_\lambda - u_{595}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{595}]^2 \\ \log O_a &= \log O_o + 0,09 \\ \log M_a &= \log M_o + 0,09 \\ u_\lambda &= (\lambda - 550)/50 \end{aligned}$$

[O_o, M_o]

CEP30-1A

lin[saturation]

$$\begin{aligned} \log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log L_a &= \log L_o + 0,00 \\ \log O_a &= \log O_o + 0,09 \\ \log M_a &= \log M_o + 0,09 \\ u_\lambda &= (\lambda - 550)/50 \end{aligned}$$

[O_o/L_o, M_o/L_o]

CEP30-2A

lin[sensitivity]

$$\begin{aligned} \log O_o &= -0,35[u_\lambda - u_{595}]^2 \\ \log M_o &= -0,35[u_\lambda - u_{595}]^2 \\ \log L_a = \log L_o + 0,00 & \\ \log O_a &= \log O_o + 0,09 \\ \log M_a &= \log M_o + 0,09 \\ u_\lambda &= (\lambda - 550)/50 \end{aligned}$$

[L_o, O_o, M_o]

CEP30-3A

$$\begin{aligned} \log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log L_a &= \log L_o + 0,00 \\ \log O_a &= \log O_o + 0,09 \\ \log M_a &= \log M_o + 0,09 \\ [L_o/L_o, O_o/L_o, M_o/L_o] & \\ u_\lambda &= (\lambda - 550)/50 \end{aligned}$$

[L_o/L_o, O_o/L_o, M_o/L_o]

CEP30-4A

lin[sensitivity]

$$\begin{aligned} \log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log L_a = \log L_o + 0,00 & \\ [L_o, M_o] & \\ \log M_o &= -0,35[u_\lambda - u_{595}]^2 \\ \log M_a &= \log M_o + 0,09 \\ u_\lambda &= (\lambda - 550)/50 \end{aligned}$$

[L_o, M_o]

CEP30-5A

$$\begin{aligned} \log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log L_a &= \log L_o + 0,00 \\ [L_o/L_o, M_o/L_o] & \\ \log M_o &= \log L_o + 0,09 \end{aligned}$$

[L_o/L_o, M_o/L_o]

CEP30-6A

lin[sensitivity]

$$\begin{aligned} \log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log L_a = \log L_o + 0,00 & \\ [L_o, O_o] & \\ \log O_o &= \log O_a + 0,09 \\ u_\lambda &= (\lambda - 550)/50 \end{aligned}$$

[L_o, O_o]

CEP30-7A

$$\begin{aligned} \log L_o &= -0,35[u_\lambda - u_{570}]^2 \\ \log L_a &= \log L_o + 0,00 \\ [L_o/L_o, O_o/L_o] & \\ \log O_o &= \log O_a + 0,09 \end{aligned}$$

[L_o/L_o, O_o/L_o]

CEP30-8A

CEP30-7N