

Siehe Original/Kopie: <http://web.me.com/klaus.richter/KG76/KG76L0NP.PDF> /.PS
 Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

TUB-Registrierung: 20100801-KG76/KG76L0NP.PDF /.PS
 Anwendung für Messung von Drucker- oder Monitorsystemen
 TUB-Material: Code=rh4ta

n_{rgb}	$rgb \rightarrow rgb^*_3$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$			n_{rgb}	$rgb \rightarrow rgb^*_3$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,e}$		
0	0.0	0.0	0.0	0.0	51.73	83.56	357.0	0	0.0	0.0	0.0	0.0	53.88	78.16	357.0
1	0.0	0.0	0.125	270.0	58.86	59.98	271.8	1	0.0	0.0	0.125	270.0	60.43	57.35	271.8
2	0.0	0.0	0.25	270.0	58.87	59.96	271.8	2	0.0	0.0	0.25	270.0	60.44	57.33	271.8
3	0.0	0.0	0.375	270.0	58.87	59.95	271.8	3	0.0	0.0	0.375	270.0	60.45	57.32	271.8
4	0.0	0.0	0.5	270.0	58.88	59.95	271.7	4	0.0	0.0	0.5	270.0	60.45	57.32	271.7
5	0.0	0.0	0.625	270.0	58.88	59.95	271.7	5	0.0	0.0	0.625	270.0	60.45	57.32	271.7
6	0.0	0.0	0.75	270.0	58.88	59.94	271.7	6	0.0	0.0	0.75	270.0	60.45	57.31	271.7
7	0.0	0.0	0.875	270.0	58.88	59.94	271.7	7	0.0	0.0	0.875	270.0	60.45	57.31	271.7
8	0.0	0.0	1.0	270.0	58.88	59.94	271.7	8	0.0	0.0	1.0	270.0	60.45	57.31	271.7
729	1.0	1.0	1.0	0.0	51.73	83.56	357.0	729	1.0	1.0	1.0	0.0	53.88	78.16	357.0
730	0.875	1.0	1.0	210.0	79.69	45.34	217.0	730	0.875	1.0	1.0	210.0	80.32	43.61	217.0
731	0.75	1.0	1.0	210.0	79.7	45.34	217.0	731	0.75	1.0	1.0	210.0	80.32	43.61	217.0
732	0.625	1.0	1.0	210.0	79.7	45.34	217.0	732	0.625	1.0	1.0	210.0	80.32	43.62	217.0
733	0.5	1.0	1.0	210.0	79.7	45.34	217.0	733	0.5	1.0	1.0	210.0	80.32	43.62	217.0
734	0.375	1.0	1.0	210.0	79.7	45.34	217.0	734	0.375	1.0	1.0	210.0	80.32	43.62	217.0
735	0.25	1.0	1.0	210.0	79.7	45.34	217.0	735	0.25	1.0	1.0	210.0	80.32	43.62	217.0
736	0.125	1.0	1.0	210.0	79.7	45.34	217.0	736	0.125	1.0	1.0	210.0	80.32	43.62	217.0
737	0.0	1.0	1.0	210.0	79.7	45.34	217.0	737	0.0	1.0	1.0	210.0	80.32	43.62	217.0
972	0.0	0.0	0.0	0.0	51.73	83.56	357.0	972	0.0	0.0	0.0	0.0	53.88	78.16	357.0
973	0.125	0.125	0.125	0.0	51.73	83.56	357.0	973	0.125	0.125	0.125	0.0	53.88	78.16	357.0
974	0.25	0.25	0.25	0.0	51.73	83.56	357.0	974	0.25	0.25	0.25	0.0	53.88	78.16	357.0
975	0.375	0.375	0.375	0.0	51.73	83.56	357.0	975	0.375	0.375	0.375	0.0	53.88	78.16	357.0
976	0.5	0.5	0.5	0.0	51.73	83.56	357.0	976	0.5	0.5	0.5	0.0	53.88	78.16	357.0
977	0.625	0.625	0.625	0.0	51.73	83.56	357.0	977	0.625	0.625	0.625	0.0	53.88	78.16	357.0
978	0.75	0.75	0.75	0.0	51.73	83.56	357.0	978	0.75	0.75	0.75	0.0	53.88	78.16	357.0
979	0.875	0.875	0.875	0.0	51.73	83.56	357.0	979	0.875	0.875	0.875	0.0	53.88	78.16	357.0
980	1.0	1.0	1.0	0.0	51.73	83.56	357.0	980	1.0	1.0	1.0	0.0	53.88	78.16	357.0
1072	0.0	0.0	0.0	0.0	51.73	83.56	357.0	1072	0.0	0.0	0.0	0.0	53.88	78.16	357.0
1073	1.0	1.0	1.0	0.0	51.73	83.56	357.0	1073	1.0	1.0	1.0	0.0	53.88	78.16	357.0
1074	1.0	0.0	0.0	30.0	50.49	87.9	25.5	1074	1.0	0.0	0.0	30.0	52.69	81.3	25.5
1075	0.0	1.0	1.0	210.0	79.7	45.34	217.0	1075	0.0	1.0	1.0	210.0	80.32	43.62	217.0
1076	1.0	1.0	0.0	90.0	83.47	100.08	92.3	1076	1.0	1.0	0.0	90.0	83.7	89.8	92.3
1077	0.0	0.0	1.0	270.0	58.88	59.94	271.7	1077	0.0	0.0	1.0	270.0	60.45	57.31	271.7
1078	0.0	1.0	0.0	150.0	85.38	66.23	162.2	1078	0.0	1.0	0.0	150.0	85.69	63.52	162.2
1079	1.0	0.0	1.0	330.0	56.15	111.45	328.6	1079	1.0	0.0	1.0	330.0	57.9	105.28	328.6

KG760-7N, 1, Serien rgb*3: N-b00r, W-g50b, N-W, 8 Elementarfarben; Display-Reflexion Lr =0% (links) und 2,5% (rechts); Seite 1/1