

n_{rgb}	$rgb \rightarrow olv^*_3$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,d}$			n_{rgb}	$rgb \rightarrow olv^*_3$			h_{rgb}	$[L^*, C^*_{ab}, h_{ab}]_{Ma,d}$		
0	0.0	0.0	0.0	0.0	52.52	106.33	35.8	0	0.0	0.0	0.0	0.0	53.45	89.08	31.9
1	0.0	0.0	0.125	270.0	52.52	106.33	35.8	1	0.0	0.0	0.125	270.0	53.45	89.08	31.9
2	0.0	0.0	0.25	270.0	52.52	106.33	35.8	2	0.0	0.0	0.25	270.0	53.45	89.08	31.9
3	0.0	0.0	0.375	270.0	52.52	106.33	35.8	3	0.0	0.0	0.375	270.0	53.45	89.08	31.9
4	0.0	0.0	0.5	270.0	52.52	106.33	35.8	4	0.0	0.0	0.5	270.0	53.45	89.08	31.9
5	0.0	0.0	0.625	270.0	52.52	106.33	35.8	5	0.0	0.0	0.625	270.0	53.45	89.08	31.9
6	0.0	0.0	0.75	270.0	52.52	106.33	35.8	6	0.0	0.0	0.75	270.0	53.45	89.08	31.9
7	0.0	0.0	0.875	270.0	52.52	106.33	35.8	7	0.0	0.0	0.875	270.0	53.45	89.08	31.9
8	0.0	0.0	1.0	270.0	52.52	106.33	35.8	8	0.0	0.0	1.0	270.0	53.45	89.08	31.9
729	1.0	1.0	1.0	0.0	52.52	106.33	35.8	729	1.0	1.0	1.0	0.0	53.45	89.08	31.9
730	0.875	1.0	1.0	210.0	52.52	106.33	35.8	730	0.875	1.0	1.0	210.0	53.45	89.08	31.9
731	0.75	1.0	1.0	210.0	52.52	106.33	35.8	731	0.75	1.0	1.0	210.0	53.45	89.08	31.9
732	0.625	1.0	1.0	210.0	52.52	106.33	35.8	732	0.625	1.0	1.0	210.0	53.45	89.08	31.9
733	0.5	1.0	1.0	210.0	52.52	106.33	35.8	733	0.5	1.0	1.0	210.0	53.45	89.08	31.9
734	0.375	1.0	1.0	210.0	52.52	106.33	35.8	734	0.375	1.0	1.0	210.0	53.45	89.08	31.9
735	0.25	1.0	1.0	210.0	52.52	106.33	35.8	735	0.25	1.0	1.0	210.0	53.45	89.08	31.9
736	0.125	1.0	1.0	210.0	52.52	106.33	35.8	736	0.125	1.0	1.0	210.0	53.45	89.08	31.9
737	0.0	1.0	1.0	210.0	52.52	106.33	35.8	737	0.0	1.0	1.0	210.0	53.45	89.08	31.9
972	0.0	0.0	0.0	0.0	52.52	106.33	35.8	972	0.0	0.0	0.0	0.0	53.45	89.08	31.9
973	0.125	0.125	0.125	0.0	52.52	106.33	35.8	973	0.125	0.125	0.125	0.0	53.45	89.08	31.9
974	0.25	0.25	0.25	0.0	52.52	106.33	35.8	974	0.25	0.25	0.25	0.0	53.45	89.08	31.9
975	0.375	0.375	0.375	0.0	52.52	106.33	35.8	975	0.375	0.375	0.375	0.0	53.45	89.08	31.9
976	0.5	0.5	0.5	0.0	52.52	106.33	35.8	976	0.5	0.5	0.5	0.0	53.45	89.08	31.9
977	0.625	0.625	0.625	0.0	52.52	106.33	35.8	977	0.625	0.625	0.625	0.0	53.45	89.08	31.9
978	0.75	0.75	0.75	0.0	52.52	106.33	35.8	978	0.75	0.75	0.75	0.0	53.45	89.08	31.9
979	0.875	0.875	0.875	0.0	52.52	106.33	35.8	979	0.875	0.875	0.875	0.0	53.45	89.08	31.9
980	1.0	1.0	1.0	0.0	52.52	106.33	35.8	980	1.0	1.0	1.0	0.0	53.45	89.08	31.9
1072	0.0	0.0	0.0	0.0	52.52	106.33	35.8	1072	0.0	0.0	0.0	0.0	53.45	89.08	31.9
1073	1.0	1.0	1.0	0.0	52.52	106.33	35.8	1073	1.0	1.0	1.0	0.0	53.45	89.08	31.9
1074	1.0	0.0	0.0	30.0	52.52	106.33	35.8	1074	1.0	0.0	0.0	30.0	53.45	89.08	31.9
1075	0.0	1.0	1.0	210.0	52.52	106.33	35.8	1075	0.0	1.0	1.0	210.0	53.45	89.08	31.9
1076	1.0	1.0	0.0	90.0	52.52	106.33	35.8	1076	1.0	1.0	0.0	90.0	53.45	89.08	31.9
1077	0.0	0.0	1.0	270.0	52.52	106.33	35.8	1077	0.0	0.0	1.0	270.0	53.45	89.08	31.9
1078	0.0	1.0	0.0	150.0	52.52	106.33	35.8	1078	0.0	1.0	0.0	150.0	53.45	89.08	31.9
1079	1.0	0.0	1.0	330.0	52.52	106.33	35.8	1079	1.0	0.0	1.0	330.0	53.45	89.08	31.9

Siehe Original/Kopie: <http://web.me.com/klaus.richter/KG77/KG77LONP.PDF> /.PS
 Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

TUB-Registrierung: 20100801-KG77/KG77LONP.PDF /.PS
 Anwendung für Messung von Drucker- oder Monitorsystemen
 TUB-Material: Code=rh4ta