

Siehe Original/Kopie: <http://web.me.com/klaus.richter/OG27/OG27LONA.TXT> /PS
 Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

TUB-Registrierung: 20110301-OG27/OG27LONA.TXT /PS
 Anwendung für Messung von Drucker- oder Monitorsystemen
 TUB-Material: Code=rh4ta

System	Helligkeit L^*_{CIELAB} ; 8 Stufen $xx=L^*_N$ von Schwarz N							
TLSxx	L^*_{CIELAB} gleichabständig zwischen L^*_N und L^*_W							
Code	xx=00	05	11	18	27	38	52	70
00, F	0.0	5.43	11.0	18.01	26.85	37.99	52.02	69.7
01, E	6.36	11.43	16.62	23.17	31.42	41.82	54.91	71.41
02, D	12.72	17.43	22.25	28.33	35.99	45.65	57.81	73.13
03, C	19.08	23.42	27.88	33.49	40.56	49.47	60.7	74.84
04, B	25.44	29.42	33.51	38.65	45.13	53.3	63.59	76.56
05, A	31.8	35.42	39.13	43.81	49.71	57.13	66.48	78.27
06, 9	38.16	41.42	44.76	48.97	54.28	60.96	69.38	79.98
07, 8	44.52	47.42	50.39	54.13	58.85	64.79	72.27	81.7
08, 7	50.89	53.42	56.02	59.29	63.42	68.61	75.16	83.41
09, 6	57.25	59.42	61.64	64.45	67.99	72.44	78.05	85.13
10, 5	63.61	65.42	67.27	69.61	72.56	76.27	80.95	86.84
11, 4	69.97	71.41	72.9	74.77	77.13	80.1	83.84	88.55
12, 3	76.33	77.41	78.53	79.93	81.7	83.93	86.73	90.27
13, 2	82.69	83.41	84.15	85.09	86.27	87.75	89.62	91.98
14, 1	89.05	89.41	89.78	90.25	90.84	91.58	92.52	93.7
15, 0	95.41	95.41	95.41	95.41	95.41	95.41	95.41	95.41

OG270-3N

System	Hellbezugswert $Y_{00} + Y_{Ri}$ (i=0,7)							
TLSxx	L^*_{CIELAB} nicht gleichabständig zwischen L^*_N und L^*_W							
Code	xx=00	05	11	18	27	38	52	70
00, F	0.0	0.63	1.24	2.45	4.77	9.05	16.42	27.71
01, E	0.7	1.32	1.94	3.13	5.43	9.68	17.0	28.19
02, D	1.52	2.13	2.74	3.93	6.2	10.41	17.66	28.75
03, C	2.77	3.37	3.97	5.14	7.39	11.53	18.68	29.61
04, B	4.56	5.15	5.74	6.88	9.08	13.14	20.14	30.84
05, A	7.0	7.57	8.14	9.25	11.39	15.33	22.12	32.52
06, 9	10.18	10.73	11.28	12.35	14.4	18.19	24.72	34.7
07, 8	14.2	14.73	15.25	16.26	18.21	21.8	27.99	37.47
08, 7	19.17	19.66	20.14	21.09	22.91	26.26	32.04	40.88
09, 6	25.17	25.62	26.06	26.93	28.59	31.65	36.93	45.01
10, 5	32.32	32.72	33.11	33.88	35.35	38.07	42.75	49.92
11, 4	40.7	41.04	41.37	42.03	43.28	45.59	49.58	55.68
12, 3	50.42	50.69	50.96	51.48	52.48	54.32	57.5	62.36
13, 2	61.58	61.77	61.96	62.32	63.03	64.34	66.58	70.03
14, 1	74.27	74.37	74.47	74.66	75.04	75.73	76.92	78.75
15, 0	88.59	88.59	88.59	88.59	88.59	88.59	88.59	88.59

OG271-3N

System	Hellbezugswert Y ; 8 Stufen $xx=L^*_N$ von Schwarz N							
TLSxx	L^*_{CIELAB} gleichabständig zwischen L^*_N und L^*_W							
Code	xx=00	05	11	18	27	38	52	70
00, F	0.0	0.6	1.26	2.52	5.04	10.08	20.16	40.32
01, E	0.7	1.32	2.22	3.85	6.83	12.38	22.85	42.79
02, D	1.52	2.39	3.59	5.58	9.0	15.01	25.76	45.36
03, C	2.77	3.93	5.41	7.77	11.59	17.98	28.91	48.03
04, B	4.56	6.0	7.77	10.46	14.64	21.32	32.3	50.8
05, A	7.0	8.71	10.74	13.71	18.17	25.06	35.95	53.67
06, 9	10.18	12.13	14.37	17.57	22.24	29.2	39.87	56.65
07, 8	14.2	16.34	18.75	22.1	26.86	33.78	44.06	59.74
08, 7	19.17	21.43	23.93	27.34	32.09	38.81	48.54	62.94
09, 6	25.18	27.48	29.99	33.36	37.95	44.32	53.3	66.25
10, 5	32.32	34.57	36.99	40.2	44.49	50.33	58.38	69.68
11, 4	40.7	42.79	45.01	47.91	51.74	56.85	63.76	73.22
12, 3	50.42	52.22	54.11	56.56	59.74	63.92	69.46	76.88
13, 2	61.58	62.94	64.36	66.18	68.53	71.56	75.5	80.66
14, 1	74.27	75.04	75.83	76.84	78.13	79.77	81.87	84.57
15, 0	88.59	88.59	88.59	88.59	88.59	88.59	88.59	88.59

OG270-7N

System	Helligkeit L^*_{CIELAB} [$Y_{00} + Y_{Ri}$ (i=0,7)]							
TLSxx	L^*_{CIELAB} nicht gleichabständig zwischen L^*_N und L^*_W							
Code	xx=00	05	11	18	27	38	52	70
00, F	0.0	5.65	10.87	17.69	26.06	36.08	47.52	59.62
01, E	6.36	11.45	15.15	20.58	27.94	37.27	48.25	60.06
02, D	12.72	16.17	18.97	23.43	29.92	38.57	49.08	60.56
03, C	19.08	21.48	23.57	27.13	32.67	40.46	50.31	61.32
04, B	25.44	27.17	28.74	31.54	36.14	42.98	51.99	62.37
05, A	31.8	33.08	34.28	36.47	40.23	46.09	54.16	63.77
06, 9	38.16	39.13	40.05	41.76	44.8	49.73	56.8	65.52
07, 8	44.52	45.26	45.97	47.32	49.75	53.82	59.88	67.63
08, 7	50.88	51.45	52.0	53.05	54.98	58.28	63.37	70.09
09, 6	57.25	57.68	58.1	58.91	60.42	63.05	67.22	72.9
10, 5	63.61	63.93	64.25	64.86	66.02	68.07	71.39	76.02
11, 4	69.97	70.2	70.44	70.89	71.74	73.28	75.81	79.43
12, 3	76.33	76.49	76.65	76.97	77.56	78.65	80.46	83.1
13, 2	82.69	82.79	82.89	83.09	83.46	84.14	85.29	87.01
14, 1	89.05	89.1	89.14	89.23	89.41	89.73	90.29	91.12
15, 0	95.41	95.41	95.41	95.41	95.41	95.41	95.41	95.41

OG271-7N