

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_- = R50Y_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = R50Y_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 68 25 63 68 68

$HIC^*_{-,Ma}$ : R50Y\_100\_100\_

$rgbic^*_{-,Ma}$ :



1.0 0.5 0.0 1.0 1.0

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE11/QE11.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS  
 application for measurement of display output

TUB material: code=rh4ta


Input and Output: Television Luminous System TLS00a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 59/360 = 0.16$

$H^*_d = R50Y_d$

Data for any device (d) or elementary (e) colour:  
 $HIC^*_d$

hue text for the colours of this page:  
 $H^*_d = R50Y_d$

triangle lightness  $T^*$



**TLS00a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	50.4	76.9	64.5	100.4	40
Y <sub>d,Ma</sub>	92.6	-20.7	90.7	93.0	102
G <sub>d,Ma</sub>	83.6	-82.7	79.8	115.0	136
C <sub>d,Ma</sub>	86.8	-46.1	-13.5	48.1	196
B <sub>d,Ma</sub>	30.3	76.0	-103.5	128.5	306
M <sub>d,Ma</sub>	57.2	94.3	-58.4	110.9	328
N <sub>d,Ma</sub>	0.0	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$ : 63 41 71 82 59

$HIC^*_{d,Ma}$ : R50Y\_100\_100<sub>d</sub>

$rgbic^*_{d,Ma}$ :



1.0 0.5 0.0 1.0 1.0

triangle lightness  $T^*$

**TLS00a; adapted (a) CIELAB data**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	50.4	76.9	64.5	100.4	40
R25Y_100_100 <sub>d</sub>	53.7	67.6	65.8	94.4	44
R50Y_100_100 <sub>d</sub>	63.6	41.3	71.0	82.2	59
R75Y_100_100 <sub>d</sub>	78.2	7.8	80.6	81.0	84
Y00G_100_100 <sub>d</sub>	92.6	-20.7	90.7	93.0	102
Y25G_100_100 <sub>d</sub>	88.7	-43.3	86.2	96.5	116
Y50G_100_100 <sub>d</sub>	85.7	-65.2	82.4	105.1	128
Y75G_100_100 <sub>d</sub>	84.0	-78.7	80.4	112.5	134
G00B_100_100 <sub>d</sub>	83.6	-82.7	79.8	115.0	136
G25B_100_100 <sub>d</sub>	84.3	-73.7	44.9	86.4	148
G50B_100_100 <sub>d</sub>	86.8	-46.1	-13.5	48.1	196
G75B_100_100 <sub>d</sub>	51.7	18.3	-68.3	70.7	285
B00R_100_100 <sub>d</sub>	30.3	76.0	-103.5	128.5	306
B25R_100_100 <sub>d</sub>	38.5	79.8	-89.7	120.0	311
B50R_100_100 <sub>d</sub>	57.2	94.3	-58.4	110.9	328
B75R_100_100 <sub>d</sub>	52.0	81.1	4.1	81.2	2

%Gamut  
 $u^*_{rel} = 158$   
%Regularity  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$



see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours  $RYGCBM_s$ :  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours  $RYGCBM_d$ :  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; Six hue angles of the elementary colours  $RYGCBM_e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$  Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$   
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$


$L=G_d$  leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$   
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$  cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$   
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

device CIELAB ( $a^*_d, b^*_d$ ) chroma diagram



$O=R_d$  orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$   
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$  magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$   
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$  violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$   
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

$Y_e$  yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$   
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$   
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

$G_e$  green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$   
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$


$C_e$  blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$   
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$   
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

$B_e$  blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$   
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$   
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

elementary CIELAB ( $a^*_e, b^*_e$ ) chroma diagram




$R_e$  red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$   
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

$M_e$  blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$   
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

standard CIELAB ( $a^*_s, b^*_s$ ) chroma diagram



$Y_s$  yellow

$LCH^*_s = 82.1 \ 83.5 \ 90.0$   
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$   
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

$G_s$  green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$   
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

$R_s$  red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$   
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

$M_s$  blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$   
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

$C_s$  blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$   
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$   
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

$B_s$  blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$   
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$   
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

- For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.
- For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:  

$$h_{ab,s} = atan [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
  

$$h_{360ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
  


$$h_{360ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_{de}$  produce the output of the device-independent elementary hues

TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS  
 application for measurement of display output, no separation  
 TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11.HTM  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Table with columns for device color data (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>64M</sub>, LAB\*, ddx64M (x=LabCh), r<sub>gb</sub><sup>a</sup>, ddx361M, LAB\*, ddx361M (x=LabCh), r<sub>gb</sub><sup>a</sup>, dsx361M, LAB\*, dsx361M (x=LabCh), r<sub>gb</sub><sup>a</sup>, dex361M, LAB\*, dex361M) and rows of numerical values.



see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11L0NP.PDF /.PS application for measurement of display output, no separation


TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	1.0 0.0	1.0 0.41 84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0	0.573 84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0	0.706 85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	0.0 1.0	0.778 85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	0.0 1.0	0.847 85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	0.0 1.0	0.9 86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	0.0 1.0	0.952 86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	0.0 1.0	0.997 86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	0.0 0.963 1.0	84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	0.0 0.929 1.0	81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	0.0 0.89 1.0	79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0 77.9	-32.3 -27.0 42.1 219.8	0.0 0.859 1.0	76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0 69.1	-17.0 -40.7 44.1 247.2	0.0 0.826 1.0	74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0 60.3	-0.1 -54.6 54.6 269.8	0.0 0.797 1.0	72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0 51.7	18.3 -68.3 70.7 285.0	0.0 0.763 1.0	70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0 43.8	37.6 -81.2 89.5 294.8	0.0 0.731 1.0	67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0 37.1	55.9 -92.3 107.9 301.1	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0 32.4	69.5 -100.0 121.8 304.8	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0 30.3	76.0 -103.5 128.5 306.2	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0 31.0	76.2 -102.4 127.7 306.6	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0 32.6	76.8 -99.8 125.9 307.5	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0 35.1	77.9 -95.5 123.3 309.2	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0 38.5	79.8 -89.7 120.0 311.6	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0 42.7	82.5 -82.7 116.8 314.8	0.0 0.146 0.0	31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0 47.2	85.8 -75.1 114.0 318.8	0.605 0.0 1.0	42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0 52.1	89.8 -66.9 112.0 323.3	0.811 0.0 1.0	49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0 57.2	94.3 -58.4 110.9 328.2	0.0 0.992 57.2	94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	0.0 0.856 55.4	89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	1.0 0.0	0.735 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	1.0 0.0	0.65 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	1.0 0.0	0.618 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	1.0 0.0	0.533 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.2 386.7	1.0 0.0	0.441 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	1.0 0.0	0.361 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	1.0 0.0	0.263 50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE11/QE11L0NP.PDF /PS  
application for measurement of display output, no separation  
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>a</sup> <sub>dd361M</sub>	LAB <sup>a</sup> <sub>ddx361Mi (x=LabCh)</sub>	R <sub>d</sub>	rgb <sup>a</sup> <sub>ds361Mi</sub>	LAB <sup>a</sup> <sub>dsx361Mi (x=LabCh)</sub>	R <sub>s</sub>	rgb <sup>a</sup> <sub>dd361Mi</sub>	LAB <sup>a</sup> <sub>de361Mi</sub>	R <sub>e</sub>	rgb <sup>a</sup> <sub>dd361Mi</sub>	rgb <sup>a</sup> <sub>dd</sub>	rgb <sup>a</sup> <sub>ds</sub>	rgb <sup>a</sup> <sub>de</sub>
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40	1.0	1.0 0.0 0.203 50.8 78.0 45.1 90.1 30	1.0	1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25	1.0	1.0 0.0 0.0	1.0	1.0	1.0	
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40	1.0	1.0 0.0 0.189 50.7 78.0 46.9 91.0 31	1.0	1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26	1.0	1.0 0.017 0.0	1.0	1.0	1.0	
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40	1.0	1.0 0.0 0.174 50.7 77.9 48.7 91.8 32	1.0	1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27	1.0	1.0 0.033 0.0	1.0	1.0	1.0	
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40	1.0	1.0 0.0 0.16 50.7 77.7 50.5 92.7 33	1.0	1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28	1.0	1.0 0.05 0.0	1.0	1.0	1.0	
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40	1.0	1.0 0.0 0.146 50.6 77.6 52.3 93.6 34	1.0	1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29	1.0	1.0 0.067 0.0	1.0	1.0	1.0	
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40	1.0	1.0 0.0 0.131 50.6 77.3 54.2 94.4 35	1.0	1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31	1.0	1.0 0.083 0.0	1.0	1.0	1.0	
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41	1.0	1.0 0.0 0.11 50.6 77.3 56.1 95.5 36	1.0	1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32	1.0	1.0 0.1 0.0	1.0	1.0	1.0	
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41	1.0	1.0 0.0 0.082 50.6 77.2 58.2 96.7 37	1.0	1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33	1.0	1.0 0.117 0.0	1.0	1.0	1.0	
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41	1.0	1.0 0.0 0.055 50.5 77.2 60.3 98.0 38	1.0	1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34	1.0	1.0 0.133 0.0	1.0	1.0	1.0	
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41	1.0	1.0 0.0 0.028 50.5 77.1 62.4 99.2 39	1.0	1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35	1.0	1.0 0.15 0.0	1.0	1.0	1.0	
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42	1.0	1.0 0.0 0.0 50.5 76.9 64.6 100.4 40	1.0	1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36	1.0	1.0 0.167 0.0	1.0	1.0	1.0	
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42	1.0	1.0 0.095 0.0 51.3 74.6 64.9 98.9 41	1.0	1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37	1.0	1.0 0.183 0.0	1.0	1.0	1.0	
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43	1.0	1.0 0.151 0.0 52.1 72.4 65.2 97.5 42	1.0	1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38	1.0	1.0 0.2 0.0	1.0	1.0	1.0	
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43	1.0	1.0 0.188 0.0 52.8 70.3 65.5 96.1 43	1.0	1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39	1.0	1.0 0.217 0.0	1.0	1.0	1.0	
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44	1.0	1.0 0.225 0.0 53.6 68.2 65.8 94.8 44	1.0	1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41	1.0	1.0 0.233 0.0	1.0	1.0	1.0	
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44	1.0	1.0 0.256 0.0 54.3 66.1 66.1 93.5 45	1.0	1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42	1.0	1.0 0.25 0.0	1.0	1.0	1.0	
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45	1.0	1.0 0.277 0.0 55.0 64.3 66.6 92.5 46	1.0	1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43	1.0	1.0 0.267 0.0	1.0	1.0	1.0	
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46	1.0	1.0 0.297 0.0 55.6 62.4 66.9 91.5 47	1.0	1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44	1.0	1.0 0.283 0.0	1.0	1.0	1.0	
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47	1.0	1.0 0.318 0.0 56.3 60.6 67.3 90.5 48	1.0	1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45	1.0	1.0 0.3 0.0	1.0	1.0	1.0	
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47	1.0	1.0 0.338 0.0 57.0 58.7 67.6 89.5 49	1.0	1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46	1.0	1.0 0.317 0.0	1.0	1.0	1.0	
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48	1.0	1.0 0.359 0.0 57.7 56.9 67.8 88.5 50	1.0	1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47	1.0	1.0 0.333 0.0	1.0	1.0	1.0	
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49	1.0	1.0 0.378 0.0 58.3 55.1 68.1 87.6 51	1.0	1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48	1.0	1.0 0.35 0.0	1.0	1.0	1.0	
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50	1.0	1.0 0.392 0.0 58.9 53.6 68.6 87.0 52	1.0	1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49	1.0	1.0 0.367 0.0	1.0	1.0	1.0	
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51	1.0	1.0 0.406 0.0 59.6 52.0 69.0 86.4 53	1.0	1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51	1.0	1.0 0.383 0.0	1.0	1.0	1.0	
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52	1.0	1.0 0.42 0.0 60.2 50.4 69.4 85.8 54	1.0	1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52	1.0	1.0 0.4 0.0	1.0	1.0	1.0	
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53	1.0	1.0 0.433 0.0 60.8 48.8 69.8 85.2 55	1.0	1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53	1.0	1.0 0.417 0.0	1.0	1.0	1.0	
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54	1.0	1.0 0.447 0.0 61.4 47.3 70.1 84.5 56	1.0	1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54	1.0	1.0 0.433 0.0	1.0	1.0	1.0	
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56	1.0	1.0 0.461 0.0 62.0 45.7 70.4 83.9 57	1.0	1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55	1.0	1.0 0.45 0.0	1.0	1.0	1.0	
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57	1.0	1.0 0.475 0.0 62.6 44.1 70.7 83.3 58	1.0	1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56	1.0	1.0 0.467 0.0	1.0	1.0	1.0	
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58	1.0	1.0 0.489 0.0 63.2 42.6 70.9 82.7 59	1.0	1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57	1.0	1.0 0.483 0.0	1.0	1.0	1.0	
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59	1.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58	1.0	1.0 0.5 0.0	1.0	1.0	1.0	
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61	1.0	1.0 0.513 0.0 64.4 39.7 71.6 81.9 61	1.0	1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.517 0.0	1.0	1.0	1.0	
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62	1.0	1.0 0.525 0.0 64.9 38.3 72.1 81.7 62	1.0	1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61	1.0	1.0 0.533 0.0	1.0	1.0	1.0	
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64	1.0	1.0 0.536 0.0 65.5 37.0 72.5 81.4 63	1.0	1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62	1.0	1.0 0.55 0.0	1.0	1.0	1.0	
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65	1.0	1.0 0.547 0.0 66.1 35.6 72.9 81.1 64	1.0	1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63	1.0	1.0 0.567 0.0	1.0	1.0	1.0	
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67	1.0	1.0 0.558 0.0 66.7 34.2 73.3 80.9 65	1.0	1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64	1.0	1.0 0.583 0.0	1.0	1.0	1.0	
68	66	65	1.0 0.6 0.0	68.6 28.9 74.5 79.9 68	1.0	1.0 0.569 0.0 67.2 32.8 73.7 80.6 66	1.0	1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65	1.0	1.0 0.6 0.0	1.0	1.0	1.0	
70	67	66	1.0 0.616 0.0	69.8 26.8 74.8 79.5 70	1.0	1.0 0.58 0.0 67.8 31.4 74.0 80.4 67	1.0	1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66	1.0	1.0 0.617 0.0	1.0	1.0	1.0	
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71	1.0	1.0 0.591 0.0 68.4 30.0 74.3 80.1 68	1.0	1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67	1.0	1.0 0.633 0.0	1.0	1.0	1.0	
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73	1.0	1.0 0.602 0.0 69.0 28.6 74.6 79.9 69	1.0	1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68	1.0	1.0 0.65 0.0	1.0	1.0	1.0	
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75	1.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0	1.0	1.0	
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76	1.0	1.0 0.625 0.0 70.1 25.8 75.0 79.4 71	1.0	1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71	1.0	1.0 0.683 0.0	1.0	1.0	1.0	
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78	1.0	1.0 0.635 0.0 70.7 24.5 75.6 79.4 72	1.0	1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72	1.0	1.0 0.7 0.0	1.0	1.0	1.0	
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79	1.0	1.0 0.646 0.0 71.3 23.3 76.1 79.5 73	1.0	1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73	1.0	1.0 0.717 0.0	1.0	1.0	1.0	
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81	1.0	1.0 0.656 0.0 71.9 21.9 76.5 79.6 74	1.0	1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74	1.0	1.0 0.733 0.0	1.0	1.0	1.0	
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0	1.0 0.667 0.0 72.5 20.6 77.0 79.7 75	1.0	1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75	1.0	1.0 0.75 0.0	1.0	1.0	1.0	

TUB-test chart QE11; hue code: H\*d=R50Yd  
48 step hue circles; rgb-LabCh\*tables

input: rgb/cmyk -> rgb<sub>d</sub>  
output: transfer to rgb<sub>d</sub>

see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd361M</sub>	LAB* <sub>ddx361Mi (x=LabCh)</sub>	rgb* <sub>ds361Mi</sub>	LAB* <sub>dsx361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	rgb* <sub>dex361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd361Mi</sub>																				
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G <sub>d</sub>	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G <sub>s</sub>	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G <sub>e</sub>	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.														



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd361M</sub>	LAB* <sub>ddx361Mi (x=LabCh)</sub>	rgb* <sub>ds361Mi</sub>	LAB* <sub>dsx361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	rgb* <sub>dex361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>ds361Mi</sub>	rgb* <sub>de361Mi</sub>	rgb* <sub>ds361Mi</sub>	rgb* <sub>de361Mi</sub>																								
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165	0.0	1.0	0.25	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175	0.0	1.0	0.25	0.0	1.0	0.25	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.753	85.4	-61.8	15.4	63.8	166	0.0	1.0	0.267	0.0	1.0	0.856	85.9	-55.9	3.1	56.0	176	0.0	1.0	0.267	0.0	1.0	0.267			
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.763	85.4	-61.4	14.2	63.1	167	0.0	1.0	0.283	0.0	1.0	0.864	86.0	-55.2	2.2	55.4	177	0.0	1.0	0.283	0.0	1.0	0.283			
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.772	85.5	-60.9	13.0	62.4	168	0.0	1.0	0.3	0.0	1.0	0.873	86.0	-54.6	1.3	54.7	178	0.0	1.0	0.3	0.0	1.0	0.3			
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.782	85.5	-60.4	11.8	61.7	169	0.0	1.0	0.317	0.0	1.0	0.88	86.1	-54.2	0.4	54.3	179	0.0	1.0	0.317	0.0	1.0	0.317			
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.791	85.6	-59.9	10.6	60.9	170	0.0	1.0	0.333	0.0	1.0	0.887	86.1	-53.9	-0.3	54.0	180	0.0	1.0	0.333	0.0	1.0	0.333			
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.801	85.6	-59.4	9.4	60.2	171	0.0	1.0	0.35	0.0	1.0	0.893	86.2	-53.5	-1.2	53.6	181	0.0	1.0	0.35	0.0	1.0	0.35			
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172	0.0	1.0	0.367	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182	0.0	1.0	0.367	0.0	1.0	0.367			
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.82	85.7	-58.2	7.2	58.8	173	0.0	1.0	0.383	0.0	1.0	0.906	86.3	-52.8	-2.9	53.0	183	0.0	1.0	0.383	0.0	1.0	0.383			
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.829	85.8	-57.6	6.1	58.1	174	0.0	1.0	0.4	0.0	1.0	0.913	86.3	-52.4	-3.7	52.6	184	0.0	1.0	0.4	0.0	1.0	0.4			
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.839	85.8	-57.0	5.0	57.3	175	0.0	1.0	0.417	0.0	1.0	0.919	86.3	-52.0	-4.5	52.3	185	0.0	1.0	0.417	0.0	1.0	0.417			
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.848	85.9	-56.4	4.0	56.6	176	0.0	1.0	0.433	0.0	1.0	0.926	86.4	-51.6	-5.3	52.0	185	0.0	1.0	0.433	0.0	1.0	0.433			
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.857	86.0	-55.7	2.9	55.9	177	0.0	1.0	0.45	0.0	1.0	0.932	86.4	-51.2	-6.1	51.6	186	0.0	1.0	0.45	0.0	1.0	0.45			
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.867	86.0	-55.1	1.9	55.2	178	0.0	1.0	0.467	0.0	1.0	0.939	86.5	-50.7	-6.8	51.3	187	0.0	1.0	0.467	0.0	1.0	0.467			
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.876	86.1	-54.4	1.0	54.5	179	0.0	1.0	0.483	0.0	1.0	0.945	86.5	-50.3	-7.6	51.0	188	0.0	1.0	0.483	0.0	1.0	0.483			
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180	0.0	1.0	0.5	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189	0.0	1.0	0.5	0.0	1.0	0.5			
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.89	86.2	-53.7	-0.8	53.8	181	0.0	1.0	0.517	0.0	1.0	0.958	86.6	-49.3	-9.1	50.3	190	0.0	1.0	0.517	0.0	1.0	0.517			
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.897	86.2	-53.3	-1.8	53.4	182	0.0	1.0	0.533	0.0	1.0	0.965	86.6	-48.9	-9.8	50.0	191	0.0	1.0	0.533	0.0	1.0	0.533			
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.905	86.2	-52.9	-2.7	53.1	183	0.0	1.0	0.55	0.0	1.0	0.971	86.7	-48.4	-10.5	49.6	192	0.0	1.0	0.55	0.0	1.0	0.55			
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.912	86.3	-52.5	-3.6	52.7	184	0.0	1.0	0.567	0.0	1.0	0.978	86.7	-47.9	-11.2	49.3	193	0.0	1.0	0.567	0.0	1.0	0.567			
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.919	86.3	-52.0	-4.5	52.3	185	0.0	1.0	0.583	0.0	1.0	0.984	86.8	-47.4	-11.9	48.9	194	0.0	1.0	0.583	0.0	1.0	0.583			
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.926	86.4	-51.6	-5.3	52.0	186	0.0	1.0	0.6	0.0	1.0	0.991	86.8	-46.8	-12.5	48.6	195	0.0	1.0	0.6	0.0	1.0	0.6			
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187	0.0	1.0	0.617	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195	0.0	1.0	0.617	0.0	1.0	0.617			
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.94	86.5	-50.6	-7.0	51.2	188	0.0	1.0	0.633	0.0	1.0	0.997	1.0	86.7	-45.8	-13.9	48.0	196	0.0	1.0	0.633	0.0	1.0	0.633		
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.947	86.5	-50.1	-7.9	50.8	189	0.0	1.0	0.65	0.0	1.0	0.992	1.0	86.3	-45.4	-14.5	47.8	197	0.0	1.0	0.65	0.0	1.0	0.65		
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.955	86.6	-49.6	-8.7	50.5	190	0.0	1.0	0.667	0.0	1.0	0.987	1.0	86.0	-44.9	-15.2	47.5	198	0.0	1.0	0.667	0.0	1.0	0.667		
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.962	86.6	-49.1	-9.5	50.1	191	0.0	1.0	0.683	0.0	1.0	0.983	1.0	85.6	-44.4	-15.8	47.3	199	0.0	1.0	0.683	0.0	1.0	0.683		
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.969	86.7	-48.6	-10.2	49.7	192	0.0	1.0	0.7	0.0	1.0	0.978	1.0	85.3	-44.0	-16.4	47.1	200	0.0	1.0	0.7	0.0	1.0	0.7		
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.976	86.7	-48.0	-11.0	49.4	193	0.0	1.0	0.717	0.0	1.0	0.973	1.0	85.0	-43.5	-17.0	46.8	201	0.0	1.0	0.717	0.0	1.0	0.717		
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.983	86.8	-47.5	-11.8	49.0	194	0.0	1.0	0.733	0.0	1.0	0.968	1.0	84.6	-43.0	-17.6	46.6	202	0.0	1.0	0.733	0.0	1.0	0.733		
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195	0.0	1.0	0.75	0.0	1.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203	0.0	1.0	0.75	0.0	1.0	0.75		
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	196	0.0	1.0	0.767	0.0	1.0	0.958	1.0	83.9	-42.0	-18.8	46.1	204	0.0	1.0	0.767	0.0	1.0	0.767		
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.997	1.0	86.6	-45.8	-13.9	48.0	197	0.0	1.0	0.783	0.0	1.0	0.953	1.0	83.6	-41.5	-19.4	45.9	205	0.0	1.0	0.783	0.0	1.0	0.783	
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.991	1.0	86.3	-45.3	-14.6	47.7	198	0.0	1.0	0.8	0.0	1.0	0.949	1.0	83.2	-40.9	-19.9	45.7	206	0.0	1.0	0.8	0.0	1.0	0.8	
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.986	1.0	85.9	-44.8	-15.4	47.5	199	0.0	1.0	0.817	0.0	1.0	0.944	1.0	82.9	-40.4	-20.5	45.4	206	0.0	1.0	0.817	0.0	1.0	0.817	
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.981	1.0	85.5	-44.3	-16.0	47.2	200	0.0	1.0	0.833	0.0	1.0	0.939	1.0	82.5	-39.9	-21.0	45.2	207	0.0	1.0	0.833	0.0	1.0	0.833	
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.975	1.0	8																							



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*<sub>dd361M</sub>, LAB\*<sub>dsx361Mi</sub> (x=LabCh), r<sub>gb</sub>\*<sub>ds361Mi</sub>, LAB\*<sub>dsx361Mi</sub> (x=LabCh), r<sub>gb</sub>\*<sub>de361Mi</sub>, LAB\*<sub>dex361Mi</sub> (x=LabCh), r<sub>gb</sub>\*<sub>dd361Mi</sub>, r<sub>gb</sub>\*<sub>de361Mi</sub>, r<sub>gb</sub>\*<sub>ds361Mi</sub>, r<sub>gb</sub>\*<sub>de361Mi</sub>. Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*\_dd361M, LAB\*\_\*ddx361Mi (x=LabCh), r<sub>gb</sub>\*\_ds361Mi, LAB\*\_\*dsx361Mi (x=LabCh), r<sub>gb</sub>\*\_dd361Mi, r<sub>gb</sub>\*\_de361Mi, LAB\*\_\*dex361Mi (x=LabCh), r<sub>gb</sub>\*\_dd361Mi, r<sub>gb</sub>\*\_dd361Mi, r<sub>gb</sub>\*\_ds361Mi, r<sub>gb</sub>\*\_de361Mi. Rows 301-311.



see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>ab</sub>	dd361M	LAB* <sub>ab</sub>	dsx361Mi (x=LabCh)	rgb* <sub>ds</sub>	ds361Mi	LAB* <sub>ds</sub>	dsx361Mi (x=LabCh)	rgb* <sub>de</sub>	dd361Mi	LAB* <sub>de</sub>	dex361Mi (x=LabCh)	rgb* <sub>de</sub>	dd361Mi																
311	300	300	0.5	0.0	1.0	38.5 79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0	
312	301	301	0.516	0.0	1.0	39.1 80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0	
312	302	302	0.533	0.0	1.0	39.6 80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0	
312	303	303	0.55	0.0	1.0	40.2 80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0	
313	304	304	0.566	0.0	1.0	40.7 81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0	
313	305	305	0.583	0.0	1.0	41.3 81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0	
314	306	305	0.6	0.0	1.0	41.8 82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0	
314	307	306	0.616	0.0	1.0	42.4 82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0	
315	308	307	0.633	0.0	1.0	43.0 82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0	
315	309	308	0.65	0.0	1.0	43.6 83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0	
316	310	309	0.666	0.0	1.0	44.2 83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0	
316	311	310	0.683	0.0	1.0	44.8 84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0	
317	312	311	0.7	0.0	1.0	45.4 84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0	
317	313	312	0.716	0.0	1.0	46.0 85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0	
318	314	313	0.733	0.0	1.0	46.6 85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0	
318	315	314	0.75	0.0	1.0	47.2 85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0	
319	316	315	0.766	0.0	1.0	47.9 86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0	
320	317	316	0.783	0.0	1.0	48.5 87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0	
320	318	317	0.8	0.0	1.0	49.2 87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0	
321	319	318	0.816	0.0	1.0	49.8 88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0	
321	320	319	0.833	0.0	1.0	50.5 88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0	
322	321	320	0.85	0.0	1.0	51.2 89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0	
323	322	321	0.866	0.0	1.0	51.8 89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0	
323	323	321	0.883	0.0	1.0	52.5 90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0	
324	324	322	0.9	0.0	1.0	53.2 90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0	
324	325	323	0.916	0.0	1.0	53.8 91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0	
325	326	324	0.933	0.0	1.0	54.5 92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0	
326	327	325	0.95	0.0	1.0	55.2 92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0	
326	328	326	0.966	0.0	1.0	55.9 93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0	
327	329	327	0.983	0.0	1.0	56.6 93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0	
328	330	328	1.0	0.0	1.0	57.2 94.3	-58.4	110.9	328	M <sub>d</sub>	1.0	0.0	0.962	93.4	-53.8	107.8	330	M <sub>s</sub>	1.0	0.0	1.0	1.0	0.0	0.992	94.2	-57.4	110.3	328	M <sub>e</sub>	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	93.5	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	93.6	-54.9	108.6	329	1.0	0.0	0.983		
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	92.2	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	93.0	-52.5	106.9	330	1.0	0.0	0.967		
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	92.4	-50.2	105.2	331	1.0	0.0	0.95		
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	89.2	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	91.7	-47.8	103.4	332	1.0	0.0	0.933		
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	87.5	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	90.9	-45.5	101.7	333	1.0	0.0	0.917		
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	85.5	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.871	89.2	-43.3	100.2	334	1.0	0.0	0.9		
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	83.1	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	88.4	-41.4	99.0	335	1.0	0.0	0.883		
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	80.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	86.6	-39.4	97.9	336	1.0	0.0	0.867		
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	78.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0	0.825	85.1	-37.5	96.8	337	1.0	0.0	0.85		
336	340	338	1.0	0.0	0.833	55.1	89.4	-38.6	97.4	336	1.0	0.0	0.778	75.5	-31.8	93.4	340	1.0	0.0	0.833	1.0	0.0	0.809	83.7								

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd361M</sub>	LAB* <sub>ddx361Mi (x=LabCh)</sub>	rgb* <sub>ds361Mi</sub>	LAB* <sub>dsx361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	rgb* <sub>dex361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd</sub>	rgb* <sub>ds</sub>	rgb* <sub>de</sub>
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.666
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.616
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.566
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.516
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.466
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.416
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.366
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.316
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.266
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.216
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.166
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.116
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.066
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.049
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.016
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0



see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11L0NP.PDF /.PS; transfer output  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE11/QE11L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta





TUB registration: 20130201-QE11/QE11LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



nif	HC*Fd	rgb*Fd	icc*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd				
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	50.4	76.9	64.5	100.4	40.0	
1/657	R13Y_100_100a	1.0	0.0	0.5	37	1.0	0.116	0.0	98.5	51.4	74.1	64.9	98.5	51.4	74.1	
2/666	R25Y_100_100a	1.0	0.25	0.0	10	1.0	0.233	0.0	65.8	94.4	44.2	67.6	65.8	94.4	44.2	
3/675	R38Y_100_100a	1.0	0.5	0.0	42	1.0	0.366	0.0	57.9	88.1	50.3	57.9	88.1	50.3	57.9	
4/684	R50Y_100_100a	1.0	0.75	0.0	54	1.0	0.5	0.0	63.6	41.3	71.0	82.2	63.6	41.3	71.0	
5/693	R63Y_100_100a	1.0	1.0	0.0	68	1.0	0.653	0.0	75.0	79.7	80.6	75.0	79.7	80.6	75.0	
6/702	R75Y_100_100a	1.0	1.0	0.5	83	1.0	0.766	0.0	81.0	84.4	85.8	81.0	84.4	85.8	81.0	
7/711	R88Y_100_100a	1.0	1.0	1.0	90	1.0	0.883	0.0	85.2	85.8	85.8	85.2	85.8	85.8	85.8	
8/720	Y00G_100_100a	0.875	1.0	0.0	90	1.0	0.0	92.6	90.7	93.0	92.6	90.7	93.0	92.6	90.7	
9/639	Y13G_100_100a	0.875	1.0	0.0	90	1.0	0.0	92.6	90.7	93.0	92.6	90.7	93.0	92.6	90.7	
10/558	Y25G_100_100a	0.625	1.0	0.0	104	1.0	0.233	0.0	88.7	88.3	88.3	88.7	88.3	88.3	88.3	
11/477	Y38G_100_100a	0.625	1.0	0.0	112	1.0	0.366	0.0	85.5	84.4	84.4	85.5	84.4	84.4	84.4	
12/396	Y50G_100_100a	0.5	1.0	0.0	120	1.0	0.5	0.0	80.9	80.9	80.9	80.9	80.9	80.9	80.9	
13/315	Y63G_100_100a	0.375	1.0	0.0	136	1.0	0.653	0.0	75.0	79.7	80.6	75.0	79.7	80.6	75.0	
14/234	Y75G_100_100a	0.25	1.0	0.0	152	1.0	0.883	0.0	84.4	84.4	84.4	84.4	84.4	84.4	84.4	
15/153	Y88G_100_100a	0.125	1.0	0.0	143	1.0	1.0	0.0	83.7	81.0	80.6	83.7	81.0	80.6	81.0	
16/72	G00C_100_100a	0.0	1.0	0.0	150	1.0	0.0	83.6	82.7	79.8	83.6	82.7	79.8	83.6	82.7	
17/73	G13C_100_100a	0.0	1.0	0.0	157	1.0	0.116	0.0	83.6	82.7	79.8	83.6	82.7	79.8	83.6	
18/74	G25C_100_100a	0.0	1.0	0.25	164	1.0	0.233	0.0	83.7	80.8	78.5	83.7	80.8	78.5	83.7	
19/75	G38C_100_100a	0.0	1.0	0.5	172	1.0	0.366	0.0	84.0	77.7	75.8	84.0	77.7	75.8	84.0	
20/76	G50C_100_100a	0.0	1.0	0.75	180	1.0	0.5	0.0	84.3	73.7	71.8	84.3	73.7	71.8	84.3	
21/77	G63C_100_100a	0.0	1.0	1.0	188	1.0	0.653	0.0	84.8	68.5	66.6	84.8	68.5	66.6	84.8	
22/78	G75C_100_100a	0.0	1.0	1.0	196	1.0	0.883	0.0	85.4	61.2	59.3	85.4	61.2	59.3	85.4	
23/79	G88C_100_100a	0.0	1.0	1.0	203	1.0	1.0	0.0	86.1	54.1	52.2	86.1	54.1	52.2	86.1	
24/80	C00B_100_100a	0.0	1.0	0.0	210	1.0	0.0	86.8	46.1	44.2	86.8	46.1	44.2	86.8	46.1	
25/71	C13B_100_100a	0.0	1.0	0.0	217	1.0	0.116	0.0	86.8	46.1	44.2	86.8	46.1	44.2	86.8	
26/62	C25B_100_100a	0.0	1.0	0.25	224	1.0	0.233	0.0	87.0	40.7	38.8	87.0	40.7	38.8	87.0	
27/53	C38B_100_100a	0.0	1.0	0.5	232	1.0	0.366	0.0	87.3	34.6	32.7	87.3	34.6	32.7	87.3	
28/44	C50B_100_100a	0.0	1.0	0.75	240	1.0	0.5	0.0	87.6	28.5	26.6	87.6	28.5	26.6	87.6	
29/35	C63B_100_100a	0.0	1.0	1.0	248	1.0	0.653	0.0	87.9	22.4	20.5	87.9	22.4	20.5	87.9	
30/26	C75B_100_100a	0.0	1.0	1.0	256	1.0	0.883	0.0	88.2	16.3	14.4	88.2	16.3	14.4	88.2	
31/17	C88B_100_100a	0.0	1.0	1.0	263	1.0	1.0	0.0	88.5	10.2	9.3	88.5	10.2	9.3	88.5	
32/8	B00M_100_100a	0.0	1.0	0.0	270	1.0	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	306.2	
33/89	B13M_100_100a	0.125	1.0	0.0	277	1.0	0.116	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	
34/170	B25M_100_100a	0.25	1.0	0.0	284	1.0	0.233	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	
35/251	B38M_100_100a	0.375	1.0	0.0	292	1.0	0.366	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	
36/332	B50M_100_100a	0.5	1.0	0.0	300	1.0	0.5	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	
37/413	B63M_100_100a	0.625	1.0	0.0	308	1.0	0.653	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	
38/494	B75M_100_100a	0.75	1.0	0.0	316	1.0	0.883	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	
39/575	B88M_100_100a	0.875	1.0	0.0	323	1.0	1.0	0.0	100.3	306.2	306.2	100.3	306.2	306.2	100.3	
40/656	M00R_100_100a	1.0	0.0	1.0	330	1.0	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3	
41/655	M13R_100_100a	1.0	0.0	0.875	337	1.0	0.116	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3
42/654	M25R_100_100a	1.0	0.0	0.75	344	1.0	0.233	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3
43/653	M38R_100_100a	1.0	0.0	0.625	352	1.0	0.366	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3
44/652	M50R_100_100a	1.0	0.0	0.5	360	1.0	0.5	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3
45/651	M63R_100_100a	1.0	0.0	0.375	368	1.0	0.653	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3
46/650	M75R_100_100a	1.0	0.0	0.25	376	1.0	0.883	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3
47/649	M88R_100_100a	1.0	0.0	0.125	383	1.0	1.0	0.0	57.2	94.3	58.4	57.2	94.3	58.4	57.2	94.3
48/648	R00Y_100_100a	1.0	0.0	0.0	390	1.0	0.0	50.4	76.9	64.5	50.4	76.9	64.5	50.4	76.9	
49/0	NV_000a	0.0	0.0	0.0	360	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
50/91	NV_013a	0.125	0.0	0.0	360	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
51/182	NV_025a	0.25	0.0	0.0	360	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
52/273	NV_038a	0.375	0.0	0.0	360	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
53/364	NV_050a	0.5	0.0	0.0	360	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
54/455	NV_063a	0.625	0.0	0.0	360	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
55/546	NV_075a	0.75	0.0	0.0	360	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
56/637	NV_088a	0.875	0.0	0.0	360	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
57/728	NV_100a	1.0	0.0	0.0	360	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Mean color difference of this page: delta E\* = 0.9



see similar files: http://130.149.60.45/~farbmetrik/QE11/QE11.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE11; hue code: H\*\_d=R50Y\_d colors and differences, ΔE\*^\*

nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa_Md	rgb*Md	LabCH*Md	DF*Md	hsa_Md	rgb*Md	LabCH*Md	DF*Md	hsa_Md	rgb*Md	LabCH*Md
0/668	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/648	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00G_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25G_100_100a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50G_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75G_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G25B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/44	G50B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/80	G75B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B00M_100_100a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/656	B50R_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/706	R50Y_100_050a	1.0	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/724	Y00G_100_050a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/400	G00B_100_050a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/400	G25B_100_050a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/400	G50B_100_050a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/692	B00R_100_050a	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/692	B50R_100_050a	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
28/524	R50Y_075_050a	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
29/542	Y00G_075_050a	0.75	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
30/380	Y50G_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
32/222	G50B_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
33/186	B00R_075_050a	0.25	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
34/510	B50R_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
35/506	R00Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
37/342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
38/360	Y00G_050_050a	0.25	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
39/198	Y50G_050_050a	0.25	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
40/36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
41/40	G25B_050_050a	0.0	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
42/4	B00R_050_050a	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
44/324	R00Y_050_050a	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_038a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/456	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50/456	NW_069a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/456	NW_084a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52/636	NW_088a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E\*\* = 6.5

input: rgb/cmyk -> rgbd  
output: transfer to rgbd

application for measurement of display output, no separation

Table with 80 columns (m=1 to m=80) and 80 rows (n=1 to n=80). Columns are labeled with color names: HVC\*Fd, Rgb\*Fd, iEt\*Fd, Hs\*Fd, Rgb\*Fd, LabC\*Fd, LabCH\*Fd, DF\*Fd, Hs\*Fd, Rgb\*Fd, LabCH\*Fd. Each cell contains numerical values representing color differences.

input: rgb/cmyk -> rgbd
output: transfer to rgbd
delta E\* = 4.6

Mean color difference of this page:

QE110-7N; Page 1629-F

TUB-test chart QE11; hue code: H\*d=R50Yd
colors and differences, ΔE\*

L-0031530-F0





n	HC*Fd	rgb*Fd	ie*Fd	hs*Fd	rgb*Fd	LabCh*Fd	LabCh*Fd	rgb*Fd	DF*Fd	hs*Mad	rgb*Mad	LabCh*Mad	LabCh*Mad	DF*Mad	hs*Mad	rgb*Mad	LabCh*Mad	LabCh*Mad				
162	ROOY_025_0254	0.25	0.0	0.25	0.25	0.126	19.2	16.1	25.1	40.0	0.0	8.6	28.5	13.6	31.6	25.5	10.4	389				
163	ROOY_025_0254	0.25	0.0	0.125	0.25	0.125	13.0	20.3	20.0	20.3	0.0	3.0	30.5	-1.8	34.0	35.6	11.2	360				
164	B50R_037_0374	0.25	0.0	0.25	0.25	0.143	23.5	-14.6	27.7	328.2	0.0	0.25	11.1	-38.3	56.2	31.1	328.2	13.7	330			
165	B50R_037_0374	0.25	0.0	0.375	0.375	0.168	31.1	-29.7	43.3	316.6	0.0	0.5	17.1	-52.8	71.1	31.2	11.6	300	0.5	0.0		
166	B25K_050_0504	0.25	0.0	0.5	0.5	0.192	39.9	-44.8	60.0	309.3	0.0	0.75	24.6	-65.9	86.0	30.9	9.2	292	0.383	0.0		
167	B19K_062_0624	0.25	0.0	0.625	0.625	0.221	48.8	-59.4	76.9	309.3	0.0	1.0	32.7	-77.8	113.1	30.8	6.5	288	0.316	0.0		
168	B15K_075_0754	0.25	0.0	0.75	0.75	0.254	58.1	-73.1	93.4	308.4	0.0	1.25	40.6	-89.1	119.3	30.8	3.2	284	0.266	0.0		
169	B15K_075_0754	0.25	0.0	0.875	0.875	0.283	67.3	-86.8	109.9	307.8	0.0	1.5	48.5	-101.2	126.2	30.7	0.0	0.0	0.0	0.0		
170	B11R_100_1004	0.25	0.0	1.0	1.0	0.323	76.7	-100.1	126.2	307.4	0.0	2.0	66.8	-126.2	162.2	30.7	0.0	0.0	0.0	0.0		
171	RSOY_025_0254	0.25	0.0	0.125	0.125	0.159	10.6	8.0	12.5	40.0	0.0	0.25	10.2	22.0	60.9	4.8	59.7	0.0	0.0	0.0		
172	B50R_025_0124	0.25	0.125	0.125	0.125	0.182	9.6	11.7	7.3	13.8	328.2	0.0	0.25	16.4	20.2	13.2	24.2	32.6	7.0	389		
173	B50R_025_0124	0.25	0.125	0.25	0.25	0.190	11.1	19.9	-22.4	30.0	0.0	0.375	18.1	-30.9	41.7	31.2	12.1	300	0.5	0.0		
174	B25K_037_0254	0.25	0.125	0.375	0.375	0.243	14.5	24.6	29.0	30.0	0.0	0.5	20.9	-46.5	59.3	30.8	13.1	288	0.316	0.0		
175	B15K_050_0374	0.25	0.125	0.625	0.625	0.281	38.3	-38.0	63.1	307.4	0.0	0.75	23.9	-54.4	73.4	30.7	0.0	0.0	0.0	0.0		
176	B11R_062_0504	0.25	0.125	1.0	1.0	0.421	62.5	-73.1	93.4	306.5	0.0	1.25	54.4	-73.4	93.4	30.6	5.2	279	0.183	0.0		
177	B09K_087_0754	0.25	0.125	1.0	1.0	0.479	65.2	-76.2	93.4	306.5	0.0	1.5	62.8	-85.3	106.0	30.6	11.4	277	0.15	0.0		
178	B09K_087_0754	0.25	0.125	1.0	1.0	0.511	66.7	-89.5	111.6	306.2	0.0	1.75	70.9	-96.6	119.8	30.6	9.4	277	0.133	0.0		
179	Y06G_025_0124	0.25	0.25	0.0	0.25	0.231	5.5	-22.6	23.2	102.8	0.0	0.25	-5.3	18.6	19.4	105.9	7.8	89	1.0	0.0		
180	Y06G_025_0124	0.25	0.25	0.125	0.125	0.238	6.0	0.0	0.0	0.0	0.0	0.25	0.0	0.0	325.5	1.4	360	0.0	0.0			
181	NW_0254	0.25	0.25	0.25	0.25	0.238	6.0	0.0	0.0	0.0	0.0	0.25	0.0	0.0	325.5	1.4	360	0.0	0.0			
182	B09K_037_0124	0.25	0.25	0.375	0.375	0.249	0.249	0.375	27.6	9.5	-12.9	16.0	306.2	0.25	0.25	25.2	25.2	0.0	0.0	0.0		
183	B09K_037_0124	0.25	0.25	0.625	0.625	0.249	0.249	0.375	31.4	19.0	-38.8	48.1	306.2	0.25	0.25	28.2	17.7	-34.7	59.4	270	0.0	
184	B09K_062_0124	0.25	0.25	1.0	1.0	0.25	0.25	0.625	35.2	28.0	-58.3	48.1	306.2	0.25	0.25	32.9	38.5	-44.1	74.8	15.7	0.0	
185	B09K_062_0124	0.25	0.25	1.0	1.0	0.25	0.25	0.625	35.2	28.0	-58.3	48.1	306.2	0.25	0.25	32.9	38.5	-44.1	74.8	15.7	0.0	
186	B09K_075_0124	0.25	0.25	1.0	1.0	0.25	0.25	0.625	35.2	28.0	-58.3	48.1	306.2	0.25	0.25	32.9	38.5	-44.1	74.8	15.7	0.0	
187	B09K_075_0124	0.25	0.25	1.0	1.0	0.25	0.25	0.625	35.2	28.0	-58.3	48.1	306.2	0.25	0.25	32.9	38.5	-44.1	74.8	15.7	0.0	
188	B09K_100_0124	0.25	0.25	1.0	1.0	0.25	0.25	0.625	35.2	28.0	-58.3	48.1	306.2	0.25	0.25	32.9	38.5	-44.1	74.8	15.7	0.0	
189	B09K_100_0124	0.25	0.25	1.0	1.0	0.25	0.25	0.625	35.2	28.0	-58.3	48.1	306.2	0.25	0.25	32.9	38.5	-44.1	74.8	15.7	0.0	
190	Y50G_037_0124	0.25	0.375	0.375	0.375	0.328	19.0	31.8	32.6	128.3	0.0	0.25	34.6	-24.3	41.4	48.0	11.0	108	0.683	0.0		
191	G50B_037_0124	0.25	0.375	0.625	0.625	0.333	20.2	33.3	33.3	128.3	0.0	0.375	36.2	-22.5	30.5	126.3	11.8	119	0.5	0.0		
192	G50B_037_0124	0.25	0.375	1.0	1.0	0.343	21.0	34.3	34.3	136.6	0.0	0.5	38.2	-18.1	14.0	22.9	142.2	8.8	149	0.0	0.0	
193	G75B_050_0124	0.25	0.375	1.0	1.0	0.367	4.5	36.7	4.5	-17.0	17.6	36.7	297.8	0.25	0.25	20.6	26.3	7.4	240	0.0	0.0	
194	G75B_050_0124	0.25	0.375	1.0	1.0	0.367	4.5	36.7	4.5	-17.0	17.6	36.7	297.8	0.25	0.25	20.6	26.3	7.4	240	0.0	0.0	
195	G88B_062_0124	0.25	0.375	1.0	1.0	0.367	4.5	36.7	4.5	-17.0	17.6	36.7	297.8	0.25	0.25	20.6	26.3	7.4	240	0.0	0.0	
196	G88B_062_0124	0.25	0.375	1.0	1.0	0.367	4.5	36.7	4.5	-17.0	17.6	36.7	297.8	0.25	0.25	20.6	26.3	7.4	240	0.0	0.0	
197	G92B_100_0124	0.25	0.375	1.0	1.0	0.362	1.0	48.9	50.0	-73.9	89.3	30.1	65.7	72.2	204.6	11.0	260	0.0	0.0	0.0		
198	Y50G_050_0504	0.25	0.5	0.5	0.5	0.428	43.6	-32.6	41.2	32.9	0.0	0.449	37.9	49.4	297.5	10.0	169	0.5	0.0	0.0		
199	G09B_050_0504	0.25	0.5	0.5	0.5	0.436	43.6	-32.6	41.2	32.9	0.0	0.449	37.9	49.4	297.5	10.0	169	0.5	0.0	0.0		
200	G09B_050_0504	0.25	0.5	0.5	0.5	0.436	43.6	-32.6	41.2	32.9	0.0	0.449	37.9	49.4	297.5	10.0	169	0.5	0.0	0.0		
201	G25B_050_0254	0.25	0.5	0.5	0.5	0.249	0.5	24.9	44.7	-20.6	19.9	28.7	136.0	0.25	0.25	45.4	-33.0	27.2	14.3	131	0.0	0.0
202	G25B_050_0254	0.25	0.5	0.5	0.5	0.249	0.5	24.9	44.7	-20.6	19.9	28.7	136.0	0.25	0.25	45.4	-33.0	27.2	14.3	131	0.0	0.0
203	G25B_050_0254	0.25	0.5	0.5	0.5	0.249	0.5	24.9	44.7	-20.6	19.9	28.7	136.0	0.25	0.25	45.4	-33.0	27.2	14.3	131	0.0	0.0
204	G25B_050_0254	0.25	0.5	0.5	0.5	0.249	0.5	24.9	44.7	-20.6	19.9	28.7	136.0	0.25	0.25	45.4	-33.0	27.2	14.3	131	0.0	0.0
205	G65B_062_0504	0.25	0.5	0.5	0.5	0.455	-11.4	-11.4	11.2	21.6	148.6	0.25	0.5	46.8	-19.5	-6.0	24.0	197.2	8.5	210	0.0	0.0
206	G88B_062_0504	0.25	0.5	0.5	0.5	0.455	-11.4	-11.4	11.2	21.6	148.6	0.25	0.5	46.8	-19.5	-6.0	24.0	197.2	8.5	210	0.0	0.0
207	G88B_062_0504	0.25	0.5	0.5	0.5	0.455	-11.4	-11.4	11.2	21.6	148.6	0.25	0.5	46.8	-19.5	-6.0	24.0	197.2	8.5	210	0.0	0.0
208	G88B_062_0504	0.25	0.5	0.5	0.5	0.455	-11.4	-11.4	11.2	21.6	148.6	0.25	0.5	46.8	-19.5	-6.0	24.0	197.2	8.5	210	0.0	0.0
209	Y16G_062_0624	0.25	0.625	0.625	0.625	0.489	0.75	49.7	9.1	-34.1	35.3	285.0	0.25	0.5	0.625	47.9	-10.2	-37.8	7.8	228	0.0	0.0
210	G15B_062_0374	0.25	0.625	0.625	0.625	0.530	-39.3	40.2	56.2	34.3	0.0	0.551	-49.5	57.4	75.8	10.0	288.2	12.5	251	0.0	0.0	
211	G34B_062_0374	0.25	0.625	0.625	0.625	0.530	-39.3	40.2	56.2	34.3	0.0	0.551	-49.5	57.4	75.8	10.0	288.2	12.5	251	0.0	0.0	
212	G34B_062_0374	0.25	0.625	0.625	0.625	0.530	-39.3	40.2	56.2	34.3	0.0	0.551	-49.5	57.4	75.8	10.0	288.2	12.5	251	0.0	0.0	
213	G61B_075_0504	0.25	0.625	0.625	0.625	0.567	-24.7	8.0	26.2	160.0	0.25	0.625	56.4	-34.5	8.0	35.4	166.9	9.6	210	0.0	0.0	
214	G09B_087_0624	0.25	0.625	0.625	0.625	0.611	0.0	62.6	34.8	270.8	0.25	0.625	58.3	-17.1	-23.7	29.2	259.6	8.6	222	0.0	0.0	
215	G09B_087_0624	0.25	0.625	0.625	0.625	0.611	0.0	62.6	34.8	270.8	0.25	0.625	58.3	-17.1	-23.7	29.2	259.6	8.6	222	0.0	0.0	
216	Y86G_075_0754	0.25	0.75	0.75	0.75	0.633	36.5	-36.5	60.7	82.9	33.9	0.0	61.1	3.5	-53.2	55.3	273.8	10.4	240	0.0	0.0	
217	Y86G_075_0754	0.25	0.75	0.75	0.75	0.633	36.5	-36.5	60.7	82.9	33.9	0.0	61.1	3.5	-53.2	55.3	273.8	10.4	240	0.0	0.0	
218	Y86G_075_0754	0.25	0.75	0.75	0.75	0.633	36.5	-36.5	60.7	82.9	33.9	0.0	61.1	3.5	-53.2	55.3	273.8	10.4	240	0.0	0.0	
219	G15B_075_0504	0.25	0.75	0.75	0.75	0.633	36.5	-36.5	60.7	82.9	33.9	0.0	61.1	3.5	-53.2	55.3	273.8	10.4	240	0.0	0.0	
220	G15B_075_0504	0.25	0.75	0.75	0.75	0.633	36.5	-36.5	60.7	82.9	33.9	0.0	61.1	3.5	-53.2	55.3	273.8	10.4				





Table with columns: n, HHC\*Fd, Rgb\*Fd, iCr\*Fd, iBs\*Fd, Rgb\*Fd, LabCh\*Fd, iBs\*Fd, Rgb\*Fd, LabCh\*Fd, DF\*Fd, iBs\*Fd, Rgb\*Fd, LabCh\*Fd, iBs\*Fd, Rgb\*Fd, LabCh\*Fd. Rows 405-485.

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE11; hue code: H\*d=R50Yd colors and differences, AE\*'

QE110-7N; Page 21/29-F

Mean color difference of this page: delta E\* = 9.7



TUB registration: 20130201-QE11/QE11LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC\*Fd, rpb\*Fd, iet\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd. Rows 567-647.

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE11; hue code: H\*d=R50Yd colors and differences, AE\*'

Mean color difference of this page: delta E\* = 9.2


QE110-7N; Page 23/29-F

L-0032230-F0

L-0032230-F0








TUB registration: 20130201-QE11/QE11LONP.PDF /.PS  
 application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE11/QE11LONP.PDF /.PS; transfer output  
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/29

n	HC*Fd	rgb*Fd	ie1*Fd	hs1*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hs*Mad	rgb*Mad	LabCH*Mad	LabCH*Mad	DF*Mad	rgb*Mad	LabCH*Mad
729	NV_100a	1.0	1.0	1.0	1.0	95.4	1.0	1.0	325.2	0.0	0.0	95.4	1.0	1.0	1.0	95.4
730	G50B_100.0124	0.875	1.0	1.0	0.125	0.937	1.0	1.0	0.875	0.0	0.0	95.4	1.0	1.0	1.0	95.4
731	G50B_100.0254	0.75	1.0	1.0	0.25	0.875	1.0	1.0	0.75	0.0	0.0	95.4	1.0	1.0	1.0	95.4
732	G50B_100.0374	0.625	1.0	1.0	0.375	0.812	1.0	1.0	0.625	0.0	0.0	95.4	1.0	1.0	1.0	95.4
733	G50B_100.0504	0.5	1.0	1.0	0.5	0.75	1.0	1.0	0.5	0.0	0.0	95.4	1.0	1.0	1.0	95.4
734	G50B_100.0624	0.375	1.0	1.0	0.625	0.687	1.0	1.0	0.375	0.0	0.0	95.4	1.0	1.0	1.0	95.4
735	G50B_100.0754	0.25	1.0	1.0	0.75	0.625	1.0	1.0	0.25	0.0	0.0	95.4	1.0	1.0	1.0	95.4
736	G50B_100.0874	0.125	1.0	1.0	0.875	0.562	1.0	1.0	0.125	0.0	0.0	95.4	1.0	1.0	1.0	95.4
737	G50B_100.1004	0.0	1.0	1.0	1.0	0.5	1.0	1.0	0.0	0.0	0.0	95.4	1.0	1.0	1.0	95.4
738	ROY_100.0124	1.0	0.875	0.875	1.0	0.125	0.937	390	1.0	0.875	0.875	77.1	1.0	0.875	0.875	77.1
739	NV_087a	0.875	0.875	0.875	0.875	0.875	0.875	360	0.875	0.875	0.875	84.7	0.875	0.875	0.875	84.7
740	G50B_087.0124	0.75	0.875	0.875	0.875	0.875	0.875	330	0.75	0.875	0.875	82.4	0.75	0.875	0.875	82.4
741	G50B_087.0254	0.625	0.875	0.875	0.875	0.875	0.875	300	0.625	0.875	0.875	81.3	0.625	0.875	0.875	81.3
742	G50B_087.0374	0.5	0.875	0.875	0.875	0.875	0.875	270	0.5	0.875	0.875	80.2	0.5	0.875	0.875	80.2
743	G50B_087.0504	0.375	0.875	0.875	0.875	0.875	0.875	240	0.375	0.875	0.875	79.2	0.375	0.875	0.875	79.2
744	G50B_087.0624	0.25	0.875	0.875	0.875	0.875	0.875	210	0.25	0.875	0.875	78.1	0.25	0.875	0.875	78.1
745	G50B_087.0754	0.125	0.875	0.875	0.875	0.875	0.875	180	0.125	0.875	0.875	77.0	0.125	0.875	0.875	77.0
746	G50B_087.1004	0.0	0.875	0.875	0.875	0.875	0.875	150	0.0	0.875	0.875	76.0	0.0	0.875	0.875	76.0
747	ROY_100.0254	1.0	0.75	0.75	1.0	0.25	0.875	390	1.0	0.75	0.75	84.1	1.0	0.75	0.75	84.1
748	G50B_100.0124	0.875	0.75	0.75	0.875	0.125	0.812	360	0.875	0.75	0.75	77.8	0.875	0.75	0.75	77.8
749	NV_075a	0.75	0.75	0.75	0.75	0.75	0.75	360	0.75	0.75	0.75	71.5	0.75	0.75	0.75	71.5
750	G50B_075.0124	0.625	0.75	0.75	0.75	0.75	0.75	330	0.625	0.75	0.75	70.4	0.625	0.75	0.75	70.4
751	G50B_075.0254	0.5	0.75	0.75	0.75	0.75	0.75	300	0.5	0.75	0.75	69.4	0.5	0.75	0.75	69.4
752	G50B_075.0374	0.375	0.75	0.75	0.75	0.75	0.75	270	0.375	0.75	0.75	68.5	0.375	0.75	0.75	68.5
753	G50B_075.0504	0.25	0.75	0.75	0.75	0.75	0.75	240	0.25	0.75	0.75	67.2	0.25	0.75	0.75	67.2
754	G50B_075.0624	0.125	0.75	0.75	0.75	0.75	0.75	210	0.125	0.75	0.75	66.2	0.125	0.75	0.75	66.2
755	G50B_075.1004	0.0	0.75	0.75	0.75	0.75	0.75	180	0.0	0.75	0.75	65.2	0.0	0.75	0.75	65.2
756	ROY_100.0374	1.0	0.625	0.625	1.0	0.375	0.812	390	1.0	0.625	0.625	78.5	1.0	0.625	0.625	78.5
757	ROY_087.0254	0.875	0.625	0.625	0.875	0.25	0.75	360	0.875	0.625	0.625	77.2	0.875	0.625	0.625	77.2
758	NV_062a	0.625	0.625	0.625	0.625	0.625	0.625	360	0.625	0.625	0.625	65.9	0.625	0.625	0.625	65.9
759	G50B_062.0124	0.5	0.625	0.625	0.625	0.625	0.625	330	0.5	0.625	0.625	64.8	0.5	0.625	0.625	64.8
760	G50B_062.0254	0.375	0.625	0.625	0.625	0.625	0.625	300	0.375	0.625	0.625	63.7	0.375	0.625	0.625	63.7
761	G50B_062.0374	0.25	0.625	0.625	0.625	0.625	0.625	270	0.25	0.625	0.625	62.6	0.25	0.625	0.625	62.6
762	G50B_062.0504	0.125	0.625	0.625	0.625	0.625	0.625	240	0.125	0.625	0.625	61.5	0.125	0.625	0.625	61.5
763	G50B_062.0624	0.0	0.625	0.625	0.625	0.625	0.625	210	0.0	0.625	0.625	60.4	0.0	0.625	0.625	60.4
764	ROY_100.0504	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	54.2	1.0	0.5	0.5	54.2
765	ROY_087.0374	0.875	0.5	0.5	0.875	0.375	0.687	360	0.875	0.5	0.5	53.1	0.875	0.5	0.5	53.1
766	ROY_075.0254	0.75	0.5	0.5	0.75	0.25	0.625	330	0.75	0.5	0.5	52.0	0.75	0.5	0.5	52.0
767	ROY_062.0124	0.625	0.5	0.5	0.625	0.125	0.562	300	0.625	0.5	0.5	50.9	0.625	0.5	0.5	50.9
768	NV_050a	0.5	0.5	0.5	0.5	0.5	0.5	360	0.5	0.5	0.5	47.7	0.5	0.5	0.5	47.7
769	G50B_050.0124	0.375	0.5	0.5	0.375	0.437	330	0.375	0.375	0.375	46.6	0.375	0.375	0.375	46.6	
770	G50B_050.0254	0.25	0.5	0.5	0.25	0.375	300	0.25	0.25	0.25	45.5	0.25	0.25	0.25	45.5	
771	G50B_050.0374	0.125	0.5	0.5	0.125	0.312	270	0.125	0.125	0.125	44.4	0.125	0.125	0.125	44.4	
772	G50B_050.0504	0.0	0.5	0.5	0.0	0.25	240	0.0	0.0	0.0	43.3	0.0	0.0	0.0	43.3	
773	ROY_100.0624	1.0	0.375	0.375	1.0	0.625	0.687	390	1.0	0.375	0.375	67.3	1.0	0.375	0.375	67.3
774	ROY_087.0504	0.875	0.375	0.375	0.875	0.5	0.625	360	0.875	0.375	0.375	66.2	0.875	0.375	0.375	66.2
775	G50B_087.0504	0.75	0.375	0.375	0.75	0.375	0.562	330	0.75	0.375	0.375	65.1	0.75	0.375	0.375	65.1
776	ROY_062.0254	0.625	0.375	0.375	0.625	0.25	0.5	300	0.625	0.375	0.375	64.0	0.625	0.375	0.375	64.0
777	ROY_050.0124	0.5	0.375	0.375	0.5	0.125	0.437	390	0.5	0.375	0.375	62.9	0.5	0.375	0.375	62.9
778	NV_037a	0.375	0.375	0.375	0.375	0.375	0.375	360	0.375	0.375	0.375	51.8	0.375	0.375	0.375	51.8
779	G50B_037.0124	0.25	0.375	0.375	0.25	0.312	330	0.25	0.25	0.25	50.7	0.25	0.25	0.25	50.7	
780	G50B_037.0254	0.125	0.375	0.375	0.125	0.25	300	0.125	0.125	0.125	49.6	0.125	0.125	0.125	49.6	
781	G50B_037.0374	0.0	0.375	0.375	0.0	0.187	270	0.0	0.0	0.0	48.5	0.0	0.0	0.0	48.5	
782	ROY_100.0754	1.0	0.25	0.25	1.0	0.75	0.625	390	1.0	0.25	0.25	61.7	1.0	0.25	0.25	61.7
783	ROY_087.0624	0.875	0.25	0.25	0.875	0.625	0.562	360	0.875	0.25	0.25	60.6	0.875	0.25	0.25	60.6
784	ROY_075.0504	0.75	0.25	0.25	0.75	0.5	0.5	330	0.75	0.25	0.25	59.5	0.75	0.25	0.25	59.5
785	ROY_062.0374	0.625	0.25	0.25	0.625	0.375	0.5	300	0.625	0.25	0.25	58.4	0.625	0.25	0.25	58.4
786	ROY_050.0254	0.5	0.25	0.25	0.5	0.25	0.437	390	0.5	0.25	0.25	57.3	0.5	0.25	0.25	57.3
787	ROY_037.0124	0.375	0.25	0.25	0.375	0.125	0.312	360	0.375	0.25	0.25	56.2	0.375	0.25	0.25	56.2
788	NV_025a	0.25	0.25	0.25	0.25	0.25	0.25	360	0.25	0.25	0.25	45.1	0.25	0.25	0.25	45.1
789	G50B_025.0124	0.125	0.25	0.25	0.125	0.187	330	0.125	0.125	0.125	44.0	0.125	0.125	0.125	44.0	
790	G50B_025.0254	0.0	0.25	0.25	0.0	0.125	300	0.0	0.0	0.0	42.9	0.0	0.0	0.0	42.9	
791	ROY_100.0874	1.0	0.125	0.125	1.0	0.875	0.562	390	1.0	0.125	0.125	60.6	1.0	0.125	0.125	60.6
792	ROY_087.0754	0.875	0.125	0.125	0.875	0.5	0.5	360	0.875	0.125	0.125	59.5	0.875	0.125	0.125	59.5
793	ROY_075.0624	0.75	0.125	0.125	0.75	0.625	0.437	330	0.75	0.125	0.125	58.4	0.75	0.125	0.125	58.4
794	ROY_062.0504	0.625	0.125	0.125	0.625	0.5	0.375	300	0.625	0.125	0.125	57.3	0.625	0.125	0.125	57.3
795	ROY_050.0374	0.5	0.125	0.125	0.5	0.375	0.312	390	0.5	0.125	0.125	56.2	0.5	0.125	0.125	56.2
796	ROY_037.0254	0.375	0.125	0.125	0.375	0.25	0.25	360	0.375	0.125	0.125	55.1	0.375	0.125	0.125	55.1
797	ROY_025.0124	0.25	0.125	0.125	0.25	0.125	0.187	390	0.25	0.125	0.125	54.0	0.25	0.125	0.125	54.0
798	NV_012a	0.125	0.125	0.125	0.125	0.125	0.125	360	0.125	0.125	0.125	42.8	0.125	0.125	0.125	42.8
799	G50B_012.0124	0.0	0.125	0.125	0.0	0.062	330	0.0	0.0	0.0	41.7	0.0	0.0	0.0	41.7	
800	G50B_012.0254	0.0	0.125	0.125	0.0	0.0	300	0.0	0.0	0.0	40.6	0.0	0.0	0.0	40.6	
801	ROY_100.1004	1.0	0.0	0.0	1.0	1.0	0.5	390								



application for measurement of display output, no separation

http://130.149.60.45/~farbmetrik/QE11/QE11LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/29

Table with columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, rpb\*Fd, LabCH\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, rpb\*Fd. Rows include various colorimetric data points for different color patches.

Mean color difference of this page: delta E\* = 11.4

TUB-test chart QE11; hue code: H\*d=R50Yd colors and differences, AE\* input: rgb/cmyk -> rrgb output: transfer to rrgb



