

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_ = R50Y_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = R50Y_ -$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 68 25 63 68 68

$HIC^*_{-,Ma}$: R50Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.5 0.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
$H^*_ -$	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14L0FA.TXT /PS; start output
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
 application for measurement of offset print output


TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 71/360 = 0.19$

$H^*_d = R50Y_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = R50Y_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d, Ma}$	47.3	63.8	41.2	76.0
$Y_{d, Ma}$	88.3	-11.9	95.1	95.8
$G_{d, Ma}$	51.9	-68.8	28.1	74.3
$C_{d, Ma}$	58.3	-29.2	-43.7	52.6
$B_{d, Ma}$	25.3	23.5	-47.3	52.8
$M_{d, Ma}$	48.2	72.8	-8.5	73.3
$N_{d, Ma}$	17.7	0.0	0.0	0.0
$W_{d, Ma}$	95.4	0.0	0.0	0.0
$R_{d, CIE}$	39.9	58.7	27.9	65.0
$Y_{d, CIE}$	81.2	-2.8	71.5	71.6
$G_{d, CIE}$	52.2	-42.4	13.6	44.5
$B_{d, CIE}$	30.5	1.4	-46.4	46.4

Data for maximum colour (M_a):

$LabCh^*_{d, Ma}$: 67 22 67 71 71



$HIC^*_{d, Ma}$: R50Y_100_100d

$rgbic^*_{d, Ma}$:
1.0 0.5 0.0 1.0 1.0

triangle lightness T^*
%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H, rel} = 57$
 $g^*_{C, rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100d}$	47.3	63.8	41.2	76.0
$R25Y_{100_100d}$	55.3	45.8	52.2	69.5
$R50Y_{100_100d}$	67.2	22.6	67.6	71.2
$R75Y_{100_100d}$	79.9	1.0	83.9	83.9
$Y00G_{100_100d}$	88.3	-11.9	95.1	95.8
$Y25G_{100_100d}$	83.3	-19.2	83.7	85.9
$Y50G_{100_100d}$	72.7	-31.3	66.0	73.1
$Y75G_{100_100d}$	60.4	-48.8	46.7	67.6
$G00B_{100_100d}$	51.9	-68.8	28.1	74.3
$G25B_{100_100d}$	54.8	-51.0	-12.3	52.5
$G50B_{100_100d}$	58.3	-29.2	-43.7	52.6
$G75B_{100_100d}$	42.7	-6.0	-45.0	45.4
$B00R_{100_100d}$	25.3	23.5	-47.3	52.8
$B25R_{100_100d}$	37.8	53.8	-26.3	59.9
$B50R_{100_100d}$	48.2	72.8	-8.5	73.3
$B75R_{100_100d}$	47.7	67.7	14.0	69.1



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta

see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE14/QE14L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)



TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$





input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$





see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE14/QE14L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)



1-103330-L0 QE140-72





TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103330-E0

TUB registration: 20130201-QE14/QE14L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103430-L0 QE140-72

TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 71/360 = 0.19$

$H^*_d = R50Y_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = R50Y_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 67\ 22\ 67\ 71\ 71$

$HIC^*_d, Ma: R50Y_100_100_d$

$rgbic^*_d, Ma:$



1.0 0.5 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta

1-103530-L0 QE140-72

TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy^{6*}, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours *RYGCBM_d*: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours *RYGCBM_e*: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red


$LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$



Y_e yellow

$LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green


$LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green

$LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue

$LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$



R_e red

$LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red

$LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

G_s green

$LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green


$LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red

$LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red

$LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$



1-103630-L0 QE140-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
 application for measurement of offset print output, separation cmy^{6*} (CMYK)
 TUB material: code=rha4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmyln6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 25 columns representing different colorimetric and device color parameters, including hue angles and color coordinates. The table lists 390 rows of color data points.

1-103730-L0 QE140-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0


Output: Offset standard print; separation cmyln6*, D65, page 8/33

TUB-test chart QE14; hue code: H*d=R50Yd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{dd}
output: 3D-linearization to cmyk*_{dd}


TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
application for measurement of offset print output, separation cmyln6* (CMYK)
TUB material: code=rh4tra

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd}	dd64M	LAB* _d	ddx64M (x=LabCh)	rgb* _{dd}	dex361M	LAB* _d	dex361M
32.8	30.0	25.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 32.8	1.0	0.0	0.209 47.6	64.9 30.9 71.9 25
40.4	37.5	33.8	1.0	0.125	0.0	51.2 54.9 46.7 72.1 40.4	1.0	0.007	0.0 47.6	63.4 41.6 75.8 33
50.0	45.0	42.1	1.0	0.25	0.0	56.0 44.4 53.0 69.1 50.0	1.0	0.148	0.0 52.1	53.0 48.1 71.6 42
61.1	52.5	50.5	1.0	0.375	0.0	61.4 33.2 60.3 68.8 61.1	1.0	0.25	0.0 56.0	44.5 53.0 69.2 49
71.4	60.0	58.8	1.0	0.5	0.0	67.2 22.6 67.6 71.2 71.4	1.0	0.35	0.0 60.3	35.6 59.0 69.0 58
81.7	67.5	67.2	1.0	0.625	0.0	73.6 11.0 76.1 76.9 81.7	1.0	0.442	0.0 64.5	27.8 64.5 70.2 66
88.5	75.0	75.6	1.0	0.75	0.0	79.2 2.0 83.0 83.1 88.5	1.0	0.55	0.0 69.8	18.3 71.3 73.6 75
93.6	82.5	83.9	1.0	0.875	0.0	84.2 -5.7 89.4 89.6 93.6	1.0	0.655	0.0 75.0	9.0 77.9 78.5 83
97.1	90.0	92.3	1.0	1.0	0.0	88.3 -11.9 95.1 95.8 97.1	1.0	0.842	0.0 83.0	-3.4 87.8 87.9 92
100.3	97.5	101.0	0.875	1.0	0.0	85.8 -16.2 88.6 90.0 100.3	0.871	1.0	0.0 85.8	-16.2 88.4 89.9 100
103.3	105.0	109.7	0.75	1.0	0.0	82.9 -19.7 83.0 85.3 103.3	0.599	1.0	0.0 76.2	-26.6 74.3 78.9 109
108.3	112.5	118.5	0.625	1.0	0.0	77.0 -25.2 76.3 80.4 108.3	0.455	1.0	0.0 71.4	-33.4 63.2 71.6 117
115.3	120.0	127.2	0.5	1.0	0.0	72.7 -31.3 66.0 73.1 115.3	0.327	1.0	0.0 65.8	-41.3 54.4 68.4 127
122.4	127.5	136.0	0.375	1.0	0.0	68.9 -36.9 58.1 68.8 122.4	0.244	1.0	0.0 60.7	-48.1 47.5 67.6 135
134.9	135.0	144.7	0.25	1.0	0.0	60.8 -47.8 47.8 67.6 134.9	0.124	1.0	0.0 57.4	-54.9 38.9 67.4 144
144.6	142.5	153.4	0.125	1.0	0.0	57.4 -54.9 38.9 67.3 144.6	0.047	1.0	0.0 54.0	-63.8 32.7 71.7 152
157.7	150.0	162.2	0.0	1.0	0.0	51.9 -68.8 28.1 74.3 157.7	0.0	1.0	0.093 52.4	-67.0 21.5 70.5 162
163.7	157.5	169.0	0.0	1.0	0.125	52.5 -66.4 19.3 69.1 163.7	0.0	1.0	0.209 53.1	-63.5 12.8 64.9 168
170.9	165.0	175.9	0.0	1.0	0.25	53.2 -61.9 9.8 62.7 170.9	0.0	1.0	0.311 53.7	-59.7 4.3 59.9 175
181.0	172.5	182.7	0.0	1.0	0.375	54.1 -56.9 -1.0 56.9 181.0	0.0	1.0	0.387 54.2	-56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0	1.0	0.5	54.8 -51.0 -12.3 52.5 193.5	0.0	1.0	0.46 54.6	-53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0	1.0	0.625	55.8 -45.1 -21.9 50.1 205.9	0.0	1.0	0.524 55.0	-50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0	1.0	0.75	56.7 -38.9 -30.9 49.7 218.4	0.0	1.0	0.598 55.6	-46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0	1.0	0.875	57.5 -34.3 -37.2 50.6 227.3	0.0	1.0	0.662 56.1	-43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0	1.0	1.0	58.3 -29.2 -43.7 52.6 236.1	0.0	1.0	0.736 56.7	-39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0	0.875	1.0	55.2 -25.0 -43.9 50.5 240.3	0.0	1.0	0.819 57.2	-36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0	0.75	1.0	51.7 -19.7 -44.1 48.3 245.8	0.0	1.0	0.922 57.9	-32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0	0.625	1.0	47.7 -13.9 -44.4 46.5 252.5	0.0	0.974	1.0 57.7	-28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0	0.5	1.0	42.7 -6.0 -45.0 45.4 262.3	0.0	0.785	1.0 52.7	-21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0	0.375	1.0	37.9 1.3 -45.4 45.4 271.7	0.0	0.659	1.0 48.9	-15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0	0.25	1.0	33.3 9.4 -46.0 47.0 281.6	0.0	0.555	1.0 45.0	-9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0	0.125	1.0	28.6 17.4 -46.9 50.1 290.3	0.0	0.472	1.0 41.7	-4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0	0.0	1.0	25.3 23.5 -47.3 52.8 296.4	0.0	0.375	1.0 37.9	1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125	0.0	1.0	29.3 31.8 -42.6 53.1 306.7	0.0	0.291	1.0 34.9	6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25	0.0	1.0	31.5 36.2 -39.2 53.4 312.7	0.0	0.188	1.0 31.0	13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375	0.0	1.0	33.8 47.6 -31.2 56.9 326.7	0.0	0.079	1.0 27.4	19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5	0.0	1.0	37.8 53.8 -26.3 59.9 333.9	0.046	0.0	1.0 26.8	26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625	0.0	1.0	40.9 58.8 -21.8 62.7 339.6	0.126	0.0	1.0 29.4	31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75	0.0	1.0	43.1 65.9 -14.9 67.6 347.2	0.265	0.0	1.0 31.8	37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875	0.0	1.0	45.9 69.4 -11.9 70.5 350.2	0.324	0.0	1.0 32.9	43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0	0.0	1.0	48.2 72.8 -8.5 73.3 353.3	0.407	0.0	1.0 34.9	49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0	0.0	0.875	48.2 71.6 -4.3 71.7 356.5	0.529	0.0	1.0 38.6	55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0	0.0	0.75	48.1 70.4 0.3 70.4 360.3	0.678	0.0	1.0 41.9	61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0	0.0	0.625	48.0 68.9 7.1 69.3 365.8	0.842	0.0	1.0 45.2	68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0	0.0	0.5	47.7 67.7 14.0 69.1 371.6	0.949	0.0	1.0 47.3	71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0	0.0	0.375	47.7 66.1 21.8 69.6 378.2	1.0	0.0	0.765 48.2	70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0	0.0	0.25	47.7 65.0 28.9 71.2 383.9	1.0	0.0	0.563 47.9	68.4 10.6 69.2 368
388.6	382.5	378.3	1.0	0.0	0.125	47.4 64.4 35.1 73.4 388.6	1.0	0.0	0.408 47.8	66.7 19.8 69.6 376
392.8	390.0	385.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 392.8	1.0	0.0	0.209 47.6	64.9 30.9 71.9 385



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Table with columns for device colour RYGBCM (h_ab,d, h_ab,s, h_ab,e, rrgb*_dd361M, LAB*_ddx361Mi (x=LabCh), R_d), separation cmykn6* (R_s, rrgb*_ds361Mi, LAB*_dsx361Mi (x=LabCh), R_s), and output cmykn6* (rgb*_dd361Mi, LAB*_dex361Mi (x=LabCh), R_c, rrgb*_dd361Mi, rrgb*_ds, rrgb*_ds, rrgb*_ds). Rows 32-88.

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14L0FA.TXT /PS application for measurement of offset print output, separation cmykn6* (CMYK)


see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14L0FA.TXT /PS application for measurement of offset print output, separation cmykn6* (CMYK)

Data of Maximum color M in colorimetric system Offset standard print; separation cmyln6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCMB_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGCMB_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_d_ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_s_dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_e_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd, r_{gb}*_ds, r_{gb}*_de. Rows 115-175.

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
application for measurement of offset print output, separation cmyln6* (CMYK)
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmyrn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	

1-1031230-L0 QE140-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmyrn6*; D65, page 13/33

TUB-test chart QE14; hue code: H*d=R50Yd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{dd}
output: 3D-linearization to cmyk*_{dd}

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /.PS
TUB material: code=rha4ta
application for measurement of offset print output, separation cmyrn6* (CMYK)

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}								
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.25	1.0								
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.233	1.0								
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.217	1.0								
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.2	1.0								
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.183	1.0								
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.167	1.0								
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.15	1.0								
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.133	1.0								
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.117	1.0								
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.1	1.0								
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.083	1.0								
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.067	1.0								
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.05	1.0								
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.033	1.0								
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.017	1.0								
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.017	1.0								
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.017	1.0								
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.033	0.0	1.0							
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.05	0.0	1.0							
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.067	0.0	1.0							
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.083	0.0	1.0							
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.1	0.0	1.0							
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.117	0.0	1.0							
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.133	0.0	1.0							
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.15	0.0	1.0							
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.167	0.0	1.0							
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.183	0.0	1.0							
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.2	0.0	1.0							
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.217	0.0	1.0							
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.233	0.0	1.0							
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.25	0.0	1.0							
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.267	0.0	1.0							
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.283	0.0	1.0							
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.3	0.0	1.0							
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3	320	0.0	0.317	0.0	1.0							
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.333	0.0	1.0							
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.35	0.0	1.0							
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.367	0.0	1.0							
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.383	0.0	1.0							
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.4	0.0	1.0							
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9	329	0.0	0.417	0.0	1.0							
330	296	296	0.433	0.0	1.0	35.7	50.5	-29.0	58.3	330	0.0	0.433	0.0	1.0							
331	297	297	0.45	0.0	1.0	36.2	51.4	-28.4	58.7	331	0.007	0.0	1.0	25.6	24.0	-47.0	52.9	297	0.45	0.0	1.0
332	298	298	0.466	0.0	1.0	36.7	52.2	-27.7	59.1	332	0.019	0.0	1.0	25.9	24.8	-46.6	52.9	298	0.467	0.0	1.0
332	299	299	0.483	0.0	1.0	37.3	53.0	-27.0	59.5	332	0.031	0.0	1.0	26.3	25.7	-46.2	52.9	299	0.483	0.0	1.0
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0



see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14L0FA.TXT>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE14/QE14L0FA.TXT /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyln6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_*_dd361Mi (x=LabCh), r_{gb}*_*_ds361Mi, LAB*_*_dsx361Mi (x=LabCh), r_{gb}*_*_dd361Mi, LAB*_*_de361Mi, LAB*_*_dex361Mi (x=LabCh), r_{gb}*_*_dd361Mi. Rows 333-360.

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FA.TXT /PS
application for measurement of offset print output, separation cmyln6* (CMYK)
TUB material: code=rha4ta

nif	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep.Fid	hsa_Mid	rgb*_Mid	LabC*_Mid	LabC*_Mid	delta
0/648	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	389	1.0	0.0	47.3	32.8
1/657	R13Y_100_100ad	0.125	0.0	0.5	1.0	0.116	0.0	36	1.0	0.116	0.0	760
2/666	R25Y_100_100ad	0.25	0.0	1.0	0.233	0.0	0.882	36	1.0	0.233	0.0	32.8
3/675	R38Y_100_100ad	0.375	0.0	1.5	0.35	0.0	0.765	36	1.0	0.35	0.0	760
4/684	R50Y_100_100ad	0.5	0.0	2.0	0.467	0.0	0.651	42	1.0	0.467	0.0	32.8
5/693	R63Y_100_100ad	0.625	0.0	2.5	0.583	0.0	0.538	42	1.0	0.583	0.0	760
6/702	R75Y_100_100ad	0.75	0.0	3.0	0.7	0.0	0.425	51	1.0	0.7	0.0	32.8
7/711	R88Y_100_100ad	0.875	0.0	3.5	0.817	0.0	0.311	51	1.0	0.817	0.0	760
8/720	Y00G_100_100ad	1.0	0.0	4.0	1.0	0.0	0.2	68	1.0	1.0	0.0	32.8
9/639	Y13G_100_100ad	0.875	0.0	3.5	0.817	0.0	0.311	68	1.0	0.817	0.0	760
10/658	Y25G_100_100ad	0.75	0.0	3.0	0.7	0.0	0.425	77	1.0	0.7	0.0	32.8
11/477	Y38G_100_100ad	0.625	0.0	2.5	0.583	0.0	0.538	77	1.0	0.583	0.0	760
12/396	Y50G_100_100ad	0.5	0.0	2.0	0.467	0.0	0.651	88	1.0	0.467	0.0	32.8
13/315	Y63G_100_100ad	0.375	0.0	1.5	0.35	0.0	0.765	88	1.0	0.35	0.0	760
14/234	Y75G_100_100ad	0.25	0.0	1.0	0.233	0.0	0.882	99	1.0	0.233	0.0	32.8
15/153	Y88G_100_100ad	0.125	0.0	0.5	0.116	0.0	1.0	99	1.0	0.116	0.0	760
16/72	G00C_100_100ad	0.0	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	88.3	95.1
17/73	G13C_100_100ad	0.125	1.0	0.5	0.125	0.0	0.0	96	1.0	0.125	0.0	95.8
18/74	G25C_100_100ad	0.25	1.0	1.0	0.25	0.0	0.0	102	1.0	0.25	0.0	97.1
19/75	G38C_100_100ad	0.375	1.0	1.5	0.375	0.0	0.0	111	1.0	0.375	0.0	98.5
20/76	G50C_100_100ad	0.5	1.0	2.0	0.5	0.0	0.0	119	1.0	0.5	0.0	99.8
21/77	G63C_100_100ad	0.625	1.0	2.5	0.625	0.0	0.0	128	1.0	0.625	0.0	101.2
22/78	G75C_100_100ad	0.75	1.0	3.0	0.75	0.0	0.0	137	1.0	0.75	0.0	102.6
23/79	G88C_100_100ad	0.875	1.0	3.5	0.875	0.0	0.0	143	1.0	0.875	0.0	104.0
24/70	C00B_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	149	1.0	0.0	51.9	58.3
25/71	C13B_100_100ad	0.0	0.0	0.5	0.125	0.0	0.0	156	1.0	0.125	0.0	55.4
26/63	C25B_100_100ad	0.0	0.0	1.0	0.25	0.0	0.0	162	1.0	0.25	0.0	59.2
27/65	C38B_100_100ad	0.0	0.0	1.5	0.375	0.0	0.0	171	1.0	0.375	0.0	63.0
28/44	C50B_100_100ad	0.0	0.0	2.0	0.5	0.0	0.0	188	1.0	0.5	0.0	66.8
29/35	C63B_100_100ad	0.0	0.0	2.5	0.625	0.0	0.0	188	1.0	0.625	0.0	70.6
30/26	C75B_100_100ad	0.0	0.0	3.0	0.75	0.0	0.0	197	1.0	0.75	0.0	74.4
31/17	C88B_100_100ad	0.0	0.0	3.5	0.875	0.0	0.0	203	1.0	0.875	0.0	78.2
32/8	B00M_100_100ad	0.0	1.0	0.0	0.0	0.0	0.0	210	1.0	0.0	58.3	29.2
33/89	B13M_100_100ad	0.125	1.0	0.5	0.125	0.0	0.0	216	1.0	0.125	0.0	31.2
34/170	B25M_100_100ad	0.25	1.0	1.0	0.25	0.0	0.0	221	1.0	0.25	0.0	35.0
35/251	B38M_100_100ad	0.375	1.0	1.5	0.375	0.0	0.0	231	1.0	0.375	0.0	38.8
36/332	B50M_100_100ad	0.5	1.0	2.0	0.5	0.0	0.0	240	1.0	0.5	0.0	42.6
37/413	B63M_100_100ad	0.625	1.0	2.5	0.625	0.0	0.0	248	1.0	0.625	0.0	46.4
38/494	B75M_100_100ad	0.75	1.0	3.0	0.75	0.0	0.0	257	1.0	0.75	0.0	50.2
39/575	B88M_100_100ad	0.875	1.0	3.5	0.875	0.0	0.0	263	1.0	0.875	0.0	54.0
40/656	M00R_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	270	1.0	0.0	25.3	23.5
41/655	M13R_100_100ad	0.875	0.0	0.5	0.125	0.0	0.0	276	1.0	0.125	0.0	27.2
42/654	M25R_100_100ad	0.75	0.0	1.0	0.25	0.0	0.0	282	1.0	0.25	0.0	29.1
43/653	M38R_100_100ad	0.625	0.0	1.5	0.375	0.0	0.0	291	1.0	0.375	0.0	31.0
44/652	M50R_100_100ad	0.5	0.0	2.0	0.5	0.0	0.0	300	1.0	0.5	0.0	32.9
45/651	M63R_100_100ad	0.375	0.0	2.5	0.625	0.0	0.0	308	1.0	0.625	0.0	34.8
46/650	M75R_100_100ad	0.25	0.0	3.0	0.75	0.0	0.0	317	1.0	0.75	0.0	36.7
47/649	M88R_100_100ad	0.125	0.0	3.5	0.875	0.0	0.0	323	1.0	0.875	0.0	38.6
48/648	R00Y_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	330	1.0	0.0	48.2	72.8
49/0	NV_000ad	0.0	0.0	0.0	0.0	0.0	0.0	336	1.0	0.0	88.3	48.2
50/91	NV_013ad	0.125	0.0	0.125	0.125	0.0	0.0	342	1.0	0.125	0.0	71.7
51/182	NV_025ad	0.25	0.0	0.25	0.25	0.0	0.0	351	1.0	0.25	0.0	70.6
52/273	NV_038ad	0.375	0.0	0.375	0.375	0.0	0.0	360	1.0	0.375	0.0	69.3
53/564	NV_050ad	0.5	0.0	0.5	0.5	0.0	0.0	369	1.0	0.5	0.0	68.0
54/455	NV_063ad	0.625	0.0	0.625	0.625	0.0	0.0	369	1.0	0.625	0.0	66.7
55/546	NV_075ad	0.75	0.0	0.75	0.75	0.0	0.0	377	1.0	0.75	0.0	65.4
56/637	NV_088ad	0.875	0.0	0.875	0.875	0.0	0.0	383	1.0	0.875	0.0	64.1
57/728	NV_100ad	1.0	0.0	1.0	1.0	0.0	0.0	389	1.0	1.0	0.0	62.8

QE1410L

TUB registration: 20130201-QE14/QE14LOFA.TXT /.PS
application for measurement of offset print output, separation cmyk* (CMYK)TUB material: code=rha4ta
application for measurement of offset print output, separation cmyk* (CMYK)http://130.149.60.45/~farbmetrik/QE14/QE14LOFA.TXT /.PS; 3D-linearization
F: 3D-linearization QE14/QE14LE30FA.DAT in file (F), page 19/33

ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*_sep_Fid	cmyp*_Fid	hsa*Fid	rgb*Fid	LabC*Fid	delta
0/648	R00Y_100_1000d	1.0	0.0	0.0	0.0	47.3	63.8	41.2	38.9	1.0	0.0	0.0
1/668	R25Y_100_1000d	0.0	0.5	0.5	0.0	55.3	48.7	76.0	32.8	0.0	1.0	0.0
2/684	R50Y_100_1000d	0.0	1.0	1.0	0.0	67.2	22.6	69.5	48.7	0.0	0.5	0.0
3/702	R75Y_100_1000d	0.0	1.0	0.5	0.0	83.9	83.9	71.2	71.4	0.0	0.0	0.0
4/720	Y00C_100_1000d	0.0	1.0	0.0	0.0	88.3	11.9	85.9	97.1	0.0	0.0	0.0
5/558	Y25C_100_1000d	0.75	1.0	0.5	0.0	83.3	-19.2	83.7	85.9	0.0	0.0	0.0
6/396	Y50C_100_1000d	0.25	1.0	0.0	0.5	72.7	-31.3	66.0	73.1	0.5	1.0	0.0
7/234	Y75C_100_1000d	0.0	1.0	0.0	1.0	60.4	-48.8	46.7	67.6	0.0	0.0	0.0
8/72	G00B_100_1000d	0.0	1.0	0.0	0.0	51.9	-68.8	28.1	74.3	0.0	0.0	0.0
9/72	G25B_100_1000d	0.0	1.0	0.5	0.0	51.9	-68.8	28.1	74.3	0.0	0.0	0.0
10/76	G50B_100_1000d	0.0	1.0	1.0	0.0	54.8	-51.0	52.5	157.5	0.0	0.5	0.0
11/80	G75B_100_1000d	0.0	1.0	1.0	0.0	58.3	-29.2	43.7	236.1	0.0	1.0	0.0
12/44	G50B_100_1000d	0.0	0.5	1.0	0.0	42.7	-6.0	45.0	262.3	0.0	0.0	0.0
13/8	B00M_100_1000d	0.0	1.0	1.0	0.0	23.5	23.5	52.8	296.4	0.0	1.0	0.0
14/332	B25R_100_1000d	0.5	0.0	1.0	0.0	37.8	53.8	-26.3	59.9	0.5	0.0	0.0
15/652	B50R_100_1000d	0.0	0.0	1.0	0.0	48.2	72.8	-8.5	73.3	0.0	0.0	0.0
16/652	B75R_100_1000d	0.0	0.0	1.0	0.0	47.7	67.7	14.0	69.1	0.0	0.5	0.0
17/648	R00Y_100_1000d	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	1.0	0.0	0.0
18/688	R00Y_100_0500d	1.0	0.5	0.5	0.0	51.9	20.6	38.0	32.8	1.0	0.0	0.0
19/608	R50Y_100_0500d	0.0	1.0	0.5	0.0	81.3	33.8	35.6	71.4	0.0	0.5	0.0
20/724	Y00C_100_0500d	0.0	1.0	0.0	0.5	91.9	-5.9	47.9	97.1	0.0	0.0	0.0
21/400	Y25C_100_0500d	0.75	1.0	0.5	0.0	84.1	-15.6	33.0	36.5	0.0	0.0	0.0
22/400	Y50C_100_0500d	0.25	1.0	0.0	0.5	75.0	-34.4	14.0	37.1	0.0	0.0	0.0
23/400	Y75C_100_0500d	0.0	1.0	0.0	1.0	70.6	11.7	-23.6	26.4	0.0	0.0	0.0
24/688	B00R_100_0500d	0.5	0.5	0.5	0.5	61.4	36.4	-4.2	56.6	0.5	0.5	0.0
25/692	B50R_100_0500d	0.0	0.5	0.5	0.0	71.4	31.9	20.6	38.0	0.0	0.5	0.0
26/688	R00Y_100_0500d	1.0	0.5	0.5	0.0	51.9	20.6	38.0	32.8	1.0	0.0	0.0
27/506	R00Y_075_0500d	0.75	0.25	0.75	0.25	51.9	31.9	20.6	38.0	0.75	0.25	0.0
28/524	R50Y_075_0500d	0.0	0.5	0.5	0.0	61.9	11.3	33.8	35.6	0.0	0.5	0.0
29/542	Y00C_075_0500d	0.0	0.5	0.5	0.0	72.4	-5.9	47.9	97.1	0.0	0.0	0.0
30/380	Y50C_075_0500d	0.5	0.5	0.5	0.0	64.6	-15.6	33.0	36.5	0.5	0.0	0.0
31/218	G00B_075_0500d	0.25	0.75	0.25	0.75	57.4	-14.6	-21.8	26.3	0.25	0.75	0.0
32/222	G50B_075_0500d	0.25	0.75	0.25	0.25	40.9	11.7	-23.6	26.4	0.25	0.25	0.0
33/186	B00R_075_0500d	0.25	0.25	0.75	0.25	52.4	36.4	-4.2	36.6	0.25	0.25	0.0
34/510	B50R_075_0500d	0.0	0.25	0.75	0.25	51.9	31.9	20.6	38.0	0.0	0.25	0.0
35/506	R00Y_075_0500d	0.75	0.25	0.25	0.75	51.9	31.9	20.6	38.0	0.75	0.25	0.0
36/324	R00Y_050_0500d	0.5	0.0	0.5	0.0	32.5	31.9	20.6	38.0	0.5	0.0	0.0
37/342	R50Y_050_0500d	0.5	0.25	0.25	0.0	42.4	11.3	33.8	35.6	0.5	0.25	0.0
38/360	Y00C_050_0500d	0.5	0.5	0.0	0.5	53.0	-5.9	47.9	97.1	0.0	0.5	0.0
39/198	Y50C_050_0500d	0.25	0.5	0.5	0.0	45.2	-15.6	33.0	36.5	0.25	0.0	0.0
40/36	G00B_050_0500d	0.0	0.5	0.5	0.0	34.8	-34.4	14.0	37.1	0.0	0.5	0.0
41/40	G50B_050_0500d	0.0	0.5	0.5	0.0	38.0	-14.6	-21.8	26.3	0.0	0.5	0.0
42/4	B00R_050_0500d	0.0	0.5	0.5	0.0	21.5	11.7	-23.6	26.4	0.0	0.5	0.0
43/328	B50R_050_0500d	0.5	0.0	0.5	0.0	32.5	36.4	-4.2	36.6	0.5	0.0	0.0
44/324	R00Y_050_0500d	0.5	0.0	0.5	0.0	32.5	31.9	20.6	38.0	0.5	0.0	0.0
45/0	NW_0000d	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_0150d	0.125	0.125	0.125	0.125	27.4	0.0	0.0	0.0	0.125	0.125	0.0
47/182	NW_0250d	0.25	0.25	0.25	0.25	37.1	0.0	0.0	0.0	0.25	0.25	0.0
48/273	NW_0350d	0.375	0.375	0.375	0.375	46.8	0.0	0.0	0.0	0.375	0.375	0.0
49/364	NW_0500d	0.5	0.5	0.5	0.5	56.5	0.0	0.0	0.0	0.5	0.5	0.0
50/455	NW_0650d	0.625	0.625	0.625	0.625	66.3	0.0	0.0	0.0	0.625	0.625	0.0
51/546	NW_0800d	0.75	0.75	0.75	0.75	76.9	0.0	0.0	0.0	0.75	0.75	0.0
52/637	NW_0850d	0.875	0.875	0.875	0.875	87.7	0.0	0.0	0.0	0.875	0.875	0.0
53/728	NW_1000d	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	1.0	0.0

Mean color difference of this page:

delta

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*ddTUB-test chart QE14; hue code: H*_d=R50Y_d
colors and differences, ΔE*_{uv}

QE140-7N; Page 19/33-F

I-1031830-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Table with 80 rows and 15 columns: #, H#C*Fid, H#C*Fid, iC*Fid, iC*Fid, iC*Fid, LabC*Fid, LabC*Fid, cmyk*sep,Fid, cmyk*sep,Fid, H#X,Y,Z, H#X,Y,Z, LabC*Fid, LabC*Fid, delta. The table contains color calibration data for various color patches.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, ΔE*_*

http://130.149.60.45/~farbmetrik/QE14/QE14LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FA.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, cmyk*_sep,Fid, LabCM*_sep,Fid, rpb*Yid, hsa*Yid, LabCM*Yid, LabCM*Yid, delta. Rows 81-161.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, AE*_*

QE140-7N; Page 21/33-F

Table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCM*Fid, cmyk*sep,Fid, rpb*Fid, hsa*Fid, LabCM*Fid, icr*Fid, rpb*Fid, hsa*Fid, LabCM*Fid, delta. Rows include color names like R00Y, B50R, G35B, etc.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, AE* * Mean color difference of this page:

QE140-TN; Page 22/33-F

I-1032130-F0

Table with 32 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, LabCM*Sep.Fid, cmyk*Sep.Fid, rpb*Fid, rpb*Fid, LabCM*Fid, LabCM*Fid, delta. Rows 243-323.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, AE*^{*}

I-103220-F0

QE140-TN; Page 23/33-F

Mean color difference of this page:

TUB registration: 20130201-QE14/QE14LOFA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmyk* (CMYK)

http://130.149.60.45/~farbmetrik/QE14/QE14LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE14/QE14L30FA.DAT in file (F), page 25/33

Table with 15 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabC*Fid, cmyk*sep, rpb*Fid, hsa*Fid, LabC*Fid, rpb*Fid, LabC*Fid, delta. Rows 405-485.

Mean color difference of this page: 0.455

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

QE140-7N; Page 25/33-F

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, AE* *

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with columns: n, H#C*F, H#C*F, iet, iet, H#C*F, H#C*F, H#C*F, LabCM*F, LabCM*F, LabCM*F, cmyn*sep, cmyn*sep, H#C*F, H#C*F, LabCM*F, LabCM*F, LabCM*F, delta

Table with columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, LabCM*Sep.Fid, cmyk*Sep.Fid, Hsa*Fid, rpb*Fid, LabCM*Fid, LabCM*Fid, delta. Rows 567-647.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, AE*
QE140-7N; Page 27/33-F

n	HC*Fid	rgb*Fid	icr*Fid	hsa*Fid	rgb*Fid	LabCM*Fid	cmyk*sep,Fid	hsa*Fid	rgb*Fid	LabCM*Fid	delta
648	R00Y_100_1000ad	1.0	0.0	0.5	390	41.2	76.0	32.8	0.0	0.0	0.0
649	R38Y_100_1000ad	1.0	0.125	1.0	383	41.2	76.0	32.8	0.0	0.0	0.0
650	R26Y_100_1000ad	1.0	0.25	1.0	376	41.2	76.0	32.8	0.0	0.0	0.0
651	R13Y_100_1000ad	1.0	0.375	1.0	368	41.2	76.0	32.8	0.0	0.0	0.0
652	R00Y_100_1000ad	1.0	0.5	1.0	360	41.2	76.0	32.8	0.0	0.0	0.0
653	B68R_100_1000ad	1.0	0.0	0.5	352	41.2	76.0	32.8	0.0	0.0	0.0
654	B61R_100_1000ad	1.0	0.0	0.5	344	41.2	76.0	32.8	0.0	0.0	0.0
655	B55R_100_1000ad	1.0	0.0	0.5	337	41.2	76.0	32.8	0.0	0.0	0.0
656	B50R_100_1000ad	1.0	0.0	0.5	330	41.2	76.0	32.8	0.0	0.0	0.0
657	R11Y_100_1000ad	1.0	0.0	0.5	37	41.2	76.0	32.8	0.0	0.0	0.0
658	R00Y_100_087ad	1.0	0.125	1.0	380	41.2	76.0	32.8	0.0	0.0	0.0
659	R36Y_100_087ad	1.0	0.125	1.0	382	41.2	76.0	32.8	0.0	0.0	0.0
660	R23Y_100_087ad	1.0	0.125	1.0	375	41.2	76.0	32.8	0.0	0.0	0.0
661	R00Y_100_087ad	1.0	0.125	1.0	368	41.2	76.0	32.8	0.0	0.0	0.0
662	B70R_100_087ad	1.0	0.125	1.0	365	41.2	76.0	32.8	0.0	0.0	0.0
663	B63R_100_087ad	1.0	0.125	1.0	358	41.2	76.0	32.8	0.0	0.0	0.0
664	B56R_100_087ad	1.0	0.125	1.0	351	41.2	76.0	32.8	0.0	0.0	0.0
665	B50R_100_087ad	1.0	0.125	1.0	344	41.2	76.0	32.8	0.0	0.0	0.0
666	R23Y_100_100ad	1.0	0.25	1.0	37	41.2	76.0	32.8	0.0	0.0	0.0
667	R13Y_100_100ad	1.0	0.25	1.0	37	41.2	76.0	32.8	0.0	0.0	0.0
668	R00Y_100_100ad	1.0	0.25	1.0	37	41.2	76.0	32.8	0.0	0.0	0.0
669	R33Y_100_100ad	1.0	0.25	1.0	382	41.2	76.0	32.8	0.0	0.0	0.0
670	R18Y_100_100ad	1.0	0.25	1.0	371	41.2	76.0	32.8	0.0	0.0	0.0
671	B68R_100_075ad	1.0	0.25	1.0	360	41.2	76.0	32.8	0.0	0.0	0.0
672	B61R_100_075ad	1.0	0.25	1.0	348	41.2	76.0	32.8	0.0	0.0	0.0
673	B55R_100_075ad	1.0	0.25	1.0	341	41.2	76.0	32.8	0.0	0.0	0.0
674	B50R_100_075ad	1.0	0.25	1.0	334	41.2	76.0	32.8	0.0	0.0	0.0
675	R36Y_100_087ad	1.0	0.375	1.0	375	41.2	76.0	32.8	0.0	0.0	0.0
676	R26Y_100_087ad	1.0	0.375	1.0	367	41.2	76.0	32.8	0.0	0.0	0.0
677	R15Y_100_087ad	1.0	0.375	1.0	359	41.2	76.0	32.8	0.0	0.0	0.0
678	R00Y_100_062ad	1.0	0.375	1.0	350	41.2	76.0	32.8	0.0	0.0	0.0
679	R31Y_100_062ad	1.0	0.375	1.0	380	41.2	76.0	32.8	0.0	0.0	0.0
680	R19Y_100_062ad	1.0	0.375	1.0	369	41.2	76.0	32.8	0.0	0.0	0.0
681	B69R_100_062ad	1.0	0.375	1.0	362	41.2	76.0	32.8	0.0	0.0	0.0
682	B62R_100_062ad	1.0	0.375	1.0	355	41.2	76.0	32.8	0.0	0.0	0.0
683	B56R_100_062ad	1.0	0.375	1.0	348	41.2	76.0	32.8	0.0	0.0	0.0
684	R50Y_100_1000ad	1.0	0.5	1.0	60	41.2	76.0	32.8	0.0	0.0	0.0
685	R41Y_100_087ad	1.0	0.5	1.0	59	41.2	76.0	32.8	0.0	0.0	0.0
686	R34Y_100_075ad	1.0	0.5	1.0	54	41.2	76.0	32.8	0.0	0.0	0.0
687	R18Y_100_062ad	1.0	0.5	1.0	48	41.2	76.0	32.8	0.0	0.0	0.0
688	R00Y_100_050ad	1.0	0.5	1.0	39	41.2	76.0	32.8	0.0	0.0	0.0
689	R26Y_100_050ad	1.0	0.5	1.0	389	41.2	76.0	32.8	0.0	0.0	0.0
690	R16Y_100_050ad	1.0	0.5	1.0	377	41.2	76.0	32.8	0.0	0.0	0.0
691	B61R_100_050ad	1.0	0.5	1.0	360	41.2	76.0	32.8	0.0	0.0	0.0
692	B54R_100_050ad	1.0	0.5	1.0	342	41.2	76.0	32.8	0.0	0.0	0.0
693	R63Y_100_1000ad	1.0	0.5	1.0	330	41.2	76.0	32.8	0.0	0.0	0.0
694	R38Y_100_087ad	1.0	0.625	1.0	68	41.2	76.0	32.8	0.0	0.0	0.0
695	R30Y_100_075ad	1.0	0.625	1.0	65	41.2	76.0	32.8	0.0	0.0	0.0
696	R23Y_100_062ad	1.0	0.625	1.0	52	41.2	76.0	32.8	0.0	0.0	0.0
697	R18Y_100_050ad	1.0	0.625	1.0	48	41.2	76.0	32.8	0.0	0.0	0.0
698	R00Y_100_037ad	1.0	0.625	1.0	389	41.2	76.0	32.8	0.0	0.0	0.0
699	R18Y_100_037ad	1.0	0.625	1.0	371	41.2	76.0	32.8	0.0	0.0	0.0
700	B50R_100_037ad	1.0	0.625	1.0	360	41.2	76.0	32.8	0.0	0.0	0.0
701	R61Y_100_037ad	1.0	0.625	1.0	348	41.2	76.0	32.8	0.0	0.0	0.0
702	R61Y_100_037ad	1.0	0.625	1.0	348	41.2	76.0	32.8	0.0	0.0	0.0
703	R33Y_100_087ad	1.0	0.75	1.0	77	41.2	76.0	32.8	0.0	0.0	0.0
704	R26Y_100_075ad	1.0	0.75	1.0	75	41.2	76.0	32.8	0.0	0.0	0.0
705	R18Y_100_062ad	1.0	0.75	1.0	71	41.2	76.0	32.8	0.0	0.0	0.0
706	R00Y_100_050ad	1.0	0.75	1.0	60	41.2	76.0	32.8	0.0	0.0	0.0
707	R31Y_100_037ad	1.0	0.75	1.0	48	41.2	76.0	32.8	0.0	0.0	0.0
708	R00Y_100_025ad	1.0	0.75	1.0	389	41.2	76.0	32.8	0.0	0.0	0.0
709	R00Y_100_025ad	1.0	0.75	1.0	360	41.2	76.0	32.8	0.0	0.0	0.0
710	B50R_100_100ad	1.0	0.75	1.0	83	41.2	76.0	32.8	0.0	0.0	0.0
711	R88Y_100_100ad	1.0	0.75	1.0	82	41.2	76.0	32.8	0.0	0.0	0.0
712	R85Y_100_087ad	1.0	0.75	1.0	81	41.2	76.0	32.8	0.0	0.0	0.0
713	R85Y_100_075ad	1.0	0.75	1.0	80	41.2	76.0	32.8	0.0	0.0	0.0
714	R81Y_100_062ad	1.0	0.75	1.0	79	41.2	76.0	32.8	0.0	0.0	0.0
715	R68Y_100_050ad	1.0	0.75	1.0	77	41.2	76.0	32.8	0.0	0.0	0.0
716	R50Y_100_025ad	1.0	0.75	1.0	71	41.2	76.0	32.8	0.0	0.0	0.0
717	R00Y_100_012ad	1.0	0.875	1.0	389	41.2	76.0	32.8	0.0	0.0	0.0
718	R00Y_100_012ad	1.0	0.875	1.0	360	41.2	76.0	32.8	0.0	0.0	0.0
719	Y00G_100_1000ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
720	Y00G_100_1000ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
721	Y00G_100_087ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
722	Y00G_100_075ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
723	Y00G_100_062ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
724	Y00G_100_050ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
725	Y00G_100_037ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
726	Y00G_100_025ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
727	Y00G_100_012ad	1.0	1.0	0.5	90	41.2	76.0	32.8	0.0	0.0	0.0
728	NW_100ad	1.0	1.0	1.0	360	41.2	76.0	32.8	0.0	0.0	0.0

input: *rgb/cmyk* -> *rgbd*
 output: 3D-linearization to *cmyk*dd*

TUB-test chart QE14; hue code: H*_d=R50Y_d
 colors and differences, ΔE*
 I-1032730-F0

I-1032730-F0

Mean color difference of this page:

Table with 15 columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, LabC*Fad, cmyk*sep,Fad, cmyk*sep,Fad, LabC*Fad, rpb*Fad, hsa*Fad, rpb*Fad, LabC*Fad. Rows include color names like NV_100ad, G50B_100.025ad, etc.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, AE* *

Table with 15 columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, cmyk*sep,Fad, rpb*Fad, hsa*Fad, LabC*Fad, delta, and 0.0. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, AE* *

http://130.149.60.45/~farbmetrik/QE14/QE14LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FA.DAT in file (F), page 31/33

Table with 10 columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, cmyk*sep,Fad, hsa*Fad, rpb*Fad, LabC*Fad, delta. Rows include color patches like 891, 892, 893, etc., and their corresponding colorimetric data.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

QE140-7N; Page 31/33-F

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, AE*_*




n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCM*Fid	cmyp*sep_Fid	hsa_Jd	rgb*Jd	LabCM*Jd	LabCM*Yd
972	NW_0000ad	0.125	0.125	0.00	0.00	0.00	0.00	360	1.0	1.0	95.4
973	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
974	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
975	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
976	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
977	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
978	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
979	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
980	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
981	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
982	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
983	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
984	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
985	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
986	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
987	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
988	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
989	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
990	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
991	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
992	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
993	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
994	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
995	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
996	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
997	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
998	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
999	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
1000	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
1001	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
1002	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
1003	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
1004	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
1005	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
1006	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
1007	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1008	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
1009	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
1010	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
1011	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
1012	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
1013	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
1014	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
1015	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
1016	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1017	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
1018	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
1019	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
1020	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
1021	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
1022	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
1023	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
1024	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
1025	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1026	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
1027	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
1028	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
1029	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
1030	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
1031	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
1032	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
1033	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
1034	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1035	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
1036	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
1037	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
1038	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
1039	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
1040	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
1041	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
1042	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
1043	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1044	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
1045	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
1046	NW_0240ad	0.125	0.125	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
1047	NW_0360ad	0.125	0.125	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
1048	NW_0480ad	0.125	0.125	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
1049	NW_0600ad	0.125	0.125	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
1050	NW_0720ad	0.125	0.125	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
1051	NW_0840ad	0.125	0.125	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
1052	NW_1000ad	0.125	0.125	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4

delta

Mean color difference of this page:

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, AE*_*

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd



http://130.149.60.45/~farbmetrik/QE14/QE14L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE14/QE14L30FA.DAT in file (F), page 33/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	hsa_Fid	cmym*sep_Fid	0.007	0.0	0.179	LabC*Fid	rgb*Fid	hsa_Fid	LabC*Fid	0.0	0.0
1053	NW_0860ad	0.866	0.866	0.866	0.866	0.866	0.866	0.024	0.007	0.0	0.179	95.4	1.0	360	95.4	1.0	0.0
1054	NW_0975ad	0.933	0.933	0.933	0.933	0.933	0.933	0.024	0.005	0.0	0.084	95.4	1.0	360	95.4	1.0	0.0
1055	NW_1000ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	1.0	0.0
1056	NW_0060ad	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	1.0	0.0
1057	NW_0060ad	0.066	0.066	0.066	0.066	0.066	0.066	0.139	0.022	0.0	0.933	95.4	1.0	360	95.4	1.0	0.0
1058	NW_0130ad	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.043	0.048	0.871	95.4	1.0	360	95.4	1.0	0.0
1059	NW_0260ad	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.057	0.0	0.825	95.4	1.0	360	95.4	1.0	0.0
1060	NW_0260ad	0.266	0.266	0.266	0.266	0.266	0.266	0.013	0.015	0.0	0.781	95.4	1.0	360	95.4	1.0	0.0
1061	NW_0330ad	0.333	0.333	0.333	0.333	0.333	0.333	0.0	0.016	0.005	0.731	95.4	1.0	360	95.4	1.0	0.0
1062	NW_0400ad	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.019	0.018	0.628	95.4	1.0	360	95.4	1.0	0.0
1063	NW_0460ad	0.466	0.466	0.466	0.466	0.466	0.466	0.0	0.021	0.0	0.541	95.4	1.0	360	95.4	1.0	0.0
1064	NW_0530ad	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.006	0.0	0.478	95.4	1.0	360	95.4	1.0	0.0
1065	NW_0600ad	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.006	0.0	0.405	95.4	1.0	360	95.4	1.0	0.0
1066	NW_0660ad	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.021	0.011	0.322	95.4	1.0	360	95.4	1.0	0.0
1067	NW_0730ad	0.734	0.734	0.734	0.734	0.734	0.734	0.0	0.007	0.005	0.26	95.4	1.0	360	95.4	1.0	0.0
1068	NW_0800ad	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.024	0.0	0.179	95.4	1.0	360	95.4	1.0	0.0
1069	NW_0860ad	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.024	0.007	0.084	95.4	1.0	360	95.4	1.0	0.0
1070	NW_0930ad	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.005	0.0	0.084	95.4	1.0	360	95.4	1.0	0.0
1071	NW_1000ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	1.0	0.0
1072	NW_1000ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	1.0	0.0
1073	ROY_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	1.0	0.0
1074	ROY_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	1.0	0.0
1075	GS0B_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.999	0.0	0.0	0.0	41.2	0.0	389	63.8	41.2	76.0
1076	Y06C_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8	0.0	210	52.6	32.8	236.1
1077	B06C_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	236.1	0.0	89	97.1	236.1	95.1
1078	B06C_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.1	0.0	270	246.4	95.1	47.3
1079	B50R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.999	0.0	0.0	0.0	47.3	0.0	270	23.8	47.3	246.4
1079	B50R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	246.4	0.0	330	28.1	246.4	74.3
1079	B50R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74.3	0.0	330	58.8	74.3	353.3
1079	B50R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	353.3	0.0	330	48.2	353.3	75.3

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd