

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_- = R50Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R50Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 68 25 63 68 68

$HIC^*_{-,Ma}$: R50Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.5 0.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE14/QE14L0FP.PDF / .PS
 application for measurement of offset print output


TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 71/360 = 0.19$

$H^*_d = R50Y_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = R50Y_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 67 22 67 71 71



$HIC^*_{d,Ma}$: R50Y_100_100_d

$rgbic^*_{d,Ma}$: 1.0 0.5 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11




see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta


TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$



see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)



TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$





input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$





see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)




1-103330-L0 QE140-72

TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*




input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103330-F0



TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103430-L0 QE140-72

TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 71/360 = 0.19$

$H^*_d = R50Y_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = R50Y_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 67\ 22\ 67\ 71\ 71$

$HIC^*_d, Ma: R50Y_100_100_d$

$rgbic^*_d, Ma:$



1.0 0.5 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$





see similar files: <http://130.149.60.45/~farbmetrik/QE14/QE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta

TUB-test chart QE14; hue code: $H^*_d=R50Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy^{6*}, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours *RYGCBM_d*: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours *RYGCBM_e*: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green

$LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green

$LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue

$LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red

$LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red

$LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

G_s green

$LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red

$LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red

$LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.


6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS
 application for measurement of offset print output, separation cmy^{6*} (CMYK)
 TUB material: code=rha4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for hue angles (h_{ab,d}, h_{ab,s}, h_{ab,e}) and colorimetric data (LAB*, ddx64M, ddx361M, dsx361M, dex361M) for 60 standard colors and 48 device colors. The table is organized into 12 groups of 5 colors each, with columns for LAB* and ddx/dsx/dex361M values.



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy₆*; D65 for input or output; Six hue angles of the 60 degree standard colours RY₆CB₆: *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RY₆CB₆_d: *h_{ab,d}* = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RY₆CB₆_c: *h_{ab,c}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb₆*_{dd}</i>	<i>dd64M</i>	<i>LAB*_d</i>	<i>ddx64M (x=LabCh)</i>	<i>rgb₆*_{dex361M}</i>	<i>LAB*_{dex361M}</i>	<i>rgb₆*_{ds}</i>	<i>rgb₆*_{de}</i>		
32.8	30.0	25.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 32.8	1.0	0.0	0.209	47.6 64.9 30.9 71.9 25		
40.4	37.5	33.8	1.0	0.125	0.0	51.2 54.9 46.7 72.1 40.4	1.0	0.007	0.0	47.6 63.4 41.6 75.8 33		
50.0	45.0	42.1	1.0	0.25	0.0	56.0 44.4 53.0 69.1 50.0	1.0	0.148	0.0	52.1 53.0 48.1 71.6 42		
61.1	52.5	50.5	1.0	0.375	0.0	61.4 33.2 60.3 68.8 61.1	1.0	0.25	0.0	56.0 44.5 53.0 69.2 49		
71.4	60.0	58.8	1.0	0.5	0.0	67.2 22.6 67.6 71.2 71.4	1.0	0.35	0.0	60.3 35.6 59.0 69.0 58		
81.7	67.5	67.2	1.0	0.625	0.0	73.6 11.0 76.1 76.9 81.7	1.0	0.442	0.0	64.5 27.8 64.5 70.2 66		
88.5	75.0	75.6	1.0	0.75	0.0	79.2 2.0 83.0 83.1 88.5	1.0	0.55	0.0	69.8 18.3 71.3 73.6 75		
93.6	82.5	83.9	1.0	0.875	0.0	84.2 -5.7 89.4 89.6 93.6	1.0	0.655	0.0	75.0 9.0 77.9 78.5 83		
97.1	90.0	92.3	1.0	1.0	0.0	88.3 -11.9 95.1 95.8 97.1	1.0	0.842	0.0	83.0 -3.4 87.8 87.9 92		
100.3	97.5	101.0	0.875	1.0	0.0	85.8 -16.2 88.6 90.0 100.3	1.0	0.871	1.0	0.0	85.8 -16.2 88.4 89.9 100	
103.3	105.0	109.7	0.75	1.0	0.0	82.9 -19.7 83.0 85.3 103.3	1.0	0.599	1.0	0.0	76.2 -26.6 74.3 78.9 109	
108.3	112.5	118.5	0.625	1.0	0.0	77.0 -25.2 76.3 80.4 108.3	1.0	0.455	1.0	0.0	71.4 -33.4 63.2 71.6 117	
115.3	120.0	127.2	0.5	1.0	0.0	72.7 -31.3 66.0 73.1 115.3	1.0	0.327	1.0	0.0	65.8 -41.3 54.4 68.4 127	
122.4	127.5	136.0	0.375	1.0	0.0	68.9 -36.9 58.1 68.8 122.4	1.0	0.244	1.0	0.0	60.7 -48.1 47.5 67.6 135	
134.9	135.0	144.7	0.25	1.0	0.0	60.8 -47.8 47.8 67.6 134.9	1.0	0.124	1.0	0.0	57.4 -54.9 38.9 67.4 144	
144.6	142.5	153.4	0.125	1.0	0.0	57.4 -54.9 38.9 67.3 144.6	1.0	0.047	1.0	0.0	54.0 -63.8 32.7 71.7 152	
157.7	150.0	162.2	0.0	1.0	0.0	51.9 -68.8 28.1 74.3 157.7	1.0	0.0	1.0	0.093	52.4 -67.0 21.5 70.5 162	
163.7	157.5	169.0	0.0	1.0	0.125	52.5 -66.4 19.3 69.1 163.7	1.0	0.1	1.0	0.209	53.1 -63.5 12.8 64.9 168	
170.9	165.0	175.9	0.0	1.0	0.25	53.2 -61.9 9.8 62.7 170.9	1.0	0.0	1.0	0.311	53.7 -59.7 4.3 59.9 175	
181.0	172.5	182.7	0.0	1.0	0.375	54.1 -56.9 -1.0 56.9 181.0	1.0	0.0	1.0	0.387	54.2 -56.4 -2.2 56.5 182	
193.5	180.0	189.6	0.0	1.0	0.5	54.8 -51.0 -12.3 52.5 193.5	1.0	0.0	1.0	0.46	54.6 -53.1 -8.9 54.0 189	
205.9	187.5	196.4	0.0	1.0	0.625	55.8 -45.1 -21.9 50.1 205.9	1.0	0.0	1.0	0.524	55.0 -50.0 -14.3 52.1 195	
218.4	195.0	203.2	0.0	1.0	0.75	56.7 -38.9 -30.9 49.7 218.4	1.0	0.0	1.0	0.598	55.6 -46.5 -19.9 50.7 203	
227.3	202.5	210.1	0.0	1.0	0.875	57.5 -34.3 -37.2 50.6 227.3	1.0	0.0	1.0	0.662	56.1 -43.4 -24.7 50.1 209	
236.1	210.0	216.9	0.0	1.0	1.0	58.3 -29.2 -43.7 52.6 236.1	1.0	0.0	1.0	0.736	56.7 -39.7 -29.9 49.8 216	
240.3	217.5	223.8	0.0	0.875	1.0	55.2 -25.0 -43.9 50.5 240.3	1.0	0.0	1.0	0.819	57.2 -36.4 -34.4 50.3 223	
245.8	225.0	230.6	0.0	0.75	1.0	51.7 -19.7 -44.1 48.3 245.8	1.0	0.0	1.0	0.922	57.9 -32.5 -39.7 51.4 230	
252.5	232.5	237.5	0.0	0.625	1.0	47.7 -13.9 -44.4 46.5 252.5	1.0	0.0	0.974	1.0	57.7 -28.3 -43.7 52.2 237	
262.3	240.0	244.3	0.0	0.5	1.0	42.7 -6.0 -45.0 45.4 262.3	1.0	0.0	0.785	1.0	52.7 -21.1 -44.1 49.0 244	
271.7	247.5	251.2	0.0	0.375	1.0	37.9 1.3 -45.4 45.4 271.7	1.0	0.0	0.659	1.0	48.9 -15.4 -44.3 47.1 250	
281.6	255.0	258.0	0.0	0.25	1.0	33.3 9.4 -46.0 47.0 281.6	1.0	0.0	0.555	1.0	45.0 -9.4 -44.8 45.9 258	
290.3	262.5	264.8	0.0	0.125	1.0	28.6 17.4 -46.9 50.1 290.3	1.0	0.0	0.472	1.0	41.7 -4.3 -45.1 45.4 264	
296.4	270.0	271.7	0.0	0.0	1.0	25.3 23.5 -47.3 52.8 296.4	1.0	0.0	0.375	1.0	37.9 1.4 -45.3 45.5 271	
306.7	277.5	278.8	0.125	0.0	1.0	29.3 31.8 -42.6 53.1 306.7	1.0	0.0	0.291	1.0	34.9 6.8 -45.9 46.5 278	
312.7	285.0	285.9	0.25	0.0	1.0	31.5 36.2 -39.2 53.4 312.7	1.0	0.0	0.188	1.0	31.0 13.3 -46.6 48.5 285	
326.7	292.5	293.0	0.375	0.0	1.0	33.8 47.6 -31.2 56.9 326.7	1.0	0.0	0.079	1.0	27.4 19.6 -47.1 51.1 292	
333.9	300.0	300.1	0.5	0.0	1.0	37.8 53.8 -26.3 59.9 333.9	1.0	0.0	0.046	0.0	1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625	0.0	1.0	40.9 58.8 -21.8 62.7 339.6	1.0	0.0	0.126	0.0	1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75	0.0	1.0	43.1 65.9 -14.9 67.6 347.2	1.0	0.0	0.265	0.0	1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875	0.0	1.0	45.9 69.4 -11.9 70.5 350.2	1.0	0.0	0.324	0.0	1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0	0.0	1.0	48.2 72.8 -8.5 73.3 353.3	1.0	0.0	0.407	0.0	1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0	0.0	0.875	48.2 71.6 -4.3 71.7 356.5	1.0	0.0	0.529	0.0	1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0	0.0	0.75	48.1 70.4 0.3 70.4 360.3	1.0	0.0	0.678	0.0	1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0	0.0	0.625	48.0 68.9 7.1 69.3 365.8	1.0	0.0	0.842	0.0	1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0	0.0	0.5	47.7 67.7 14.0 69.1 371.6	1.0	0.0	0.949	0.0	1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0	0.0	0.375	47.7 66.1 21.8 69.6 378.2	1.0	0.0	0.765	48.2	70.6 -0.1 70.6 359	
383.9	375.0	371.2	1.0	0.0	0.25	47.7 65.0 28.9 71.2 383.9	1.0	0.0	0.563	47.9	68.4 10.6 69.2 368	
388.6	382.5	378.3	1.0	0.0	0.125	47.4 64.4 35.1 73.4 388.6	1.0	0.0	0.408	47.8	66.7 19.8 69.6 376	
392.8	390.0	385.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 392.8	1.0	0.0	0.209	47.6	64.9 30.9 71.9 385	




see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS TUB material: code=rh41a
application for measurement of offset print output, separation cmy₆* (CMYK)

Data of Maximum color M in colorimetric system Offset standard print; separation cmyln6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361M (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds	rgb* de	
88	75	75	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88	1.0	0.75	0.0	
89	76	76	1.0	0.766	0.0	79.9	1.0	83.9	83.9	89	1.0	0.767	0.0	
89	77	77	1.0	0.783	0.0	80.6	0.0	84.8	84.8	89	1.0	0.783	0.0	
90	78	78	1.0	0.8	0.0	81.2	-0.9	85.7	85.7	90	1.0	0.8	0.0	
91	79	80	1.0	0.816	0.0	81.9	-1.9	86.5	86.5	91	1.0	0.817	0.0	
91	80	81	1.0	0.833	0.0	82.6	-3.0	87.4	87.4	91	1.0	0.833	0.0	
92	81	82	1.0	0.85	0.0	83.2	-4.0	88.2	88.3	92	1.0	0.85	0.0	
93	82	83	1.0	0.866	0.0	83.9	-5.1	89.0	89.2	93	1.0	0.867	0.0	
93	83	84	1.0	0.883	0.0	84.5	-6.1	89.8	90.0	93	1.0	0.883	0.0	
94	84	85	1.0	0.9	0.0	85.1	-6.9	90.6	90.8	94	1.0	0.9	0.0	
94	85	86	1.0	0.916	0.0	85.6	-7.7	91.3	91.7	94	1.0	0.917	0.0	
95	86	87	1.0	0.933	0.0	86.1	-8.5	92.1	92.5	95	1.0	0.933	0.0	
95	87	88	1.0	0.95	0.0	86.7	-9.3	92.9	93.3	95	1.0	0.95	0.0	
96	88	90	1.0	0.966	0.0	87.2	-10.2	93.6	94.2	96	1.0	0.967	0.0	
96	89	91	1.0	0.983	0.0	87.8	-11.1	94.3	95.0	96	1.0	0.983	0.0	
97	90	92	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97	1.0	1.0	0.0	
97	91	93	0.983	1.0	0.0	88.0	-12.5	94.2	95.1	97	1.0	0.983	1.0	0.0
98	92	94	0.966	1.0	0.0	87.7	-13.1	93.4	94.3	98	1.0	0.967	1.0	0.0
98	93	95	0.95	1.0	0.0	87.3	-13.7	92.5	93.5	98	1.0	0.95	1.0	0.0
98	94	96	0.933	1.0	0.0	87.0	-14.3	91.6	92.7	98	1.0	0.933	1.0	0.0
99	95	98	0.916	1.0	0.0	86.6	-14.8	90.8	92.0	99	1.0	0.917	1.0	0.0
99	96	99	0.9	1.0	0.0	86.3	-15.4	89.9	91.2	99	1.0	0.9	1.0	0.0
100	97	100	0.883	1.0	0.0	86.0	-15.9	89.0	90.4	100	1.0	0.883	1.0	0.0
100	98	101	0.866	1.0	0.0	85.6	-16.4	88.2	89.7	100	1.0	0.867	1.0	0.0
100	99	102	0.85	1.0	0.0	85.2	-16.9	87.4	89.1	100	1.0	0.85	1.0	0.0
101	100	103	0.833	1.0	0.0	84.8	-17.4	86.7	88.4	101	1.0	0.833	1.0	0.0
101	101	105	0.816	1.0	0.0	84.5	-17.9	86.0	87.8	101	1.0	0.817	1.0	0.0
102	102	106	0.8	1.0	0.0	84.1	-18.3	85.2	87.2	102	1.0	0.8	1.0	0.0
102	103	107	0.783	1.0	0.0	83.7	-18.8	84.5	86.5	102	1.0	0.783	1.0	0.0
102	104	108	0.766	1.0	0.0	83.3	-19.2	83.7	85.9	102	1.0	0.767	1.0	0.0
103	105	109	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103	1.0	0.75	1.0	0.0
104	106	110	0.733	1.0	0.0	82.2	-20.5	82.1	84.6	104	1.0	0.733	1.0	0.0
104	107	112	0.716	1.0	0.0	81.4	-21.3	81.2	84.0	104	1.0	0.717	1.0	0.0
105	108	113	0.7	1.0	0.0	80.6	-22.0	80.3	83.3	105	1.0	0.7	1.0	0.0
106	109	114	0.683	1.0	0.0	79.8	-22.8	79.5	82.7	106	1.0	0.683	1.0	0.0
106	110	115	0.666	1.0	0.0	79.0	-23.5	78.6	82.0	106	1.0	0.667	1.0	0.0
107	111	116	0.65	1.0	0.0	78.2	-24.2	77.7	81.4	107	1.0	0.65	1.0	0.0
107	112	117	0.633	1.0	0.0	77.4	-24.9	76.8	80.7	107	1.0	0.633	1.0	0.0
108	113	119	0.616	1.0	0.0	76.8	-25.7	75.6	79.9	108	1.0	0.617	1.0	0.0
109	114	120	0.6	1.0	0.0	76.2	-26.6	74.3	78.9	109	1.0	0.6	1.0	0.0
110	115	121	0.583	1.0	0.0	75.6	-27.5	72.9	78.0	110	1.0	0.583	1.0	0.0
111	116	122	0.566	1.0	0.0	75.0	-28.3	71.6	77.0	111	1.0	0.567	1.0	0.0
112	117	123	0.55	1.0	0.0	74.5	-29.1	70.2	76.0	112	1.0	0.55	1.0	0.0
113	118	124	0.533	1.0	0.0	73.9	-29.9	68.8	75.0	113	1.0	0.533	1.0	0.0
114	119	126	0.516	1.0	0.0	73.3	-30.6	67.4	74.1	114	1.0	0.517	1.0	0.0
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	1.0	0.5	1.0	0.0



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /PS
application for measurement of offset print output, separation cmyln6* (CMYK)
TUB material: code=rh4t4

TUB-test chart QE14; hue code: H*d=R50Yd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{dd}
output: 3D-linearization to cmyk*_{dd}

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 30 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_{dd361M}, LAB*_{dsx361Mi (x=LabCh)}, C_d, r_{gb}*_{ds361Mi}, LAB*_{dsx361Mi (x=LabCh)}, 210C_s, r_{gb}*_{dd361Mi}, LAB*_{de361Mi}, LAB*_{dex361Mi (x=LabCh)}, r_{gb}*_{dd361Mi}, and r_{gb}*_{de361Mi}. Rows 236-281.

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14L0FP.PDF /.PS; 3D-linearization
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta

1-1031330-L0 QE140-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6*, D65, page 14/33

TUB-test chart QE14; hue code: H*d=R50Yd
48 step hue circles; r_{gb}-LabCh*tables


input: r_{gb}/cmyk -> r_{gb}_{dd}
output: 3D-linearization to cmyk*_{dd}



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;


Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _{dd} 361M (x=LabCh)	rgb* _{ds} 361Mi	LAB* _{ds} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	LAB* _{de} 361Mi	rgb* _{de} 361Mi	LAB* _{de} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{ds} 361Mi	rgb* _{de} 361Mi																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0	0.051	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0	0.057	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0	0.068	0.0	1.0	27.5	28.1	-44.9	53.0	302	0.533	0.0	1.0	0.068	0.0	1.0	27.5	28.2	-44.8	53.0	302	0.533	0.0	1.0	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0	0.092	0.0	1.0	28.3	29.7	-43.9	53.1	304	0.567	0.0	1.0	0.104	0.0	1.0	28.7	30.5	-43.4	53.1	305	0.583	0.0	1.0	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.6	0.0	1.0	0.13	0.0	1.0	29.4	32.0	-42.4	53.2	307	0.617	0.0	1.0	0.151	0.0	1.0	29.8	32.8	-41.8	53.2	308	0.633	0.0	1.0	0.172	0.0	1.0	30.2	33.5	-41.3	53.3	309	0.65	0.0	1.0	0.193	0.0	1.0	30.6	34.3	-40.7	53.3	310	0.667	0.0	1.0	0.214	0.0	1.0	30.9	35.0	-40.2	53.3	311	0.683	0.0	1.0	0.234	0.0	1.0	31.3	35.7	-39.6	53.4	312	0.7	0.0	1.0	0.252	0.0	1.0	31.6	36.5	-39.0	53.5	313	0.717	0.0	1.0	0.261	0.0	1.0	31.8	37.3	-38.5	53.7	314	0.733	0.0	1.0	0.27	0.0	1.0	31.9	38.2	-38.1	54.0	315	0.75	0.0	1.0	0.279	0.0	1.0	32.1	39.0	-37.6	54.2	316	0.767	0.0	1.0	0.288	0.0	1.0	32.3	39.8	-37.1	54.5	317	0.783	0.0	1.0	0.297	0.0	1.0	32.4	40.7	-36.5	54.7	318	0.8	0.0	1.0	0.306	0.0	1.0	32.6	41.5	-36.0	55.0	319	0.817	0.0	1.0	0.315	0.0	1.0	32.7	42.3	-35.4	55.2	320	0.833	0.0	1.0	0.324	0.0	1.0	32.9	43.1	-34.8	55.5	321	0.85	0.0	1.0	0.333	0.0	1.0	33.1	43.9	-34.2	55.8	322	0.867	0.0	1.0	0.342	0.0	1.0	33.2	44.7	-33.6	56.0	323	0.883	0.0	1.0	0.351	0.0	1.0	33.4	45.5	-33.0	56.3	324	0.9	0.0	1.0	0.359	0.0	1.0	33.5	46.3	-32.3	56.5	325	0.917	0.0	1.0	0.368	0.0	1.0	33.7	47.1	-31.6	56.8	326	0.933	0.0	1.0	0.379	0.0	1.0	34.0	47.9	-31.0	57.1	327	0.95	0.0	1.0	0.397	0.0	1.0	34.5	48.7	-30.4	57.5	328	0.967	0.0	1.0	0.414	0.0	1.0	35.1	49.6	-29.7	57.9	329	0.983	0.0	1.0	0.432	0.0	1.0	35.7	50.5	-29.1	58.3	330M _s	1.0	0.0	1.0	0.449	0.0	1.0	36.2	51.4	-28.4	58.7	331	1.0	0.0	0.983	0.424	0.0	1.0	35.4	50.1	-29.4	58.1	329	1.0	0.0	0.983	0.467	0.0	1.0	36.8	52.2	-27.7	59.1	332	1.0	0.0	0.967	0.441	0.0	1.0	35.9	50.9	-28.7	58.5	330	1.0	0.0	0.967	0.484	0.0	1.0	37.4	53.1	-26.9	59.6	333	1.0	0.0	0.95	0.457	0.0	1.0	36.5	51.8	-28.1	58.9	331	1.0	0.0	0.95	0.502	0.0	1.0	37.9	53.9	-26.2	60.0	334	1.0	0.0	0.933	0.474	0.0	1.0	37.0	52.6	-27.4	59.3	332	1.0	0.0	0.933	0.524	0.0	1.0	38.5	54.8	-25.5	60.5	335	1.0	0.0	0.917	0.49	0.0	1.0	37.6	53.4	-26.7	59.7	333	1.0	0.0	0.917	0.546	0.0	1.0	39.0	55.7	-24.7	61.0	336	1.0	0.0	0.9	0.508	0.0	1.0	38.1	54.2	-26.0	60.1	334	1.0	0.0	0.9	0.567	0.0	1.0	39.6	56.6	-23.9	61.5	337	1.0	0.0	0.883	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335	1.0	0.0	0.883	0.589	0.0	1.0	40.1	57.5	-23.1	62.0	338	1.0	0.0	0.867	0.55	0.0	1.0	39.1	55.9	-24.6	61.1	336	1.0	0.0	0.867	0.611	0.0	1.0	40.7	58.3	-22.3	62.5	339	1.0	0.0	0.85	0.57	0.0	1.0	39.6	56.7	-23.8	61.5	337	1.0	0.0	0.85	0.631	0.0	1.0	41.1	59.2	-21.5	63.0	340	1.0	0.0	0.833	0.591	0.0	1.0	40.2	57.5	-23.0	62.0	338	1.0	0.0	0.833	0.648	0.0	1.0	41.4	60.2	-20.6	63.7	341	1.0	0.0	0.817	0.612	0.0	1.0	40.7	58.3	-22.3	62.5	339	1.0	0.0	0.817	0.664	0.0	1.0	41.7	61.1	-19.8	64.3	342	1.0	0.0	0.8	0.631	0.0	1.0	41.1	59.2	-21.5	63.0	339	1.0	0.0	0.8	0.68	0.0	1.0	41.9	62.1	-18.9	64.9	343	1.0	0.0	0.783	0.646	0.0	1.0	41.4	60.1	-20.7	63.6	340	1.0	0.0	0.783	0.697	0.0	1.0	42.2	63.0	-18.0	65.6	344	1.0	0.0	0.767	0.662	0.0	1.0	41.6	61.0	-19.9	64.2	341	1.0	0.0	0.767	0.713	0.0	1.0	42.5	64.0	-17.0	66.2	345	1.0	0.0	0.75	0.678	0.0	1.0	41.9	61.9	-19.0	64.8	342	1.0	0.0	0.75



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rha4ta




Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;


Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_*_ddx361Mi (x=LabCh), r_{gb}*_*_ds361Mi, LAB*_*_dsx361Mi (x=LabCh), r_{gb}*_*_dd361Mi, r_{gb}*_*_de361Mi, LAB*_*_dex361Mi (x=LabCh), r_{gb}*_*_dd361Mi, r_{gb}*_*_ds361Mi, r_{gb}*_*_ds361Mi, r_{gb}*_*_ds361Mi. Rows 360-392.

see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE14/QE14L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta






http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 18/33

Table with columns: nrf, HHC*Fid, rcp*Fid, icr*Fid, hsa*Fid, rcp*Fid, LabC*Fid, LabC*Fid, cmyk*sep,Fid, rcp*Fid, hsa*Fid, LabC*Fid, LabC*Fid, delta. Rows include color patches like R001, R002, Y001, etc.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd



http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 20/33

Table with 12 columns: #, H#C*Fad, rpb*Fad, icr*Fad, H#s*Fad, LabC*Fad, LabC*Fad, cmyk*sep,Fad, LabC*Fad, H#s*Fad, rpb*Fad, LabC*Fad, LabC*Fad, delta. It contains color calibration data for various color patches.

Mean color difference of this page: input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, cmyk*_sep,Fid, rpb*_Fid, hsa*_Fid, LabCM*_Fid, delta, and 16 columns of numerical data.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, AE*_*

QE1410L

QE1410L

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 22/33

Table with 24 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCM*Fid, cmyk*sep,Fid, rpb*Fid, hsa*Fid, LabCM*Fid, rpb*Fid, hsa*Fid, LabCM*Fid, cmyk*sep,Fid, rpb*Fid, hsa*Fid, LabCM*Fid, rpb*Fid, hsa*Fid, LabCM*Fid, cmyk*sep,Fid, rpb*Fid, hsa*Fid, LabCM*Fid, delta. Rows 162-242.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, AE*_*

QE140-TN; Page 22/33-F

I-1032130-F0

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 24/33

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hs_Fid, rpb*Fid, LabC*Fid, cmyk*_sep,Fid, rpb*_Fid, Hs*_Fid, LabC*_Fid, rpb*_Fid, Hs*_Fid, LabC*_Fid, delta. Rows 324-404.

Mean color difference of this page: input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 25/33

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hsa_Fid, rpb*Fid, LabC*Fid, cmyk*_sep_Fid, Hsa*Fid, rpb*Fid, LabC*Fid, delta. Rows 405-485.

Mean color difference of this page: 4.55

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd








Table with columns: n, HHC*Fid, rcp_Fid, icr_Fid, Hsa_Fid, rcp*Fid, LabC*Fid, LabCH*Fid, cmyk*_sep,Fid, Hsa*Fid, rcp*Fid, LabCH*Fid, LabCH*Fid, delta. It contains a large grid of numerical data for various color patches.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd



TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, AE*_*





http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 27/33

Table with 15 columns: n, H#C*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabC*Fid, cmyk*sep,Fid, cmyk*Fid, LabC*Fid, Hsa*Fid, rpb*Fid, LabC*Fid, LabC*Fid, delta. Rows include color names like R00Y, R01Y, etc.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd Mean color difference of this page: delta





http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 28/33

Table with 28 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, LabCM*Fid, LabCH*Fid, rpb*Mid, Hsa*Mid, LabCM*Mid, LabCH*Mid, cmyn*sep,Fid, cmyn*sep,Mid, delta. Rows 648-728.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd



see similar files: http://130.149.60.45/~farbmetrik/QE14/QE14.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

QE140-7N; Page 28/33-F

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, ΔE*

I-1032730-F0

1032730-F0

QE1410L

QE1410L

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 29/33

Table with 15 columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, LabC*Fad, cmyk*sep,Fad, cmyk*sep,Fad, rpb*Fad, hsa*Fad, LabC*Fad, LabC*Fad, delta. Rows include color names like NV_100ad, G50B_100.025ad, etc.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

QE140-7N; Page 29/33-F

TUB-test chart QE14; hue code: H*d=R50Yd colors and differences, AE*^{*}

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 30/33

Table with columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb_Fid, LabCM*Fid, cmyk*_sep_Fid, delta, hsa_Mid, rpb_Mid, LabCM*Mid, and various numerical values for 890 different color patches.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 31/33

Table with 15 columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, cmyk*sep,Fad, rpb*Fad, hsa*Fad, LabC*Fad, LabC*Fad, rpb*Fad, hsa*Fad, delta. Rows represent various color patches and registration marks.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

Mean color difference of this page: delta

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, AE*_*

QE140-7N; Page 31/33-F

Color calibration chart with grayscale and primary/secondary color patches. Includes registration marks and color bars.

http://130.149.60.45/~farbmetrik/QE14/QE14LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14LE30FP.DAT in file (F), page 32/33

Main data table with columns: n, HIC*Fid, rcp_Fid, icr_Fid, Hrs_Fid, rcp_Fid, LabCm*Fid, cmyp*_sep_Fid, Hrs_Lab, rcp*_Lab, LabCm*_Lab, and delta. Contains 100 rows of numerical data.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*_dd

http://130.149.60.45/~farbmetrik/QE14/QE14L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE14/QE14L30FP.DAT in file (F), page 33/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	hsa_Ydd	rgb*Ydd	LabC*Ydd	delta
1053	NW_0860dd	0.866	0.866	0.866	0.866	85.0	360	1.0	95.4	0.0
1054	NW_0975dd	0.933	0.933	0.933	0.933	90.2	360	1.0	95.4	0.0
1055	NW_1000dd	1.0	1.0	1.0	1.0	95.4	360	1.0	95.4	0.0
1056	NW_0060dd	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4	0.0
1057	NW_0065dd	0.066	0.066	0.066	0.066	22.8	360	1.0	95.4	0.0
1058	NW_0130dd	0.133	0.133	0.133	0.133	28.0	360	1.0	95.4	0.0
1059	NW_0260dd	0.2	0.2	0.2	0.2	33.2	360	1.0	95.4	0.0
1060	NW_0265dd	0.266	0.266	0.266	0.266	38.3	360	1.0	95.4	0.0
1061	NW_0330dd	0.333	0.333	0.333	0.333	43.6	360	1.0	95.4	0.0
1062	NW_0400dd	0.4	0.4	0.4	0.4	48.8	360	1.0	95.4	0.0
1063	NW_0460dd	0.466	0.466	0.466	0.466	53.9	360	1.0	95.4	0.0
1064	NW_0530dd	0.533	0.533	0.533	0.533	59.1	360	1.0	95.4	0.0
1065	NW_0600dd	0.6	0.6	0.6	0.6	64.3	360	1.0	95.4	0.0
1066	NW_0660dd	0.666	0.666	0.666	0.666	69.5	360	1.0	95.4	0.0
1067	NW_0730dd	0.734	0.734	0.734	0.734	74.7	360	1.0	95.4	0.0
1068	NW_0800dd	0.8	0.8	0.8	0.8	79.9	360	1.0	95.4	0.0
1069	NW_0860dd	0.866	0.866	0.866	0.866	85.0	360	1.0	95.4	0.0
1070	NW_0930dd	0.933	0.933	0.933	0.933	90.2	360	1.0	95.4	0.0
1071	NW_1000dd	1.0	1.0	1.0	1.0	95.4	360	1.0	95.4	0.0
1072	NW_1000dd	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4	0.0
1073	ROY_100_100dd	1.0	1.0	1.0	1.0	17.7	360	1.0	95.4	0.0
1074	ROY_100_100dd	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4	0.0
1075	GS0B_100_100dd	0.0	1.0	0.5	390	41.2	389	1.0	63.8	32.8
1076	Y06C_100_100dd	0.0	1.0	1.0	0.0	-43.7	210	0.0	47.3	60.0
1077	B06M_100_100dd	0.0	1.0	0.5	210	58.3	89	0.0	38.3	-29.2
1078	B06R_100_100dd	0.0	1.0	1.0	0.0	95.1	270	0.0	88.3	-11.9
1079	B50R_100_100dd	0.0	1.0	0.5	270	25.3	270	0.0	25.3	23.8
1079	B50R_100_100dd	0.0	1.0	1.0	0.0	47.3	330	0.0	51.9	49.4
1079	B50R_100_100dd	1.0	0.0	1.0	0.0	88.8	330	0.0	74.3	157.7
1079	B50R_100_100dd	1.0	0.0	1.0	0.0	48.2	330	0.0	48.2	-8.5
1079	B50R_100_100dd	1.0	0.0	1.0	0.0	72.8	330	0.0	72.8	-8.5
1079	B50R_100_100dd	1.0	0.0	1.0	0.0	353.3	330	0.0	353.3	353.3

Mean color difference of this page:

TUB-test chart QE14; hue code: H*_d=R50Y_d colors and differences, ΔE*_{ab} input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd