

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$

$H^*_- = R75Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
 application for measurement of display output


TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 84/360 = 0.23$

$H^*_d = R75Y_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = R75Y_d$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	50.4	76.9	64.5	100.4	40
Y _{d,Ma}	92.6	-20.7	90.7	93.0	102
G _{d,Ma}	83.6	-82.7	79.8	115.0	136
C _{d,Ma}	86.8	-46.1	-13.5	48.1	196
B _{d,Ma}	30.3	76.0	-103.5	128.5	306
M _{d,Ma}	57.2	94.3	-58.4	110.9	328
N _{d,Ma}	0.0	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 78 7 80 81 84

$HIC^*_{d,Ma}$: R75Y_100_100d



$rgbic^*_{d,Ma}$: 1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$





see similar files: <http://130.149.60.45/~farbmetrik/QE21/QE21.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

TUB-test chart QE21; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

Y_s yellow

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: <http://130.149.60.45/~farbmetrik/QE21/QE21.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd}	LAB* _{ddx64M}	LAB* _{ddx361M}	rgb* _{dsx361M}	LAB* _{dsx361M}	rgb* _{dex361M}	LAB* _{dex361M}	
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.0	50.5 76.9 64.6 100.4 40	1.0 0.0 0.203 50.8	78.0 45.1 90.1 30	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.117 0.0	51.5 74.1 64.9 98.5 41	1.0 0.0 0.082 50.6	77.2 58.2 96.7 37	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.25 0.0	54.1 66.7 66.0 93.8 44	1.0 0.256 0.0	54.3 66.1 66.1 93.5 45	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.367 0.0	57.9 56.2 67.9 88.2 50	1.0 0.392 0.0	58.9 53.6 68.6 87.0 52	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.5 0.0	63.7 41.4 71.0 82.2 59	1.0 0.502 0.0	63.8 41.1 71.2 82.2 60	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.617 0.0	69.7 26.8 74.9 79.6 70	1.0 0.58 0.0	67.8 31.4 74.0 80.4 67	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.75 0.0	77.2 9.8 79.8 80.4 82	1.0 0.667 0.0	72.5 20.6 77.0 79.7 75	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.867 0.0	84.3 -4.6 84.8 85.0 93	1.0 0.74 0.0	76.7 11.2 79.5 80.3 82	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 1.0 0.0	92.7 -20.6 90.8 93.1 102	1.0 0.831 0.0	82.1 0.0 83.5 83.5 90	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	0.883 1.0 0.0	90.6 -32.2 88.4 94.1 110	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 97	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.75 1.0 0.0	88.5 -44.8 85.8 96.9 117	0.965 1.0 0.0	92.0 -24.1 90.2 93.4 105	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.633 1.0 0.0	87.1 -55.0 84.1 100.5 123	0.85 1.0 0.0	90.1 -35.4 87.8 94.7 112	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.5 1.0 0.0	85.7 -65.1 82.4 105.1 128	0.7 1.0 0.0	87.9 -49.1 85.3 98.4 120	0.529 1.0 0.0	86.0 -60.2 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.383 1.0 0.0	84.8 -72.2 81.4 108.9 131	0.536 1.0 0.0	86.1 -62.4 83.0 103.9 127	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.25 1.0 0.0	84.1 -78.2 80.5 112.3 134	0.173 1.0 0.0	83.9 -80.2 80.3 113.5 135	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.133 1.0 0.0	83.8 -81.2 80.1 114.1 135	0.0 1.0	0.335 83.9 -78.7 61.6 100.0 142	0.0 1.0 0.573 84.6	-70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.0	83.6 -82.7 79.9 115.0 136	0.0 1.0	0.523 84.4 -72.9 42.1 84.3 150	0.0 1.0 0.706 85.2	-64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	0.0 1.0 0.117 83.7	-82.1 76.8 112.5 136	0.0 1.0	0.639 84.9 -67.8 28.8 73.8 157	0.0 1.0 0.778 85.5	-60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	0.0 1.0 0.25 83.8	-80.5 69.1 106.2 139	0.0 1.0	0.742 85.3 -62.5 16.8 64.8 165	0.0 1.0 0.847 85.9	-56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	0.0 1.0 0.367 84.0	-77.9 58.9 97.7 142	0.0 1.0	0.81 85.7 -58.8 8.3 59.5 172	0.0 1.0 0.9 86.2	-53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	0.0 1.0 0.5 84.3	-73.7 45.0 86.4 148	0.0 1.0	0.883 86.1 -54.1 0.0 54.2 180	0.0 1.0 0.952 86.6	-49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	0.0 1.0 0.617 84.8	-68.8 31.5 75.8 155	0.0 1.0	0.933 86.4 -51.1 -6.2 51.6 187	0.0 1.0 0.997 86.9	-46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	0.0 1.0 0.75 85.4	-62.0 15.9 64.1 165	0.0 1.0	0.99 86.8 -46.9 -12.5 48.6 195	0.0 0.963 1.0	84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	0.0 1.0 0.867 86.0	-55.1 2.0 55.2 177	0.0 0.97 1.0	84.7 -43.2 -17.4 46.7 202	0.0 0.929 1.0	81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	0.0 1.0 1.0 86.9	-46.1 -13.5 48.1 196	0.0 0.927 1.0	81.7 -38.6 -22.2 44.7 210	0.0 0.89 1.0	79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0 77.9	-32.3 -27.0 42.1 219.8	0.0 0.883 1.0 78.6	-33.3 -26.3 42.6 218	0.0 0.89 1.0	79.1 -34.1 -25.7 42.9 217	0.0 0.859 1.0	76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0 69.1	-17.0 -40.7 44.1 247.2	0.0 0.75 1.0 69.1	-17.0 -40.6 44.2 247	0.0 0.851 1.0	76.3 -30.0 -30.0 42.5 225	0.0 0.826 1.0	74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0 60.3	-0.1 -54.6 54.6 269.8	0.0 0.633 1.0 60.9	-1.5 -53.8 53.9 268	0.0 0.82 1.0	74.1 -26.4 -33.8 43.1 232	0.0 0.797 1.0	72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0 51.7	18.3 -68.3 70.7 285.0	0.0 0.5 1.0 51.8	18.3 -68.2 70.7 285	0.0 0.783 1.0	71.5 -21.7 -37.7 43.6 240	0.0 0.763 1.0	70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0 43.8	37.6 -81.2 89.5 294.8	0.0 0.383 1.0 44.4	36.2 -80.4 88.3 294	0.0 0.751 1.0	69.2 -17.2 -40.6 44.2 247	0.0 0.731 1.0	67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0 37.1	55.9 -92.3 107.9 301.1	0.0 0.25 1.0 37.2	55.9 -92.2 107.9 301	0.0 0.707 1.0	66.1 -12.3 -46.0 47.8 255	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0 32.4	69.5 -100.0 121.8 304.8	0.0 0.133 1.0 32.8	68.6 -99.5 121.0 304	0.0 0.668 1.0	63.4 -7.0 -50.4 51.0 262	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0 30.3	76.0 -103.5 128.5 306.2	0.0 0.0 1.0 30.4	76.1 -103.5 128.5 306	0.0 0.624 1.0	60.2 0.0 -54.7 54.8 270	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0 31.0	76.2 -102.4 127.7 306.6	0.117 0.0 1.0 31.0	76.3 -102.5 127.8 306	0.0 0.566 1.0	56.3 7.6 -61.7 62.2 277	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0 32.6	76.8 -99.8 125.9 307.5	0.25 0.0 1.0 32.6	76.8 -99.7 126.0 307	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0 35.1	77.9 -95.5 123.3 309.2	0.367 0.0 1.0 35.0	77.9 -95.7 123.5 309	0.0 0.412 1.0	46.2 31.5 -77.8 84.1 292	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0 38.5	79.8 -89.7 120.0 311.6	0.5 0.0 1.0 38.6	79.9 -89.6 120.1 311	0.0 0.274 1.0	38.4 52.2 -90.4 104.5 300	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0 42.7	82.5 -82.7 116.0 314.8	0.617 0.0 1.0 42.4	82.3 -83.2 117.1 314	0.172 0.0 1.0	31.6 76.5 -101.4 127.1 307	0.146 0.0 1.0	31.1 76.4 -102.0 127.5 304
318.8	315.0	314.3	0.75 0.0 1.0 47.2	85.8 -75.1 114.0 318.8	0.75 0.0 1.0 47.3	85.9 -75.0 114.1 318	0.628 0.0 1.0	42.8 82.6 -82.5 116.8 315	0.605 0.0 1.0	42.1 82.1 -83.8 117.4 316
323.3	322.5	321.4	0.875 0.0 1.0 52.1	89.8 -66.9 112.0 323.3	0.867 0.0 1.0 51.9	89.6 -67.4 112.2 323	0.838 0.0 1.0	50.7 88.8 -69.3 112.7 322	0.811 0.0 1.0	49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0 57.2	94.3 -58.4 110.9 328.2	1.0 0.0 1.0 57.3	94.4 -58.3 111.0 328	1.0 0.0	0.962 56.8 93.4 -53.8 107.8 330	1.0 0.0 0.992 57.2	94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	1.0 0.0 0.883 55.8	90.7 -44.8 101.1 333	1.0 0.0	0.827 55.1 89.2 -37.8 96.9 337	1.0 0.0 0.856 55.4	89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	1.0 0.0 0.75 54.2	86.7 -28.6 91.4 341	1.0 0.0	0.707 53.8 86.0 -23.0 89.1 345	1.0 0.0 0.735 54.1	86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	1.0 0.0 0.633 53.1	84.0 -13.6 85.1 350	1.0 0.0	0.619 53.0 83.6 -11.7 84.4 352	1.0 0.0 0.65 53.3	84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	1.0 0.0 0.5 52.1	81.2 4.2 81.3 362	1.0 0.0	0.532 52.3 82.1 0.0 82.1 360	1.0 0.0 0.618 53.0	83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	1.0 0.0 0.383 51.4	79.5 20.5 82.1 374	1.0 0.0	0.459 51.8 81.0 9.9 81.6 367	1.0 0.0 0.533 52.3	82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.2 386.7	1.0 0.0 0.25 50.9	78.0 39.2 87.3 386	1.0 0.0	0.378 51.4 79.4 21.3 82.2 375	1.0 0.0 0.441 51.7	80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	1.0 0.0 0.133 50.6	77.4 53.9 94.3 394	1.0 0.0	0.301 51.1 79.0 31.9 85.2 382	1.0 0.0 0.361 51.3	79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	1.0 0.0 0.0 50.5	76.9 64.6 100.4 400	1.0 0.0	0.203 50.8 78.0 45.1 90.1 390	1.0 0.0 0.263 50.9	78.3 37.3 86.7 385




see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 63.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	0.0 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	0.0 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	0.0 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	0.0 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	0.0 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	0.0 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	0.0 50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd} 361M	LAB [*] _{ddx361Mi} (x=LabCh)	R _d	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi} (x=LabCh)	R _s	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi} (x=LabCh)	R _e	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40	1.0	1.0 0.0 0.203 50.8 78.0 45.1 90.1 30	1.0	1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25	1.0	1.0 0.0 0.0				
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40	1.0	1.0 0.0 0.189 50.7 78.0 46.9 91.0 31	1.0	1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26	1.0	1.0 0.017 0.0				
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40	1.0	1.0 0.0 0.174 50.7 77.9 48.7 91.8 32	1.0	1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27	1.0	1.0 0.033 0.0				
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40	1.0	1.0 0.0 0.16 50.7 77.7 50.5 92.7 33	1.0	1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28	1.0	1.0 0.05 0.0				
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40	1.0	1.0 0.0 0.146 50.6 77.6 52.3 93.6 34	1.0	1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29	1.0	1.0 0.067 0.0				
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40	1.0	1.0 0.0 0.131 50.6 77.3 54.2 94.4 35	1.0	1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31	1.0	1.0 0.083 0.0				
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41	1.0	1.0 0.0 0.11 50.6 77.3 56.1 95.5 36	1.0	1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32	1.0	1.0 0.1 0.0				
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41	1.0	1.0 0.0 0.082 50.6 77.2 58.2 96.7 37	1.0	1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33	1.0	1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41	1.0	1.0 0.0 0.055 50.5 77.2 60.3 98.0 38	1.0	1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34	1.0	1.0 0.133 0.0				
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41	1.0	1.0 0.0 0.028 50.5 77.1 62.4 99.2 39	1.0	1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35	1.0	1.0 0.15 0.0				
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42	1.0	1.0 0.0 0.0 50.5 76.9 64.6 100.4 40	1.0	1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36	1.0	1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42	1.0	1.0 0.095 0.0 51.3 74.6 64.9 98.9 41	1.0	1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37	1.0	1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43	1.0	1.0 0.151 0.0 52.1 72.4 65.2 97.5 42	1.0	1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38	1.0	1.0 0.2 0.0				
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43	1.0	1.0 0.188 0.0 52.8 70.3 65.5 96.1 43	1.0	1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39	1.0	1.0 0.217 0.0				
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44	1.0	1.0 0.225 0.0 53.6 68.2 65.8 94.8 44	1.0	1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41	1.0	1.0 0.233 0.0				
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44	1.0	1.0 0.256 0.0 54.3 66.1 66.1 93.5 45	1.0	1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42	1.0	1.0 0.25 0.0				
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45	1.0	1.0 0.277 0.0 55.0 64.3 66.6 92.5 46	1.0	1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43	1.0	1.0 0.267 0.0				
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46	1.0	1.0 0.297 0.0 55.6 62.4 66.9 91.5 47	1.0	1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44	1.0	1.0 0.283 0.0				
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47	1.0	1.0 0.318 0.0 56.3 60.6 67.3 90.5 48	1.0	1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45	1.0	1.0 0.3 0.0				
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47	1.0	1.0 0.338 0.0 57.0 58.7 67.6 89.5 49	1.0	1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46	1.0	1.0 0.317 0.0				
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48	1.0	1.0 0.359 0.0 57.7 56.9 67.8 88.5 50	1.0	1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47	1.0	1.0 0.333 0.0				
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49	1.0	1.0 0.378 0.0 58.3 55.1 68.1 87.6 51	1.0	1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48	1.0	1.0 0.35 0.0				
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50	1.0	1.0 0.392 0.0 58.9 53.6 68.6 87.0 52	1.0	1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49	1.0	1.0 0.367 0.0				
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51	1.0	1.0 0.406 0.0 59.6 52.0 69.0 86.4 53	1.0	1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51	1.0	1.0 0.383 0.0				
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52	1.0	1.0 0.42 0.0 60.2 50.4 69.4 85.8 54	1.0	1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52	1.0	1.0 0.4 0.0				
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53	1.0	1.0 0.433 0.0 60.8 48.8 69.8 85.2 55	1.0	1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53	1.0	1.0 0.417 0.0				
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54	1.0	1.0 0.447 0.0 61.4 47.3 70.1 84.5 56	1.0	1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54	1.0	1.0 0.433 0.0				
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56	1.0	1.0 0.461 0.0 62.0 45.7 70.4 83.9 57	1.0	1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55	1.0	1.0 0.45 0.0				
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57	1.0	1.0 0.475 0.0 62.6 44.1 70.7 83.3 58	1.0	1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56	1.0	1.0 0.467 0.0				
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58	1.0	1.0 0.489 0.0 63.2 42.6 70.9 82.7 59	1.0	1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57	1.0	1.0 0.483 0.0				
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59	1.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58	1.0	1.0 0.5 0.0				
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61	1.0	1.0 0.513 0.0 64.4 39.7 71.6 81.9 61	1.0	1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.517 0.0				
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62	1.0	1.0 0.525 0.0 64.9 38.3 72.1 81.7 62	1.0	1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61	1.0	1.0 0.533 0.0				
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64	1.0	1.0 0.536 0.0 65.5 37.0 72.5 81.4 63	1.0	1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62	1.0	1.0 0.55 0.0				
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65	1.0	1.0 0.547 0.0 66.1 35.6 72.9 81.1 64	1.0	1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63	1.0	1.0 0.567 0.0				
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67	1.0	1.0 0.558 0.0 66.7 34.2 73.3 80.9 65	1.0	1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64	1.0	1.0 0.583 0.0				
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5 79.9 68	1.0	1.0 0.569 0.0 67.2 32.8 73.7 80.6 66	1.0	1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65	1.0	1.0 0.6 0.0				
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8 79.5 70	1.0	1.0 0.58 0.0 67.8 31.4 74.0 80.4 67	1.0	1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66	1.0	1.0 0.617 0.0				
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71	1.0	1.0 0.591 0.0 68.4 30.0 74.3 80.1 68	1.0	1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67	1.0	1.0 0.633 0.0				
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73	1.0	1.0 0.602 0.0 69.0 28.6 74.6 79.9 69	1.0	1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68	1.0	1.0 0.65 0.0				
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75	1.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0				
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76	1.0	1.0 0.625 0.0 70.1 25.8 75.0 79.4 71	1.0	1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71	1.0	1.0 0.683 0.0				
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78	1.0	1.0 0.635 0.0 70.7 24.5 75.6 79.4 72	1.0	1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72	1.0	1.0 0.7 0.0				
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79	1.0	1.0 0.646 0.0 71.3 23.3 76.1 79.5 73	1.0	1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73	1.0	1.0 0.717 0.0				
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81	1.0	1.0 0.656 0.0 71.9 21.9 76.5 79.6 74	1.0	1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74	1.0	1.0 0.733 0.0				
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0	1.0 0.667 0.0 72.5 20.6 77.0 79.7 75	1.0	1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75	1.0	1.0 0.75 0.0				

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dd361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{ds361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0 0.667 0.0	72.5 20.6 77.0 79.7 75	1.0 0.75 0.0	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75	1.0 0.75 0.0		
84	76	76	1.0 0.766 0.0	78.2 7.8 80.6 81.0 84	1.0 0.677 0.0	73.1 19.3 77.4 79.8 76	1.0 0.767 0.0	1.0 0.685 0.0	73.5 18.3 77.7 79.9 76	1.0 0.767 0.0		
85	77	77	1.0 0.783 0.0	79.2 5.8 81.4 81.7 85	1.0 0.688 0.0	73.7 18.0 77.8 79.9 77	1.0 0.783 0.0	1.0 0.696 0.0	74.2 16.9 78.2 80.0 77	1.0 0.783 0.0		
87	78	78	1.0 0.8 0.0	80.2 3.8 82.2 82.3 87	1.0 0.698 0.0	74.3 16.6 78.2 80.0 78	1.0 0.8 0.0	1.0 0.708 0.0	74.8 15.3 78.6 80.1 78	1.0 0.8 0.0		
88	79	80	1.0 0.816 0.0	81.2 1.7 82.9 83.0 88	1.0 0.708 0.0	74.9 15.3 78.6 80.1 79	1.0 0.817 0.0	1.0 0.72 0.0	75.5 13.8 78.9 80.1 80	1.0 0.817 0.0		
90	80	81	1.0 0.833 0.0	82.2 -0.3 83.6 83.6 90	1.0 0.719 0.0	75.5 13.9 78.9 80.1 80	1.0 0.833 0.0	1.0 0.731 0.0	76.2 12.3 79.3 80.2 81	1.0 0.833 0.0		
91	81	82	1.0 0.85 0.0	83.3 -2.5 84.2 84.3 91	1.0 0.729 0.0	76.1 12.6 79.2 80.2 81	1.0 0.85 0.0	1.0 0.743 0.0	76.8 10.8 79.6 80.3 82	1.0 0.85 0.0		
93	82	83	1.0 0.866 0.0	84.3 -4.6 84.8 84.9 93	1.0 0.74 0.0	76.7 11.2 79.5 80.3 82	1.0 0.867 0.0	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83	1.0 0.867 0.0		
94	83	84	1.0 0.883 0.0	85.3 -6.7 85.5 85.8 94	1.0 0.75 0.0	77.3 9.8 79.8 80.4 83	1.0 0.883 0.0	1.0 0.768 0.0	78.3 7.8 80.7 81.1 84	1.0 0.883 0.0		
95	84	85	1.0 0.9 0.0	86.3 -8.5 86.4 86.8 95	1.0 0.762 0.0	78.0 8.5 80.4 80.9 84	1.0 0.9 0.0	1.0 0.78 0.0	79.1 6.2 81.4 81.6 85	1.0 0.9 0.0		
96	85	86	1.0 0.916 0.0	87.4 -10.5 87.2 87.8 96	1.0 0.773 0.0	78.7 7.1 81.0 81.3 85	1.0 0.917 0.0	1.0 0.793 0.0	79.9 4.7 82.0 82.1 86	1.0 0.917 0.0		
98	86	87	1.0 0.933 0.0	88.4 -12.4 88.0 88.9 98	1.0 0.785 0.0	79.3 5.7 81.6 81.8 86	1.0 0.933 0.0	1.0 0.806 0.0	80.6 3.1 82.5 82.6 87	1.0 0.933 0.0		
99	87	88	1.0 0.95 0.0	89.5 -14.4 88.7 89.9 99	1.0 0.796 0.0	80.0 4.3 82.1 82.2 87	1.0 0.95 0.0	1.0 0.819 0.0	81.4 1.5 83.1 83.1 88	1.0 0.95 0.0		
100	88	90	1.0 0.966 0.0	90.5 -16.5 89.4 91.0 100	1.0 0.808 0.0	80.7 2.9 82.6 82.7 88	1.0 0.967 0.0	1.0 0.831 0.0	82.2 0.0 83.6 83.6 90	1.0 0.967 0.0		
101	89	91	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	1.0 0.819 0.0	81.4 1.5 83.1 83.1 89	1.0 0.983 0.0	1.0 0.844 0.0	83.0 -1.7 84.1 84.1 91	1.0 0.983 0.0		
102	90	92	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102	Y _d 1.0 0.831 0.0	82.1 0.0 83.5 83.5 90	Y _s 1.0 1.0 0.0	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92	Y _e 1.0 1.0 0.0		
103	91	93	0.983 1.0 0.0	92.3 -22.3 90.5 93.2 103	1.0 0.842 0.0	82.8 -1.4 84.0 84.0 91	0.983 1.0 0.0	1.0 0.87 0.0	84.5 -5.1 84.9 85.1 93	0.983 1.0 0.0		
104	92	94	0.966 1.0 0.0	92.0 -24.0 90.2 93.3 104	1.0 0.853 0.0	83.5 -2.8 84.4 84.4 92	0.967 1.0 0.0	1.0 0.886 0.0	85.5 -6.9 85.7 85.9 94	0.967 1.0 0.0		
105	93	95	0.95 1.0 0.0	91.7 -25.6 89.9 93.5 105	1.0 0.865 0.0	84.2 -4.3 84.8 84.9 93	0.95 1.0 0.0	1.0 0.902 0.0	86.5 -8.7 86.5 87.0 95	0.95 1.0 0.0		
106	94	96	0.933 1.0 0.0	91.4 -27.3 89.5 93.6 106	1.0 0.877 0.0	84.9 -5.9 85.2 85.4 94	0.933 1.0 0.0	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 96	0.933 1.0 0.0		
108	95	98	0.916 1.0 0.0	91.1 -28.9 89.1 93.7 108	1.0 0.891 0.0	85.8 -7.4 85.9 86.3 95	0.917 1.0 0.0	1.0 0.934 0.0	88.5 -12.5 88.1 89.0 98	0.917 1.0 0.0		
109	96	99	0.9 1.0 0.0	90.8 -30.6 88.7 93.9 109	1.0 0.904 0.0	86.7 -9.0 86.6 87.1 96	0.9 1.0 0.0	1.0 0.951 0.0	89.6 -14.4 88.8 90.0 99	0.9 1.0 0.0		
110	97	100	0.883 1.0 0.0	90.5 -32.2 88.3 94.0 110	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 97	0.883 1.0 0.0	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100	0.883 1.0 0.0		
111	98	101	0.866 1.0 0.0	90.3 -33.8 88.0 94.3 111	1.0 0.932 0.0	88.4 -12.3 88.0 88.9 98	0.867 1.0 0.0	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	0.867 1.0 0.0		
111	99	102	0.85 1.0 0.0	90.0 -35.4 87.7 94.6 111	1.0 0.946 0.0	89.3 -13.9 88.6 89.7 99	0.85 1.0 0.0	1.0 0.999 0.0	92.6 -20.5 90.7 93.0 102	0.85 1.0 0.0		
112	100	103	0.833 1.0 0.0	89.8 -37.0 87.5 95.0 112	1.0 0.96 0.0	90.2 -15.6 89.2 90.6 100	0.833 1.0 0.0	0.982 1.0 0.0	92.3 -22.4 90.5 93.2 103	0.833 1.0 0.0		
113	101	105	0.816 1.0 0.0	89.5 -38.6 87.2 95.4 113	1.0 0.974 0.0	91.0 -17.4 89.8 91.5 101	0.817 1.0 0.0	0.963 1.0 0.0	92.0 -24.3 90.2 93.4 105	0.817 1.0 0.0		
114	102	106	0.8 1.0 0.0	89.3 -40.1 86.9 95.7 114	1.0 0.988 0.0	91.9 -19.1 90.3 92.3 102	0.8 1.0 0.0	0.944 1.0 0.0	91.7 -26.1 89.8 93.6 106	0.8 1.0 0.0		
115	103	107	0.783 1.0 0.0	89.0 -41.7 86.6 96.1 115	0.998 1.0 0.0	92.6 -20.8 90.7 93.1 103	0.783 1.0 0.0	0.926 1.0 0.0	91.3 -28.0 89.4 93.7 107	0.783 1.0 0.0		
116	104	108	0.766 1.0 0.0	88.7 -43.3 86.2 96.5 116	0.981 1.0 0.0	92.3 -22.5 90.5 93.2 104	0.767 1.0 0.0	0.907 1.0 0.0	91.0 -29.9 89.0 93.9 108	0.767 1.0 0.0		
117	105	109	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117	0.965 1.0 0.0	92.0 -24.1 90.2 93.4 105	0.75 1.0 0.0	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109	0.75 1.0 0.0		
118	106	110	0.733 1.0 0.0	88.3 -46.3 85.6 97.4 118	0.949 1.0 0.0	91.8 -25.7 89.9 93.5 106	0.733 1.0 0.0	0.868 1.0 0.0	90.3 -33.6 88.0 94.3 110	0.733 1.0 0.0		
119	107	112	0.716 1.0 0.0	88.1 -47.8 85.4 97.9 119	0.933 1.0 0.0	91.5 -27.3 89.6 93.6 107	0.717 1.0 0.0	0.848 1.0 0.0	90.0 -35.6 87.8 94.7 112	0.717 1.0 0.0		
120	108	113	0.7 1.0 0.0	87.9 -49.2 85.2 98.4 120	0.917 1.0 0.0	91.2 -28.9 89.2 93.8 108	0.7 1.0 0.0	0.827 1.0 0.0	89.7 -37.5 87.4 95.2 113	0.7 1.0 0.0		
120	109	114	0.683 1.0 0.0	87.6 -50.7 84.9 98.9 120	0.901 1.0 0.0	90.9 -30.5 88.8 93.9 109	0.683 1.0 0.0	0.806 1.0 0.0	89.4 -39.5 87.1 95.7 114	0.683 1.0 0.0		
121	110	115	0.666 1.0 0.0	87.4 -52.1 84.7 99.4 121	0.884 1.0 0.0	90.6 -32.1 88.4 94.1 110	0.667 1.0 0.0	0.786 1.0 0.0	89.1 -41.5 86.7 96.1 115	0.667 1.0 0.0		
122	111	116	0.65 1.0 0.0	87.2 -53.6 84.4 100.0 122	0.868 1.0 0.0	90.3 -33.7 88.0 94.3 111	0.65 1.0 0.0	0.765 1.0 0.0	88.8 -43.4 86.2 96.6 116	0.65 1.0 0.0		
123	112	117	0.633 1.0 0.0	87.0 -55.0 84.1 100.5 123	0.85 1.0 0.0	90.1 -35.4 87.8 94.7 112	0.633 1.0 0.0	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117	0.633 1.0 0.0		
123	113	119	0.616 1.0 0.0	86.8 -56.4 83.8 101.0 123	0.832 1.0 0.0	89.8 -37.1 87.5 95.1 113	0.617 1.0 0.0	0.719 1.0 0.0	88.2 -47.5 85.5 97.9 119	0.617 1.0 0.0		
124	114	120	0.6 1.0 0.0	86.7 -57.6 83.7 101.6 124	0.814 1.0 0.0	89.5 -38.7 87.2 95.5 114	0.6 1.0 0.0	0.695 1.0 0.0	87.8 -49.6 85.2 98.6 120	0.6 1.0 0.0		
125	115	121	0.583 1.0 0.0	86.5 -58.9 83.5 102.2 125	0.797 1.0 0.0	89.3 -40.4 86.9 95.9 115	0.583 1.0 0.0	0.67 1.0 0.0	87.5 -51.7 84.8 99.4 121	0.583 1.0 0.0		
125	116	122	0.566 1.0 0.0	86.3 -60.1 83.3 102.8 125	0.779 1.0 0.0	89.0 -42.1 86.5 96.3 116	0.567 1.0 0.0	0.646 1.0 0.0	87.2 -53.9 84.4 100.1 122	0.567 1.0 0.0		
126	117	123	0.55 1.0 0.0	86.2 -61.4 83.1 103.3 126	0.761 1.0 0.0	88.7 -43.8 86.1 96.6 117	0.55 1.0 0.0	0.621 1.0 0.0	86.9 -56.0 83.9 100.9 123	0.55 1.0 0.0		
127	118	124	0.533 1.0 0.0	86.0 -62.7 82.9 103.9 127	0.742 1.0 0.0	88.4 -45.5 85.8 97.1 118	0.533 1.0 0.0	0.59 1.0 0.0	86.6 -58.3 83.6 102.0 124	0.533 1.0 0.0		
127	119	126	0.516 1.0 0.0	85.8 -63.9 82.6 104.5 127	0.721 1.0 0.0	88.2 -47.3 85.5 97.8 119	0.517 1.0 0.0	0.56 1.0 0.0	86.3 -60.6 83.3 103.1 126	0.517 1.0 0.0		
128	120	127	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128	0.7 1.0 0.0	87.9 -49.1 85.3 98.4 120	0.5 1.0 0.0	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127	0.5 1.0 0.0		

rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
1.0 0.75 0.0		
1.0 0.767 0.0		
1.0 0.783 0.0		
1.0 0.8 0.0		
1.0 0.817 0.0		
1.0 0.833 0.0		
1.0 0.85 0.0		
1.0 0.867 0.0		
1.0 0.883 0.0		
1.0 0.9 0.0		
1.0 0.917 0.0		
1.0 0.933 0.0		
1.0 0.95 0.0		
1.0 0.967 0.0		
1.0 0.983 0.0		
1.0 1.0 0.0		
0.983 1.0 0.0		
0.967 1.0 0.0		
0.95 1.0 0.0		
0.933 1.0 0.0		
0.917 1.0 0.0		
0.9 1.0 0.0		
0.883 1.0 0.0		
0.867 1.0 0.0		
0.85 1.0 0.0		
0.833 1.0 0.0		
0.817 1.0 0.0		
0.8 1.0 0.0		
0.783 1.0 0.0		
0.767 1.0 0.0		
0.75 1.0 0.0		
0.733 1.0 0.0		
0.717 1.0 0.0		
0.7 1.0 0.0		
0.683 1.0 0.0		
0.667 1.0 0.0		
0.65 1.0 0.0		
0.633 1.0 0.0		
0.617 1.0 0.0		
0.6 1.0 0.0		
0.583 1.0 0.0		
0.567 1.0 0.0		
0.55 1.0 0.0		
0.533 1.0 0.0		
0.517 1.0 0.0		
0.5 1.0 0.0		

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4t4

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _{dd} 361Mi (x=LabCh)	rgb* _{ds} 361Mi	LAB* _{ds} 361Mi (x=LabCh)	rgb* _{de} 361Mi	LAB* _{de} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{ds} 361Mi	rgb* _{de} 361Mi																								
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.629	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0.0	1.0	0.15			
137	160																																		

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd} 361M	LAB [*] _{ddx361Mi} (x=LabCh)	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi} (x=LabCh)	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi} (x=LabCh)	rgb [*] _{dd361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{ds}	rgb [*] _{de}
139	165	175	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139	0.0 1.0 0.742 85.3	-62.5 16.8 64.8 165	0.0 1.0 0.25	0.0 1.0 0.847 85.9	-56.4 4.0 56.7 175	0.0 1.0 0.25			
139	166	176	0.0 1.0 0.266 83.8	-80.2 67.6 104.9 139	0.0 1.0 0.753 85.4	-61.8 15.4 63.8 166	0.0 1.0 0.267	0.0 1.0 0.856 85.9	-55.9 3.1 56.0 176	0.0 1.0 0.267			
140	167	177	0.0 1.0 0.283 83.8	-79.9 66.1 103.7 140	0.0 1.0 0.763 85.4	-61.4 14.2 63.1 167	0.0 1.0 0.283	0.0 1.0 0.864 86.0	-55.2 2.2 55.4 177	0.0 1.0 0.283			
140	168	178	0.0 1.0 0.3 83.8	-79.6 64.6 102.5 140	0.0 1.0 0.772 85.5	-60.9 13.0 62.4 168	0.0 1.0 0.3	0.0 1.0 0.873 86.0	-54.6 1.3 54.7 178	0.0 1.0 0.3			
141	169	179	0.0 1.0 0.316 83.9	-79.2 63.1 101.3 141	0.0 1.0 0.782 85.5	-60.4 11.8 61.7 169	0.0 1.0 0.317	0.0 1.0 0.88 86.1	-54.2 0.4 54.3 179	0.0 1.0 0.317			
141	170	180	0.0 1.0 0.333 83.9	-78.8 61.7 100.1 141	0.0 1.0 0.791 85.6	-59.9 10.6 60.9 170	0.0 1.0 0.333	0.0 1.0 0.887 86.1	-53.9 -0.3 54.0 180	0.0 1.0 0.333			
142	171	181	0.0 1.0 0.35 83.9	-78.4 60.2 98.9 142	0.0 1.0 0.801 85.6	-59.4 9.4 60.2 171	0.0 1.0 0.35	0.0 1.0 0.893 86.2	-53.5 -1.2 53.6 181	0.0 1.0 0.35			
142	172	182	0.0 1.0 0.366 84.0	-78.0 58.8 97.7 142	0.0 1.0 0.81 85.7	-58.8 8.3 59.5 172	0.0 1.0 0.367	0.0 1.0 0.9 86.2	-53.2 -2.0 53.3 182	0.0 1.0 0.367			
143	173	183	0.0 1.0 0.383 84.0	-77.6 57.2 96.4 143	0.0 1.0 0.82 85.7	-58.2 7.2 58.8 173	0.0 1.0 0.383	0.0 1.0 0.906 86.3	-52.8 -2.9 53.0 183	0.0 1.0 0.383			
144	174	184	0.0 1.0 0.4 84.0	-77.1 55.4 94.9 144	0.0 1.0 0.829 85.8	-57.6 6.1 58.1 174	0.0 1.0 0.4	0.0 1.0 0.913 86.3	-52.4 -3.7 52.6 184	0.0 1.0 0.4			
145	175	185	0.0 1.0 0.416 84.1	-76.6 53.6 93.5 145	0.0 1.0 0.839 85.8	-57.0 5.0 57.3 175	0.0 1.0 0.417	0.0 1.0 0.919 86.3	-52.0 -4.5 52.3 185	0.0 1.0 0.417			
145	176	185	0.0 1.0 0.433 84.1	-76.1 51.8 92.1 145	0.0 1.0 0.848 85.9	-56.4 4.0 56.6 176	0.0 1.0 0.433	0.0 1.0 0.926 86.4	-51.6 -5.3 52.0 185	0.0 1.0 0.433			
146	177	186	0.0 1.0 0.45 84.2	-75.6 50.0 90.6 146	0.0 1.0 0.857 86.0	-55.7 2.9 55.9 177	0.0 1.0 0.45	0.0 1.0 0.932 86.4	-51.2 -6.1 51.6 186	0.0 1.0 0.45			
147	178	187	0.0 1.0 0.466 84.2	-75.0 48.3 89.2 147	0.0 1.0 0.867 86.0	-55.1 1.9 55.2 178	0.0 1.0 0.467	0.0 1.0 0.939 86.5	-50.7 -6.8 51.3 187	0.0 1.0 0.467			
147	179	188	0.0 1.0 0.483 84.3	-74.4 46.6 87.8 147	0.0 1.0 0.876 86.1	-54.4 1.0 54.5 179	0.0 1.0 0.483	0.0 1.0 0.945 86.5	-50.3 -7.6 51.0 188	0.0 1.0 0.483			
148	180	189	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148	0.0 1.0 0.883 86.1	-54.1 0.0 54.2 180	0.0 1.0 0.5	0.0 1.0 0.952 86.6	-49.8 -8.3 50.6 189	0.0 1.0 0.5			
149	181	190	0.0 1.0 0.516 84.4	-73.2 42.9 84.8 149	0.0 1.0 0.89 86.2	-53.7 -0.8 53.8 181	0.0 1.0 0.517	0.0 1.0 0.958 86.6	-49.3 -9.1 50.3 190	0.0 1.0 0.517			
150	182	191	0.0 1.0 0.533 84.4	-72.6 40.9 83.3 150	0.0 1.0 0.897 86.2	-53.3 -1.8 53.4 182	0.0 1.0 0.533	0.0 1.0 0.965 86.6	-48.9 -9.8 50.0 191	0.0 1.0 0.533			
151	183	192	0.0 1.0 0.55 84.5	-71.9 39.0 81.8 151	0.0 1.0 0.905 86.2	-52.9 -2.7 53.1 183	0.0 1.0 0.55	0.0 1.0 0.971 86.7	-48.4 -10.5 49.6 192	0.0 1.0 0.55			
152	184	193	0.0 1.0 0.566 84.5	-71.2 37.0 80.3 152	0.0 1.0 0.912 86.3	-52.5 -3.6 52.7 184	0.0 1.0 0.567	0.0 1.0 0.978 86.7	-47.9 -11.2 49.3 193	0.0 1.0 0.567			
153	185	194	0.0 1.0 0.583 84.6	-70.5 35.2 78.8 153	0.0 1.0 0.919 86.3	-52.0 -4.5 52.3 185	0.0 1.0 0.583	0.0 1.0 0.984 86.8	-47.4 -11.9 48.9 194	0.0 1.0 0.583			
154	186	195	0.0 1.0 0.6 84.6	-69.7 33.3 77.3 154	0.0 1.0 0.926 86.4	-51.6 -5.3 52.0 186	0.0 1.0 0.6	0.0 1.0 0.991 86.8	-46.8 -12.5 48.6 195	0.0 1.0 0.6			
155	187	195	0.0 1.0 0.616 84.7	-68.9 31.5 75.8 155	0.0 1.0 0.933 86.4	-51.1 -6.2 51.6 187	0.0 1.0 0.617	0.0 1.0 0.997 86.9	-46.3 -13.2 48.3 195	0.0 1.0 0.617			
156	188	196	0.0 1.0 0.633 84.8	-68.1 29.5 74.3 156	0.0 1.0 0.94 86.5	-50.6 -7.0 51.2 188	0.0 1.0 0.633	0.0 0.997 1.0 86.7	-45.8 -13.9 48.0 196	0.0 1.0 0.633			
157	189	197	0.0 1.0 0.65 84.8	-67.4 27.4 72.8 157	0.0 1.0 0.947 86.5	-50.1 -7.9 50.8 189	0.0 1.0 0.65	0.0 0.992 1.0 86.3	-45.4 -14.5 47.8 197	0.0 1.0 0.65			
159	190	198	0.0 1.0 0.666 84.9	-66.7 25.4 71.3 159	0.0 1.0 0.955 86.6	-49.6 -8.7 50.5 190	0.0 1.0 0.667	0.0 0.987 1.0 86.0	-44.9 -15.2 47.5 198	0.0 1.0 0.667			
160	191	199	0.0 1.0 0.683 85.0	-65.8 23.4 69.9 160	0.0 1.0 0.962 86.6	-49.1 -9.5 50.1 191	0.0 1.0 0.683	0.0 0.983 1.0 85.6	-44.4 -15.8 47.3 199	0.0 1.0 0.683			
161	192	200	0.0 1.0 0.7 85.1	-65.0 21.4 68.4 161	0.0 1.0 0.969 86.7	-48.6 -10.2 49.7 192	0.0 1.0 0.7	0.0 0.978 1.0 85.3	-44.0 -16.4 47.1 200	0.0 1.0 0.7			
163	193	201	0.0 1.0 0.716 85.2	-64.0 19.5 67.0 163	0.0 1.0 0.976 86.7	-48.0 -11.0 49.4 193	0.0 1.0 0.717	0.0 0.973 1.0 85.0	-43.5 -17.0 46.8 201	0.0 1.0 0.717			
164	194	202	0.0 1.0 0.733 85.2	-63.1 17.6 65.5 164	0.0 1.0 0.983 86.8	-47.5 -11.8 49.0 194	0.0 1.0 0.733	0.0 0.968 1.0 84.6	-43.0 -17.6 46.6 202	0.0 1.0 0.733			
165	195	203	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165	0.0 1.0 0.99 86.8	-46.9 -12.5 48.6 195	0.0 1.0 0.75	0.0 0.963 1.0 84.3	-42.5 -18.2 46.4 203	0.0 1.0 0.75			
167	196	204	0.0 1.0 0.766 85.4	-61.2 13.7 62.8 167	0.0 1.0 0.997 86.9	-46.3 -13.2 48.3 196	0.0 1.0 0.767	0.0 0.958 1.0 83.9	-42.0 -18.8 46.1 204	0.0 1.0 0.767			
169	197	205	0.0 1.0 0.783 85.5	-60.4 11.5 61.5 169	0.0 0.997 1.0 86.6	-45.8 -13.9 48.0 197	0.0 1.0 0.783	0.0 0.953 1.0 83.6	-41.5 -19.4 45.9 205	0.0 1.0 0.783			
170	198	206	0.0 1.0 0.8 85.6	-59.5 9.5 60.2 170	0.0 0.991 1.0 86.3	-45.3 -14.6 47.7 198	0.0 1.0 0.8	0.0 0.949 1.0 83.2	-40.9 -19.9 45.7 206	0.0 1.0 0.8			
172	199	206	0.0 1.0 0.816 85.7	-58.5 7.5 59.0 172	0.0 0.986 1.0 85.9	-44.8 -15.4 47.5 199	0.0 1.0 0.817	0.0 0.944 1.0 82.9	-40.4 -20.5 45.4 206	0.0 1.0 0.817			
174	200	207	0.0 1.0 0.833 85.8	-57.4 5.5 57.7 174	0.0 0.981 1.0 85.5	-44.3 -16.0 47.2 200	0.0 1.0 0.833	0.0 0.939 1.0 82.5	-39.9 -21.0 45.2 207	0.0 1.0 0.833			
176	201	208	0.0 1.0 0.85 85.9	-56.3 3.7 56.4 176	0.0 0.975 1.0 85.1	-43.7 -16.7 47.0 201	0.0 1.0 0.85	0.0 0.934 1.0 82.2	-39.3 -21.5 45.0 208	0.0 1.0 0.85			
177	202	209	0.0 1.0 0.866 86.0	-55.1 1.9 55.2 177	0.0 0.97 1.0 84.7	-43.2 -17.4 46.7 202	0.0 1.0 0.867	0.0 0.929 1.0 81.8	-38.8 -22.1 44.7 209	0.0 1.0 0.867			
180	203	210	0.0 1.0 0.883 86.1	-54.1 0.0 54.1 180	0.0 0.965 1.0 84.4	-42.7 -18.0 46.4 203	0.0 1.0 0.883	0.0 0.924 1.0 81.5	-38.2 -22.6 44.5 210	0.0 1.0 0.883			
182	204	211	0.0 1.0 0.9 86.2	-53.2 -2.1 53.2 182	0.0 0.959 1.0 84.0	-42.1 -18.7 46.2 204	0.0 1.0 0.9	0.0 0.919 1.0 81.2	-37.7 -23.0 44.3 211	0.0 1.0 0.9			
184	205	212	0.0 1.0 0.916 86.3	-52.2 -4.2 52.4 184	0.0 0.954 1.0 83.6	-41.5 -19.3 45.9 205	0.0 1.0 0.917	0.0 0.915 1.0 80.8	-37.1 -23.5 44.0 212	0.0 1.0 0.917			
187	206	213	0.0 1.0 0.933 86.4	-51.1 -6.3 51.5 187	0.0 0.949 1.0 83.2	-41.0 -19.9 45.7 206	0.0 1.0 0.933	0.0 0.91 1.0 80.5	-36.5 -24.0 43.8 213	0.0 1.0 0.933			
189	207	214	0.0 1.0 0.95 86.5	-50.0 -8.2 50.7 189	0.0 0.943 1.0 82.9	-40.4 -20.5 45.4 207	0.0 1.0 0.95	0.0 0.905 1.0 80.1	-35.9 -24.4 43.6 214	0.0 1.0 0.95			
191	208	215	0.0 1.0 0.966 86.6	-48.8 -10.1 49.8 191	0.0 0.938 1.0 82.5	-39.8 -21.1 45.2 208	0.0 1.0 0.967	0.0 0.9 1.0 79.8	-35.3 -24.9 43.3 215	0.0 1.0 0.967			
194	209	216	0.0 1.0 0.983 86.7	-47.5 -11.8 48.9 194	0.0 0.933 1.0 82.1	-39.2 -21.7 44.9 209	0.0 1.0 0.983	0.0 0.895 1.0 79.4	-34.8 -25.3 43.1 216	0.0 1.0 0.983			
196	210	216	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196	0.0 0.927 1.0 81.7	-38.6 -22.2 44.7 210	0.0 1.0 1.0	0.0 0.89 1.0 79.1	-34.2 -25.7 42.9 216	0.0 1.0 1.0			

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation


TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd} 361M	LAB [*] _{dd} 361Mi (x=LabCh)	C _d	rgb [*] _{ds} 361Mi	LAB [*] _{ds} 361Mi (x=LabCh)	210C _s	rgb [*] _{dd} 361Mi	LAB [*] _{de} 361Mi	216C _c	rgb [*] _{dd} 361Mi	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}																		
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	C _d	0.0	0.922	1.0	81.7	-38.6	-22.2	44.7	210C _s	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199		0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202		0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212	0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218	0.0	0.967	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205		0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213	0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219	0.0	0.95	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208		0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214	0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220	0.0	0.933	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212		0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215	0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221	0.0	0.917	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215		0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216	0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222	0.0	0.9	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218		0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	0.0	0.883	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221		0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224	0.0	0.867	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225		0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225	0.0	0.85	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228		0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226	0.0	0.833	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232		0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.817	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236		0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227	0.0	0.8	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239		0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228	0.0	0.783	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243		0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229	0.0	0.767	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247		0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230	0.0	0.75	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250		0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226	0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231	0.0	0.733	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253		0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232	0.0	0.717	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256		0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233	0.0	0.7	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259		0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229	0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234	0.0	0.683	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262		0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235	0.0	0.667	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265		0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236	0.0	0.65	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268		0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	0.0	0.633	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270		0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237	0.0	0.617	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272		0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238	0.0	0.6	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274		0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239	0.0	0.583	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276		0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240	0.0	0.567	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278		0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241	0.0	0.55	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280		0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242	0.0	0.533	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283		0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243	0.0	0.517	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285		0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	0.0	0.5	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286		0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245	0.0	0.483	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287		0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242	0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246	0.0	0.467	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288		0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243	0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247	0.0	0.45	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290		0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244	0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.433	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291		0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245	0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1	-41.8	45.0	248	0.0	0.417	1.0
292	246	249	0.0	0.4	1.0	45.4	33.3	-79.0	85.7	292		0.0	0.756	1.0	69.5	-17.8	-40.2	44.1	246	0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5	-42.5	45.4	249	0.0	0.4	1.0
294	247	250	0.0	0.383	1.0	44.3	36.2	-80.5	88.2	294		0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.383	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250	0.0	0.383	1.0
295	248	251	0.0	0.366	1.0	43.4	38.7	-82.0	90.7	295		0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.367	1.0	0.0	0.726	1.0	67.4	-14.4	-43.8	46.2	251	0.0	0.367	1.0
296	249	252	0.0	0.35	1.0	42.5	41.0	-83.6	93.2	296		0.0	0.74	1.0	68.4	-16.0	-41.9	45.0	249	0.0													

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi (x=LabCh)}			
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.0	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307
307	286	286	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.0	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.0	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.0	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.0	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.0	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308
308	291	291	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308	0.0	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308
309	292	292	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309	0.0	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309
309	293	293	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309	0.0	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309
309	294	294	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309	0.0	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309
310	295	295	0.416	0.0	1.0	36.3	78.6	-93.5	122.2	310	0.0	0.416	0.0	1.0	36.3	78.6	-93.5	122.2	310
310	296	296	0.433	0.0	1.0	36.7	78.9	-92.7	121.8	310	0.0	0.433	0.0	1.0	36.7	78.9	-92.7	121.8	310
310	297	297	0.45	0.0	1.0	37.2	79.1	-92.0	121.3	310	0.0	0.45	0.0	1.0	37.2	79.1	-92.0	121.3	310
311	298	298	0.466	0.0	1.0	37.6	79.3	-91.2	120.9	311	0.0	0.466	0.0	1.0	37.6	79.3	-91.2	120.9	311
311	299	299	0.483	0.0	1.0	38.1	79.6	-90.4	120.5	311	0.0	0.483	0.0	1.0	38.1	79.6	-90.4	120.5	311
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311



see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^a _{dd361M}	LAB ^a _{dd361Mi (x=LabCh)}	rgb ^a _{ds361Mi}	LAB ^a _{dsx361Mi (x=LabCh)}	rgb ^a _{dd361Mi}	LAB ^a _{de361Mi}	rgb ^a _{dex361Mi (x=LabCh)}	rgb ^a _{dd361Mi}	LAB ^a _{de361Mi}	rgb ^a _{dd361Mi}	rgb ^a _{dd}	rgb ^a _{ds}	rgb ^a _{de}																				
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	305	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.2	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.6	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94																		

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi														
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.699	53.7	85.8	-21.8	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	53.0	84.5	-15.6	86.0	349	1.0	0.0	0.633	53.0	84.5	-15.6	86.0	349
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	53.1	84.1	-14.1	85.3	350	1.0	0.0	0.617	53.1	84.1	-14.1	85.3	350
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	53.0	83.7	-12.6	84.7	351	1.0	0.0	0.6	53.0	83.7	-12.6	84.7	351
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	52.4	82.4	-1.3	82.4	359	1.0	0.0	0.517	52.4	82.4	-1.3	82.4	359
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	52.3	82.1	0.0	82.1	360	1.0	0.0	0.5	52.3	82.1	0.0	82.1	360
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	52.2	81.8	1.4	81.8	361	1.0	0.0	0.483	52.2	81.8	1.4	81.8	361
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	52.1	81.5	2.8	81.6	362	1.0	0.0	0.467	52.1	81.5	2.8	81.6	362
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	52.1	81.2	4.3	81.3	363	1.0	0.0	0.45	52.1	81.2	4.3	81.3	363
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	52.0	81.2	5.7	81.4	364	1.0	0.0	0.433	52.0	81.2	5.7	81.4	364
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	51.9	81.1	7.1	81.4	365	1.0	0.0	0.417	51.9	81.1	7.1	81.4	365
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	51.9	81.1	8.5	81.5	366	1.0	0.0	0.4	51.9	81.1	8.5	81.5	366
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	51.8	81.0	9.9	81.6	367	1.0	0.0	0.383	51.8	81.0	9.9	81.6	367
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	51.8	80.9	11.4	81.6	368	1.0	0.0	0.367	51.8	80.9	11.4	81.6	368
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	51.7	80.7	12.8	81.7	369	1.0	0.0	0.35	51.7	80.7	12.8	81.7	369
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	51.7	80.6	14.2	81.8	370	1.0	0.0	0.333	51.7	80.6	14.2	81.8	370
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	51.6	80.4	15.6	81.9	371	1.0	0.0	0.317	51.6	80.4	15.6	81.9	371
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	51.5	80.1	17.0	81.9	372	1.0	0.0	0.3	51.5	80.1	17.0	81.9	372
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	51.5	79.9	18.4	82.0	373	1.0	0.0	0.283	51.5	79.9	18.4	82.0	373
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	51.4	79.6	19.9	82.1	374	1.0	0.0	0.267	51.4	79.6	19.9	82.1	374
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	51.4	79.4	21.3	82.2	375	1.0	0.0	0.25	51.4	79.4	21.3	82.2	375
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	51.3	79.3	22.7	82.5	376	1.0	0.0	0.233	51.3	79.3	22.7	82.5	376
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	51.3	79.3	24.3	82.9	377	1.0	0.0	0.217	51.3	79.3	24.3	82.9	377
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	51.2	79.3	25.8	83.4	378	1.0	0.0	0.2	51.2	79.3	25.8	83.4	378
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	51.2	79.3	27.3	83.8	379	1.0	0.0	0.183	51.2	79.3	27.3	83.8	379
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	51.2	79.2	28.8	84.3	380	1.0	0.0	0.167	51.2	79.2	28.8	84.3	380
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	51.1	79.1	30.4	84.7	381	1.0	0.0	0.15	51.1	79.1	30.4	84.7	381
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	51.1	79.0	31.9	85.2	382	1.0	0.0	0.133	51.1	79.0	31.9	85.2	382
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	51.0	78.8	33.5	85.6	383	1.0	0.0	0.117	51.0	78.8	33.5	85.6	383
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	51.0	78.6	35.0	86.1	384	1.0	0.0	0.1	51.0	78.6	35.0	86.1	384
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	50.9	78.4	36.6	86.5	385	1.0	0.0	0.083	50.9	78.4	36.6	86.5	385
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	50.9	78.2	38.1	87.0	386	1.0	0.0	0.067	50.9	78.2	38.1	87.0	386
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	50.9	78.0	39.7	87.5	387	1.0	0.0	0.05	50.9	78.0	39.7	87.5	387
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	50.8	78.1	41.5	88.4	388	1.0	0.0	0.033	50.8	78.1	41.5	88.4	388
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	50.8	78.1	43.3	89.3	389	1.0	0.0	0.017	50.8	78.1	43.3	89.3	389
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	50.8	78.0	45.1	90.1	390	1.0	0.0	0.0	50.8	78.0	45.1	90.1	390

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta



TUB registration: 20130201-QE21/QE21LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n/f, H/C/F, r/g/b, i/c/r, h/s, r/g/b, LabCH*, DP*, r/g/b, LabCH*, DP*, r/g/b, LabCH*, DP*, r/g/b. Includes a 'Mean color difference of this page: delta E* = 0.8' note.

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbdd output: 3D-linearization to r/g/b*dd

TUB-test chart QE21; hue code: H*_d=R75Y_d colors and differences, ΔE*_*

TUB registration: 20130201-QE21/QE21LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 16 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, DF*Fid, hsa*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid. Rows 81-161.

Mean color difference of this page: delta E** = 0.6

http://130.149.60.45/~farbmetrik/QE21/QE21LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE21/QE21LE30FP.DAT in file (F), page 17/29

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, AE**

TUB registration: 20130201-QE21/QE21LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE21/QE21LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE21/QE21LE30FP.DAT in file (F), page 23/29





Table with columns: n, HHC*Fid, rpb*Fid, iet*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, DP*Fid, hsa*Fid, rpb*Fid, LabCh*Fid. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page: delta E** = 0.3

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, AE**

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb**dd

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20130201-QE21/QE21LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, HHC*Ftd, rpb*Ftd, icr*Ftd, hsa*Ftd, rpb*Ftd, LabCh*Ftd, LabCh*Ftd, DP*Ftd, rpb*Ftd, LabCh*Ftd. Rows 648-728. Includes color calibration data for various color bars.

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, AE*^{*}

QE210-7N; Page 24/29-F

L-1032330-F0

L-1032330-F0

Mean color difference of this page: delta E*ab = 2.5

n	HC*Fid	rgb*Fid	icr*Fid	hsa*Fid	rgb*Fid	LabCH*Fid	LabCH*Fid	rgb*Fid	DF*Fid	DF*Fid	DF*Fid	LabCH*Fid	LabCH*Fid	rgb*Fid	rgb*Fid	LabCH*Fid	LabCH*Fid	rgb*Fid	rgb*Fid
891	NW_1000	1.0	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
892	B50R_100.012ad	1.0	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
893	B50R_100.025ad	1.0	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
894	B50R_100.037ad	1.0	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
895	B50R_100.050ad	1.0	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
896	B50R_100.062ad	1.0	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
897	B50R_100.075ad	1.0	0.25	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
898	B50R_100.087ad	1.0	0.125	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
899	B50R_100.100ad	1.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
900	NW_087ad	0.875	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
901	B50R_087.012ad	0.875	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
902	B50R_087.025ad	0.875	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
903	B50R_087.037ad	0.875	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
904	B50R_087.050ad	0.875	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
905	B50R_087.062ad	0.875	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
906	B50R_087.075ad	0.875	0.25	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
907	B50R_087.087ad	0.875	0.125	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
908	B50R_087.100ad	0.875	0.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
909	GOB_100.025ad	0.75	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
910	GOB_100.037ad	0.75	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
911	GOB_100.050ad	0.75	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
912	GOB_100.062ad	0.75	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
913	GOB_100.075ad	0.75	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
914	GOB_100.087ad	0.75	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
915	GOB_100.100ad	0.75	0.25	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
916	GOB_100.025ad	0.75	0.125	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
917	GOB_100.037ad	0.75	0.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
918	GOB_100.050ad	0.625	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
919	GOB_100.062ad	0.625	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
920	GOB_100.075ad	0.625	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
921	GOB_100.087ad	0.625	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
922	GOB_100.100ad	0.625	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
923	GOB_100.025ad	0.625	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
924	GOB_100.037ad	0.625	0.25	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
925	GOB_100.050ad	0.625	0.125	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
926	GOB_100.062ad	0.5	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
927	GOB_100.075ad	0.5	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
928	GOB_100.087ad	0.5	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
929	GOB_100.100ad	0.5	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
930	NW_050ad	0.5	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
931	B50R_050.012ad	0.5	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
932	B50R_050.025ad	0.5	0.25	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
933	B50R_050.037ad	0.5	0.125	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
934	B50R_050.050ad	0.5	0.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
935	B50R_050.062ad	0.375	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
936	GOB_087.025ad	0.375	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
937	GOB_087.037ad	0.375	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
938	GOB_087.050ad	0.375	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
939	GOB_087.062ad	0.375	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
940	GOB_087.075ad	0.375	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
941	NW_037ad	0.375	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
942	B50R_037.012ad	0.375	0.25	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
943	B50R_037.025ad	0.375	0.125	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
944	B50R_037.037ad	0.375	0.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
945	GOB_100.100ad	0.25	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
946	GOB_100.075ad	0.25	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
947	GOB_100.050ad	0.25	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
948	GOB_100.025ad	0.25	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
949	GOB_100.037ad	0.25	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
950	GOB_100.050ad	0.25	0.375	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
951	NW_025ad	0.25	0.25	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
952	B50R_025.012ad	0.25	0.125	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
953	B50R_025.025ad	0.25	0.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
954	GOB_100.087ad	0.125	1.0	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
955	GOB_100.050ad	0.125	0.875	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
956	GOB_100.025ad	0.125	0.75	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
957	GOB_100.037ad	0.125	0.625	1.0	1.0	95.4	0.0	1.0	1.0	1.0	360	0.0	0.0	1.0	1.0	95.4	0.0	1.0	1.0
958	GOB_100.050ad	0.125	0.5	1.0	1.0	95.4	0.0	1.0	1.0	1									

TUB registration: 20130201-QE21/QE21LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



C

M

Y

O

L

V

Y

O

L

V

Y

O

L

V

Y

O

L

V

Y

O

L

V

Y

O

L

V

C



C

M

Y

O

L

V

Y

O

L

V

Y

O

L

V

Y

O

L

V

Y

O

L

V

Y

O

L

V

C

http://130.149.60.45/~farbmetrik/QE21/QE21LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization QE21/QE21LE30FP.DAT in file (F), page 28/29

Table with 15 columns: n, HC*Fid, rgb*Fid, iC*Fid, iMs*Fid, LabCH*Fid, rgb**Fid, LabCH**Fid, DP**Fid, rga**Fid, LabCH**Fid, rgb**Fid, LabCH**Fid, DP**Fid, rga**Fid. Rows 972-1052.

Mean color difference of this page: delta E** = 0.3

input: rgb/cmyk -> rgbd
output: 3D-linearization to rgb**dd



QE21-7N; Page 28/29-F

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





TUB registration: 20130201-QE21/QE21L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE21/QE21L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE21/QE21L30FP.DAT in file (F), page 29/29



see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

n	HC* ³ F _{id}	rgb* ³ F _{id}	ic _r * ³ F _{id}	hs _s * ³ F _{id}	LabCH* ³ F _{id}	LabCH* ³ F _{id}	rgb* ³ F _{id}	LabCH* ³ F _{id}	DF* ³ F _{id} h _{av} .Lid	rgb* ³ F _{id}	LabCH* ³ F _{id}
1053	NW_0860ad	0.866	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	0.0
1054	NW_0920ad	0.933	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	0.0
1055	NW_1000ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1056	NW_0060ad	0.066	0.066	0.066	0.066	6.2	0.0	0.0	0.0	0.0	0.0
1057	NW_0060ad	0.066	0.066	0.066	0.066	6.2	0.0	0.0	0.0	0.0	0.0
1058	NW_0130ad	0.133	0.133	0.133	0.133	12.6	0.0	0.0	0.0	0.0	0.0
1059	NW_0260ad	0.266	0.266	0.266	0.266	25.3	0.0	0.0	0.0	0.0	0.0
1060	NW_0260ad	0.266	0.266	0.266	0.266	25.3	0.0	0.0	0.0	0.0	0.0
1061	NW_0330ad	0.333	0.333	0.333	0.333	31.7	0.0	0.0	0.0	0.0	0.0
1062	NW_0460ad	0.4	0.4	0.4	0.4	38.1	0.0	0.0	0.0	0.0	0.0
1063	NW_0460ad	0.466	0.466	0.466	0.466	44.4	0.0	0.0	0.0	0.0	0.0
1064	NW_0530ad	0.533	0.533	0.533	0.533	50.8	0.0	0.0	0.0	0.0	0.0
1065	NW_0530ad	0.533	0.533	0.533	0.533	50.8	0.0	0.0	0.0	0.0	0.0
1066	NW_0660ad	0.666	0.666	0.666	0.666	57.2	0.0	0.0	0.0	0.0	0.0
1067	NW_0660ad	0.666	0.666	0.666	0.666	57.2	0.0	0.0	0.0	0.0	0.0
1068	NW_0730ad	0.734	0.734	0.734	0.734	70.0	0.0	0.0	0.0	0.0	0.0
1069	NW_0860ad	0.8	0.8	0.8	0.8	76.3	0.0	0.0	0.0	0.0	0.0
1070	NW_0860ad	0.866	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	0.0
1071	NW_0920ad	0.933	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	0.0
1072	NW_1000ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1073	NW_1000ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1074	ROY_100_100ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1077	B08C_100_100ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1078	B08C_100_100ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E* = 0.2

TUB-test chart QE21; hue code: H*_d=R75Y_d colors and differences, ΔE*^{*}

input: rgb/cmyk -> rgbdd output: 3D-linearization to rgb*³dd