

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$

$H^*_- = R75Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE21/QE21.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
 application for measurement of display output


TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 84/360 = 0.23$

$H^*_d = R75Y_d$

Data for any device (d) or elementary (e) colour:
 HIC^*_d

hue text for the colours of this page:
 $H^*_d = R75Y_d$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	50.4	76.9	64.5	100.4	40
Y _{d,Ma}	92.6	-20.7	90.7	93.0	102
G _{d,Ma}	83.6	-82.7	79.8	115.0	136
C _{d,Ma}	86.8	-46.1	-13.5	48.1	196
B _{d,Ma}	30.3	76.0	-103.5	128.5	306
M _{d,Ma}	57.2	94.3	-58.4	110.9	328
N _{d,Ma}	0.0	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 78 7 80 81 84

$HIC^*_{d,Ma}$: R75Y_100_100d



$rgbic^*_{d,Ma}$: 1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	50.4	76.9	64.5	100.4	40
R25Y_100_100d	53.7	67.6	65.8	94.4	44
R50Y_100_100d	63.6	41.3	71.0	82.2	59
R75Y_100_100d	78.2	7.8	80.6	81.0	84
Y00G_100_100d	92.6	-20.7	90.7	93.0	102
Y25G_100_100d	88.7	-43.3	86.2	96.5	116
Y50G_100_100d	85.7	-65.2	82.4	105.1	128
Y75G_100_100d	84.0	-78.7	80.4	112.5	134
G00B_100_100d	83.6	-82.7	79.8	115.0	136
G25B_100_100d	84.3	-73.7	44.9	86.4	148
G50B_100_100d	86.8	-46.1	-13.5	48.1	196
G75B_100_100d	51.7	18.3	-68.3	70.7	285
B00R_100_100d	30.3	76.0	-103.5	128.5	306
B25R_100_100d	38.5	79.8	-89.7	120.0	311
B50R_100_100d	57.2	94.3	-58.4	110.9	328
B75R_100_100d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$



see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

Y_s yellow

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, ddx64M (x=LabCh), r_{gb}^a, ddx361M, LAB*, ddx361M (x=LabCh), r_{gb}^a, dsx361M, LAB*, dsx361M (x=LabCh), r_{gb}^a, dex361M, LAB*, dex361M) and rows of color data.




see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	1.0 0.0	1.0 0.41 84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0	0.573 84.6 -70.9 53.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0	0.706 85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	0.0 1.0	0.778 85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	0.0 1.0	0.847 85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	0.0 1.0	0.9 86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	0.0 1.0	0.952 86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	0.0 1.0	0.997 86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	0.0 0.963 1.0	84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	0.0 0.929 1.0	81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	0.0 0.89 1.0	79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0 77.9	-32.3 -27.0 42.1 219.8	0.0 0.859 1.0	76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0 69.1	-17.0 -40.7 44.1 247.2	0.0 0.826 1.0	74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0 60.3	-0.1 -54.6 54.6 269.8	0.0 0.797 1.0	72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0 51.7	18.3 -68.3 70.7 285.0	0.0 0.763 1.0	70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0 43.8	37.6 -81.2 89.5 294.8	0.0 0.731 1.0	67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0 37.1	55.9 -92.3 107.9 301.1	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0 32.4	69.5 -100.0 121.8 304.8	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0 30.3	76.0 -103.5 128.5 306.2	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0 31.0	76.2 -102.4 127.7 306.6	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0 32.6	76.8 -99.8 125.9 307.5	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0 35.1	77.9 -95.5 123.3 309.2	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0 38.5	79.8 -89.7 120.0 311.6	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0 42.7	82.5 -82.7 116.8 314.8	0.0 0.146 0.0	31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0 47.2	85.8 -75.1 114.0 318.8	0.605 0.0 1.0	42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0 52.1	89.8 -66.9 112.0 323.3	0.811 0.0 1.0	49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0 57.2	94.3 -58.4 110.9 328.2	0.0 0.992 57.2	94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	0.0 0.856 55.4	89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	1.0 0.0	0.735 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	1.0 0.0	0.65 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	1.0 0.0	0.618 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	1.0 0.0	0.533 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.2 386.7	1.0 0.0	0.441 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	1.0 0.0	0.361 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	1.0 0.0	0.263 50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, g_{am}, b_{am}) and elementary colors (r_{gb}^{*}, g_{am}, b_{am}). Rows 82-128 contain color data for various hue angles and gamuts.

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;



Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, LAB^{*}, etc.) and a color calibration chart on the right.

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /PS application for measurement of display output, no separation

TUB material: code=rha4ta





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_{dd361M}, LAB*_{dsx361Mi (x=LabCh)}, C_d, r_{gb}*_{ds361Mi}, LAB*_{dsx361Mi (x=LabCh)}, 210C_s, r_{gb}*_{dd361Mi}, LAB*_{de361Mi}, LAB*_{dex361Mi (x=LabCh)}, 216C_c, r_{gb}*_{dd361Mi}, r_{gb}*_{dd}, r_{gb}*_{ds}, r_{gb}*_{de}. Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta




see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21L0NP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r^{gb}*_{dd361M}, LAB*_{dsx361Mi (x=LabCh)}, r^{gb}*_{ds361Mi}, LAB*_{dsx361Mi (x=LabCh)}, r^{gb}*_{dd361Mi}, LAB*_{de361Mi}, LAB*_{dex361Mi (x=LabCh)}, r^{gb}*_{dd361Mi}. Rows contain colorimetric data for 48 steps.





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6




h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.666
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.616
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.566
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.516
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.466
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.416
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.366
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.316
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.266
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.216
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.166
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.116
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.066
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.049
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.016
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik






ref	HC*Fd	rgb*Fd	icc*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	50.4	76.9
1/657	R13Y_100_100a	1.0	0.0	0.5	37	51.4	64.9	98.3	41.3	0.2	36.1	64.9
2/666	R25Y_100_100a	1.0	0.25	0.0	44.2	53.7	67.6	65.8	94.4	44.2	51.4	64.9
3/675	R38Y_100_100a	1.0	0.5	0.0	52	57.0	67.9	88.1	50.3	57.0	57.0	67.9
4/684	R50Y_100_100a	1.0	0.5	0.0	60	60.5	63.6	41.3	71.0	82.2	63.6	41.3
5/693	R63Y_100_100a	1.0	0.5	0.0	68	63.6	41.3	71.0	82.2	59.7	63.6	41.3
6/702	R75Y_100_100a	1.0	0.75	0.0	83	77.2	9.8	79.7	80.6	81.0	77.2	9.8
7/711	R88Y_100_100a	1.0	1.0	0.5	83	88.5	85.8	85.8	84.4	84.4	88.5	85.8
8/720	Y00G_100_100a	1.0	1.0	0.0	90	92.6	90.7	93.0	102.8	89	92.6	90.7
9/639	Y13G_100_100a	0.875	1.0	0.0	90	90.5	32.2	88.3	94.0	90.5	90.5	32.2
10/658	Y25G_100_100a	0.75	1.0	0.0	104	88.7	43.3	86.2	96.5	116.6	88.7	43.3
11/477	Y38G_100_100a	0.625	1.0	0.0	112	87.0	55.7	84.1	100.5	123.2	87.0	55.7
12/396	Y50G_100_100a	0.5	1.0	0.0	120	85.7	65.2	82.4	105.1	128.3	85.7	65.2
13/315	Y63G_100_100a	0.375	1.0	0.0	136	84.7	73.2	81.2	109.3	132.0	84.7	73.2
14/234	Y75G_100_100a	0.25	1.0	0.0	152	84.0	78.2	80.4	112.2	134.1	84.0	78.2
15/153	Y88G_100_100a	0.125	1.0	0.0	143	83.7	81.5	80.0	114.2	135.5	83.7	81.5
16/72	G00C_100_100a	0.0	1.0	0.0	150	83.6	82.7	79.8	115.0	136.0	83.6	82.7
17/73	G13C_100_100a	0.0	1.0	0.0	157	83.6	82.7	79.8	115.0	136.0	83.6	82.7
18/74	G25C_100_100a	0.0	1.0	0.25	164	83.7	80.8	70.1	106.9	139.0	83.7	80.8
19/75	G38C_100_100a	0.0	1.0	0.5	172	84.0	77.7	58.1	97.1	143.2	84.0	77.7
20/76	G50C_100_100a	0.0	1.0	0.5	180	84.3	73.7	44.9	86.3	148.6	84.3	73.7
21/77	G63C_100_100a	0.0	1.0	0.5	188	84.8	68.1	29.5	74.3	156.5	84.8	68.1
22/78	G75C_100_100a	0.0	1.0	0.5	196	85.4	61.2	13.7	62.8	167.3	85.4	61.2
23/79	G88C_100_100a	0.0	1.0	0.5	203	86.1	54.1	0.0	54.1	180.0	86.1	54.1
24/80	C00B_100_100a	0.0	1.0	0.0	210	86.8	46.1	-13.5	48.1	196.3	86.8	46.1
25/71	C13B_100_100a	0.0	1.0	0.0	217	87.5	33.4	-27.0	42.1	216	87.5	33.4
26/62	C25B_100_100a	0.0	1.0	0.0	224	89.2	19.5	-53.9	33.9	243.6	89.2	19.5
27/63	C38B_100_100a	0.0	1.0	0.0	232	90.9	11.0	-69.1	17.0	272	90.9	11.0
28/44	C50B_100_100a	0.0	1.0	0.0	240	93.7	18.3	-68.3	7.0	285.0	93.7	18.3
29/35	C63B_100_100a	0.0	1.0	0.0	248	95.4	38.7	-82.0	90.7	295.3	95.4	38.7
30/26	C75B_100_100a	0.0	1.0	0.0	256	97.6	57.6	-93.4	109.7	301.6	97.6	57.6
31/17	C88B_100_100a	0.0	1.0	0.0	263	100.3	32.3	70.0	-100.3	323.6	100.3	32.3
32/8	B00M_100_100a	0.0	1.0	0.0	270	100.5	30.3	76.0	-103.5	306.2	100.5	30.3
33/89	B13M_100_100a	0.125	1.0	0.0	277	101.6	30.9	76.2	-102.5	306.6	101.6	30.9
34/170	B25M_100_100a	0.25	1.0	0.0	284	102.3	30.0	76.7	-100.1	307.4	102.3	30.0
35/251	B38M_100_100a	0.375	1.0	0.0	292	103.6	30.0	77.9	-95.7	309.1	103.6	30.0
36/332	B50M_100_100a	0.5	1.0	0.0	300	105.0	30.0	79.8	-89.7	311.6	105.0	30.0
37/413	B63M_100_100a	0.625	1.0	0.0	308	106.3	30.0	82.7	-82.2	315.1	106.3	30.0
38/494	B75M_100_100a	0.75	1.0	0.0	316	107.6	30.0	86.4	-74.0	319.4	107.6	30.0
39/575	B88M_100_100a	0.875	1.0	0.0	323	108.8	30.0	90.1	-66.3	323.6	108.8	30.0
40/656	M00R_100_100a	1.0	0.0	1.0	330	100.0	0.0	0.0	0.0	328.2	100.0	0.0
41/655	M13R_100_100a	1.0	0.0	0.875	337	100.0	0.0	0.0	0.0	333.6	100.0	0.0
42/654	M25R_100_100a	1.0	0.0	0.75	344	100.0	0.0	0.0	0.0	340.0	100.0	0.0
43/653	M38R_100_100a	1.0	0.0	0.625	352	100.0	0.0	0.0	0.0	350.7	100.0	0.0
44/652	M50R_100_100a	1.0	0.0	0.5	360	100.0	0.0	0.0	0.0	357.7	100.0	0.0
45/651	M63R_100_100a	1.0	0.0	0.375	368	100.0	0.0	0.0	0.0	366.0	100.0	0.0
46/650	M75R_100_100a	1.0	0.0	0.25	376	100.0	0.0	0.0	0.0	374.8	100.0	0.0
47/649	M88R_100_100a	1.0	0.0	0.125	383	100.0	0.0	0.0	0.0	383.6	100.0	0.0
48/648	R00Y_100_100a	1.0	0.0	0.0	390	100.0	0.0	0.0	0.0	400.0	100.0	0.0
49/0	NV_000a	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013a	0.125	0.0	0.0	360	0.125	0.125	0.0	0.0	0.0	0.125	0.125
51/182	NV_025a	0.25	0.0	0.0	360	0.25	0.25	0.0	0.0	0.0	0.25	0.25
52/273	NV_038a	0.375	0.0	0.0	360	0.375	0.375	0.0	0.0	0.0	0.375	0.375
53/364	NV_050a	0.5	0.0	0.0	360	0.5	0.5	0.0	0.0	0.0	0.5	0.5
54/455	NV_063a	0.625	0.0	0.0	360	0.625	0.625	0.0	0.0	0.0	0.625	0.625
55/546	NV_075a	0.75	0.0	0.0	360	0.75	0.75	0.0	0.0	0.0	0.75	0.75
56/637	NV_088a	0.875	0.0	0.0	360	0.875	0.875	0.0	0.0	0.0	0.875	0.875
57/728	NV_100a	1.0	1.0	1.0	360	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E** = 0.9

input: rgb/cmyk -> rgbd output: transfer to rgbd



TUB-test chart QE21; hue code: H*_d=R75Y_d colors and differences, ΔE*^{*}





TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta




see similar files: http://130.149.60.45/~farbmtrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmtrik

Main data table with columns: r/f, H/C*Fd, r/gb*_Fd, i/c*_Fd, i/s*_Fd, LabC/M*Fd, LabCh/P*Fd, D/F*Fd, h/a/m*Fd, r/gb*_Md, LabCh/P*_Md, L*a*b*

Mean color difference of this page: delta E*uv = 6.5

input: rgb/cm*sk -> r/gb*d output: transfer to r/gb*d

QE210-7N; Page 15/29-F TUB-test chart QE21; hue code: H*_d=R75Y_d colors and differences, ΔE*uv



TUB registration: 20130201-QE21/QE21LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE21/QE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/29

Table with 16 columns: n, HHC*Fd, rpb*Fd, ier*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd. Contains numerical data for various color calibration points.

Mean color difference of this page: delta E** = 8.3

input: rgb/cmyk -> rgbd output: transfer to rgbd



see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21LONP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



L-0031630-F0

QE210-7N; Page 17/29-F

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, AE**

L-0031630-F0

Table with columns: n, HHC*Fd, Rgb*Fd, iCr*Fd, iBs*Fd, iRs*Fd, LabCh*Fd, Rgb*Fd, LabCh*Fd, iCr*Fd, iBs*Fd, iRs*Fd, DF*Fd, iBs*Fd, Rgb*Fd, LabCh*Fd, iCr*Fd, iBs*Fd, iRs*Fd. The table contains 242 rows of numerical data.

delta E* = 10.2

Mean color difference of this page:



input: rgb/cmyk -> rgbd output: transfer to rgbd

Table with 40 columns: n, HHC*Fd, Rgb*Fd, iCr*Fd, iBs*Fd, iRs*Fd, LabCb*Fd, LabCr*Fd, Rgb**Fd, LabCb**Fd, LabCr**Fd, DF*Fd, Ha*Mid, Rgb**Mid, LabCb**Mid, LabCr**Mid. Rows contain numerical data for various color and grayscale patches.

Mean color difference of this page: delta E** = 10.1

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, AE**





http://130.149.60.45/~farbmetrik/QE21/QE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

Table with 10 columns: n, HHC*Fd, Rgb*Fd, iEt*Fd, Hs*Fd, Rgb*Fd, LabCh*Fd, DF*Fd, Hs*Fd, Rgb*Fd, LabCh*Fd. Rows 405-485.

Mean color difference of this page: delta E* = 9.7

input: rgb/cmyk -> rgbd output: transfer to rgbd



TUB registration: 20130201-QE21/QE21LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd. Rows 567-647.

see similar files: http://130.149.60.45/~farbmatrik/QE21/QE21.HTM technical information: http://www.ps.mam.de or http://130.149.60.45/~farbmatrik

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, AE*'

QE210-7N; Page 23/29-F

L-0032230-F0

L-0032230-F0

TUB registration: 20130201-QE21/QE21LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 20 columns (n, H, R, G, B, I, D, S, F, L, Lab, RGB, DF, H, RGB, Lab, I, D, S, F, L) and 728 rows of color calibration data.

input: rgb/cmymk -> rgbd
output: transfer to rgbd

TUB-test chart QE21; hue code: H*d=R75Yd
colors and differences, ΔE*

QE210-7N; Page 24/29-F

L-0032330-F0

TUB registration: 20130201-QE21/QE21LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE21/QE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/29

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd. Rows contain numerical data for various color calibration targets.

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, ΔE*^a

QE210-7N; Page 25/29-F

L-0032430-F0

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

application for measurement of display output, no separation

http://130.149.60.45/~farbmetrik/QE21/QE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/29

Table with columns: n, H#C*Fd, rgb*Fd, icr*Fd, hsa*Fd, rrgb*Fd, LabC*F*Fd, LabC*F*Pd, rrgb*Pd, DF*Fd, hsa*Pd, LabC*F*Pd, LabC*F*Pd, rrgb*Pd, delta E* = 8.7

input: rgb/cmyk -> rrgb output: transfer to rrgb

TUB-test chart QE21; hue code: H*_d=R75Y_d colors and differences, ΔE*_*

QE210-TN; Page 26/29-F

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with columns: n, HfC*Fd, Rgb*Fd, iCr*Fd, iRs*Fd, iBs*Fd, LabC*Fd, LAbCH*Fd, rGb*Fd, rGb*Ma, DF*Fd, rGb*Ma, LabCH*Ma, rGb*Ma, DF*Ma, LabCH*Ma, rGb*Ma, DF*Ma. Rows include various color and grayscale patches like 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971.

http://130.149.60.45/~farbmetrik/QE21/QE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/29

input: rgb/cmlyk -> rGbD output: transfer to rGbD

TUB-test chart QE21; hue code: H*d=R75Yd colors and differences, ΔE*

QE210-TN; Page 27/29-F



TUB registration: 20130201-QE21/QE21L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta


http://130.149.60.45/~farbmetrik/QE21/QE21L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/29




input: rgb/cmyk -> rgbd output: transfer to rgbd

Table with columns: n, H#C*Fd, rgb*_Fd, iet*_Fd, hsa*_Fd, LabC*H*Fd, rgb*_Fd, LabC*H*Fd, DPF*Fd, hsa*_Fd, rgb*_Fd, LabC*H*Fd. Rows include color patches like NW_000a, NW_012a, NW_025a, etc.

Mean color difference of this page: delta E*90 = 1.6

see similar files: http://130.149.60.45/~farbmetrik/QE21/QE21.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik







http://130.149.60.45/~farbmetrik/QE21/QE21L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/29

n	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd
1053	NW_0866d	0.866	0.866	0.866	0.866	82.6	0.866	0.866	0.866	83.9	0.866	0.866	0.866	360	0.866	0.866
1054	NW_0933d	0.933	0.933	0.933	0.933	89.0	0.933	0.933	0.933	89.7	0.933	0.933	0.933	360	0.933	0.933
1055	NW_1000d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	95.4	1.0	1.0	1.0	360	1.0	1.0
1056	NW_0066d	0.066	0.066	0.066	0.066	6.2	0.066	0.066	0.066	4.4	0.066	0.066	0.066	360	0.066	0.066
1057	NW_0133d	0.133	0.133	0.133	0.133	12.6	0.133	0.133	0.133	12.0	0.133	0.133	0.133	360	0.133	0.133
1058	NW_0200d	0.2	0.2	0.2	0.2	19.0	0.2	0.2	0.2	19.7	0.2	0.2	0.2	360	0.2	0.2
1059	NW_0266d	0.266	0.266	0.266	0.266	25.3	0.266	0.266	0.266	27.0	0.266	0.266	0.266	360	0.266	0.266
1060	NW_0333d	0.333	0.333	0.333	0.333	31.7	0.333	0.333	0.333	34.0	0.333	0.333	0.333	360	0.333	0.333
1061	NW_0400d	0.4	0.4	0.4	0.4	38.1	0.4	0.4	0.4	40.8	0.4	0.4	0.4	360	0.4	0.4
1062	NW_0466d	0.466	0.466	0.466	0.466	44.4	0.466	0.466	0.466	47.3	0.466	0.466	0.466	360	0.466	0.466
1063	NW_0533d	0.533	0.533	0.533	0.533	50.8	0.533	0.533	0.533	53.7	0.533	0.533	0.533	360	0.533	0.533
1064	NW_0600d	0.6	0.6	0.6	0.6	57.2	0.6	0.6	0.6	60.0	0.6	0.6	0.6	360	0.6	0.6
1065	NW_0666d	0.666	0.666	0.666	0.666	63.5	0.666	0.666	0.666	66.1	0.666	0.666	0.666	360	0.666	0.666
1066	NW_0734d	0.734	0.734	0.734	0.734	70.0	0.734	0.734	0.734	72.3	0.734	0.734	0.734	360	0.734	0.734
1067	NW_0780d	0.78	0.78	0.78	0.78	76.3	0.78	0.78	0.78	78.1	0.78	0.78	0.78	360	0.78	0.78
1068	NW_0866d	0.866	0.866	0.866	0.866	82.6	0.866	0.866	0.866	83.9	0.866	0.866	0.866	360	0.866	0.866
1069	NW_0933d	0.933	0.933	0.933	0.933	89.0	0.933	0.933	0.933	89.7	0.933	0.933	0.933	360	0.933	0.933
1070	NW_1000d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	95.4	1.0	1.0	1.0	360	1.0	1.0
1071	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
1072	NW_1000d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	95.4	1.0	1.0	1.0	360	1.0	1.0
1073	ROY_100_100d	1.0	0.0	1.0	0.0	50.4	1.0	0.0	0.0	50.4	1.0	0.0	0.0	360	1.0	0.0
1074	ROY_100_100d	0.0	1.0	1.0	0.0	95.4	0.0	1.0	0.0	95.4	0.0	1.0	0.0	360	0.0	1.0
1075	GS0B_100_100d	1.0	1.0	1.0	0.5	210	1.0	1.0	0.5	210	1.0	1.0	0.5	360	1.0	0.5
1076	Y06C_100_100d	0.0	1.0	1.0	0.0	86.8	-46.1	196.3	0.0	1.0	86.8	-46.1	196.3	360	0.0	1.0
1077	B06C_100_100d	0.0	0.0	1.0	1.0	92.6	-20.7	90.7	0.0	0.0	92.6	-20.7	90.7	360	0.0	0.0
1078	B08C_100_100d	0.0	0.0	1.0	0.5	83.6	-82.7	79.8	0.0	0.0	83.6	-82.7	79.8	360	0.0	0.5
1079	B50R_100_100d	1.0	0.0	1.0	1.0	57.2	94.3	-58.4	1.0	0.0	57.2	94.3	-58.4	360	1.0	0.0

Mean color difference of this page: delta E** = 1.0



input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE21; hue code: H*_d=R75Y_d colors and differences, ΔE**