

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$

$H^*_- = R75Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE22/QE22.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS
 application for measurement of display output

TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R75Y_e$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 73 \ 18 \ 77 \ 79 \ 76$

$HIC^*_{e, Ma}: R75Y_100_100_e$

$rgbic^*_{e, Ma}:$



1.0 0.68 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352



%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$



see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

Y_s yellow standard CIELAB (a^*_s, b^*_s) chroma diagram

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_{dd}64M, LAB*_{ddx64M} (x=LabCh), r_{gb}*_{ddx361M}, LAB*_{ddx361M} (x=LabCh), r_{gb}*_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}*_{dex361M}, LAB*_{dex361M} (x=LabCh). Rows list color data for various hue angles and device configurations.




see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875	1.0 77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75	1.0 69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625	1.0 60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5	1.0 51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375	1.0 43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25	1.0 37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125	1.0 32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0	1.0 30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0	1.0 31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0	1.0 32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0	1.0 35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0	1.0 38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0	1.0 42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 1.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0	1.0 47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 1.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0	1.0 52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 1.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0	1.0 57.2 94.3 -58.4 110.9 328.2	0.0 0.992	57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation



TUB registration: 20130201-QE22/QE22L0NA.TXT /PS TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	R _d	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	R _s	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	R _e	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40		1.0 0.0 0.203 50.8 78.0 45.1 90.1 30		1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25		1.0 0.0 0.0						
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40		1.0 0.0 0.189 50.7 78.0 46.9 91.0 31		1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26		1.0 0.017 0.0						
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40		1.0 0.0 0.174 50.7 77.9 48.7 91.8 32		1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27		1.0 0.033 0.0						
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40		1.0 0.0 0.16 50.7 77.7 50.5 92.7 33		1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28		1.0 0.05 0.0						
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40		1.0 0.0 0.146 50.6 77.6 52.3 93.6 34		1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29		1.0 0.067 0.0						
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40		1.0 0.0 0.131 50.6 77.3 54.2 94.4 35		1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31		1.0 0.083 0.0						
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41		1.0 0.0 0.11 50.6 77.3 56.1 95.5 36		1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32		1.0 0.1 0.0						
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41		1.0 0.0 0.082 50.6 77.2 58.2 96.7 37		1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33		1.0 0.117 0.0						
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41		1.0 0.0 0.055 50.5 77.2 60.3 98.0 38		1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34		1.0 0.133 0.0						
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41		1.0 0.0 0.028 50.5 77.1 62.4 99.2 39		1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35		1.0 0.15 0.0						
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42		1.0 0.0 0.0 50.5 76.9 64.6 100.4 40		1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36		1.0 0.167 0.0						
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42		1.0 0.095 0.0 51.3 74.6 64.9 98.9 41		1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37		1.0 0.183 0.0						
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43		1.0 0.151 0.0 52.1 72.4 65.2 97.5 42		1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38		1.0 0.2 0.0						
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43		1.0 0.188 0.0 52.8 70.3 65.5 96.1 43		1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39		1.0 0.217 0.0						
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44		1.0 0.225 0.0 53.6 68.2 65.8 94.8 44		1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41		1.0 0.233 0.0						
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44		1.0 0.256 0.0 54.3 66.1 66.1 93.5 45		1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42		1.0 0.25 0.0						
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45		1.0 0.277 0.0 55.0 64.3 66.6 92.5 46		1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43		1.0 0.267 0.0						
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46		1.0 0.297 0.0 55.6 62.4 66.9 91.5 47		1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44		1.0 0.283 0.0						
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47		1.0 0.318 0.0 56.3 60.6 67.3 90.5 48		1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45		1.0 0.3 0.0						
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47		1.0 0.338 0.0 57.0 58.7 67.6 89.5 49		1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46		1.0 0.317 0.0						
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48		1.0 0.359 0.0 57.7 56.9 67.8 88.5 50		1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47		1.0 0.333 0.0						
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49		1.0 0.378 0.0 58.3 55.1 68.1 87.6 51		1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48		1.0 0.35 0.0						
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50		1.0 0.392 0.0 58.9 53.6 68.6 87.0 52		1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49		1.0 0.367 0.0						
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51		1.0 0.406 0.0 59.6 52.0 69.0 86.4 53		1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51		1.0 0.383 0.0						
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52		1.0 0.42 0.0 60.2 50.4 69.4 85.8 54		1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52		1.0 0.4 0.0						
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53		1.0 0.433 0.0 60.8 48.8 69.8 85.2 55		1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53		1.0 0.417 0.0						
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54		1.0 0.447 0.0 61.4 47.3 70.1 84.5 56		1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54		1.0 0.433 0.0						
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56		1.0 0.461 0.0 62.0 45.7 70.4 83.9 57		1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55		1.0 0.45 0.0						
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57		1.0 0.475 0.0 62.6 44.1 70.7 83.3 58		1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56		1.0 0.467 0.0						
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58		1.0 0.489 0.0 63.2 42.6 70.9 82.7 59		1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57		1.0 0.483 0.0						
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59		1.0 0.502 0.0 63.8 41.1 71.2 82.2 60		1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58		1.0 0.5 0.0						
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61		1.0 0.513 0.0 64.4 39.7 71.6 81.9 61		1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60		1.0 0.517 0.0						
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62		1.0 0.525 0.0 64.9 38.3 72.1 81.7 62		1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61		1.0 0.533 0.0						
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64		1.0 0.536 0.0 65.5 37.0 72.5 81.4 63		1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62		1.0 0.55 0.0						
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65		1.0 0.547 0.0 66.1 35.6 72.9 81.1 64		1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63		1.0 0.567 0.0						
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67		1.0 0.558 0.0 66.7 34.2 73.3 80.9 65		1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64		1.0 0.583 0.0						
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5 79.9 68		1.0 0.569 0.0 67.2 32.8 73.7 80.6 66		1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65		1.0 0.6 0.0						
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8 79.5 70		1.0 0.58 0.0 67.8 31.4 74.0 80.4 67		1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66		1.0 0.617 0.0						
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71		1.0 0.591 0.0 68.4 30.0 74.3 80.1 68		1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67		1.0 0.633 0.0						
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73		1.0 0.602 0.0 69.0 28.6 74.6 79.9 69		1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68		1.0 0.65 0.0						
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75		1.0 0.614 0.0 69.5 27.2 74.8 79.6 70		1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70		1.0 0.667 0.0						
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76		1.0 0.625 0.0 70.1 25.8 75.0 79.4 71		1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71		1.0 0.683 0.0						
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78		1.0 0.635 0.0 70.7 24.5 75.6 79.4 72		1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72		1.0 0.7 0.0						
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79		1.0 0.646 0.0 71.3 23.3 76.1 79.5 73		1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73		1.0 0.717 0.0						
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81		1.0 0.656 0.0 71.9 21.9 76.5 79.6 74		1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74		1.0 0.733 0.0						
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82		1.0 0.667 0.0 72.5 20.6 77.0 79.7 75		1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75		1.0 0.75 0.0						


see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	Y _d	Y _e	Y _e
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0 0.667 0.0	72.5 20.6 77.0 79.7 75	1.0 0.75 0.0	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75	1.0 0.75 0.0			
84	76	76	1.0 0.766 0.0	78.2 7.8 80.6 81.0 84	1.0 0.677 0.0	73.1 19.3 77.4 79.8 76	1.0 0.767 0.0	1.0 0.685 0.0	73.5 18.3 77.7 79.9 76	1.0 0.767 0.0			
85	77	77	1.0 0.783 0.0	79.2 5.8 81.4 81.7 85	1.0 0.688 0.0	73.7 18.0 77.8 79.9 77	1.0 0.783 0.0	1.0 0.696 0.0	74.2 16.9 78.2 80.0 77	1.0 0.783 0.0			
87	78	78	1.0 0.8 0.0	80.2 3.8 82.2 82.3 87	1.0 0.698 0.0	74.3 16.6 78.2 80.0 78	1.0 0.8 0.0	1.0 0.708 0.0	74.8 15.3 78.6 80.1 78	1.0 0.8 0.0			
88	79	80	1.0 0.816 0.0	81.2 1.7 82.9 83.0 88	1.0 0.708 0.0	74.9 15.3 78.6 80.1 79	1.0 0.817 0.0	1.0 0.72 0.0	75.5 13.8 78.9 80.1 80	1.0 0.817 0.0			
90	80	81	1.0 0.833 0.0	82.2 -0.3 83.6 83.6 90	1.0 0.719 0.0	75.5 13.9 78.9 80.1 80	1.0 0.833 0.0	1.0 0.731 0.0	76.2 12.3 79.3 80.2 81	1.0 0.833 0.0			
91	81	82	1.0 0.85 0.0	83.3 -2.5 84.2 84.3 91	1.0 0.729 0.0	76.1 12.6 79.2 80.2 81	1.0 0.85 0.0	1.0 0.743 0.0	76.8 10.8 79.6 80.3 82	1.0 0.85 0.0			
93	82	83	1.0 0.866 0.0	84.3 -4.6 84.8 84.9 93	1.0 0.74 0.0	76.7 11.2 79.5 80.3 82	1.0 0.867 0.0	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83	1.0 0.867 0.0			
94	83	84	1.0 0.883 0.0	85.3 -6.7 85.5 85.8 94	1.0 0.75 0.0	77.3 9.8 79.8 80.4 83	1.0 0.883 0.0	1.0 0.768 0.0	78.3 7.8 80.7 81.1 84	1.0 0.883 0.0			
95	84	85	1.0 0.9 0.0	86.3 -8.5 86.4 86.8 95	1.0 0.762 0.0	78.0 8.5 80.4 80.9 84	1.0 0.9 0.0	1.0 0.78 0.0	79.1 6.2 81.4 81.6 85	1.0 0.9 0.0			
96	85	86	1.0 0.916 0.0	87.4 -10.5 87.2 87.8 96	1.0 0.773 0.0	78.7 7.1 81.0 81.3 85	1.0 0.917 0.0	1.0 0.793 0.0	79.9 4.7 82.0 82.1 86	1.0 0.917 0.0			
98	86	87	1.0 0.933 0.0	88.4 -12.4 88.0 88.9 98	1.0 0.785 0.0	79.3 5.7 81.6 81.8 86	1.0 0.933 0.0	1.0 0.806 0.0	80.6 3.1 82.5 82.6 87	1.0 0.933 0.0			
99	87	88	1.0 0.95 0.0	89.5 -14.4 88.7 89.9 99	1.0 0.796 0.0	80.0 4.3 82.1 82.2 87	1.0 0.95 0.0	1.0 0.819 0.0	81.4 1.5 83.1 83.1 88	1.0 0.95 0.0			
100	88	90	1.0 0.966 0.0	90.5 -16.5 89.4 91.0 100	1.0 0.808 0.0	80.7 2.9 82.6 82.7 88	1.0 0.967 0.0	1.0 0.831 0.0	82.2 0.0 83.6 83.6 90	1.0 0.967 0.0			
101	89	91	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	1.0 0.819 0.0	81.4 1.5 83.1 83.1 89	1.0 0.983 0.0	1.0 0.844 0.0	83.0 -1.7 84.1 84.1 91	1.0 0.983 0.0			
102	90	92	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102	1.0 0.831 0.0	82.1 0.0 83.5 83.5 90	1.0 1.0 0.0	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92	1.0 1.0 0.0			
103	91	93	0.983 1.0 0.0	92.3 -22.3 90.5 93.2 103	1.0 0.842 0.0	82.8 -1.4 84.0 84.0 91	0.983 1.0 0.0	1.0 0.87 0.0	84.5 -5.1 84.9 85.1 93	0.983 1.0 0.0			
104	92	94	0.966 1.0 0.0	92.0 -24.0 90.2 93.3 104	1.0 0.853 0.0	83.5 -2.8 84.4 84.4 92	0.967 1.0 0.0	1.0 0.886 0.0	85.5 -6.9 85.7 85.9 94	0.967 1.0 0.0			
105	93	95	0.95 1.0 0.0	91.7 -25.6 89.9 93.5 105	1.0 0.865 0.0	84.2 -4.3 84.8 84.9 93	0.95 1.0 0.0	1.0 0.902 0.0	86.5 -8.7 86.5 87.0 95	0.95 1.0 0.0			
106	94	96	0.933 1.0 0.0	91.4 -27.3 89.5 93.6 106	1.0 0.877 0.0	84.9 -5.9 85.2 85.4 94	0.933 1.0 0.0	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 96	0.933 1.0 0.0			
108	95	98	0.916 1.0 0.0	91.1 -28.9 89.1 93.7 108	1.0 0.891 0.0	85.8 -7.4 85.9 86.3 95	0.917 1.0 0.0	1.0 0.934 0.0	88.5 -12.5 88.1 89.0 98	0.917 1.0 0.0			
109	96	99	0.9 1.0 0.0	90.8 -30.6 88.7 93.9 109	1.0 0.904 0.0	86.7 -9.0 86.6 87.1 96	0.9 1.0 0.0	1.0 0.951 0.0	89.6 -14.4 88.8 90.0 99	0.9 1.0 0.0			
110	97	100	0.883 1.0 0.0	90.5 -32.2 88.3 94.0 110	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 97	0.883 1.0 0.0	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100	0.883 1.0 0.0			
111	98	101	0.866 1.0 0.0	90.3 -33.8 88.0 94.3 111	1.0 0.932 0.0	88.4 -12.3 88.0 88.9 98	0.867 1.0 0.0	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	0.867 1.0 0.0			
111	99	102	0.85 1.0 0.0	90.0 -35.4 87.7 94.6 111	1.0 0.946 0.0	89.3 -13.9 88.6 89.7 99	0.85 1.0 0.0	1.0 0.999 0.0	92.6 -20.5 90.7 93.0 102	0.85 1.0 0.0			
112	100	103	0.833 1.0 0.0	89.8 -37.0 87.5 95.0 112	1.0 0.96 0.0	90.2 -15.6 89.2 90.6 100	0.833 1.0 0.0	0.982 1.0 0.0	92.3 -22.4 90.5 93.2 103	0.833 1.0 0.0			
113	101	105	0.816 1.0 0.0	89.5 -38.6 87.2 95.4 113	1.0 0.974 0.0	91.0 -17.4 89.8 91.5 101	0.817 1.0 0.0	0.963 1.0 0.0	92.0 -24.3 90.2 93.4 105	0.817 1.0 0.0			
114	102	106	0.8 1.0 0.0	89.3 -40.1 86.9 95.7 114	1.0 0.988 0.0	91.9 -19.1 90.3 92.3 102	0.8 1.0 0.0	0.944 1.0 0.0	91.7 -26.1 89.8 93.6 106	0.8 1.0 0.0			
115	103	107	0.783 1.0 0.0	89.0 -41.7 86.6 96.1 115	0.998 1.0 0.0	92.6 -20.8 90.7 93.1 103	0.783 1.0 0.0	0.926 1.0 0.0	91.3 -28.0 89.4 93.7 107	0.783 1.0 0.0			
116	104	108	0.766 1.0 0.0	88.7 -43.3 86.2 96.5 116	0.981 1.0 0.0	92.3 -22.5 90.5 93.2 104	0.767 1.0 0.0	0.907 1.0 0.0	91.0 -29.9 89.0 93.9 108	0.767 1.0 0.0			
117	105	109	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117	0.965 1.0 0.0	92.0 -24.1 90.2 93.4 105	0.75 1.0 0.0	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109	0.75 1.0 0.0			
118	106	110	0.733 1.0 0.0	88.3 -46.3 85.6 97.4 118	0.949 1.0 0.0	91.8 -25.7 89.9 93.5 106	0.733 1.0 0.0	0.868 1.0 0.0	90.3 -33.6 88.0 94.3 110	0.733 1.0 0.0			
119	107	112	0.716 1.0 0.0	88.1 -47.8 85.4 97.9 119	0.933 1.0 0.0	91.5 -27.3 89.6 93.6 107	0.717 1.0 0.0	0.848 1.0 0.0	90.0 -35.6 87.8 94.7 112	0.717 1.0 0.0			
120	108	113	0.7 1.0 0.0	87.9 -49.2 85.2 98.4 120	0.917 1.0 0.0	91.2 -28.9 89.2 93.8 108	0.7 1.0 0.0	0.827 1.0 0.0	89.7 -37.5 87.4 95.2 113	0.7 1.0 0.0			
120	109	114	0.683 1.0 0.0	87.6 -50.7 84.9 98.9 120	0.901 1.0 0.0	90.9 -30.5 88.8 93.9 109	0.683 1.0 0.0	0.806 1.0 0.0	89.4 -39.5 87.1 95.7 114	0.683 1.0 0.0			
121	110	115	0.666 1.0 0.0	87.4 -52.1 84.7 99.4 121	0.884 1.0 0.0	90.6 -32.1 88.4 94.1 110	0.667 1.0 0.0	0.786 1.0 0.0	89.1 -41.5 86.7 96.1 115	0.667 1.0 0.0			
122	111	116	0.65 1.0 0.0	87.2 -53.6 84.4 100.0 122	0.868 1.0 0.0	90.3 -33.7 88.0 94.3 111	0.65 1.0 0.0	0.765 1.0 0.0	88.8 -43.4 86.2 96.6 116	0.65 1.0 0.0			
123	112	117	0.633 1.0 0.0	87.0 -55.0 84.1 100.5 123	0.85 1.0 0.0	90.1 -35.4 87.8 94.7 112	0.633 1.0 0.0	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117	0.633 1.0 0.0			
123	113	119	0.616 1.0 0.0	86.8 -56.4 83.8 101.0 123	0.832 1.0 0.0	89.8 -37.1 87.5 95.1 113	0.617 1.0 0.0	0.719 1.0 0.0	88.2 -47.5 85.5 97.9 119	0.617 1.0 0.0			
124	114	120	0.6 1.0 0.0	86.7 -57.6 83.7 101.6 124	0.814 1.0 0.0	89.5 -38.7 87.2 95.5 114	0.6 1.0 0.0	0.695 1.0 0.0	87.8 -49.6 85.2 98.6 120	0.6 1.0 0.0			
125	115	121	0.583 1.0 0.0	86.5 -58.9 83.5 102.2 125	0.797 1.0 0.0	89.3 -40.4 86.9 95.9 115	0.583 1.0 0.0	0.67 1.0 0.0	87.5 -51.7 84.8 99.4 121	0.583 1.0 0.0			
125	116	122	0.566 1.0 0.0	86.3 -60.1 83.3 102.8 125	0.779 1.0 0.0	89.0 -42.1 86.5 96.3 116	0.567 1.0 0.0	0.646 1.0 0.0	87.2 -53.9 84.4 100.1 122	0.567 1.0 0.0			
126	117	123	0.55 1.0 0.0	86.2 -61.4 83.1 103.3 126	0.761 1.0 0.0	88.7 -43.8 86.1 96.6 117	0.55 1.0 0.0	0.621 1.0 0.0	86.9 -56.0 83.9 100.9 123	0.55 1.0 0.0			
127	118	124	0.533 1.0 0.0	86.0 -62.7 82.9 103.9 127	0.742 1.0 0.0	88.4 -45.5 85.8 97.1 118	0.533 1.0 0.0	0.59 1.0 0.0	86.6 -58.3 83.6 102.0 124	0.533 1.0 0.0			
127	119	126	0.516 1.0 0.0	85.8 -63.9 82.6 104.5 127	0.721 1.0 0.0	88.2 -47.3 85.5 97.8 119	0.517 1.0 0.0	0.56 1.0 0.0	86.3 -60.6 83.3 103.1 126	0.517 1.0 0.0			
128	120	127	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128	0.7 1.0 0.0	87.9 -49.1 85.3 98.4 120	0.5 1.0 0.0	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127	0.5 1.0 0.0			



see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22L0NA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi																					
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	1						

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_*dd361Mi (x=LabCh), r_{gb}*_*ds361Mi, LAB*_*dsx361Mi (x=LabCh), r_{gb}*_*dd361Mi, LAB*_*dex361Mi (x=LabCh), r_{gb}*_*dd361Mi, r_{gb}*_*dd361Mi, r_{gb}*_*ds361Mi, r_{gb}*_*ds361Mi. Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}de361Mi, r_{gb}^{*}ds361Mi, r_{gb}^{*}de361Mi. Rows 301-311.

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation

TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* d361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi																								
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.2	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.6	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0	0.825	55.1										

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
341	345	342	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341	1.0 0.0 0.707	53.8 86.0 -23.0 89.1 345	1.0 0.0 0.75	1.0 0.0 0.735	54.1 86.5 -26.6 90.6 342	1.0 0.0 0.75				
342	346	343	1.0 0.0 0.733	54.0 86.5 -26.4 90.4 342	1.0 0.0 0.695	53.7 85.7 -21.3 88.4 346	1.0 0.0 0.733	1.0 0.0 0.723	54.0 86.3 -25.0 89.9 343	1.0 0.0 0.733				
344	347	344	1.0 0.0 0.716	53.8 86.2 -24.2 89.5 344	1.0 0.0 0.682	53.6 85.4 -19.6 87.7 347	1.0 0.0 0.717	1.0 0.0 0.711	53.8 86.1 -23.4 89.3 344	1.0 0.0 0.717				
345	348	345	1.0 0.0 0.7	53.7 85.8 -22.0 88.6 345	1.0 0.0 0.669	53.4 85.1 -18.0 87.0 348	1.0 0.0 0.7	1.0 0.0 0.699	53.7 85.8 -21.8 88.6 345	1.0 0.0 0.7				
346	349	346	1.0 0.0 0.683	53.5 85.4 -19.9 87.7 346	1.0 0.0 0.656	53.3 84.7 -16.4 86.3 349	1.0 0.0 0.683	1.0 0.0 0.687	53.6 85.6 -20.3 87.9 346	1.0 0.0 0.683				
348	350	347	1.0 0.0 0.666	53.4 85.0 -17.8 86.8 348	1.0 0.0 0.643	53.2 84.3 -14.8 85.6 350	1.0 0.0 0.667	1.0 0.0 0.674	53.5 85.2 -18.7 87.3 347	1.0 0.0 0.667				
349	351	348	1.0 0.0 0.65	53.2 84.5 -15.7 85.9 349	1.0 0.0 0.63	53.1 83.9 -13.2 84.9 351	1.0 0.0 0.65	1.0 0.0 0.662	53.4 84.9 -17.2 86.6 348	1.0 0.0 0.65				
350	352	349	1.0 0.0 0.633	53.0 83.9 -13.6 85.0 350	1.0 0.0 0.619	53.0 83.6 -11.7 84.4 352	1.0 0.0 0.633	1.0 0.0 0.65	53.3 84.5 -15.6 86.0 349	1.0 0.0 0.633				
352	353	350	1.0 0.0 0.616	52.9 83.6 -11.4 84.3 352	1.0 0.0 0.608	52.9 83.5 -10.2 84.2 353	1.0 0.0 0.617	1.0 0.0 0.638	53.1 84.1 -14.1 85.3 350	1.0 0.0 0.617				
353	354	351	1.0 0.0 0.6	52.8 83.4 -9.1 83.9 353	1.0 0.0 0.597	52.8 83.4 -8.7 83.9 354	1.0 0.0 0.6	1.0 0.0 0.626	53.0 83.7 -12.6 84.7 351	1.0 0.0 0.6				
355	355	352	1.0 0.0 0.583	52.7 83.2 -6.9 83.5 355	1.0 0.0 0.586	52.7 83.3 -7.2 83.6 355	1.0 0.0 0.583	1.0 0.0 0.615	52.9 83.6 -11.2 84.4 352	1.0 0.0 0.583				
356	356	353	1.0 0.0 0.566	52.5 82.9 -4.6 83.0 356	1.0 0.0 0.575	52.6 83.1 -5.7 83.3 356	1.0 0.0 0.567	1.0 0.0 0.605	52.9 83.5 -9.8 84.1 353	1.0 0.0 0.567				
358	357	354	1.0 0.0 0.55	52.4 82.5 -2.4 82.6 358	1.0 0.0 0.564	52.6 82.9 -4.2 83.0 357	1.0 0.0 0.55	1.0 0.0 0.595	52.8 83.4 -8.4 83.8 354	1.0 0.0 0.55				
359	358	355	1.0 0.0 0.533	52.3 82.1 -0.1 82.1 359	1.0 0.0 0.554	52.5 82.7 -2.8 82.7 358	1.0 0.0 0.533	1.0 0.0 0.584	52.7 83.2 -7.0 83.5 355	1.0 0.0 0.533				
361	359	356	1.0 0.0 0.516	52.1 81.6 2.0 81.7 361	1.0 0.0 0.543	52.4 82.4 -1.3 82.4 359	1.0 0.0 0.517	1.0 0.0 0.574	52.6 83.1 -5.6 83.3 356	1.0 0.0 0.517				
362	360	352	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362	1.0 0.0 0.532	52.3 82.1 0.0 82.1 360	1.0 0.0 0.5	1.0 0.0 0.618	53.0 83.6 -11.6 84.4 352	1.0 0.0 0.5				
364	361	353	1.0 0.0 0.483	51.9 81.1 6.5 81.3 364	1.0 0.0 0.521	52.2 81.8 1.4 81.8 361	1.0 0.0 0.483	1.0 0.0 0.606	52.9 83.5 -9.9 84.1 353	1.0 0.0 0.483				
366	362	354	1.0 0.0 0.466	51.8 81.0 8.8 81.5 366	1.0 0.0 0.51	52.1 81.5 2.8 81.6 362	1.0 0.0 0.467	1.0 0.0 0.594	52.8 83.4 -8.2 83.8 354	1.0 0.0 0.467				
367	363	355	1.0 0.0 0.45	51.7 80.8 11.1 81.6 367	1.0 0.0 0.499	52.1 81.2 4.3 81.3 363	1.0 0.0 0.45	1.0 0.0 0.582	52.7 83.2 -6.6 83.5 355	1.0 0.0 0.45				
369	364	356	1.0 0.0 0.433	51.6 80.6 13.5 81.7 369	1.0 0.0 0.489	52.0 81.2 5.7 81.4 364	1.0 0.0 0.433	1.0 0.0 0.57	52.6 83.0 -5.0 83.1 356	1.0 0.0 0.433				
371	365	357	1.0 0.0 0.416	51.5 80.3 15.8 81.8 371	1.0 0.0 0.479	51.9 81.1 7.1 81.4 365	1.0 0.0 0.417	1.0 0.0 0.558	52.5 82.7 -3.3 82.8 357	1.0 0.0 0.417				
372	366	358	1.0 0.0 0.4	51.4 79.9 18.1 81.9 372	1.0 0.0 0.469	51.9 81.1 8.5 81.5 366	1.0 0.0 0.4	1.0 0.0 0.546	52.4 82.5 -1.7 82.5 358	1.0 0.0 0.4				
374	367	359	1.0 0.0 0.383	51.4 79.5 20.4 82.1 374	1.0 0.0 0.459	51.8 81.0 9.9 81.6 367	1.0 0.0 0.383	1.0 0.0 0.533	52.3 82.2 -0.1 82.2 359	1.0 0.0 0.383				
376	368	360	1.0 0.0 0.366	51.3 79.3 22.7 82.5 376	1.0 0.0 0.449	51.8 80.9 11.4 81.6 368	1.0 0.0 0.367	1.0 0.0 0.521	52.2 81.8 1.4 81.9 360	1.0 0.0 0.367				
377	369	362	1.0 0.0 0.35	51.2 79.3 25.1 83.2 377	1.0 0.0 0.439	51.7 80.7 12.8 81.7 369	1.0 0.0 0.35	1.0 0.0 0.509	52.1 81.5 3.0 81.5 362	1.0 0.0 0.35				
379	370	363	1.0 0.0 0.333	51.1 79.2 27.4 83.8 379	1.0 0.0 0.429	51.7 80.6 14.2 81.8 370	1.0 0.0 0.333	1.0 0.0 0.497	52.1 81.2 4.5 81.3 363	1.0 0.0 0.333				
380	371	364	1.0 0.0 0.316	51.1 79.1 29.7 84.5 380	1.0 0.0 0.418	51.6 80.4 15.6 81.9 371	1.0 0.0 0.317	1.0 0.0 0.486	52.0 81.1 6.1 81.4 364	1.0 0.0 0.317				
382	372	365	1.0 0.0 0.3	51.0 78.9 32.1 85.2 382	1.0 0.0 0.408	51.5 80.1 17.0 81.9 372	1.0 0.0 0.3	1.0 0.0 0.475	51.9 81.1 7.7 81.5 365	1.0 0.0 0.3				
383	373	366	1.0 0.0 0.283	51.0 78.7 34.4 85.9 383	1.0 0.0 0.398	51.5 79.9 18.4 82.0 373	1.0 0.0 0.283	1.0 0.0 0.464	51.9 81.0 9.3 81.5 366	1.0 0.0 0.283				
385	374	367	1.0 0.0 0.266	50.9 78.3 36.8 86.6 385	1.0 0.0 0.388	51.4 79.6 19.9 82.1 374	1.0 0.0 0.267	1.0 0.0 0.452	51.8 80.9 10.9 81.6 367	1.0 0.0 0.267				
386	375	368	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386	1.0 0.0 0.378	51.4 79.4 21.3 82.2 375	1.0 0.0 0.25	1.0 0.0 0.441	51.7 80.7 12.5 81.7 368	1.0 0.0 0.25				
387	376	369	1.0 0.0 0.233	50.8 78.0 41.2 88.2 387	1.0 0.0 0.367	51.3 79.3 22.7 82.5 376	1.0 0.0 0.233	1.0 0.0 0.43	51.7 80.6 14.0 81.8 369	1.0 0.0 0.233				
389	377	370	1.0 0.0 0.216	50.8 78.0 43.3 89.2 389	1.0 0.0 0.356	51.3 79.3 24.3 82.9 377	1.0 0.0 0.217	1.0 0.0 0.418	51.6 80.4 15.6 81.9 370	1.0 0.0 0.217				
390	378	372	1.0 0.0 0.2	50.7 78.0 45.4 90.2 390	1.0 0.0 0.345	51.2 79.3 25.8 83.4 378	1.0 0.0 0.2	1.0 0.0 0.407	51.5 80.1 17.2 81.9 372	1.0 0.0 0.2				
391	379	373	1.0 0.0 0.183	50.7 77.9 47.5 91.2 391	1.0 0.0 0.334	51.2 79.3 27.3 83.8 379	1.0 0.0 0.183	1.0 0.0 0.396	51.5 79.9 18.8 82.0 373	1.0 0.0 0.183				
392	380	374	1.0 0.0 0.166	50.6 77.8 49.6 92.2 392	1.0 0.0 0.323	51.2 79.2 28.8 84.3 380	1.0 0.0 0.167	1.0 0.0 0.385	51.4 79.6 20.3 82.1 374	1.0 0.0 0.167				
393	381	375	1.0 0.0 0.15	50.6 77.6 51.9 93.3 393	1.0 0.0 0.312	51.1 79.1 30.4 84.7 381	1.0 0.0 0.15	1.0 0.0 0.373	51.3 79.3 21.9 82.3 375	1.0 0.0 0.15				
394	382	376	1.0 0.0 0.133	50.6 77.3 53.9 94.3 394	1.0 0.0 0.301	51.1 79.0 31.9 85.2 382	1.0 0.0 0.133	1.0 0.0 0.361	51.3 79.3 23.6 82.8 376	1.0 0.0 0.133				
395	383	377	1.0 0.0 0.116	50.5 77.2 55.6 95.1 395	1.0 0.0 0.291	51.0 78.8 33.5 85.6 383	1.0 0.0 0.117	1.0 0.0 0.349	51.3 79.3 25.3 83.3 377	1.0 0.0 0.117				
396	384	378	1.0 0.0 0.1	50.5 77.2 56.8 95.9 396	1.0 0.0 0.28	51.0 78.6 35.0 86.1 384	1.0 0.0 0.1	1.0 0.0 0.337	51.2 79.3 27.0 83.8 378	1.0 0.0 0.1				
396	385	379	1.0 0.0 0.083	50.5 77.2 58.1 96.6 396	1.0 0.0 0.269	50.9 78.4 36.6 86.5 385	1.0 0.0 0.083	1.0 0.0 0.324	51.2 79.2 28.7 84.2 379	1.0 0.0 0.083				
397	386	381	1.0 0.0 0.066	50.5 77.2 59.4 97.4 397	1.0 0.0 0.258	50.9 78.2 38.1 87.0 386	1.0 0.0 0.067	1.0 0.0 0.312	51.1 79.1 30.4 84.7 381	1.0 0.0 0.067				
398	387	382	1.0 0.0 0.049	50.5 77.1 60.6 98.1 398	1.0 0.0 0.246	50.9 78.0 39.7 87.5 387	1.0 0.0 0.05	1.0 0.0 0.3	51.1 79.0 32.1 85.2 382	1.0 0.0 0.05				
398	388	383	1.0 0.0 0.033	50.5 77.1 61.9 98.9 398	1.0 0.0 0.231	50.8 78.1 41.5 88.4 388	1.0 0.0 0.033	1.0 0.0 0.288	51.0 78.8 33.8 85.7 383	1.0 0.0 0.033				
399	389	384	1.0 0.0 0.016	50.5 77.0 63.2 99.6 399	1.0 0.0 0.217	50.8 78.1 43.3 89.3 389	1.0 0.0 0.017	1.0 0.0 0.276	51.0 78.6 35.6 86.2 384	1.0 0.0 0.017				
400	390	385	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400	1.0 0.0 0.203	50.8 78.0 45.1 90.1 390	1.0 0.0 0.0	1.0 0.0 0.263	50.9 78.3 37.3 86.7 385	1.0 0.0 0.0				

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22L0NA.TXT /PS application for measurement of display output, no separation

TUB registration: 20130201-QE22/QE22L0NA.TXT /PS TUB material: code=rha4ta



TUB registration: 20130201-QE22/QE22LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: nif, HHC*Fe, R00Y_100_100k, R25Y_100_100k, R50Y_100_100k, R75Y_100_100k, Y00G_100_100k, Y25G_100_100k, Y50G_100_100k, Y75G_100_100k, G00B_100_100k, G25B_100_100k, G50B_100_100k, G75B_100_100k, B00M_100_100k, B25R_100_100k, B50R_100_100k, B75R_100_100k, RO0Y_100_100k, RO25Y_100_100k, RO50Y_100_100k, RO75Y_100_100k, YO0G_100_100k, YO25G_100_100k, YO50G_100_100k, YO75G_100_100k, BO0M_100_100k, BO25R_100_100k, BO50R_100_100k, BO75R_100_100k, NW_000k, NW_013k, NW_025k, NW_038k, NW_058k, NW_066k, NW_075k, NW_088k, NW_100k. Rows contain numerical data for each color channel and condition.

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE22; hue code: H*_e=R75Y_e colors and differences, ΔE*_*

Mean color difference of this page: delta E* = 21.3

TUB registration: 20130201-QE22/QE22LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmatrik/QE22/QE22LONA.TXT /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

Table with 80 columns (m=1 to m=80) and 100 rows (n=1 to n=100). Columns include: m=, H/C*Fe, Rgb*Fe, iEt*Fe, HsL*Fe, Rgb*Fe, LabC*Fe, LabCH*Fe, DF*Fe, HsM*Fe, Rgb*Fe, LabCH*Fe, Rgb*Fe. Each cell contains numerical data representing color differences and linearization parameters.

Mean color difference of this page:

delta E* = 39.7

TUB-test chart QE22; hue code: H*e=R75Ye colors and differences, ΔE*

input: rgb/cmYk -> rgbe output: transfer to rgbe

TUB registration: 20130201-QE22/QE22LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC*Fe, rpb*Fe, iet*Fe, HsL*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, HsM*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 81-161.

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE22; hue code: H*e=R75Ye colors and differences, AE*'

Mean color difference of this page: delta E* = 36.3

QE220-TN; Page 17/29-F

L-011630-F0

M

Y

O

L

C

M



Y

O

TUB registration: 20130201-QE22/QE22LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22LONA.TXT /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



http://130.149.60.45/~farbmetrik/QE22/QE22LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/29

Table with 24 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. The table contains numerical data for various color channels and differences.

Mean color difference of this page: delta E* = 30.9

input: rgb/cmyk -> rgbe output: transfer to rgbe

QE220-TN; Page 18/29-F

TUB-test chart QE22; hue code: H*e=R75Ye colors and differences, AE*'

L-0131730-F0

L-0131730-F0

TUB registration: 20130201-QE22/QE22LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 32 columns (n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe) and 32 rows of numerical data.

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22LONA.TXT / .PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE22; hue code: H*=eR75Ye colors and differences, ΔE*

QE220-TN; Page 19/29-F

L-0131830-F0

L-0131830-F0

TUB registration: 20130201-QE22/QE22LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 15 columns: n, HHC*Fe, rpb*Fe, iet*Fe, HsL*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, HsM*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe. Rows list various colorimetric and photometric data points for different display outputs.

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE22; hue code: H*e=eR75Ye colors and differences, ΔE*

TUB registration: 20130201-QE22/QE22LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC*Fe, Rgb*Fe, iEt*Fe, HsL*Fe, Rgb*Fe, LabCh*Fe, LabCh*Fe, Rgb*Fe, DF*Fe, HsM*Fe, LabCh*Fe, Rgb*Fe, LabCh*Fe, Rgb*Fe. Rows 405-485.

Mean color difference of this page: delta E* = 14.9

input: rgb/cmyk -> rgbe output: transfer to rgbe

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart QE22; hue code: H*e=R75Ye colors and differences, AE*'

TUB registration: 20130201-QE22/QE22LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE22/QE22LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with 15 columns: n, HHC*Fe, Rgb*Fe, iEt*Fe, Hs*Fe, Rgb*Fe, LabCh*Fe, LabCh*Fe, Rgb*Fe, DF*Fe, Hs*Me, Rgb*Me, LabCh*Me, LabCh*Me, delta E* = 12.3. Rows 567-647.

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

Mean color difference of this page:

QE220-TN; Page 23/29-F


TUB-test chart QE22; hue code: H*e=R75Ye colors and differences, AE*^{*}

L-0132230-F0

L-0132230-F0

TUB registration: 20130201-QE22/QE22LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




Table with columns: n, HfC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe. Rows 729-809.

http://130.149.60.45/~farbmetrik/QE22/QE22LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/29







Table with columns: n, HfC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe. Rows 729-809.

input: rgb/cmyk -> rgbe output: transfer to rgbe Mean color difference of this page: delta E* = 11.2



TUB registration: 20130201-QE22/QE22LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, HfC*Fe, Rgb*Fe, iCr*Fe, Hs*Fe, Rgb*Fe, LabC*Fe, LabCH*Fe, Rgb*Me, DF*Fe, Hs*Me, LabCH*Me, Rgb*Me, LabC*Me, LabCH*Me, HfC*Fe, Rgb*Fe, iCr*Fe, Hs*Fe, Rgb*Fe, LabC*Fe, LabCH*Fe, Rgb*Me, DF*Fe, Hs*Me, LabCH*Me, Rgb*Me, LabC*Me, LabCH*Me. Rows 891-971.

Mean color difference of this page: delta E* = 22.0

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB registration: 20130201-QE22/QE22L0NA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 15 columns: n, H/C*, RGB*, LabC*, LabCH*, LabCH*, LabCH*, LabCH*, LabCH*, LabCH*, LabCH*, LabCH*, LabCH*, LabCH*, LabCH*. Rows 972-1052.



input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE22; hue code: H*_e=R75Y_e colors and differences, AE*_*

Mean color difference of this page: delta E* = 1.6

TUB registration: 20130201-QE22/QE22L0NA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb**Fe	LabCH*Fe	LabCH**Fe	DF*Fe	hsaMe	rgb**Me	LabCH*Me	LabCH**Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1059	NW_026e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1074	ROY_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1076	Y06G_100_100e	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B06B_100_100e	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1078	B08B_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50B_100_100e	1.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E** = 9.3

http://130.149.60.45/~farbmetrik/QE22/QE22L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/29

input: rgb/cmyk -> rgbe output: transfer to rgbe

see similar files: http://130.149.60.45/~farbmetrik/QE22/QE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik