

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$

$H^*_- = R75Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE24/QE24.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE24/QE24L0NP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 89/360 = 0.24$

$H^*_d = R75Y_d$

Data for any device (d) or elementary (e) colour:
 HIC^*_d

hue text for the colours of this page:
 $H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 79 \ 1 \ 83 \ 83 \ 89$

$HIC^*_{d, Ma}: R75Y_100_100_d$



$rgbic^*_{d, Ma}: 1.0 \ 0.76 \ 0.0 \ 1.0 \ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data


H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11


%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$




see similar files: http://130.149.60.45/~farbmetrik/QE24/QE24.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE24/QE24L0NP.PDF /.PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta











see similar files: <http://130.149.60.45/~farbmetrik/QE24/QE24.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>







see similar files: <http://130.149.60.45/~farbmetrik/QE24/QE24.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>





see similar files: <http://130.149.60.45/~farbmetrik/QE24/QE24.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 89/360 = 0.24$

$H^*_d = R75Y_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = R75Y_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 79 \ 1 \ 83 \ 83 \ 89$



$HIC^*_{d, Ma}: R75Y_100_100_d$

$rgbic^*_{d, Ma}: 1.0 \ 0.76 \ 0.0 \ 1.0 \ 1.0$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11



see similar files: http://130.149.60.45/~farbmetrik/QE24/QE24.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE24/QE24L0NP.PDF /.PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta



QE2400L

http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

TUB registration: 20130201-QE24/QE24L0NP.PDF /.PS TUB material: code=rha4ta
 application for measurement of offset print output, separation cmyk6 (CMYK)

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

device CIELAB (a^*_d, b^*_d) chroma diagram

J=Y_d Yellow
 $LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green
 $LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue
 $LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red
 $LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red
 $LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue
 $LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

elementary CIELAB (a^*_e, b^*_e) chroma diagram

Y_e yellow
 $LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_de = 1.0 \ 0.841 \ 0.0$

G_e green
 $LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_de = 0.0 \ 1.0 \ 0.093$

R_e red
 $LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_de = 1.0 \ 0.0 \ 0.209$

C_e blue-green
 $LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_de = 0.0 \ 1.0 \ 0.735$

B_e blue
 $LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_de = 0.0 \ 0.374 \ 1.0$

M_e blue-red
 $LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_de = 0.407 \ 0.0 \ 1.0$

standard CIELAB (a^*_s, b^*_s) chroma diagram

Y_s yellow
 $LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_ds = 1.0 \ 0.784 \ 0.0$

G_s green
 $LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_ds = 0.074 \ 1.0 \ 0.0$

C_s blue-green
 $LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_ds = 0.0 \ 1.0 \ 0.665$

B_s blue
 $LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_ds = 0.0 \ 0.397 \ 1.0$

R_s red
 $LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_ds = 1.0 \ 0.0 \ 0.084$

M_s blue-red
 $LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_ds = 0.431 \ 0.0 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been calculated.
- For the calculation of the standard hue angle h_{ds} use for any device values rgb^*_d the equation:
 $h_{ds} = \arctan \left[r^*_d \cos(30) + g^*_d \cos(150) \right] / \left[r^*_d \sin(30) + g^*_d \sin(150) \right] + b^*_d \sin(270) \quad (1)$
- For the 48 or 360 equally spaced standard hue angles h_{ds} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
 $h_{48ab,dsj} = h_{abs,ds} + j [h_{abs,ds+1} - h_{abs,ds}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$
 $h_{360ab,dsj} = h_{abs,ds} + j [h_{abs,ds+1} - h_{abs,ds}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$
- For the 48 or 360 elementary hue angles h_{de} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{de} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48ab,dej} = h_{abs,de} + j [h_{abs,de+1} - h_{abs,de}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$
 $h_{360ab,dej} = h_{abs,de} + j [h_{abs,de+1} - h_{abs,de}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$
- For any elementary hue angle h_{de} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 4.
- The values rgb^*_d produce the output of the device-independent elementary hues

Output: Offset standard print; separation cmyk6*, D65, page 7/33
 input: rgb/cmyk -> rgbd
 output: transfer to cmykd

see similar files: <http://130.149.60.45/~farbmetrik/QE24/QE24.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*	$dd64M$	$LAB^* \text{dx64M} (x=LabCh)$	rgb^*	$dx36IM$	$LAB^* \text{dex36IM}$			
32.8	30.0	25.4	1.0	0.0	47.3	63.8	41.2	76.0	32.8		
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	
100.3	97.5	101.0	1.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3
103.3	105.0	109.7	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	103.3	
108.3	112.5	118.5	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	108.3	
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7	356.5	
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	

see similar files: <http://130.149.60.45/~farbmetrik/QE24/QE24.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Output: Offset standard print; separation cmyk6; D65, page 9/35

C

M

Y

O

L

V

S

C

V

input: rgb/cmyk -> rgbd
output: transfer to cmykd

LAB* lab_0

XYZ $\text{m}w=2.4, 2.5, 2.6, 85.1, 88.8, 104.3$

LAB* $\text{m}w=17.7, 0.0, 0.0, 95.5, 0.0, 0.0$

H $^*_d=R75Y_d$

LABCh*tables

I-003830-L0

I-003830-F0

http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 88 rows and 15 columns. Columns include hue angles (h_ab,d, h_ab,s, h_ab,e), device colours (RYGBM_d, RYGBM_s, RYGBM_e), and separation colours (RYGBM_c, RYGBM_e, h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6). Rows 1-10 are yellow, 11-20 are cyan, 21-30 are magenta, 31-40 are red, 41-50 are green, 51-60 are blue, 61-70 are black, 71-88 are white.

LAB*ab0, YN=0%, XYZnw=2,4,2,5,2,6,85,1,88,8,104,3, LAB*rw=17,7,0,0,0,95,5,0,0,0

TUB-test chart QE24; hue code: H*_d=R75Yd 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6*, D65, page 10/33

http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 11 columns: h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_dks361MI (x=LabCh), LAB*_dss361MI (x=LabCh), rgb*_dd361MI, LAB*_dex361MI (x=LabCh), rgb*_dds361MI, LAB*_des361MI (x=LabCh), and a final column of values (likely G_d). Rows 115-170.

input: rgb/cmyk -> rgbd output: transfer to cmykd

I=0031130-L0 QE240-70 LAB*lab0, YN=0%, XYZnw=2,4,2,5,2,6,85,1,88,8,104,3, LAB*rw=17,7,0,0,0,95,5,0,0,0

Output: Offset standard print; separation cmyk6*: D65, page 12/33

http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYCGBM: d; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYCGBM:d; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYCGBM:c; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_ab,d, h_ab,s, h_ab,e, rgb%_dd361M, LAB*_dcs361MI, LAB*_dss361MI, LAB*_dsx361MI, LAB*_dsi361MI, LAB*_de361MI, LAB*_dex361MI, LAB*_dsi361MI, LAB*_de361MI, LAB*_dex361MI, LAB*_dsi361MI, LAB*_de361MI. It contains 236 rows of color data for various hues and angles.

Input: rgb/cmyk -> rgbd output: transfer to cmykd TUB-test chart QE24; hue code: H*_d=R75Y_d 48 step hue circles; rgb-LabCh*tables Output: Offset standard print; separation cmyk6*: D65, page 13/36

http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Table with 16 columns: h_ab,d, h_ab,s, h_ab,e, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb, h_ab,rgb. Rows 236-281. Includes data for device colours and 60 degree standard colours.

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d, 236.2, 296.4, 353.3, 411.8, 470.3, 528.6; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6*, D65, page 14/33

http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_{ab,d}, h_{ab,s}, LAB* dxs361M (x=LabCh), LAB* ddx361M, LAB* ddx361MI (x=LabCh), LAB* ddx361MI, LAB* dex361MI (x=LabCh), LAB* dex361MI, LAB* ddx361MI, LAB* ddx361MI, LAB* dex361MI, LAB* dex361MI, LAB* ddx361MI, LAB* ddx361MI, LAB* dex361MI, LAB* dex361MI. Rows 333-360.

LAB*da0, YN=0%, XYZnw=2,4,2,5,2,6,85,1,88,8,104,3, LAB*rw=17,7,0,0,0,95,5,0,0,0,0 input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6*: D65, page 16/36



http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Table with 4 columns: h_ab,d, h_ab,s, h_ab,e, and a grid of colorimetric data (L*a*b*, L*b*a*, L*a*b*). Rows correspond to 360 different color patches.

Input: rgb/cmyk -> rgbd output: transfer to cmykd

QE2400L

 TUB registration: 20130201-QE24/QE24L0NP.PDF /.PS
 application for measurement of offset print output, separation cmyk6 (CMYK)

 TUB material: code=rha4ta
 application for measurement of offset print output, separation cmyk6 (CMYK)

 http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

ref	HC*Fd	rgb*Fd	icc*Fd	hsb*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	HaM*Fd	rgb*Fd	LabCH*Fd
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	389	1.0	0.0
1/657	R13Y_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	1.0	0.0
2/666	R25Y_100_100a	0.125	0.0	0.5	37	0.125	0.0	0.7	42	1.0	0.0
3/675	R37Y_100_100a	0.25	0.0	1.0	74	0.25	0.0	1.4	81	1.0	0.0
4/684	R50Y_100_100a	0.375	0.0	1.5	111	0.375	0.0	2.1	118	1.0	0.0
5/693	R63Y_100_100a	0.5	0.0	2.0	148	0.5	0.0	2.8	155	1.0	0.0
6/702	R75Y_100_100a	0.625	0.0	2.5	185	0.625	0.0	3.5	192	1.0	0.0
7/711	R88Y_100_100a	0.75	0.0	3.0	222	0.75	0.0	4.2	229	1.0	0.0
8/720	Y00G_100_100a	1.0	0.0	0.0	90	1.0	0.0	0.0	89	1.0	0.0
9/639	Y13C_100_100a	0.875	1.0	0.0	90	0.875	1.0	0.0	89	1.0	0.0
10/558	Y25C_100_100a	0.75	1.0	0.0	90	0.75	1.0	0.0	89	1.0	0.0
11/477	Y38C_100_100a	0.625	1.0	0.0	90	0.625	1.0	0.0	89	1.0	0.0
12/396	Y50G_100_100a	0.5	1.0	0.0	90	0.5	1.0	0.0	89	1.0	0.0
13/315	Y63G_100_100a	0.375	1.0	0.0	90	0.375	1.0	0.0	89	1.0	0.0
14/234	Y75G_100_100a	0.25	1.0	0.0	90	0.25	1.0	0.0	89	1.0	0.0
15/153	Y88C_100_100a	0.125	1.0	0.0	90	0.125	1.0	0.0	89	1.0	0.0
16/72	G00C_100_100a	0.0	1.0	0.0	150	0.0	1.0	0.0	149	1.0	0.0
17/73	G13C_100_100a	0.125	1.0	0.0	150	0.125	1.0	0.0	149	1.0	0.0
18/74	G25C_100_100a	0.25	1.0	0.0	150	0.25	1.0	0.0	149	1.0	0.0
19/75	G38C_100_100a	0.375	1.0	0.0	150	0.375	1.0	0.0	149	1.0	0.0
20/76	G50C_100_100a	0.5	1.0	0.0	150	0.5	1.0	0.0	149	1.0	0.0
21/77	G63C_100_100a	0.625	1.0	0.0	150	0.625	1.0	0.0	149	1.0	0.0
22/78	G75C_100_100a	0.75	1.0	0.0	150	0.75	1.0	0.0	149	1.0	0.0
23/79	G88C_100_100a	0.875	1.0	0.0	150	0.875	1.0	0.0	149	1.0	0.0
24/80	C00B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
25/71	C13B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
26/62	C25B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
27/53	C38B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
28/44	C50B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
29/35	C63B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
30/26	C75B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
31/17	C88B_100_100a	0.0	1.0	0.5	217	0.0	1.0	0.5	216	0.0	1.0
32/8	B00M_100_100a	0.0	1.0	0.5	270	0.0	1.0	0.5	269	0.0	1.0
33/89	B13M_100_100a	0.125	1.0	0.5	270	0.125	1.0	0.5	269	0.0	1.0
34/170	B25M_100_100a	0.25	1.0	0.5	270	0.25	1.0	0.5	269	0.0	1.0
35/251	B38M_100_100a	0.375	1.0	0.5	270	0.375	1.0	0.5	269	0.0	1.0
36/332	B50M_100_100a	0.5	1.0	0.5	270	0.5	1.0	0.5	269	0.0	1.0
37/413	B63M_100_100a	0.625	1.0	0.5	270	0.625	1.0	0.5	269	0.0	1.0
38/494	B75M_100_100a	0.75	1.0	0.5	270	0.75	1.0	0.5	269	0.0	1.0
39/575	B88M_100_100a	0.875	1.0	0.5	270	0.875	1.0	0.5	269	0.0	1.0
40/656	M00R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
41/655	M13R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
42/654	M25R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
43/653	M38R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
44/652	M50R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
45/651	M63R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
46/650	M75R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
47/649	M88R_100_100a	1.0	0.0	1.0	330	1.0	0.0	1.0	330	1.0	0.0
48/648	R00Y_100_100a	1.0	0.0	0.0	390	1.0	0.0	0.0	389	1.0	0.0
49/0	NV_000a	0.0	0.0	0.0	360	0.0	0.0	0.0	360	0.0	0.0
50/91	NV_013a	0.125	0.0	0.0	360	0.125	0.0	0.0	360	0.0	0.0
51/182	NV_025a	0.25	0.0	0.0	360	0.25	0.0	0.0	360	0.0	0.0
52/273	NV_038a	0.375	0.0	0.0	360	0.375	0.0	0.0	360	0.0	0.0
53/364	NV_050a	0.5	0.0	0.0	360	0.5	0.0	0.0	360	0.0	0.0
54/455	NV_063a	0.625	0.0	0.0	360	0.625	0.0	0.0	360	0.0	0.0
55/546	NV_075a	0.75	0.0	0.0	360	0.75	0.0	0.0	360	0.0	0.0
56/637	NV_088a	0.875	0.0	0.0	360	0.875	0.0	0.0	360	0.0	0.0
57/728	NV_100a	1.0	0.0	0.0	360	1.0	0.0	0.0	360	0.0	0.0

 Mean color difference of this page:
 delta E* = 2.6

 input: rgb/cmyk -> rgbd
 output: transfer to cmykd

 TUB-test chart QE24; hue code: H*_d=R75Y_d
 colors and differences, ΔE*

 I=0031730-F0
 I=0031730-F0

 see similar files: http://130.149.60.45/~farbmetrik/QE24/QE24.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

QE2400L

TUB registration: 20130201-QE24/QE24LONP.PDF /.PS application for measurement of offset print output, separation cmykn6 (CMYK)

TUB material: code=rha4ta

nif	HC*Fd	rgb_Fd	icr_Fd	hs_Fd	rgb*Fd	LabCh*Fd	LabCh**Fd	rgb**Fd	DF**Fd	HaM*Fd	rgb**Md	LabCh**Md	DF**Md	HaM**Md	rgb**Md	LabCh**Md	DF**Md	HaM**Md
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/668	R25Y_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25C_100_100a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50C_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	C00B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	C00B_100_100b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G25B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/80	G50B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/44	G75B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B00M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_100a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/656	B50R_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_100b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_050a	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/688	R50Y_100_050a	1.0	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/724	Y00C_100_050a	0.75	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/400	G00B_100_050a	0.5	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/548	B00R_100_050a	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/692	B50R_100_050a	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_050b	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_050a	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28/524	R50Y_075_050a	0.75	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29/544	Y00C_075_050a	0.75	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30/380	Y50C_075_050a	0.25	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31/218	G00B_075_050a	0.25	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32/222	G50B_075_050a	0.25	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33/186	B00R_075_050a	0.25	0.75	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34/510	B50R_075_050a	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35/506	R00Y_075_050b	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36/324	R00Y_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/342	R50Y_050_050a	0.5	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38/360	Y00C_050_050a	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39/198	Y50C_050_050a	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40/36	G00B_050_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41/40	G50B_050_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42/4	B00R_050_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/328	B50R_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44/324	R00Y_050_050b	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/273	NW_050a	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/364	NW_050b	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/455	NW_069a	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/546	NW_084a	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/637	NW_084b	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E** = 3.8

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE24; hue code: H*_d=R75Y_d colors and differences, ΔE*'

see similar files: http://130.149.60.45/~farbmetrik/QE24/QE24.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

QE2400L

QE2400L

QE2400L

QE2400L

QE2400L

C

M

Y

O

L

V

S

C

QE2400L

C

M

Y

O

L

V

S

C

http://130.149.60.45/~farbmatrik/QE24/QE24LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33



input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE24; hue code: H*d=R75Yd colors and differences, ΔE*

Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, DF*Fd, hsa*Fd, LabCh*Fd, LabCh*Fd, LabCh*Fd. Rows 81-161.



Mean color difference of this page: delta E* = 4.9

QE2400L



n	HC*Fd	Rgb*Fd	Ic*Fd	Irs*Fd	rgb*Fd	LabCMY*Fd	LabCMY*Fd	rgb*Fd	DF*Fd	Rgb*Fd	LabCMY*Fd	DF*Fd	rgb*Fd	LabCMY*Fd	DF*Fd	rgb*Fd	LabCMY*Fd	DF*Fd	rgb*Fd
162	ROUY_025_025h	0.25 0.25 0.25	0.25 0.25 0.25	0.25 0.25 0.25	0.25 0.25 0.25	32.8 19.0 10.3	14.4 27.4 14.4	0.25 0.25 0.25	44.2 17.4 17.4	0.0 0.0 0.0	47.3 63.8 41.2	4.7 389 3.89	0.0 0.0 0.0	47.3 63.8 41.2	4.7 389 3.89	0.0 0.0 0.0	47.3 63.8 41.2	4.7 389 3.89	0.0 0.0 0.0

QE2400L



http://130.149.60.45/~farbmtrik/QE24/QE24LONP.PDF /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33



input: rgb/cmyk -> rgbd
 output: transfer to cmykd

TUB-test chart QE24; hue code: H*_d=R75Y_d
 colors and differences, ΔE*_*

Mean color difference of this page: ΔE*_* = 4.8

QE2400L

QE2400L



http://130.149.60.45/~farbmetrik/QE24/QE24LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fd, Rgb*Fd, iet*Fd, Hs*Fd, Rgb*Fd, LabCH*Fd, LabCH*Fd, Rgb*Fd, Rgb*Fd, DF*Fd, Hs*Fd, LabCH*Fd, LabCH*Fd, Rgb*Fd. It contains color calibration data for various color patches.

input: rgb/cmyk -> rgbd output: transfer to cmykd Mean color difference of this page: delta E* = 5.3

QE2400L

QE2400L

TUB registration: 20130201-QE24/QE24LONP.PDF /.PS application for measurement of offset print output, separation cmy6 (CMYK) TUB material: code=rha4ta

Table with 18 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd. The table contains color calibration data for various ink and paper combinations.

see similar files: http://130.149.60.45/~farbmatrik/QE24/QE24LONP.PDF /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

input: rgb/cmyk -> rgbd output: transfer to cmykd

Mean color difference in this page:


delta E* = 4.9

TUB-test chart QE24; hue code: H*d=R75Yd colors and differences, AE*

QE24-7N; Page 25/33-F

I-0032430-F0

I-0032430-F0



http://130.149.60.45/~farbmatrik/QE24/QE24LONP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33



Table with 15 columns: n, H/C/F, RGB, ICM, HSB, LAB, CMYK, RGB, LAB, CMYK, RGB, LAB, CMYK, RGB, LAB, CMYK. Contains color calibration data for 566 different color patches.


Mean color difference of this page: delta E* = 4.6

QE24-7N; Page 26/33-F

TUB-test chart QE24; hue code: H*d=R75Yd
colors and differences, ΔE*

input: rgb/cmyk -> rgbd
output: transfer to cmykd





http://130.149.60.45/~farbmetrik/QE24/QE24LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd. Rows include color names like R00Y, R00M, B00R, etc.

Mean color difference of this page: delta E* = 4.8

input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmetrik/QE24/QE24LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 10 columns: n, H#C*Fd, Rgb*Fd, iEt*Fd, Hs*Fd, Rgb*Fd, LabC*Fd, LabCH*Fd, DF*Fd, Hs*Fd, Rgb*Fd, LabCH*Fd. Rows include color patches like NV, BOOR, YOCG, and NW.


Mean color difference of this page:

input: rgb/cmyk -> rgbd output: transfer to cmykd

QE240-7N; Page 30/33-F

TUB-test chart QE24; hue code: H*d=R75Yd colors and differences, AE*

QE2400L



TUB registration: 20130201-QE24/QE24LONP.PDF /.PS application for measurement of offset print output, separation cmyk6 (CMYK)

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE24/QE24LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33


Table with 18 columns: n, H#C*Fd, H#s, Fd, LabC*H*Fd, LabC*H*F, H#s, Fd, LabC*H*F, LabC*H*Fd, H#s, Fd, LabC*H*F, LabC*H*Fd, DFE*Fd, H#s, Fd, LabC*H*Fd. Rows include various color and grayscale patches.

input: rgb/cmyk -> rgbd output: transfer to cmykd


TUB-test chart QE24; hue code: H*d=R75Yd colors and differences, AE*'

Mean color difference of this page:

delta E* = 6.4




see similar files: http://130.149.60.45/~farbmetrik/QE24/QE24.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



I-003300-F0

QE240-TN; Page 31/33-F

I-003300-F0



http://130.149.60.45/~farbmetrik/QE24/QE24LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33



Table with 15 columns: n, H#C*Fd, rpb*Fd, iet*Fd, ihs*Fd, rpb*Fd, LabC*H*Fd, LabC*H*Fd, rpb*Fd, rpb*Fd, LabC*H*Fd, LabC*H*Fd, rpb*Fd, rpb*Fd, LabC*H*Fd. Rows include color patches like 972, 973, 974, etc.


Mean color difference of this page: delta E* = 5.5

input: rgb/cmyk -> rgbd output: transfer to cmykd

QE240-TN; Page 32/33-F

TUB-test chart QE24; hue code: H*_d=R75Y_d colors and differences, AE*'





http://130.149.60.45/~farbmetrik/QE24/QE24L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fd	rgb*Fd	icr*Fd	rgb*Fd	LabCH*Fd	hs*_Fd	rgb*Fd	LabCH*Fd	DF*Fd	hs*Xd	rgb*Xd	LabCH*Xd
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1056	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0
1057	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	30.4	0.0	0.0	0.0	0.0
1058	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0
1059	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0
1060	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0
1061	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0
1062	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0
1063	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0
1064	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.0
1065	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.0
1066	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.0
1067	NW_080d	0.8	0.8	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.0
1068	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0
1069	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0
1070	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1071	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	17.7	0.0	0.0	0.0	0.0
1072	NW_010d	0.1	0.1	0.1	0.1	0.1	0.1	17.7	0.0	0.0	0.0	0.0
1073	NW_010d	0.1	0.1	0.1	0.1	0.1	0.1	17.7	0.0	0.0	0.0	0.0
1074	ROY_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	95.4	0.0	0.0	0.0	0.0
1075	GY0B_100_100d	0.0	1.0	1.0	0.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0
1076	Y00C_100_100d	1.0	1.0	0.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
1077	BY0B_100_100d	0.0	0.0	1.0	1.0	0.0	0.0	58.3	-29.2	-43.7	52.6	236.1
1078	BY0R_100_100d	0.0	0.0	1.0	0.0	0.0	1.0	88.3	-11.9	95.1	95.8	97.1
1079	BY0B_100_100d	0.0	1.0	0.0	0.0	0.0	1.0	25.3	23.8	23.8	23.8	23.8
1079	BY0R_100_100d	0.0	1.0	0.0	0.0	0.0	1.0	45.0	35.1	35.1	35.1	35.1
1079	BY0B_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	48.2	-8.3	73.3	73.3	353.3

Mean color difference of this page: delta E** = 4.2

input: rgb/cmyk -> rgbd output: transfer to cmykd

