

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$

$H^*_- = R75Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE25/QE25L0FA.TXT /PS
 application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R75Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 70 \ 17 \ 72 \ 74 \ 76$

$HIC^*_{e, Ma}: R75Y_{100}100_e$

$rgbic^*_{e, Ma}$:

1.0 0.56 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE25/QE25L0FA.TXT /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

1-113130-L0 QE250-73

TUB-test chart QE25; hue code: $H^*_e=R75Y_e$

Test chart according to DIN 33872, 3D=1, de=1, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{de}$

output: 3D-linearization to $cmyk^*_{de}$

1-113130-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)



TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*





input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$





see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT> /.PS;
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)



1-113330-L0 QE250-73

TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*




input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1-113330-F0



TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)


see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113430-L0 QE250-73

TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R75Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 70 \ 17 \ 72 \ 74 \ 76$

$HIC^*_{e, Ma}: R75Y_100_100_e$



$rgbic^*_{e, Ma}: 1.0 \ 0.56 \ 0.0 \ 1.0 \ 1.0$

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0FA.TXT /PS
application for measurement of offset print output, separation cmykn* (CMYK)
TUB material: code=rh4ta

1-113530-L0 QE250-73

TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1-113530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy^{6*}, D65 for input or output; Six hue angles of the 60 degree standard colours RY^{6*}CBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RY^{6*}CBM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RY^{6*}CBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow
 $LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green
 $LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue
 $LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red
 $LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red
 $LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue
 $LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow
 $LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green
 $LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green
 $LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue
 $LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red
 $LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red
 $LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow
 $LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$


G_s green
 $LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green
 $LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red
 $LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red
 $LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s blue
 $LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$



Notes to the CIELAB chroma diagrams (a*_d b*_d), (a*_s b*_s), (a*_e b*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{3}$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{4}$$


$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{5}$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0FA.TXT /PS
application for measurement of offset print output, separation cmy^{6*} (CMYK)
TUB material: code=rha4ta

Data of maximum color M in colorimetric system offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h_ab,d, h_ab,s, h_ab,e, rgb*dd64M, LAB*ddx64M (x=LabCh), rgb*ddx361M, LAB*ddx361M (x=LabCh), rgb*dsx361M, LAB*dsx361M (x=LabCh), rgb*dex361M, LAB*dex361M. Rows contain numerical data for various color samples.




see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.06 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0FA.TXT /PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R _e	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32	1.0	1.0 0.0 0.084 47.4 64.3 37.1 74.3 30	1.0	1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25	1.0	1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33	1.0	1.0 0.0 0.054 47.4 64.2 38.6 74.9 31	1.0	1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26	1.0	1.0 0.017 0.0				
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34	1.0	1.0 0.0 0.025 47.4 64.0 40.0 75.5 32	1.0	1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27	1.0	1.0 0.033 0.0				
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35	1.0	1.0 0.003 0.0 47.5 63.7 41.3 75.9 33	1.0	1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28	1.0	1.0 0.05 0.0				
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36	1.0	1.0 0.019 0.0 48.0 62.5 42.2 75.4 34	1.0	1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29	1.0	1.0 0.067 0.0				
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37	1.0	1.0 0.036 0.0 48.5 61.4 43.0 74.9 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31	1.0	1.0 0.083 0.0				
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38	1.0	1.0 0.052 0.0 49.0 60.2 43.7 74.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32	1.0	1.0 0.1 0.0				
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39	1.0	1.0 0.069 0.0 49.5 59.0 44.5 73.9 37	1.0	1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33	1.0	1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41	1.0	1.0 0.085 0.0 50.0 57.8 45.2 73.4 38	1.0	1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34	1.0	1.0 0.133 0.0				
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42	1.0	1.0 0.101 0.0 50.5 56.6 45.9 72.9 39	1.0	1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35	1.0	1.0 0.15 0.0				
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43	1.0	1.0 0.118 0.0 51.0 55.4 46.5 72.4 40	1.0	1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36	1.0	1.0 0.167 0.0				
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44	1.0	1.0 0.132 0.0 51.5 54.3 47.2 72.0 41	1.0	1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37	1.0	1.0 0.183 0.0				
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46	1.0	1.0 0.145 0.0 52.0 53.2 47.9 71.7 42	1.0	1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38	1.0	1.0 0.2 0.0				
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47	1.0	1.0 0.158 0.0 52.5 52.2 48.7 71.3 43	1.0	1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39	1.0	1.0 0.217 0.0				
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48	1.0	1.0 0.172 0.0 53.0 51.1 49.3 71.0 44	1.0	1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41	1.0	1.0 0.233 0.0				
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50	1.0	1.0 0.185 0.0 53.5 50.0 50.0 70.7 45	1.0	1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42	1.0	1.0 0.25 0.0				
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51	1.0	1.0 0.198 0.0 54.0 48.9 50.7 70.4 46	1.0	1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43	1.0	1.0 0.267 0.0				
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52	1.0	1.0 0.211 0.0 54.5 47.8 51.3 70.1 47	1.0	1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44	1.0	1.0 0.283 0.0				
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54	1.0	1.0 0.224 0.0 55.0 46.7 51.9 69.8 48	1.0	1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45	1.0	1.0 0.3 0.0				
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55	1.0	1.0 0.237 0.0 55.5 45.6 52.4 69.5 49	1.0	1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46	1.0	1.0 0.317 0.0				
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57	1.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 50	1.0	1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47	1.0	1.0 0.333 0.0				
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58	1.0	1.0 0.261 0.0 56.5 43.5 53.7 69.2 51	1.0	1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48	1.0	1.0 0.35 0.0				
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60	1.0	1.0 0.272 0.0 57.0 42.6 54.5 69.1 52	1.0	1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49	1.0	1.0 0.367 0.0				
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61	1.0	1.0 0.283 0.0 57.5 41.6 55.2 69.1 53	1.0	1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51	1.0	1.0 0.383 0.0				
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63	1.0	1.0 0.295 0.0 58.0 40.6 55.9 69.1 54	1.0	1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52	1.0	1.0 0.4 0.0				
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64	1.0	1.0 0.306 0.0 58.5 39.6 56.6 69.1 55	1.0	1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53	1.0	1.0 0.417 0.0				
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65	1.0	1.0 0.317 0.0 58.9 38.6 57.2 69.0 56	1.0	1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54	1.0	1.0 0.433 0.0				
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67	1.0	1.0 0.328 0.0 59.4 37.6 57.9 69.0 57	1.0	1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55	1.0	1.0 0.45 0.0				
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68	1.0	1.0 0.34 0.0 59.9 36.6 58.5 69.0 58	1.0	1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56	1.0	1.0 0.467 0.0				
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70	1.0	1.0 0.351 0.0 60.4 35.5 59.1 69.0 59	1.0	1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57	1.0	1.0 0.483 0.0				
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71	1.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58	1.0	1.0 0.5 0.0				
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72	1.0	1.0 0.373 0.0 61.4 33.4 60.3 68.9 61	1.0	1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.517 0.0				
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74	1.0	1.0 0.385 0.0 61.9 32.4 61.0 69.1 62	1.0	1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61	1.0	1.0 0.533 0.0				
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75	1.0	1.0 0.397 0.0 62.5 31.5 61.8 69.3 63	1.0	1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62	1.0	1.0 0.55 0.0				
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76	1.0	1.0 0.409 0.0 63.0 30.5 62.5 69.6 64	1.0	1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63	1.0	1.0 0.567 0.0				
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78	1.0	1.0 0.421 0.0 63.6 29.5 63.2 69.8 65	1.0	1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64	1.0	1.0 0.583 0.0				
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79	1.0	1.0 0.434 0.0 64.2 28.5 64.0 70.0 66	1.0	1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65	1.0	1.0 0.6 0.0				
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81	1.0	1.0 0.446 0.0 64.7 27.4 64.7 70.3 67	1.0	1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66	1.0	1.0 0.617 0.0				
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82	1.0	1.0 0.458 0.0 65.3 26.4 65.4 70.5 68	1.0	1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67	1.0	1.0 0.633 0.0				
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83	1.0	1.0 0.47 0.0 65.8 25.3 66.0 70.7 69	1.0	1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68	1.0	1.0 0.65 0.0				
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84	1.0	1.0 0.482 0.0 66.4 24.3 66.7 70.9 70	1.0	1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70	1.0	1.0 0.667 0.0				
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84	1.0	1.0 0.494 0.0 66.9 23.2 67.3 71.2 71	1.0	1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71	1.0	1.0 0.683 0.0				
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85	1.0	1.0 0.506 0.0 67.5 22.1 68.1 71.6 72	1.0	1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72	1.0	1.0 0.7 0.0				
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86	1.0	1.0 0.518 0.0 68.2 21.1 69.0 72.1 73	1.0	1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73	1.0	1.0 0.717 0.0				
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87	1.0	1.0 0.531 0.0 68.8 20.0 69.9 72.7 74	1.0	1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74	1.0	1.0 0.733 0.0				
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0	1.0 0.543 0.0 69.4 19.0 70.7 73.2 75	1.0	1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75	1.0	1.0 0.75 0.0				

see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

TUB-test chart QE25; hue code: H*e=R75Ye
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmyk*_{de}

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0 0.543 0.0	69.4 19.0 70.7 73.2 75	1.0 0.75 0.0	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75	1.0 0.75 0.0	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75	1.0 0.75 0.0	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75	1.0 0.75 0.0	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
89	76	76	1.0 0.766 0.0	79.9 1.0 83.9 83.9 89	1.0 0.555 0.0	70.0 17.9 71.6 73.8 76	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76
89	77	77	1.0 0.783 0.0	80.6 0.0 84.8 84.8 89	1.0 0.567 0.0	70.7 16.7 72.4 74.3 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77
90	78	78	1.0 0.8 0.0	81.2 -0.9 85.7 85.7 90	1.0 0.579 0.0	71.3 15.6 73.3 74.9 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78
91	79	80	1.0 0.816 0.0	81.9 -1.9 86.5 86.5 91	1.0 0.591 0.0	71.9 14.4 74.1 75.5 79	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80
91	80	81	1.0 0.833 0.0	82.6 -3.0 87.4 87.4 91	1.0 0.604 0.0	72.5 13.2 74.9 76.0 80	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81
92	81	82	1.0 0.85 0.0	83.2 -4.0 88.2 88.3 92	1.0 0.616 0.0	73.2 12.0 75.6 76.6 81	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82
93	82	83	1.0 0.866 0.0	83.9 -5.1 89.0 89.2 93	1.0 0.629 0.0	73.8 10.7 76.5 77.2 82	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
93	83	84	1.0 0.883 0.0	84.5 -6.1 89.8 90.0 93	1.0 0.648 0.0	74.7 9.5 77.5 78.1 83	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84
94	84	85	1.0 0.9 0.0	85.1 -6.9 90.6 90.8 94	1.0 0.666 0.0	75.5 8.3 78.6 79.0 84	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85
94	85	86	1.0 0.916 0.0	85.6 -7.7 91.3 91.7 94	1.0 0.684 0.0	76.3 7.0 79.6 79.9 85	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86
95	86	87	1.0 0.933 0.0	86.1 -8.5 92.1 92.5 95	1.0 0.703 0.0	77.1 5.6 80.6 80.8 86	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87
95	87	88	1.0 0.95 0.0	86.7 -9.3 92.9 93.3 95	1.0 0.721 0.0	78.0 4.3 81.6 81.7 87	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88
96	88	90	1.0 0.966 0.0	87.2 -10.2 93.6 94.2 96	1.0 0.739 0.0	78.8 2.9 82.5 82.6 88	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90
96	89	91	1.0 0.983 0.0	87.8 -11.1 94.3 95.0 96	1.0 0.76 0.0	79.7 1.5 83.6 83.6 89	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91
97	90	92	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97	Y _d 1.0 0.785 0.0	80.7 0.0 84.9 84.9 90	Y _s 1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	Y _e 1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
97	91	93	0.983 1.0 0.0	88.0 -12.5 94.2 95.1 97	1.0 0.809 0.0	81.7 -1.4 86.2 86.2 91	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93
98	92	94	0.966 1.0 0.0	87.7 -13.1 93.4 94.3 98	1.0 0.834 0.0	82.7 -3.0 87.5 87.5 92	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94
98	93	95	0.95 1.0 0.0	87.3 -13.7 92.5 93.5 98	1.0 0.859 0.0	83.6 -4.5 88.7 88.8 93	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95
98	94	96	0.933 1.0 0.0	87.0 -14.3 91.6 92.7 98	1.0 0.887 0.0	84.7 -6.2 90.0 90.3 94	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.1 96	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.1 96	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.1 96	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.1 96
99	95	98	0.916 1.0 0.0	86.6 -14.8 90.8 92.0 99	1.0 0.923 0.0	85.8 -7.9 91.7 92.0 95	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98
99	96	99	0.9 1.0 0.0	86.3 -15.4 89.9 91.2 99	1.0 0.958 0.0	87.0 -9.7 93.3 93.8 96	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99
100	97	100	0.883 1.0 0.0	86.0 -15.9 89.0 90.4 100	1.0 0.994 0.0	88.2 -11.5 94.8 95.6 97	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
100	98	101	0.866 1.0 0.0	85.6 -16.4 88.2 89.7 100	0.968 1.0 0.0	87.7 -13.0 93.5 94.4 98	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101
100	99	102	0.85 1.0 0.0	85.2 -16.9 87.4 89.1 100	0.929 1.0 0.0	86.9 -14.4 91.4 92.6 99	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102
101	100	103	0.833 1.0 0.0	84.8 -17.4 86.7 88.4 101	0.89 1.0 0.0	86.2 -15.7 89.4 90.8 100	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103
101	101	105	0.816 1.0 0.0	84.5 -17.9 86.0 87.8 101	0.849 1.0 0.0	85.3 -16.9 87.5 89.1 101	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105
102	102	106	0.8 1.0 0.0	84.1 -18.3 85.2 87.2 102	0.807 1.0 0.0	84.3 -18.1 85.6 87.5 102	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106
102	103	107	0.783 1.0 0.0	83.7 -18.8 84.5 86.5 102	0.765 1.0 0.0	83.3 -19.2 83.7 85.9 103	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107
102	104	108	0.766 1.0 0.0	83.3 -19.2 83.7 85.9 102	0.734 1.0 0.0	82.2 -20.4 82.2 84.7 104	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9 80.1 108	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9 80.1 108	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9 80.1 108	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9 80.1 108
103	105	109	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103	0.709 1.0 0.0	81.0 -21.6 80.9 83.7 105	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
104	106	110	0.733 1.0 0.0	82.2 -20.5 82.1 84.6 104	0.684 1.0 0.0	79.9 -22.7 79.5 82.7 106	0.733 1.0 0.0	0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110	0.733 1.0 0.0	0.578 1.0 0.0	75.5 -27.7 72.6 77.7						

Data of Maximum color M in colorimetric system Offset standard print; separation cmyln6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGCMB: $d_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGCMB: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$																	
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G_d 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	$150G_s$ 0.0	0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	$162G_e$ 0.0	1.0	0.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15
166	160</																															

see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 25 columns and 36 rows of colorimetric data. Columns include Lab coordinates (L*, a*, b*) and various colorimetric values. Rows correspond to color patches 170-236. The table is organized into groups based on device and standard color sets.



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with columns: h_ab,d, h_ab,s, h_ab,e, r_g b*_d d361M, LAB*_d d361Mi (x=LabCh), r_g b*_d s361Mi, LAB*_s d361Mi (x=LabCh), r_g b*_d e361Mi, LAB*_e d361Mi (x=LabCh), r_g b*_d d361Mi, r_g b*_d d361Mi, r_g b*_d d361Mi. Rows 281-333.

see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rh4ta

1-1131430-L0 QE250-73 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmy6*, D65, page 15/33

TUB-test chart QE25; hue code: H*_e=R75Y_e
48 step hue circles; r_g b-LabCh*tables


input: r_g b/cmyk -> r_g b_de
output: 3D-linearization to cmyk*_de



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 26 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361Mi, LAB*_*_dd361Mi (x=LabCh), r_{gb}*_*_ds361Mi, LAB*_*_dsx361Mi (x=LabCh), r_{gb}*_*_dd361Mi, r_{gb}*_*_de361Mi, LAB*_*_dex361Mi (x=LabCh), r_{gb}*_*_dd361Mi, r_{gb}*_*_ds361Mi, r_{gb}*_*_de361Mi. Rows 333-360.




see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0FA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmykn6* (CMYK)

1-1131530-L0 QE250-73 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0 Output: Offset standard print; separation cmykn6*, D65, page 16/33

TUB-test chart QE25; hue code: H*_e=R75Ye 48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}_de output: 3D-linearization to cmyk*_de



http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE25/QE25L30FA.DAT in file (F), page 18/33

Table with columns: nif, HHC*File, rfp_Rate, icr_File, hsa_Fate, rfp_Rate, LabCh*File, cmyk*_sep_Rate, rfp_Rate, hsa_Fate, rfp_Rate, LabCh*File, hsa_Fate, rfp_Rate, LabCh*File, delta. It contains registration and color calibration data for various file names and color channels.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de

Mean color difference of this page:

TUB-test chart QE25; hue code: H*_e=R75Y_e colors and differences, ΔE*_*

C

http://130.149.60.45/~farbmetrik/QE25/QE25L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE25/QE25LE30FA.DAT in file (F), page 19/33



Table with columns: nif, HFC, RGB, ICR, InS, rgp, LabCh, LabCh*, cmyk*, cmyk* sep, Hm, rgp*, LabCh*, LabCh*, delta. Rows list various color patches like 0/648, 1/666, 2/684, etc.

input: rgb/cmyk -> rgdbde output: 3D-linearization to cmyk*de

Mean color difference of this page: delta



V

n=F	HC*File	rgb*File	LabC*File	LabC*File	rgb*File	LabC*File	cmyn*sep*Rate	cmyn*sep*Rate	LabC*File	rgb*File	LabC*File	delta
0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0	0	0	0	0	0
34	0	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0	0
36	0	0	0	0	0	0	0	0	0	0	0	0
37	0	0	0	0	0	0	0	0	0	0	0	0
38	0	0	0	0	0	0	0	0	0	0	0	0
39	0	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0	0
41	0	0	0	0	0	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0
51	0	0	0	0	0	0	0	0	0	0	0	0
52	0	0	0	0	0	0	0	0	0	0	0	0
53	0	0	0	0	0	0	0	0	0	0	0	0
54	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0
56	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0
58	0	0	0	0	0	0	0	0	0	0	0	0
59	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0
61	0	0	0	0	0	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0	0
63	0	0	0	0	0	0	0	0	0	0	0	0
64	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0
66	0	0	0	0	0	0	0	0	0	0	0	0
67	0	0	0	0	0	0	0	0	0	0	0	0
68	0	0	0	0	0	0	0	0	0	0	0	0
69	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0
71	0	0	0	0	0	0	0	0	0	0	0	0
72	0	0	0	0	0	0	0	0	0	0	0	0
73	0	0	0	0	0	0	0	0	0	0	0	0
74	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0
76	0	0	0	0	0	0	0	0	0	0	0	0
77	0	0	0	0	0	0	0	0	0	0	0	0
78	0	0	0	0	0	0	0	0	0	0	0	0
79	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0

Mean color difference of this page:

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de

QE250-7N; Page 20/33-F

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*

I-1131930-F0

I-1131930-F0

Table with 33 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabCM*File, LabCM*File, cmyk*sep, cmyk*sep, LabCM*File, hsa*File, rgb*File, LabCM*File, LabCM*File, delta. Rows 243-323.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*

QE2507-TN; Page 23/33-F

Table with 56 columns: n, HHC*File, rgb*File, LabC*File, LabCH*File, cmyk*sep, Lab*File, Hm*File, rgb*File, LabCH*File, delta. The table contains 56 rows of color calibration data.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de

TUB-test chart QE25; hue code: H*_e=R75Y_e colors and differences, ΔE*_*

QE250-7N; Page 26/33-F

I-113250-F0

I-113250-F0

Table with 15 columns: n, HHC*File, rpb*File, icr*File, rgs*File, LabC*File, LabM*File, LabY*File, LabK*File, rpb*File, cmyk*sep*File, rgs*File, LabC*File, LabM*File, LabY*File, LabK*File. Rows include color patches like R001, R002, R003, etc.

Mean color difference of this page: delta

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*^{*}

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de



n	HC*File	rgb*File	Lab*File	rgb*File	Lab*File	cmyn*sep*File	rgb*File	Lab*File	rgb*File	Lab*File	delta
729	NW_100.00e	1.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	95.4	0.0
730	GS0B_100.012ae	0.875	1.0	1.0	0.966	0.196	0.0035	0.0	1.0	0.735	56.6
731	GS0B_100.025ae	0.75	1.0	1.0	0.933	0.338	0.0059	0.0	1.0	0.735	56.6
732	GS0B_100.037ae	0.625	1.0	1.0	0.9	0.476	0.0089	0.0	1.0	0.735	56.6
733	GS0B_100.050ae	0.5	1.0	1.0	0.867	0.618	0.013	0.0	1.0	0.735	56.6
734	GS0B_100.062ae	0.375	1.0	1.0	0.834	0.76	0.0147	0.0	1.0	0.735	56.6
735	GS0B_100.075ae	0.25	1.0	1.0	0.801	0.902	0.0172	0.0	1.0	0.735	56.6
736	GS0B_100.087ae	0.125	1.0	1.0	0.768	1.044	0.025	0.0	1.0	0.735	56.6
737	GS0B_100.100ae	0.0	1.0	1.0	0.735	1.186	0.0264	0.0	1.0	0.735	56.6
738	ROY_100.012ae	1.0	0.875	0.875	0.901	0.152	0.0066	0.0	1.0	0.209	47.6
739	NW_087ae	0.875	0.875	0.875	0.875	0.007	0.0	0.17	1.0	95.4	0.0
740	GS0B_087.012ae	0.75	0.875	0.875	0.841	0.021	0.0035	0.0	1.0	0.735	56.6
741	GS0B_087.025ae	0.625	0.875	0.875	0.808	0.031	0.0059	0.0	1.0	0.735	56.6
742	GS0B_087.037ae	0.5	0.875	0.875	0.775	0.041	0.0083	0.0	1.0	0.735	56.6
743	GS0B_087.050ae	0.375	0.875	0.875	0.742	0.053	0.0126	0.0	1.0	0.735	56.6
744	GS0B_087.062ae	0.25	0.875	0.875	0.709	0.065	0.0159	0.0	1.0	0.735	56.6
745	GS0B_087.075ae	0.125	0.875	0.875	0.676	0.089	0.0195	0.0	1.0	0.735	56.6
746	GS0B_087.087ae	0.0	0.875	0.875	0.643	0.116	0.0227	0.0	1.0	0.735	56.6
747	ROY_100.025ae	0.875	0.75	0.875	0.776	0.025	0.0	0.172	1.0	95.4	0.0
748	ROY_100.037ae	0.75	0.75	0.875	0.742	0.009	0.0	0.123	1.0	95.4	0.0
749	NW_075ae	0.75	0.75	0.75	0.76	0.018	0.0	0.08	1.0	95.4	0.0
750	GS0B_075.012ae	0.625	0.75	0.75	0.716	0.032	0.0039	0.0	1.0	0.735	56.6
751	GS0B_075.025ae	0.5	0.75	0.75	0.683	0.043	0.0059	0.0	1.0	0.735	56.6
752	GS0B_075.037ae	0.375	0.75	0.75	0.65	0.057	0.0091	0.0	1.0	0.735	56.6
753	GS0B_075.050ae	0.25	0.75	0.75	0.617	0.071	0.0131	0.0	1.0	0.735	56.6
754	GS0B_075.062ae	0.125	0.75	0.75	0.584	0.085	0.0172	0.0	1.0	0.735	56.6
755	GS0B_075.075ae	0.0	0.75	0.75	0.551	0.109	0.0219	0.0	1.0	0.735	56.6
756	ROY_100.037ae	1.0	0.625	0.625	0.677	0.388	0.025	0.0	1.0	0.209	47.6
757	ROY_087.025ae	0.875	0.75	0.875	0.737	0.121	0.0227	0.0	1.0	0.735	56.6
758	ROY_075.012ae	0.75	0.625	0.625	0.70	0.145	0.0145	0.0	1.0	0.209	47.6
759	NW_062ae	0.625	0.625	0.625	0.625	0.002	0.0	0.02	1.0	95.4	0.0
760	GS0B_062.012ae	0.5	0.625	0.625	0.582	0.025	0.0049	0.0	1.0	0.735	56.6
761	GS0B_062.025ae	0.375	0.625	0.625	0.55	0.049	0.0099	0.0	1.0	0.735	56.6
762	GS0B_062.037ae	0.25	0.625	0.625	0.517	0.071	0.0145	0.0	1.0	0.735	56.6
763	GS0B_062.050ae	0.125	0.625	0.625	0.484	0.096	0.0187	0.0	1.0	0.735	56.6
764	GS0B_062.062ae	0.0	0.625	0.625	0.451	0.121	0.0233	0.0	1.0	0.735	56.6
765	ROY_100.050ae	1.0	0.5	0.5	0.504	0.5	0.375	0.0	1.0	0.209	47.6
766	ROY_087.037ae	0.875	0.5	0.875	0.475	0.105	0.327	0.0	1.0	0.209	47.6
767	ROY_075.025ae	0.75	0.5	0.75	0.442	0.265	0.407	0.0	1.0	0.209	47.6
768	ROY_062.012ae	0.625	0.5	0.625	0.41	0.419	0.611	0.0	1.0	0.209	47.6
769	NW_050ae	0.5	0.5	0.5	0.565	0.0	0.058	0.0	1.0	95.4	0.0
770	GS0B_050.012ae	0.375	0.5	0.5	0.526	0.026	0.0059	0.0	1.0	0.735	56.6
771	GS0B_050.025ae	0.25	0.5	0.5	0.493	0.041	0.0099	0.0	1.0	0.735	56.6
772	GS0B_050.037ae	0.125	0.5	0.5	0.46	0.058	0.0145	0.0	1.0	0.735	56.6
773	GS0B_050.050ae	0.0	0.5	0.5	0.427	0.076	0.0187	0.0	1.0	0.735	56.6
774	ROY_100.062ae	1.0	0.375	0.375	0.375	0.804	0.623	0.0	1.0	0.209	47.6
775	ROY_087.050ae	0.875	0.375	0.375	0.342	0.649	0.908	0.0	1.0	0.209	47.6
776	ROY_075.037ae	0.75	0.375	0.375	0.309	0.544	1.188	0.0	1.0	0.209	47.6
777	ROY_062.025ae	0.625	0.375	0.375	0.243	0.47	1.823	0.0	1.0	0.209	47.6
778	ROY_050.012ae	0.5	0.375	0.375	0.179	0.399	2.526	0.0	1.0	0.209	47.6
779	NW_037ae	0.375	0.375	0.375	0.401	0.318	0.203	0.0	1.0	95.4	0.0
780	GS0B_037.012ae	0.25	0.375	0.375	0.375	0.034	0.0018	0.0	1.0	0.735	56.6
781	GS0B_037.025ae	0.125	0.375	0.375	0.341	0.038	0.0057	0.0	1.0	0.735	56.6
782	GS0B_037.037ae	0.0	0.375	0.375	0.308	0.059	0.0137	0.0	1.0	0.735	56.6
783	ROY_100.075ae	1.0	0.25	0.25	0.25	0.717	0.708	0.0	1.0	0.209	47.6
784	ROY_087.050ae	0.875	0.25	0.25	0.22	0.559	0.972	0.0	1.0	0.209	47.6
785	ROY_075.037ae	0.75	0.25	0.25	0.18	0.449	1.118	0.0	1.0	0.209	47.6
786	ROY_062.025ae	0.625	0.25	0.25	0.138	0.359	1.418	0.0	1.0	0.209	47.6
787	ROY_050.012ae	0.5	0.25	0.25	0.093	0.286	1.692	0.0	1.0	0.209	47.6
788	ROY_037.025ae	0.375	0.25	0.25	0.051	0.234	1.946	0.0	1.0	0.209	47.6
789	NW_025ae	0.25	0.25	0.25	0.249	0.302	0.342	0.0	1.0	95.4	0.0
790	GS0B_025.012ae	0.125	0.25	0.25	0.225	0.031	0.0021	0.0	1.0	0.735	56.6
791	GS0B_025.025ae	0.0	0.25	0.25	0.216	0.049	0.0059	0.0	1.0	0.735	56.6
792	GS0B_025.037ae	1.0	0.125	0.125	0.183	0.059	0.014	0.0	1.0	0.209	47.6
793	ROY_087.075ae	0.875	0.125	0.125	0.158	0.27	0.0875	0.0	1.0	0.209	47.6
794	ROY_075.062ae	0.75	0.125	0.125	0.125	0.232	0.138	0.0	1.0	0.209	47.6
795	ROY_062.050ae	0.625	0.125	0.125	0.093	0.188	0.188	0.0	1.0	0.209	47.6
796	ROY_050.037ae	0.5	0.125	0.125	0.066	0.146	0.226	0.0	1.0	0.209	47.6
797	ROY_037.025ae	0.375	0.125	0.125	0.043	0.116	0.269	0.0	1.0	0.209	47.6
798	ROY_025.012ae	0.25	0.125	0.125	0.031	0.09	0.309	0.0	1.0	0.209	47.6
799	NW_012ae	0.125	0.125	0.125	0.187	0.0	0.0	0.0	1.0	95.4	0.0
800	GS0B_012.012ae	0.0	0.125	0.125	0.22	0.0	0.0	0.0	1.0	0.735	56.6
801	ROY_100.087ae	1.0	0.0	0.0	0.209	0.476	0.649	0.0	1.0	0.209	47.6
802	ROY_087.075ae	0.875	0.0	0.0	0.183	0.439	0.766	0.0	1.0	0.209	47.6
803	ROY_075.062ae	0.75	0.0	0.0	0.157	0.419	0.932	0.0	1.0	0.209	47.6
804	ROY_062.050ae	0.625	0.0	0.0	0.13	0.4	1.104	0.0	1.0	0.209	47.6
805	ROY_050.037ae	0.5	0.0	0.0	0.104	0.359	1.34	0.0	1.0	0.209	47.6
806	ROY_037.025ae	0.375	0.0	0.0	0.078	0.289	1.58	0.0	1.0	0.209	47.6
807	ROY_025.012ae	0.25	0.0	0.0	0.052	0.251	1.823	0.0	1.0	0.209	47.6
808	ROY_012.012ae	0.125	0.0	0.0	0.026	0.214	2.14	0.0	1.0	0.209	47.6
809	NW_000ae	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	95.4	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbd
 output: 3D-linearization to cmyk*de

QE250-7N; Page 29/33-F

TUB-test chart QE25; hue code: H*e=R75Ye
 colors and differences, ΔE*



Table with 15 columns: n, H#C*File, H#s*File, rgb*File, LabC*File, LabCH*File, cmyk*sep, cmyk*sep, rgb*File, LabCH*File, H#s*File, rgb*File, LabC*File, LabCH*File, delta. It contains 971 rows of color calibration data.

QE250-7N; Page 31/33-F

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

Mean color difference of this page:

