

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$

$H^*_- = R75Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE25/QE25L0NA.TXT /PS
 application for measurement of offset print output

TUB material: code=rh4ta


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$

Data for any device (d) or elementary (e) colour:
 HIC^*_e

hue text for the colours of this page:
 $H^*_e = R75Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 70 \ 17 \ 72 \ 74 \ 76$

$HIC^*_{e, Ma}: R75Y_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.56 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE25/QE25L0NA.TXT /PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta

1-013130-L0 QE250-71

TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$



1-013130-F0



http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 3/33



see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*

TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, *cmyk*







1-013230-L0 QE250-71

1-013230-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-013330-L0 QE250-71





TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013330-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE25/QE25.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-013430-L0 QE250-71

TUB-test chart QE25; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*


1-013430-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = R75Y_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 70 \ 17 \ 72 \ 74 \ 76$

$HIC^*_{e, Ma}: R75Y_100_100_e$



$rgbic^*_{e, Ma}: 1.0 \ 0.56 \ 0.0 \ 1.0 \ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$




see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE25/QE25L0NA.TXT /PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


J=Y_d Yellow
device CIELAB (a^*_d, b^*_d) chroma diagram



Y_e yellow
elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*, b^*) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle h_{max} use for any device values rgb^*_s the equation:

$$h_{abs} = \arctan \left[r^*_s \cos(30) + g^*_s \sin(150) \right] / \left[r^*_s \sin(30) + g^*_s \sin(150) \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48abs,ej} = h_{abs,e,i} + j [h_{abs,e,i+1} - h_{abs,e,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360abs,ej} = h_{abs,e,i} + j [h_{abs,e,i+1} - h_{abs,e,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{max} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

Output: Offset standard print; separation cmyk6*, D65, page 7/33

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h_ab,d	h_ab,s	h_ab,e	rgb* _{ds}	rgb* _{de}	LAB* _{ds}	LAB* _{de}	rgb* _{ds}	rgb* _{de}	LAB* _{ds}	LAB* _{de}	
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	32.8
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	40.4
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	50.0
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	61.1
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	71.4
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	81.7
88.5	75.0	75.6	1.0	0.75	0.0	80.2	2.0	83.0	83.1	88.5	88.5
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	93.6
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	97.1
100.3	97.5	101.0	1.0	0.875	1.0	85.8	-16.2	88.6	90.0	100.3	100.3
103.3	105.0	109.7	1.0	0.75	1.0	82.9	-19.7	83.0	85.3	103.3	103.3
108.3	112.5	118.5	1.0	0.625	1.0	77.0	-25.2	76.3	80.4	108.3	108.3
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	115.3
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	122.4
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	134.9
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	144.6
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	163.7
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	170.9
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	181.0
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	193.5
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	205.9
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	218.4
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	227.3
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	236.1
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	240.3
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	245.8
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	252.5
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	262.3
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	271.7
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	281.6
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	290.3
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	296.4
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	306.7
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	312.7
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	326.7
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	333.9
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	339.6
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	347.2
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	350.2
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	353.3
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7	356.5	356.5
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	360.3
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	365.8
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	371.6
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	378.2
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	383.9
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	388.6
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	392.8

http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 12 columns: h_ab,d, h_ab,s, h_ab,e, rgb%_dd361M, LAB*_dss361MI (x=LabCh), rgb%_ds361MI, LAB*_dss361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh), rgb%_de361MI, LAB*_dex361MI (x=LabCh), rgb%_ds361MI, LAB*_dex361MI (x=LabCh). Rows 88-127.

LAB*lab0, YN=0%, XY,Znw=2.4,2.5,2.6,85.1,88.8,104.3, LAB*rw=17.7,0.0,0.0,95.5,0.0,0.0

TUB-test chart QE25; hue code: H*_e=R75Y_e 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgb output: transfer to cmyk

Output: Offset standard print; separation cmyk6*: D65, page 1/33

http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


Table with 15 columns: h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_dcs361MI (x=LabCh), LAB*_dcs361MI (x=LabCh), rgb*_dd361MI, LAB*_dex361MI (x=LabCh), LAB*_dex361MI (x=LabCh), rgb*_dd361MI, LAB*_dex361MI (x=LabCh), rgb*_dd361MI, LAB*_dex361MI (x=LabCh), rgb*_dd361MI, LAB*_dex361MI (x=LabCh)

I=0131130-L0 QE250-71 LAB*lab, YN=0%, XYZnw=2,4,2,5,2,6,85,1,88,8,104,3, LAB*rw=17,7,0,0,0,95,5,0,0,0,0

TUB-test chart QE25; hue code: H*_e=R75Y_e 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_e output: transfer to cmyk_e

Output: Offset standard print; separation cmyk6*: D65, page 12/36



http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color. M in colorimetric system Offset standard print; separation cmyk6*. D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h_ab,d	h_ab,s	h_ab,e	rgb* _{ds}	rgb* _{ds361M}	LAB* _{ds361M} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{dd361MI}	LAB* _{dd361MI} (x=LabCh)	rgb* _{dd361MI}	LAB* _{dd361MI} (x=LabCh)	rgb* _{ds}	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{dd361MI}	LAB* _{dd361MI} (x=LabCh)	rgb* _{ds}	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{dd361MI}	LAB* _{dd361MI} (x=LabCh)											
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.25	1.0	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233	1.0	0.0	0.543	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0	0.0	0.532	1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217	1.0
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0	0.0	0.52	1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2	1.0
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0	0.0	0.508	1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183	1.0
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0	0.0	0.497	1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167	1.0
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0	0.0	0.484	1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15	1.0
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133	1.0
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0	0.0	0.46	1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117	1.0
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0	0.0	0.448	1.0	40.8	-2.9	-45.3	45.4	266	0.0	0.1	1.0
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0	0.0	0.436	1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083	1.0
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0	0.0	0.423	1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067	1.0
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.05	1.0
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0	0.0	0.399	1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033	1.0
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0	0.0	0.387	1.0	38.4	0.4	-45.3	45.4	270	0.0	0.017	1.0
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270	0.0	0.0	1.0	0.0	0.375	1.0	37.9	1.7	-45.3	45.5	271	0.0	0.0	1.0
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.017	0.0	1.0	0.0	0.363	1.0	37.5	2.1	-45.5	45.6	272	0.017	0.0	1.0
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.033	0.0	1.0	0.0	0.351	1.0	37.1	2.9	-45.6	45.8	273	0.033	0.0	1.0
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.05	0.0	1.0	0.0	0.339	1.0	36.6	3.7	-45.7	45.9	274	0.05	0.0	1.0
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.067	0.0	1.0	0.0	0.327	1.0	36.2	4.4	-45.7	46.0	275	0.067	0.0	1.0
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.083	0.0	1.0	0.0	0.315	1.0	35.7	5.2	-45.8	46.2	276	0.083	0.0	1.0
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0	1.0	0.0	0.303	1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.117	0.0	1.0	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	0.117	0.0	1.0
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.133	0.0	1.0	0.0	0.279	1.0	34.4	7.6	-45.9	46.6	279	0.133	0.0	1.0
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0	1.0	0.0	0.267	1.0	34.0	8.3	-45.9	46.8	280	0.15	0.0	1.0
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.167	0.0	1.0	0.0	0.256	1.0	33.5	9.1	-45.9	46.9	281	0.167	0.0	1.0
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0	1.0	0.0	0.243	1.0	33.1	9.9	-46.0	47.2	282	0.183	0.0	1.0
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0	0.0	0.229	1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0	1.0
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.217	0.0	1.0	0.0	0.215	1.0	32.0	11.6	-46.3	47.9	284	0.217	0.0	1.0
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0	1.0	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.233	0.0	1.0
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0	1.0	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0	1.0
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.4	-46.6	48.6	286	0.267	0.0	1.0	0.0	0.175	1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0	1.0
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173	1.0	30.4	14.3	-46.7	48.9	287	0.283	0.0	1.0	0.0	0.161	1.0	30.0	15.1	-46.8	49.2	287	0.283	0.0	1.0
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0	1.0	0.0	0.147	1.0	29.5	16.0	-46.8	49.6	288	0.3	0.0	1.0
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.5	55.3	320	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0	1.0	0.0	0.134	1.0	28.9	16.9	-46.9	49.9	289	0.317	0.0	1.0
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0	1.0	0.0	0.118	1.0	28.4	17.8	-46.9	50.3	290	0.333	0.0	1.0
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0	1.0	0.0	0.098	1.0	27.9	18.7	-47.0	50.7	291	0.35	0.0	1.0
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0	1.0	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292	0.367	0.0	1.0
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0	1.0	0.0	0.059	1.0	26.9	20.6	-47.2	51.6	293	0.383	0.0	1.0
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294	0.4	0.0	1.0	0.0	0.04	1.0	26.4	21.6	-47.2					

http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, LAB*_ddx361M, LAB*_sdx361M, LAB*_edx361M, LAB*_ddx361MI, LAB*_sdx361MI, LAB*_edx361MI, LAB*_ddex361MI, LAB*_sdex361MI, LAB*_edex361MI, LAB*_ddex361Ch, LAB*_sdex361Ch, LAB*_edex361Ch, rgB*_ddd361MI, rgB*_sdd361MI, rgB*_edd361MI, rgB*_ddd361Ch, rgB*_sdd361Ch, rgB*_edd361Ch, rgB*_ddd361MI, rgB*_sdd361MI, rgB*_edd361MI, rgB*_ddd361Ch, rgB*_sdd361Ch, rgB*_edd361Ch. Rows 333-360.

LAB*_{lab}, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*_{nw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart QE25; hue code: H_e=R75Y_e 48 step hue circles; rgB-LabCh*tables

input: rgb/cmyk -> rgbe output: transfer to cmyke





http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{ds}	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _{ds} 361MI (x=LabCh)													
360	345	342	1.0	0.0	0.75	48.1	70.4	3.1	70.0	362	0.713	0.0	1.0	42.5	64.0	-17.0	66.2	345	1.0	0.0	0.75	67.8	0.0	1.0	41.9	61.9	-19.0	64.8	342	1.0	0.0	0.75
361	346	343	1.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.73	0.0	1.0	42.8	64.9	-16.1	66.9	346	1.0	0.0	0.733	69.3	0.0	1.0	42.2	62.8	-18.2	65.4	343	1.0	0.0	0.733
361	347	344	1.0	0.0	0.716	48.1	70.1	2.2	70.1	361	0.746	0.0	1.0	43.1	65.8	-15.1	67.5	347	1.0	0.0	0.717	70.9	0.0	1.0	42.4	63.7	-17.3	66.0	344	1.0	0.0	0.717
362	348	345	1.0	0.0	0.7	48.1	69.9	3.1	70.0	362	0.782	0.0	1.0	43.9	66.9	-14.1	68.4	348	1.0	0.0	0.7	72.4	0.0	1.0	42.7	64.6	-16.4	66.6	345	1.0	0.0	0.7
363	349	346	1.0	0.0	0.683	48.1	69.7	4.0	69.8	363	0.823	0.0	1.0	44.8	68.0	-13.1	69.3	349	1.0	0.0	0.683	74.0	0.0	1.0	43.0	65.4	-15.5	67.3	346	1.0	0.0	0.683
364	350	347	1.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.864	0.0	1.0	45.7	69.2	-12.1	70.3	350	1.0	0.0	0.667	76.4	0.0	1.0	43.4	66.4	-14.5	68.0	347	1.0	0.0	0.667
364	351	348	1.0	0.0	0.65	48.0	69.3	5.7	69.5	364	0.905	0.0	1.0	46.5	70.3	-11.0	71.2	351	1.0	0.0	0.65	80.3	0.0	1.0	44.3	67.5	-13.6	68.9	348	1.0	0.0	0.65
365	352	349	1.0	0.0	0.633	48.0	69.0	6.6	69.3	365	0.946	0.0	1.0	47.3	71.4	-9.9	72.1	352	1.0	0.0	0.633	84.2	0.0	1.0	45.2	68.6	-12.7	69.8	349	1.0	0.0	0.633
366	353	350	1.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.988	0.0	1.0	48.0	72.5	-8.8	73.1	353	1.0	0.0	0.617	88.1	0.0	1.0	46.1	69.7	-11.7	70.6	350	1.0	0.0	0.617
367	354	351	1.0	0.0	0.6	47.9	68.7	8.5	69.2	367	1.0	0.0	0.973	48.3	72.6	-7.5	73.0	354	1.0	0.0	0.6	92.0	0.0	1.0	46.8	70.7	-10.7	71.5	351	1.0	0.0	0.6
367	355	352	1.0	0.0	0.583	47.9	68.6	9.4	69.2	367	1.0	0.0	0.935	48.3	72.3	-6.9	72.5	355	1.0	0.0	0.583	95.9	0.0	1.0	47.5	71.8	-9.6	72.4	352	1.0	0.0	0.583
368	356	353	1.0	0.0	0.566	47.9	68.4	10.3	69.2	368	1.0	0.0	0.896	48.3	71.9	-4.9	72.1	356	1.0	0.0	0.567	99.8	0.0	1.0	48.2	72.8	-8.5	73.3	353	1.0	0.0	0.567
369	357	354	1.0	0.0	0.55	47.8	68.2	11.2	69.2	369	1.0	0.0	0.86	48.3	71.5	-3.6	71.6	357	1.0	0.0	0.55	1.0	0.0	0.965	48.3	72.6	-7.3	72.9	354	1.0	0.0	0.55
370	358	355	1.0	0.0	0.533	47.8	68.1	12.1	69.1	370	1.0	0.0	0.827	48.2	71.2	-2.4	71.3	358	1.0	0.0	0.533	1.0	0.0	0.929	48.3	72.2	-6.0	72.5	355	1.0	0.0	0.533
370	359	356	1.0	0.0	0.516	47.7	67.9	13.1	69.1	370	1.0	0.0	0.794	48.2	70.9	-1.1	70.9	359	1.0	0.0	0.517	1.0	0.0	0.892	48.3	71.8	-4.8	72.0	356	1.0	0.0	0.517
371	360	357	1.0	0.0	0.5	47.7	67.9	14.0	69.1	371	1.0	0.0	0.761	48.2	70.6	0.0	70.6	360	1.0	0.0	0.5	0.949	0.0	1.0	47.3	71.5	-9.9	72.2	352	1.0	0.0	0.5
372	361	353	1.0	0.0	0.483	47.7	67.5	15.0	69.2	372	1.0	0.0	0.735	48.1	70.3	1.2	70.3	361	1.0	0.0	0.483	0.995	0.0	1.0	48.2	72.7	-8.6	73.2	353	1.0	0.0	0.483
373	362	354	1.0	0.0	0.466	47.7	67.3	16.1	69.2	373	1.0	0.0	0.712	48.1	70.1	2.4	70.1	362	1.0	0.0	0.467	1.0	0.0	0.962	48.3	72.5	-7.2	72.9	354	1.0	0.0	0.467
374	363	355	1.0	0.0	0.45	47.7	67.2	17.1	69.3	374	1.0	0.0	0.69	48.1	69.8	3.7	69.9	363	1.0	0.0	0.45	1.0	0.0	0.919	48.3	72.1	-5.7	72.3	355	1.0	0.0	0.45
375	364	356	1.0	0.0	0.433	47.7	67.0	18.2	69.4	375	1.0	0.0	0.667	48.1	69.5	4.9	69.7	364	1.0	0.0	0.433	1.0	0.0	0.876	48.3	71.7	-4.3	71.8	356	1.0	0.0	0.433
376	365	357	1.0	0.0	0.416	47.7	66.7	19.2	69.5	376	1.0	0.0	0.645	48.1	69.2	6.1	69.5	365	1.0	0.0	0.417	1.0	0.0	0.839	48.3	71.4	-2.9	71.4	357	1.0	0.0	0.417
376	366	358	1.0	0.0	0.4	47.7	66.5	20.5	69.5	376	1.0	0.0	0.623	48.0	68.9	7.2	69.3	366	1.0	0.0	0.4	1.0	0.0	0.802	48.2	71.0	-1.5	71.0	358	1.0	0.0	0.4
377	367	359	1.0	0.0	0.383	47.7	66.3	21.3	69.6	377	1.0	0.0	0.601	48.0	68.8	8.4	69.3	367	1.0	0.0	0.383	1.0	0.0	0.765	48.2	70.6	-0.1	70.6	359	1.0	0.0	0.383
378	368	360	1.0	0.0	0.366	47.7	66.1	22.3	69.7	378	1.0	0.0	0.58	47.9	68.6	9.6	69.3	368	1.0	0.0	0.367	1.0	0.0	0.735	48.1	70.3	1.2	70.3	360	1.0	0.0	0.367
379	369	362	1.0	0.0	0.35	47.7	66.0	23.2	69.9	379	1.0	0.0	0.558	47.9	68.4	10.8	69.2	369	1.0	0.0	0.35	1.0	0.0	0.71	48.1	70.1	2.6	70.1	362	1.0	0.0	0.35
380	370	363	1.0	0.0	0.333	47.7	65.8	24.2	70.2	380	1.0	0.0	0.536	47.8	68.1	12.0	69.2	370	1.0	0.0	0.333	1.0	0.0	0.685	48.1	69.8	3.9	69.9	363	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	47.7	65.7	25.1	70.4	380	1.0	0.0	0.515	47.8	67.9	13.2	69.2	371	1.0	0.0	0.317	1.0	0.0	0.668	48.1	69.4	5.2	69.6	364	1.0	0.0	0.317
381	372	365	1.0	0.0	0.3	47.7	65.6	26.0	70.6	381	1.0	0.0	0.494	47.8	67.7	14.4	69.2	372	1.0	0.0	0.3	1.0	0.0	0.635	48.1	69.1	6.6	69.4	365	1.0	0.0	0.3
382	373	366	1.0	0.0	0.283	47.7	65.4	27.0	70.8	382	1.0	0.0	0.475	47.8	67.5	15.6	69.3	373	1.0	0.0	0.283	1.0	0.0	0.611	48.0	68.8	7.9	69.3	366	1.0	0.0	0.283
383	374	367	1.0	0.0	0.266	47.7	65.2	27.9	71.0	383	1.0	0.0	0.456	47.8	67.3	16.8	69.3	374	1.0	0.0	0.267	1.0	0.0	0.587	48.0	68.6	9.2	69.3	367	1.0	0.0	0.267
383	375	368	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383	1.0	0.0	0.437	47.8	67.1	18.0	69.4	375	1.0	0.0	0.25	1.0	0.0	0.563	47.9	68.4	10.6	69.2	368	1.0	0.0	0.25
384	376	369	1.0	0.0	0.233	47.6	65.0	29.7	71.5	384	1.0	0.0	0.418	47.8	66.8	19.2	69.5	376	1.0	0.0	0.233	1.0	0.0	0.539	47.8	68.2	11.9	69.2	369	1.0	0.0	0.233
385	377	370	1.0	0.0	0.216	47.6	64.9	30.5	71.8	385	1.0	0.0	0.399	47.8	66.5	20.3	69.6	377	1.0	0.0	0.217	1.0	0.0	0.515	47.8	67.9	13.2	69.2	370	1.0	0.0	0.217
385	378	372	1.0	0.0	0.2	47.6	64.9	31.4	72.1	385	1.0	0.0	0.38	47.8	66.3	21.5	69.7	378	1.0	0.0	0.2	1.0	0.0	0.492	47.8	67.6	14.5	69.2	372	1.0	0.0	0.2
386	379	373	1.0	0.0	0.183	47.5	64.8	32.2	72.4	386	1.0	0.0	0.359	47.8	66.1	22.8	69.9	379	1.0	0.0	0.183	1.0	0.0	0.471	47.8	67.4	15.8	69.3	373	1.0	0.0	0.183
387	380	374	1.0	0.0	0.166	47.5	64.7	33.0	72.7	387	1.0	0.0	0.337	47.8	65.9	24.0	70.2	380	1.0	0.0	0.167	1.0	0.0	0.45	47.8	67.2	17.2	69.4	374	1.0	0.0	0.167
387	381	375	1.0	0.0	0.15	47.5	64.6	33.9	72.9	387	1.0	0.0	0.315	47.8	65.7	25.2	70.4	381	1.0	0.0	0.15	1.0	0.0	0.429	47.8	67.0	18.5	69.5	375	1.0	0.0	0.15
388	382	376	1.0	0.0	0.133	47.4	64.5	34.7	73.2	388	1.0	0.0	0.293	47.7	65.5	26.5	70.7	382	1.0	0.0	0.133	1.0	0.0	0.408	47.8	66.7	19.8	69.6	376	1.0	0.0	0.133
388	383	377	1.0	0.0	0.116	47.4	64.4	35.5	73.6	388	1.0	0.0	0.271	47.7	65.3	27.7	71.0	383	1.0	0.0	0.117	1.0	0.0	0.386	47.8	66.4	21.2	69.6	377	1.0	0.0	0.117
389	384	378	1.0	0.0	0.1	47.4	64.3	36.3	73.9	389	1.0	0.0																				

Table with columns: nuf, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, HAm*Fe, rpb*Fe, LabCh*Fe, and numerical values for various color and registration parameters.

Mean color difference of this page: delta E** = 17.3

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE25; hue code: H*_e=R75Y_e colors and differences, ΔE*_*

Table with columns: nuf, HHC*Fe, RgB*Fe, iCt*Fe, Hs*Fe, RgB*Fe, LabCh*Fe, RgB*Fe, LabCh*Fe, DF*Fe, Hs*Fe, RgB*Fe, LabCh*Fe. The table contains 45 rows of data for various color patches and their measurements.

Mean color difference of this page:

delta E* = 12.3

TUB-test chart QE25; hue code: H*_e=R75Y_e colors and differences, ΔE*'

input: rgb/cmyk -> rgbe output: transfer to cmyke

Table with 80 columns (numbered 1-80) and 10 rows of colorimetric data. Columns include H* (hue), S* (saturation), V* (value), L* (lightness), a* (red-green), b* (yellow-blue), and LabCh* (CIE L*a*b*). Each cell contains numerical values representing color differences and characteristics for various color patches.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*

Table with 24 columns: n, HHC*Fe, Rgb*Fe, iet*Fe, Hsa*Fe, Rgb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, Rgb*Fe, Rgb*Fe, LabC*Fe, DF*Fe, Hsa*Fe, Rgb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, Rgb*Fe, Rgb*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows include color names like ROOY, B50R, B34R, etc.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/QE25/QE25LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, HsL*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, HsM*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe. Rows 324-404 list color patches and their corresponding values.

Mean color difference of this page: delta E* = 12.8



input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*



http://130.149.60.45/~farbmatrik/QE25/QE25LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

input: rgb/cmyk -> rgbe output: transfer to cmyke

Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, DF*Fe, Ha*Me, rpb*Me, LabCH*Me, LabCH*Me, delta E* = 7,2

Mean color difference in this page:

1-0132430-F0

QE25-7M; Page 25/33-F

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*

Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, DF*Fe, Hs*Me, rpb*Me, LabCh*Me, LabCh*Me, delta E* = 14.4. Rows include color names like R00Y, R38Y, B68R, etc.

input: rgb/cmyk -> rgbe output: transfer to cmyk

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*^a



http://130.149.60.45/~farbmetrik/QE25/QE25LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

input: rgb/cmyk -> rgbe output: transfer to cmyke

Table with 10 columns: n, H* C* M, r* g* b*, i* e* r*, h* s*, F* a*, r* g* b* F*, Lab C* H* M, D* F* F*, H* a* M*, r* g* b* F*, Lab C* H* M, F* e, and F* e. It contains color calibration data for various color patches.

Mean color difference of this page:

delta E* = 9.3

I=0123830-F0

QE250-7N; Page 29/33-F

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, ΔE*

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe. Rows 810-890.

Mean color difference of this page: delta E* = 11.3

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE25; hue code: H*e=R75Ye colors and differences, AE*'

http://130.149.60.45/~farbmetrik/QE25/QE25LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 10 columns: n, H#C*Fe, Hs_Fe, iet_Fe, rpb_Fe, LabC*H*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DP*Fe, Ha*Me, rpb*Me, LabCh*Me, LabCh*Me. Contains numerical data for 971 different color patches.

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmyke

QE250-TN; Page 31/33-F

TUB-test chart QE25; hue code: H*_e=R75Y_e colors and differences, ΔE*_*



http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 13 columns: n, H* C* M*, L*, a*, b*, LabCH*, r* g* b*, LabCH*, L* a* b*, LabCH*, r* g* b*, H* a* M*, D* F* Y*, LabCH*, L* a* b*, LabCH*, r* g* b*, H* a* M*, D* F* Y*. Rows include color names like NW_000b, NW_012a, NW_025e, NW_037e, NW_050e, NW_062e, NW_075e, NW_087e, NW_100e, NW_112e, NW_125e, NW_137e, NW_150e, NW_162e, NW_175e, NW_187e, NW_200e, NW_212e, NW_225e, NW_237e, NW_250e, NW_262e, NW_275e, NW_287e, NW_300e, NW_312e, NW_325e, NW_337e, NW_350e, NW_362e, NW_375e, NW_387e, NW_400e, NW_412e, NW_425e, NW_437e, NW_450e, NW_462e, NW_475e, NW_487e, NW_500e, NW_512e, NW_525e, NW_537e, NW_550e, NW_562e, NW_575e, NW_587e, NW_600e, NW_612e, NW_625e, NW_637e, NW_650e, NW_662e, NW_675e, NW_687e, NW_700e, NW_712e, NW_725e, NW_737e, NW_750e, NW_762e, NW_775e, NW_787e, NW_800e, NW_812e, NW_825e, NW_837e, NW_850e, NW_862e, NW_875e, NW_887e, NW_900e, NW_912e, NW_925e, NW_937e, NW_950e, NW_962e, NW_975e, NW_987e, NW_1000e.

Mean color difference of this page: delta E* = 5.5

QE250-TN; Page 32/33-F

TUB-test chart QE25; hue code: H*_e=R75Y_e colors and differences, ΔE*_* input: rgb/cmyk -> rgbe output: transfer to cmyke






TUB registration: 20130201-QE25/QE25L0NA.TXT /.PS TUB material: code=rha4ta
 application for measurement of offset print output, separation cmyk6 (CMYK)

http://130.149.60.45/~farbmetrik/QE25/QE25L0NA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33


n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	HaM*E	rgb*Me	LabCH*Me	DF*Me	HaM*E
1053	NW_086e	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.1	204.5	4.4	360
1054	NW_093e	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	177.8	1.9	360
1055	NW_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	61.5	0.0	360
1056	NW_100e	0.0	0.0	0.0	0.0	17.7	0.0	0.1	0.1	0.1	96.3	1.0	360
1057	NW_100e	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	151.6	0.5	360
1058	NW_013e	0.133	0.133	0.133	0.133	28.0	0.0	0.0	0.0	0.0	242.3	2.4	360
1059	NW_020e	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0	240.2	7.2	360
1060	NW_026e	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0	234.3	8.6	360
1061	NW_033e	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0	234.3	8.6	360
1062	NW_040e	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0	234.3	8.6	360
1063	NW_046e	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0	234.3	8.6	360
1064	NW_053e	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0	234.3	8.6	360
1065	NW_060e	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.0	234.3	8.6	360
1066	NW_066e	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.0	234.3	8.6	360
1067	NW_073e	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.0	234.3	8.6	360
1068	NW_080e	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.0	234.3	8.6	360
1069	NW_086e	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0	234.3	8.6	360
1070	NW_093e	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	234.3	8.6	360
1071	NW_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	234.3	8.6	360
1072	NW_100e	0.0	0.0	0.0	0.0	17.7	0.0	0.1	0.1	0.1	96.3	1.0	360
1073	NW_100e	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	151.6	0.5	360
1074	ROY_100_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	61.5	0.0	360
1075	GS0B_100_100e	0.0	0.0	0.0	0.0	17.7	0.0	0.1	0.1	0.1	96.3	1.0	360
1076	Y06G_100_100e	0.0	0.0	0.0	0.0	22.8	0.0	0.0	0.0	0.0	151.6	0.5	360
1077	B06L_100_100e	0.0	0.0	0.0	0.0	28.0	0.0	0.0	0.0	0.0	242.3	2.4	360
1078	B08L_100_100e	0.0	0.0	0.0	0.0	33.2	0.0	0.0	0.0	0.0	240.2	7.2	360
1079	B50R_100_100e	0.0	0.0	0.0	0.0	38.3	0.0	0.0	0.0	0.0	234.3	8.6	360

Mean color difference of this page: $\Delta E^* = 7.6$



input: rgb/cmyk -> rgbe
 output: transfer to cmyke

TUB-test chart QE25; hue code: H*_e=R75Y_e
 colors and differences, ΔE^*



see similar files: http://130.149.60.45/~farbmetrik/QE25/QE25.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

