

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = Y00G_ -$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-Ma}	47.9	65.3	50.5	82.6	37
Y _{-Ma}	90.3	-10.2	91.7	92.3	96
G _{-Ma}	50.9	-62.8	34.9	71.9	150
C _{-Ma}	58.6	-30.3	-45.0	54.2	236
B _{-Ma}	25.7	31.0	-44.4	54.2	305
M _{-Ma}	48.1	75.2	-8.3	75.7	353
N _{-Ma}	18.0	0.0	0.0	0.0	0
W _{-Ma}	95.4	0.0	0.0	0.0	0
R _{-CIE}	39.9	58.7	27.9	65.0	25
Y _{-CIE}	81.2	-2.8	71.5	71.6	92
G _{-CIE}	52.2	-42.4	13.6	44.5	162
B _{-CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:

1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
$H^*_ -$	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
 application for measurement of display output

TUB material: code=rh4ta

1-113030-L0 QE320-7N

TUB-test chart QE32; hue code: $H^*_ = Y00G_ -$

Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb/cmyk$


output: no change

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y00G_e$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 83 -3 84 84 92$

$HIC^*_e, Ma: Y00G_100_100_e$

$rgbic^*_e, Ma:$



1.0 0.85 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$



see similar files: <http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE32/QE32L0FP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rh4ta

1-113130-L0 QE320-73

TUB-test chart QE32; hue code: $H^*_e = Y00G_e$
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

1-113130-F0

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

Y_s yellow standard CIELAB (a^*_s, b^*_s) chroma diagram

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE32/QE32.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
 application for measurement of display output, no separation


TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}	LAB* _{ddx64M}	LAB* _{dsx361M}	LAB* _{dex361M}	LAB* _{dsx361M}	LAB* _{dex361M}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}	LAB* _{ddx64M}	LAB* _{dsx361M}	LAB* _{dex361M}	LAB* _{dsx361M}	LAB* _{dex361M}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}													
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.117	0.0	51.5	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	54.1	66.7	66.0	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	57.9	56.2	67.9	88.2	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	63.7	41.4	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	69.7	26.8	74.9	79.6	70	1.0	0.58	0.0	67.8	31.4	74.0	80.4	67	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	77.2	9.8	79.8	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	84.3	-4.6	84.8	85.0	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.7	-20.6	90.8	93.1	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	90.6	-32.2	88.4	94.1	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	88.5	-44.8	85.8	96.9	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	87.1	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	85.7	-65.1	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	84.8	-72.2	81.4	108.9	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	84.1	-78.2	80.5	112.3	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.9	115.0	136	0.0	1.0	0.523	84.4	-79.2	42.1	84.3	150	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8	-80.5	69.1	106.2	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0	-77.9	58.9	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3	-73.7	45.0	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8	-68.8	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4	-62.0	15.9	64.1	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0	-55.1	2.0	55.2	177	0.0	0.97	1.0	84.7	-43.2	-17.4	46.7	202	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6	-33.3	-26.3	42.6	218	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.859	1.0	76.9	-30.7	-30.0	42.4	223
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1	-17.0	-40.6	44.2	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9	-1.5	-53.8	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4	36.2	-80.4	88.3	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2	55.9	-92.2	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8	68.6	-99.5	121.0	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4	76.1	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0	31.0	76.3	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.7	125.9	307.5	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0	35.0	77.9	-95.7	123.5	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	0.0	1.0	38.6	79.9	-89.6	120.1	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300
314.8	307.5																																	

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	0.0 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	0.0 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	0.0 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	0.0 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	0.0 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	0.0 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	0.0 50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi (x=LabCh)	R _e	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40	1.0	1.0 0.0 0.203 50.8 78.0 45.1 90.1 30	1.0	1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25	1.0	1.0 0.0 0.0				
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40	1.0	1.0 0.0 0.189 50.7 78.0 46.9 91.0 31	1.0	1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26	1.0	1.0 0.017 0.0				
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40	1.0	1.0 0.0 0.174 50.7 77.9 48.7 91.8 32	1.0	1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27	1.0	1.0 0.033 0.0				
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40	1.0	1.0 0.0 0.16 50.7 77.7 50.5 92.7 33	1.0	1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28	1.0	1.0 0.05 0.0				
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40	1.0	1.0 0.0 0.146 50.6 77.6 52.3 93.6 34	1.0	1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29	1.0	1.0 0.067 0.0				
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40	1.0	1.0 0.0 0.131 50.6 77.3 54.2 94.4 35	1.0	1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31	1.0	1.0 0.083 0.0				
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41	1.0	1.0 0.0 0.11 50.6 77.3 56.1 95.5 36	1.0	1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32	1.0	1.0 0.1 0.0				
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41	1.0	1.0 0.0 0.082 50.6 77.2 58.2 96.7 37	1.0	1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33	1.0	1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41	1.0	1.0 0.0 0.055 50.5 77.2 60.3 98.0 38	1.0	1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34	1.0	1.0 0.133 0.0				
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41	1.0	1.0 0.0 0.028 50.5 77.1 62.4 99.2 39	1.0	1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35	1.0	1.0 0.15 0.0				
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42	1.0	1.0 0.0 0.0 50.5 76.9 64.6 100.4 40	1.0	1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36	1.0	1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42	1.0	1.0 0.095 0.0 51.3 74.6 64.9 98.9 41	1.0	1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37	1.0	1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43	1.0	1.0 0.151 0.0 52.1 72.4 65.2 97.5 42	1.0	1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38	1.0	1.0 0.2 0.0				
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43	1.0	1.0 0.188 0.0 52.8 70.3 65.5 96.1 43	1.0	1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39	1.0	1.0 0.217 0.0				
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44	1.0	1.0 0.225 0.0 53.6 68.2 65.8 94.8 44	1.0	1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41	1.0	1.0 0.233 0.0				
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44	1.0	1.0 0.256 0.0 54.3 66.1 66.1 93.5 45	1.0	1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42	1.0	1.0 0.25 0.0				
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45	1.0	1.0 0.277 0.0 55.0 64.3 66.6 92.5 46	1.0	1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43	1.0	1.0 0.267 0.0				
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46	1.0	1.0 0.297 0.0 55.6 62.4 66.9 91.5 47	1.0	1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44	1.0	1.0 0.283 0.0				
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47	1.0	1.0 0.318 0.0 56.3 60.6 67.3 90.5 48	1.0	1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45	1.0	1.0 0.3 0.0				
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47	1.0	1.0 0.338 0.0 57.0 58.7 67.6 89.5 49	1.0	1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46	1.0	1.0 0.317 0.0				
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48	1.0	1.0 0.359 0.0 57.7 56.9 67.8 88.5 50	1.0	1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47	1.0	1.0 0.333 0.0				
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49	1.0	1.0 0.378 0.0 58.3 55.1 68.1 87.6 51	1.0	1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48	1.0	1.0 0.35 0.0				
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50	1.0	1.0 0.392 0.0 58.9 53.6 68.6 87.0 52	1.0	1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49	1.0	1.0 0.367 0.0				
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51	1.0	1.0 0.406 0.0 59.6 52.0 69.0 86.4 53	1.0	1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51	1.0	1.0 0.383 0.0				
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52	1.0	1.0 0.42 0.0 60.2 50.4 69.4 85.8 54	1.0	1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52	1.0	1.0 0.4 0.0				
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53	1.0	1.0 0.433 0.0 60.8 48.8 69.8 85.2 55	1.0	1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53	1.0	1.0 0.417 0.0				
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54	1.0	1.0 0.447 0.0 61.4 47.3 70.1 84.5 56	1.0	1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54	1.0	1.0 0.433 0.0				
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56	1.0	1.0 0.461 0.0 62.0 45.7 70.4 83.9 57	1.0	1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55	1.0	1.0 0.45 0.0				
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57	1.0	1.0 0.475 0.0 62.6 44.1 70.7 83.3 58	1.0	1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56	1.0	1.0 0.467 0.0				
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58	1.0	1.0 0.489 0.0 63.2 42.6 70.9 82.7 59	1.0	1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57	1.0	1.0 0.483 0.0				
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59	1.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58	1.0	1.0 0.5 0.0				
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61	1.0	1.0 0.513 0.0 64.4 39.7 71.6 81.9 61	1.0	1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.517 0.0				
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62	1.0	1.0 0.525 0.0 64.9 38.3 72.1 81.7 62	1.0	1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61	1.0	1.0 0.533 0.0				
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64	1.0	1.0 0.536 0.0 65.5 37.0 72.5 81.4 63	1.0	1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62	1.0	1.0 0.55 0.0				
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65	1.0	1.0 0.547 0.0 66.1 35.6 72.9 81.1 64	1.0	1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63	1.0	1.0 0.567 0.0				
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67	1.0	1.0 0.558 0.0 66.7 34.2 73.3 80.9 65	1.0	1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64	1.0	1.0 0.583 0.0				
68	66	65	1.0 0.6 0.0	68.6 28.9 74.5 79.9 68	1.0	1.0 0.569 0.0 67.2 32.8 73.7 80.6 66	1.0	1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65	1.0	1.0 0.6 0.0				
70	67	66	1.0 0.616 0.0	69.8 26.8 74.8 79.5 70	1.0	1.0 0.58 0.0 67.8 31.4 74.0 80.4 67	1.0	1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66	1.0	1.0 0.617 0.0				
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71	1.0	1.0 0.591 0.0 68.4 30.0 74.3 80.1 68	1.0	1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67	1.0	1.0 0.633 0.0				
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73	1.0	1.0 0.602 0.0 69.0 28.6 74.6 79.9 69	1.0	1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68	1.0	1.0 0.65 0.0				
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75	1.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0				
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76	1.0	1.0 0.625 0.0 70.1 25.8 75.0 79.4 71	1.0	1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71	1.0	1.0 0.683 0.0				
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78	1.0	1.0 0.635 0.0 70.7 24.5 75.6 79.4 72	1.0	1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72	1.0	1.0 0.7 0.0				
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79	1.0	1.0 0.646 0.0 71.3 23.3 76.1 79.5 73	1.0	1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73	1.0	1.0 0.717 0.0				
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81	1.0	1.0 0.656 0.0 71.9 21.9 76.5 79.6 74	1.0	1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74	1.0	1.0 0.733 0.0				
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0	1.0 0.667 0.0 72.5 20.6 77.0 79.7 75	1.0	1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75	1.0	1.0 0.75 0.0				

see similar files: http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	Y _d	Y _s	Y _e	Y _c
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0 0.667 0.0	72.5 20.6 77.0 79.7 75	1.0 0.75 0.0	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75	1.0 0.75 0.0			
84	76	76	1.0 0.766 0.0	78.2 7.8 80.6 81.0 84	1.0 0.677 0.0	73.1 19.3 77.4 79.8 76	1.0 0.767 0.0	1.0 0.685 0.0	73.5 18.3 77.7 79.9 76	1.0 0.767 0.0			
85	77	77	1.0 0.783 0.0	79.2 5.8 81.4 81.7 85	1.0 0.688 0.0	73.7 18.0 77.8 79.9 77	1.0 0.783 0.0	1.0 0.696 0.0	74.2 16.9 78.2 80.0 77	1.0 0.783 0.0			
87	78	78	1.0 0.8 0.0	80.2 3.8 82.2 82.3 87	1.0 0.698 0.0	74.3 16.6 78.2 80.0 78	1.0 0.8 0.0	1.0 0.708 0.0	74.8 15.3 78.6 80.1 78	1.0 0.8 0.0			
88	79	80	1.0 0.816 0.0	81.2 1.7 82.9 83.0 88	1.0 0.708 0.0	74.9 15.3 78.6 80.1 79	1.0 0.817 0.0	1.0 0.72 0.0	75.5 13.8 78.9 80.1 80	1.0 0.817 0.0			
90	80	81	1.0 0.833 0.0	82.2 -0.3 83.6 83.6 90	1.0 0.719 0.0	75.5 13.9 78.9 80.1 80	1.0 0.833 0.0	1.0 0.731 0.0	76.2 12.3 79.3 80.2 81	1.0 0.833 0.0			
91	81	82	1.0 0.85 0.0	83.3 -2.5 84.2 84.3 91	1.0 0.729 0.0	76.1 12.6 79.2 80.2 81	1.0 0.85 0.0	1.0 0.743 0.0	76.8 10.8 79.6 80.3 82	1.0 0.85 0.0			
93	82	83	1.0 0.866 0.0	84.3 -4.6 84.8 84.9 93	1.0 0.74 0.0	76.7 11.2 79.5 80.3 82	1.0 0.867 0.0	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83	1.0 0.867 0.0			
94	83	84	1.0 0.883 0.0	85.3 -6.7 85.5 85.8 94	1.0 0.75 0.0	77.3 9.8 79.8 80.4 83	1.0 0.883 0.0	1.0 0.768 0.0	78.3 7.8 80.7 81.1 84	1.0 0.883 0.0			
95	84	85	1.0 0.9 0.0	86.3 -8.5 86.4 86.8 95	1.0 0.762 0.0	78.0 8.5 80.4 80.9 84	1.0 0.9 0.0	1.0 0.78 0.0	79.1 6.2 81.4 81.6 85	1.0 0.9 0.0			
96	85	86	1.0 0.916 0.0	87.4 -10.5 87.2 87.8 96	1.0 0.773 0.0	78.7 7.1 81.0 81.3 85	1.0 0.917 0.0	1.0 0.793 0.0	79.9 4.7 82.0 82.1 86	1.0 0.917 0.0			
98	86	87	1.0 0.933 0.0	88.4 -12.4 88.0 88.9 98	1.0 0.785 0.0	79.3 5.7 81.6 81.8 86	1.0 0.933 0.0	1.0 0.806 0.0	80.6 3.1 82.5 82.6 87	1.0 0.933 0.0			
99	87	88	1.0 0.95 0.0	89.5 -14.4 88.7 89.9 99	1.0 0.796 0.0	80.0 4.3 82.1 82.2 87	1.0 0.95 0.0	1.0 0.819 0.0	81.4 1.5 83.1 83.1 88	1.0 0.95 0.0			
100	88	90	1.0 0.966 0.0	90.5 -16.5 89.4 91.0 100	1.0 0.808 0.0	80.7 2.9 82.6 82.7 88	1.0 0.967 0.0	1.0 0.831 0.0	82.2 0.0 83.6 83.6 90	1.0 0.967 0.0			
101	89	91	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	1.0 0.819 0.0	81.4 1.5 83.1 83.1 89	1.0 0.983 0.0	1.0 0.844 0.0	83.0 -1.7 84.1 84.1 91	1.0 0.983 0.0			
102	90	92	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102	1.0 0.831 0.0	82.1 0.0 83.5 83.5 90	1.0 1.0 0.0	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92	1.0 1.0 0.0			
103	91	93	0.983 1.0 0.0	92.3 -22.3 90.5 93.2 103	1.0 0.842 0.0	82.8 -1.4 84.0 84.0 91	0.983 1.0 0.0	1.0 0.87 0.0	84.5 -5.1 84.9 85.1 93	0.983 1.0 0.0			
104	92	94	0.966 1.0 0.0	92.0 -24.0 90.2 93.3 104	1.0 0.853 0.0	83.5 -2.8 84.4 84.4 92	0.967 1.0 0.0	1.0 0.886 0.0	85.5 -6.9 85.7 85.9 94	0.967 1.0 0.0			
105	93	95	0.95 1.0 0.0	91.7 -25.6 89.9 93.5 105	1.0 0.865 0.0	84.2 -4.3 84.8 84.9 93	0.95 1.0 0.0	1.0 0.902 0.0	86.5 -8.7 86.5 87.0 95	0.95 1.0 0.0			
106	94	96	0.933 1.0 0.0	91.4 -27.3 89.5 93.6 106	1.0 0.877 0.0	84.9 -5.9 85.2 85.4 94	0.933 1.0 0.0	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 96	0.933 1.0 0.0			
108	95	98	0.916 1.0 0.0	91.1 -28.9 89.1 93.7 108	1.0 0.891 0.0	85.8 -7.4 85.9 86.3 95	0.917 1.0 0.0	1.0 0.934 0.0	88.5 -12.5 88.1 89.0 98	0.917 1.0 0.0			
109	96	99	0.9 1.0 0.0	90.8 -30.6 88.7 93.9 109	1.0 0.904 0.0	86.7 -9.0 86.6 87.1 96	0.9 1.0 0.0	1.0 0.951 0.0	89.6 -14.4 88.8 90.0 99	0.9 1.0 0.0			
110	97	100	0.883 1.0 0.0	90.5 -32.2 88.3 94.0 110	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 97	0.883 1.0 0.0	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100	0.883 1.0 0.0			
111	98	101	0.866 1.0 0.0	90.3 -33.8 88.0 94.3 111	1.0 0.932 0.0	88.4 -12.3 88.0 88.9 98	0.867 1.0 0.0	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	0.867 1.0 0.0			
111	99	102	0.85 1.0 0.0	90.0 -35.4 87.7 94.6 111	1.0 0.946 0.0	89.3 -13.9 88.6 89.7 99	0.85 1.0 0.0	1.0 0.999 0.0	92.6 -20.5 90.7 93.0 102	0.85 1.0 0.0			
112	100	103	0.833 1.0 0.0	89.8 -37.0 87.5 95.0 112	1.0 0.96 0.0	90.2 -15.6 89.2 90.6 100	0.833 1.0 0.0	0.982 1.0 0.0	92.3 -22.4 90.5 93.2 103	0.833 1.0 0.0			
113	101	105	0.816 1.0 0.0	89.5 -38.6 87.2 95.4 113	1.0 0.974 0.0	91.0 -17.4 89.8 91.5 101	0.817 1.0 0.0	0.963 1.0 0.0	92.0 -24.3 90.2 93.4 105	0.817 1.0 0.0			
114	102	106	0.8 1.0 0.0	89.3 -40.1 86.9 95.7 114	1.0 0.988 0.0	91.9 -19.1 90.3 92.3 102	0.8 1.0 0.0	0.944 1.0 0.0	91.7 -26.1 89.8 93.6 106	0.8 1.0 0.0			
115	103	107	0.783 1.0 0.0	89.0 -41.7 86.6 96.1 115	0.998 1.0 0.0	92.6 -20.8 90.7 93.1 103	0.783 1.0 0.0	0.926 1.0 0.0	91.3 -28.0 89.4 93.7 107	0.783 1.0 0.0			
116	104	108	0.766 1.0 0.0	88.7 -43.3 86.2 96.5 116	0.981 1.0 0.0	92.3 -22.5 90.5 93.2 104	0.767 1.0 0.0	0.907 1.0 0.0	91.0 -29.9 89.0 93.9 108	0.767 1.0 0.0			
117	105	109	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117	0.965 1.0 0.0	92.0 -24.1 90.2 93.4 105	0.75 1.0 0.0	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109	0.75 1.0 0.0			
118	106	110	0.733 1.0 0.0	88.3 -46.3 85.6 97.4 118	0.949 1.0 0.0	91.8 -25.7 89.9 93.5 106	0.733 1.0 0.0	0.868 1.0 0.0	90.3 -33.6 88.0 94.3 110	0.733 1.0 0.0			
119	107	112	0.716 1.0 0.0	88.1 -47.8 85.4 97.9 119	0.933 1.0 0.0	91.5 -27.3 89.6 93.6 107	0.717 1.0 0.0	0.848 1.0 0.0	90.0 -35.6 87.8 94.7 112	0.717 1.0 0.0			
120	108	113	0.7 1.0 0.0	87.9 -49.2 85.2 98.4 120	0.917 1.0 0.0	91.2 -28.9 89.2 93.8 108	0.7 1.0 0.0	0.827 1.0 0.0	89.7 -37.5 87.4 95.2 113	0.7 1.0 0.0			
120	109	114	0.683 1.0 0.0	87.6 -50.7 84.9 98.9 120	0.901 1.0 0.0	90.9 -30.5 88.8 93.9 109	0.683 1.0 0.0	0.806 1.0 0.0	89.4 -39.5 87.1 95.7 114	0.683 1.0 0.0			
121	110	115	0.666 1.0 0.0	87.4 -52.1 84.7 99.4 121	0.884 1.0 0.0	90.6 -32.1 88.4 94.1 110	0.667 1.0 0.0	0.786 1.0 0.0	89.1 -41.5 86.7 96.1 115	0.667 1.0 0.0			
122	111	116	0.65 1.0 0.0	87.2 -53.6 84.4 100.0 122	0.868 1.0 0.0	90.3 -33.7 88.0 94.3 111	0.65 1.0 0.0	0.765 1.0 0.0	88.8 -43.4 86.2 96.6 116	0.65 1.0 0.0			
123	112	117	0.633 1.0 0.0	87.0 -55.0 84.1 100.5 123	0.85 1.0 0.0	90.1 -35.4 87.8 94.7 112	0.633 1.0 0.0	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117	0.633 1.0 0.0			
123	113	119	0.616 1.0 0.0	86.8 -56.4 83.8 101.0 123	0.832 1.0 0.0	89.8 -37.1 87.5 95.1 113	0.617 1.0 0.0	0.719 1.0 0.0	88.2 -47.5 85.5 97.9 119	0.617 1.0 0.0			
124	114	120	0.6 1.0 0.0	86.7 -57.6 83.7 101.6 124	0.814 1.0 0.0	89.5 -38.7 87.2 95.5 114	0.6 1.0 0.0	0.695 1.0 0.0	87.8 -49.6 85.2 98.6 120	0.6 1.0 0.0			
125	115	121	0.583 1.0 0.0	86.5 -58.9 83.5 102.2 125	0.797 1.0 0.0	89.3 -40.4 86.9 95.9 115	0.583 1.0 0.0	0.67 1.0 0.0	87.5 -51.7 84.8 99.4 121	0.583 1.0 0.0			
125	116	122	0.566 1.0 0.0	86.3 -60.1 83.3 102.8 125	0.779 1.0 0.0	89.0 -42.1 86.5 96.3 116	0.567 1.0 0.0	0.646 1.0 0.0	87.2 -53.9 84.4 100.1 122	0.567 1.0 0.0			
126	117	123	0.55 1.0 0.0	86.2 -61.4 83.1 103.3 126	0.761 1.0 0.0	88.7 -43.8 86.1 96.6 117	0.55 1.0 0.0	0.621 1.0 0.0	86.9 -56.0 83.9 100.9 123	0.55 1.0 0.0			
127	118	124	0.533 1.0 0.0	86.0 -62.7 82.9 103.9 127	0.742 1.0 0.0	88.4 -45.5 85.8 97.1 118	0.533 1.0 0.0	0.59 1.0 0.0	86.6 -58.3 83.6 102.0 124	0.533 1.0 0.0			
127	119	126	0.516 1.0 0.0	85.8 -63.9 82.6 104.5 127	0.721 1.0 0.0	88.2 -47.3 85.5 97.8 119	0.517 1.0 0.0	0.56 1.0 0.0	86.3 -60.6 83.3 103.1 126	0.517 1.0 0.0			
128	120	127	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128	0.7 1.0 0.0	87.9 -49.1 85.3 98.4 120	0.5 1.0 0.0	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127	0.5 1.0 0.0			



see similar files: http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4t4

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{ds361M}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}																							
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.629	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0.0	1.0	0.15			

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dd361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{ds361Mi}	rgb* _{de361Mi}	rgb* _{ds361Mi}	rgb* _{de361Mi}																						
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	C _d	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	C _s	0.0	1.0	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216	C _c	0.0	1.0	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199		0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211		0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217		0.0	0.983	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202		0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212		0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218		0.0	0.967	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205		0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213		0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219		0.0	0.95	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208		0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214		0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220		0.0	0.933	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212		0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215		0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221		0.0	0.917	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215		0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216		0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222		0.0	0.9	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218		0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217		0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223		0.0	0.883	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221		0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218		0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224		0.0	0.867	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225		0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219		0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225		0.0	0.85	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228		0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220		0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226		0.0	0.833	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232		0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221		0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.817	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236		0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222		0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227		0.0	0.8	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239		0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223		0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228		0.0	0.783	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243		0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224		0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229		0.0	0.767	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247		0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225		0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230		0.0	0.75	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250		0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226		0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231		0.0	0.733	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253		0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232		0.0	0.717	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256		0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228		0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233		0.0	0.7	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259		0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229		0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234		0.0	0.683	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262		0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230		0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235		0.0	0.667	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265		0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231		0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236		0.0	0.65	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268		0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232		0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237		0.0	0.633	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270		0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233		0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237		0.0	0.617	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272		0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234		0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238		0.0	0.6	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274		0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235		0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239		0.0	0.583	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276		0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236		0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240		0.0	0.567	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278		0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237		0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241		0.0	0.55	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280		0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238		0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242		0.0	0.533	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283		0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239		0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243		0.0	0.517	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285		0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240		0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244		0.0	0.5	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286		0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241		0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245		0.0	0.483	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287		0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242		0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246		0.0	0.467	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288		0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243		0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247		0.0	0.45	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290		0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244		0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248		0.0	0.433	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291		0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245		0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1	-41.8	45.0	248		0.0	0.417	1.0
292	246	249	0.0	0.4	1.0	45.4	33.3	-79.0	85.7	292		0.0	0.756	1.0	69.5	-17.8	-40.2	44.1	246		0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5	-42.5	45.4	249		0.0	0.4	1.0
294	247	250	0.0	0.383	1.0	44.3	36.2	-80.5	88.2	294		0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247		0.0	0.383	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250		0.0	0.383	1.0
295	248	251	0.0	0.366	1.0	43.4	38.7	-82.0	90.7	295		0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248</																

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}
301	255	258	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301	0.0 0.707 1.0	66.1 -12.3 -46.0 47.8 255	0.0 0.25 1.0	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258	0.0 0.25 1.0	
301	256	258	0.0 0.233 1.0	36.5 57.6 -93.4 109.7 301	0.0 0.702 1.0	65.7 -11.6 -46.7 48.2 256	0.0 0.233 1.0	0.0 0.685 1.0	64.6 -9.4 -48.6 49.6 258	0.0 0.233 1.0	
302	257	259	0.0 0.216 1.0	35.9 59.4 -94.5 111.6 302	0.0 0.696 1.0	65.3 -10.9 -47.3 48.7 257	0.0 0.217 1.0	0.0 0.68 1.0	64.2 -8.7 -49.1 50.0 259	0.0 0.217 1.0	
302	258	260	0.0 0.2 1.0	35.2 61.2 -95.5 113.5 302	0.0 0.691 1.0	64.9 -10.1 -48.0 49.1 258	0.0 0.2 1.0	0.0 0.675 1.0	63.8 -8.0 -49.7 50.4 260	0.0 0.2 1.0	
303	259	261	0.0 0.183 1.0	34.6 63.0 -96.6 115.3 303	0.0 0.685 1.0	64.5 -9.4 -48.6 49.6 259	0.0 0.183 1.0	0.0 0.67 1.0	63.5 -7.2 -50.2 50.9 261	0.0 0.183 1.0	
303	260	262	0.0 0.166 1.0	34.0 64.8 -97.6 117.2 303	0.0 0.679 1.0	64.2 -8.6 -49.2 50.1 260	0.0 0.167 1.0	0.0 0.665 1.0	63.1 -6.5 -50.8 51.3 262	0.0 0.167 1.0	
304	261	263	0.0 0.15 1.0	33.4 66.7 -98.6 119.1 304	0.0 0.674 1.0	63.8 -7.8 -49.8 50.5 261	0.0 0.15 1.0	0.0 0.66 1.0	62.8 -5.7 -51.3 51.7 263	0.0 0.15 1.0	
304	262	264	0.0 0.133 1.0	32.8 68.6 -99.6 120.9 304	0.0 0.668 1.0	63.4 -7.0 -50.4 51.0 262	0.0 0.133 1.0	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264	0.0 0.133 1.0	
304	263	265	0.0 0.116 1.0	32.3 70.0 -100.3 123.3 304	0.0 0.663 1.0	63.0 -6.2 -51.0 51.5 263	0.0 0.117 1.0	0.0 0.65 1.0	62.1 -4.2 -52.3 52.5 265	0.0 0.117 1.0	
305	264	266	0.0 0.1 1.0	32.0 70.8 -100.8 123.2 305	0.0 0.657 1.0	62.6 -5.3 -51.5 51.9 264	0.0 0.1 1.0	0.0 0.645 1.0	61.7 -3.4 -52.8 53.0 266	0.0 0.1 1.0	
305	265	267	0.0 0.083 1.0	31.7 71.7 -101.2 124.1 305	0.0 0.652 1.0	62.2 -4.5 -52.1 52.4 265	0.0 0.083 1.0	0.0 0.64 1.0	61.4 -2.5 -53.2 53.4 267	0.0 0.083 1.0	
305	266	268	0.0 0.066 1.0	31.5 72.5 -101.7 124.9 305	0.0 0.646 1.0	61.8 -3.6 -52.6 52.8 266	0.0 0.067 1.0	0.0 0.635 1.0	61.0 -1.7 -53.7 53.8 268	0.0 0.067 1.0	
305	267	269	0.0 0.049 1.0	31.2 73.4 -102.2 125.8 305	0.0 0.641 1.0	61.4 -2.7 -53.1 53.3 267	0.0 0.05 1.0	0.0 0.63 1.0	60.6 -0.8 -54.1 54.2 269	0.0 0.05 1.0	
305	268	269	0.0 0.033 1.0	30.9 74.3 -102.6 126.7 305	0.0 0.635 1.0	61.0 -1.8 -53.6 53.8 268	0.0 0.033 1.0	0.0 0.624 1.0	60.3 0.0 -54.6 54.7 269	0.0 0.033 1.0	
306	269	270	0.0 0.016 1.0	30.6 75.1 -103.1 127.6 306	0.0 0.63 1.0	60.6 -0.8 -54.1 54.2 269	0.0 0.017 1.0	0.0 0.617 1.0	59.8 0.8 -55.6 55.7 270	0.0 0.017 1.0	
306	270	271	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306	B_d 0.0 0.624 1.0	60.2 0.0 -54.7 54.8	270B_s 0.0 0.0 1.0	0.0 0.609 1.0	59.3 1.7 -56.5 56.6	271B_e 0.0 0.0 1.0	
306	271	272	0.016 0.0 1.0	30.4 76.0 -103.4 128.4 306	0.0 0.615 1.0	59.7 1.0 -55.7 55.9 271	0.0 0.017 0.0 1.0	0.0 0.602 1.0	58.7 2.7 -57.5 57.6 272	0.0 0.017 0.0 1.0	
306	272	273	0.033 0.0 1.0	30.5 76.1 -103.3 128.3 306	0.0 0.607 1.0	59.1 2.0 -56.8 56.9 272	0.033 0.0 1.0	0.0 0.594 1.0	58.2 3.7 -58.4 58.6 273	0.033 0.0 1.0	
306	273	274	0.05 0.0 1.0	30.6 76.1 -103.1 128.2 306	0.0 0.599 1.0	58.5 3.0 -57.8 58.0 273	0.05 0.0 1.0	0.0 0.586 1.0	57.7 4.8 -59.4 59.7 274	0.05 0.0 1.0	
306	274	275	0.066 0.0 1.0	30.7 76.1 -103.0 128.1 306	0.0 0.591 1.0	58.0 4.1 -58.8 59.0 274	0.067 0.0 1.0	0.0 0.578 1.0	57.1 5.8 -60.3 60.7 275	0.067 0.0 1.0	
306	275	276	0.083 0.0 1.0	30.8 76.2 -102.8 128.0 306	0.0 0.583 1.0	57.4 5.2 -59.8 60.1 275	0.083 0.0 1.0	0.0 0.57 1.0	56.6 7.0 -61.2 61.7 276	0.083 0.0 1.0	
306	276	277	0.1 0.0 1.0	30.9 76.2 -102.7 127.9 306	0.0 0.574 1.0	56.9 6.4 -60.7 61.2 276	0.1 0.0 1.0	0.0 0.563 1.0	56.1 8.1 -62.0 62.7 277	0.1 0.0 1.0	
306	277	278	0.116 0.0 1.0	30.9 76.2 -102.5 127.8 306	0.0 0.566 1.0	56.3 7.6 -61.7 62.2 277	0.117 0.0 1.0	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278	0.117 0.0 1.0	
306	278	279	0.133 0.0 1.0	31.1 76.3 -102.3 127.6 306	0.0 0.558 1.0	55.7 8.8 -62.6 63.3 278	0.133 0.0 1.0	0.0 0.547 1.0	55.0 10.5 -63.7 64.7 279	0.133 0.0 1.0	
306	279	280	0.15 0.0 1.0	31.3 76.3 -101.9 127.4 306	0.0 0.55 1.0	55.2 10.1 -63.5 64.3 279	0.15 0.0 1.0	0.0 0.539 1.0	54.5 11.7 -64.5 65.7 280	0.15 0.0 1.0	
306	280	281	0.166 0.0 1.0	31.5 76.4 -101.6 127.1 306	0.0 0.541 1.0	54.6 11.4 -64.3 65.4 280	0.167 0.0 1.0	0.0 0.531 1.0	53.9 13.0 -65.3 66.7 281	0.167 0.0 1.0	
307	281	282	0.183 0.0 1.0	31.7 76.5 -101.2 126.9 307	0.0 0.533 1.0	54.1 12.7 -65.1 66.5 281	0.183 0.0 1.0	0.0 0.524 1.0	53.4 14.3 -66.1 67.7 282	0.183 0.0 1.0	
307	282	283	0.2 0.0 1.0	31.9 76.6 -100.9 126.7 307	0.0 0.525 1.0	53.5 14.0 -66.0 67.5 282	0.2 0.0 1.0	0.0 0.516 1.0	52.9 15.6 -66.8 68.7 283	0.2 0.0 1.0	
307	283	284	0.216 0.0 1.0	32.1 76.6 -100.5 126.4 307	0.0 0.517 1.0	52.9 15.4 -66.7 68.6 283	0.217 0.0 1.0	0.0 0.508 1.0	52.3 16.9 -67.5 69.7 284	0.217 0.0 1.0	
307	284	285	0.233 0.0 1.0	32.3 76.7 -100.1 126.2 307	0.0 0.508 1.0	52.4 16.9 -67.5 69.7 284	0.233 0.0 1.0	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285	0.233 0.0 1.0	
307	285	285	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285	0.25 0.0 1.0	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285	0.25 0.0 1.0	
307	286	286	0.266 0.0 1.0	32.9 77.0 -99.2 125.6 307	0.0 0.488 1.0	51.0 20.0 -69.7 72.6 286	0.267 0.0 1.0	0.0 0.476 1.0	50.3 21.6 -71.0 74.3 286	0.267 0.0 1.0	
308	287	287	0.283 0.0 1.0	33.2 77.1 -98.6 125.2 308	0.0 0.475 1.0	50.2 21.8 -71.2 74.5 287	0.283 0.0 1.0	0.0 0.464 1.0	49.5 23.3 -72.4 76.1 287	0.283 0.0 1.0	
308	288	288	0.3 0.0 1.0	33.6 77.3 -98.1 124.9 308	0.0 0.462 1.0	49.4 23.6 -72.6 76.4 288	0.3 0.0 1.0	0.0 0.452 1.0	48.8 25.1 -73.7 77.9 288	0.3 0.0 1.0	
308	289	289	0.316 0.0 1.0	33.9 77.4 -97.5 124.5 308	0.0 0.45 1.0	48.6 25.5 -74.0 78.3 289	0.317 0.0 1.0	0.0 0.44 1.0	48.0 26.9 -75.0 79.8 289	0.317 0.0 1.0	
308	290	290	0.333 0.0 1.0	34.3 77.6 -96.9 124.1 308	0.0 0.437 1.0	47.8 27.4 -75.3 80.2 290	0.333 0.0 1.0	0.0 0.428 1.0	47.2 28.8 -76.2 81.6 290	0.333 0.0 1.0	
308	291	291	0.35 0.0 1.0	34.6 77.7 -96.3 123.8 308	0.0 0.424 1.0	47.0 29.4 -76.6 82.1 291	0.35 0.0 1.0	0.0 0.416 1.0	46.5 30.7 -77.4 83.4 291	0.35 0.0 1.0	
309	292	292	0.366 0.0 1.0	34.9 77.9 -95.7 123.4 309	0.0 0.412 1.0	46.2 31.5 -77.8 84.1 292	0.367 0.0 1.0	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292	0.367 0.0 1.0	
309	293	293	0.383 0.0 1.0	35.3 78.1 -95.1 123.0 309	0.0 0.399 1.0	45.4 33.6 -79.0 86.0 293	0.383 0.0 1.0	0.0 0.392 1.0	44.9 34.7 -79.7 87.0 293	0.383 0.0 1.0	
309	294	294	0.4 0.0 1.0	35.8 78.3 -94.3 122.6 309	0.0 0.386 1.0	44.6 35.7 -80.2 87.9 294	0.4 0.0 1.0	0.0 0.38 1.0	44.2 36.8 -80.7 88.8 294	0.4 0.0 1.0	
310	295	295	0.416 0.0 1.0	36.3 78.6 -93.5 122.2 310	0.0 0.373 1.0	43.7 38.0 -81.4 89.9 295	0.417 0.0 1.0	0.0 0.364 1.0	43.3 39.2 -82.2 91.2 295	0.417 0.0 1.0	
310	296	296	0.433 0.0 1.0	36.7 78.9 -92.7 121.8 310	0.0 0.353 1.0	42.7 40.7 -83.3 92.8 296	0.433 0.0 1.0	0.0 0.345 1.0	42.3 41.7 -84.0 93.9 296	0.433 0.0 1.0	
310	297	297	0.45 0.0 1.0	37.2 79.1 -92.0 121.3 310	0.0 0.333 1.0	41.6 43.5 -85.2 95.7 297	0.45 0.0 1.0	0.0 0.327 1.0	41.3 44.4 -85.8 96.7 297	0.45 0.0 1.0	
311	298	298	0.466 0.0 1.0	37.6 79.3 -91.2 120.9 311	0.0 0.313 1.0	40.5 46.3 -87.0 98.6 298	0.467 0.0 1.0	0.0 0.308 1.0	40.3 47.1 -87.5 99.4 298	0.467 0.0 1.0	
311	299	299	0.483 0.0 1.0	38.1 79.6 -90.4 120.5 311	0.0 0.293 1.0	39.5 49.2 -88.7 101.5 299	0.483 0.0 1.0	0.0 0.289 1.0	39.2 49.9 -89.1 102.2 299	0.483 0.0 1.0	
311	300	300	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311	0.0 0.274 1.0	38.4 52.2 -90.4 104.5 300	0.5 0.0 1.0	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300	0.5 0.0 1.0	



see similar files: http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
application for measurement of display output, no separation



TUB material: code=rha4ta


Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716	
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	

see similar files: http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta





TUB registration: 20130201-QE32/QE32LOFP.PDF /.PS
 application for measurement of display output, no separation


TUB material: code=rha4ta



n#	HC*Fate	rgb*Rate	icr*Rate	hsa*Rate	rgb*Fate	LabCH*Fate	LabCH*Rate	rgb*Fate	LabCH*Rate	DF*Fate	DF*Rate	rgb*Fate	LabCH*Rate	LabCH*Fate	0.0
1	NV.0000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BOOR.012.012a	0.0	0.125	0.125	0.0	0.076	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BOOR.025.025a	0.0	0.25	0.25	0.125	0.152	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BOOR.037.037a	0.0	0.375	0.375	0.187	0.228	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BOOR.050.050a	0.0	0.5	0.5	0.25	0.304	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BOOR.062.062a	0.0	0.625	0.625	0.312	0.38	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BOOR.075.075a	0.0	0.75	0.75	0.375	0.457	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BOOR.087.087a	0.0	1.0	1.0	0.5	0.609	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	BOOR.100.100a	0.0	1.0	1.0	0.5	0.609	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	BOOR.012.012a	0.0	0.125	0.125	0.062	0.119	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	G75B.012.012a	0.0	0.125	0.125	0.062	0.119	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	G75B.025.025a	0.0	0.125	0.25	0.125	0.152	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	G88B.037.037a	0.0	0.125	0.375	0.187	0.228	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	G88B.050.050a	0.0	0.125	0.5	0.25	0.304	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	G92B.062.062a	0.0	0.125	0.625	0.312	0.38	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	G92B.075.075a	0.0	0.125	0.75	0.375	0.457	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	G94B.087.087a	0.0	0.125	1.0	0.5	0.609	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	G94B.100.100a	0.0	0.125	1.0	0.5	0.609	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	G25B.025.025a	0.0	0.25	0.25	0.125	0.180	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	G25B.050.050a	0.0	0.25	0.25	0.125	0.180	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	G65B.037.037a	0.0	0.375	0.375	0.187	0.229	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	G65B.050.050a	0.0	0.375	0.375	0.187	0.229	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	G65B.062.062a	0.0	0.25	0.625	0.312	0.44	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	G65B.075.075a	0.0	0.25	0.75	0.375	0.51	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	G68B.087.087a	0.0	0.375	0.875	0.437	0.56	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	G68B.100.100a	0.0	0.375	0.875	0.437	0.56	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	G08B.037.037a	0.0	0.375	0.375	0.187	0.229	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	G18B.037.037a	0.0	0.375	0.375	0.187	0.229	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	G38B.037.037a	0.0	0.375	0.375	0.187	0.229	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	G38B.050.050a	0.0	0.375	0.375	0.187	0.229	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	G61B.050.050a	0.0	0.375	0.375	0.187	0.229	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32	G69B.062.062a	0.0	0.375	0.625	0.312	0.33	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	G75B.075.075a	0.0	0.375	0.75	0.375	0.437	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	G79B.087.087a	0.0	0.375	0.875	0.437	0.56	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35	G81B.100.100a	0.0	0.375	1.0	0.5	0.248	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36	G08B.050.050a	0.0	0.5	0.5	0.25	0.150	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37	G11B.050.050a	0.0	0.5	0.5	0.25	0.164	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	G25B.050.050a	0.0	0.5	0.5	0.25	0.180	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39	G38B.050.050a	0.0	0.5	0.5	0.25	0.196	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40	G38B.050.050a	0.0	0.5	0.5	0.25	0.210	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41	G59B.062.062a	0.0	0.5	0.625	0.312	0.221	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42	G65B.075.075a	0.0	0.5	0.75	0.375	0.229	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43	G70B.087.087a	0.0	0.5	0.875	0.437	0.235	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44	G75B.100.100a	0.0	0.5	1.0	0.5	0.240	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45	G08B.062.062a	0.0	0.625	0.625	0.312	0.161	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46	G09B.062.062a	0.0	0.625	0.625	0.312	0.173	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47	G19B.062.062a	0.0	0.625	0.625	0.312	0.187	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48	G30B.062.062a	0.0	0.625	0.625	0.312	0.199	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49	G40B.062.062a	0.0	0.625	0.625	0.312	0.210	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50	G40B.062.062a	0.0	0.625	0.625	0.312	0.220	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51	G75B.075.075a	0.0	0.625	0.75	0.375	0.219	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52	G63B.087.087a	0.0	0.625	0.875	0.437	0.226	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53	G68B.100.100a	0.0	0.625	1.0	0.5	0.232	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54	G08B.075.075a	0.0	0.75	0.75	0.375	0.150	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55	G17B.075.075a	0.0	0.75	0.75	0.375	0.159	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56	G25B.075.075a	0.0	0.75	0.75	0.375	0.169	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57	G38B.075.075a	0.0	0.75	0.75	0.375	0.179	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
58	G48B.075.075a	0.0	0.75	0.75	0.375	0.191	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
59	G48B.075.075a	0.0	0.75	0.75	0.375	0.201	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60	G50B.087.087a	0.0	0.75	0.875	0.437	0.218	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
61	G50B.087.087a	0.0	0.75	0.875	0.437	0.218	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
62	G61B.100.100a	0.0	0.75	1.0	0.5	0.224	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
63	G08B.087.087a	0.0	0.875	0.875	0.437	0.150	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
64	G18B.087.087a	0.0	0.875	0.875	0.437	0.158	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
65	G38B.087.087a	0.0	0.875	0.875	0.437	0.166	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
66	G38B.087.087a	0.0	0.875	0.875	0.437	0.175	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
67	G38B.087.087a	0.0	0.875	0.875	0.437	0.185	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
68	G43B.087.087a	0.0	0.875	0.875	0.437	0.194	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
69	G43B.087.087a	0.0	0.875	0.875	0.437	0.202	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70	G50B.087.087a	0.0	0.875	0.875	0.437	0.210	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
71	G50B.087.087a	0.0	0.875	0.875	0.437	0.210	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
72	G53B.100.100a	0.0	1.0	1.0	0.5	0.217	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
73	G08B.100.100a	0.0	1.0	1.0	0.5	0.150	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
74	G11B.100.100a	0.0	1.0	1.0	0.5	0.164	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
75	G18B.100.100a	0.0	1.0	1.0	0.5	0.172	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
76	G25B.100.100a	0.0	1.0	1.0	0.5	0.188	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
77	G38B.100.100a	0.0	1.0	1.0	0.5	0.204	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
78	G48B.100.100a	0.0	1.0	1.0	0.5	0.210	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
79	G48B.100.100a	0.0	1.0	1.0	0.5	0.203	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80	G53B.100.100a	0.0	1.0	1.0	0.5	0.210	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: $\Delta E^* = 0.6$

input: *rgb*cmk* -> *rgbde*
 output: 3D-linearization to *rgb*de*



TUB registration: 20130201-QE32/QE32LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC*File, rpb*File, iet*File, hsa*File, rpb*File, LabCh*File, iet*File, hsa*File, rpb*File, LabCh*File, rpb*File, LabCh*File, DP*File, hsa*File, rpb*File, LabCh*File, iet*File, hsa*File, rpb*File, LabCh*File. Rows include various file names like B0YR_012_012a2e, B0YR_012_012a2e, B2SK_025_025a2e, etc.

input: rgb*cmysk -> rgbde output: 3D-linearization to rgb*de

QE320-TN; Page 17/29-F

TUB-test chart QE32; hue code: H*e=Y00Ge colors and differences, AE*
L-1131630-F0

Mean color difference of this page: delta E** = 0.6

n	HC* ^{File}	rgb* ^{File}	id* ^{File}	hsa* ^{File}	rgb* ^{File}	LabCH* ^{File}	LabCH* ^{File}	rgb* ^{File}	LabCH* ^{File}	DF* ^{File}	hsv* ^{File}	rgb* ^{File}	LabCH* ^{File}	DF* ^{File}	hsv* ^{File}	rgb* ^{File}	LabCH* ^{File}		
162	ROY0_025_025	0.25	0.0	0.25	0.0	0.065	12.7	19.5	0.248	0.077	0.076	12.1	20.4	10.6	23.2	27.4	1.6	372	
163	ROY0_025_025	0.25	0.0	0.25	0.0	0.154	13.2	24.0	0.241	0.086	0.162	12.6	21.8	-4.0	22.0	23.0	1.5	352	
164	B50R_025_025	0.25	0.0	0.25	0.0	0.247	14.2	23.5	0.241	0.086	0.237	13.1	24.5	-15.3	28.9	32.9	1.4	330	
165	B34R_037_037	0.25	0.0	0.375	0.187	0.311	13.9	29.0	0.187	0.069	0.355	13.1	30.7	-36.1	47.4	31.0	2.0	296	
166	B25K_050_050	0.25	0.0	0.5	0.25	0.375	15.0	26.3	0.131	0.148	0.474	18.0	26.6	-46.0	55.1	30.0	0.7	254	
167	B19K_062_062	0.25	0.0	0.625	0.312	0.293	0.0	0.245	0.129	0.248	0.597	28.0	21.5	-49.8	54.2	29.3	0.2	247	
168	B15K_075_075	0.25	0.0	0.75	0.375	0.289	0.0	0.33	0.078	0.33	0.728	35.7	19.6	-56.4	59.8	28.9	0.2	243	
169	B13K_087_087	0.25	0.0	0.875	0.437	0.286	0.0	0.416	0.043	0.417	0.862	44.0	18.4	-62.1	64.8	28.6	0.5	241	
170	B11R_100_100	0.25	0.0	1.0	0.5	0.284	0.0	0.5	0.0	0.502	1.0	18.0	18.0	-68.0	70.0	28.4	0.3	239	
171	RS0Y_025_025	0.25	0.125	0.125	0.0	0.25	0.121	0.10	0.247	0.138	0.042	15.6	10.4	19.2	21.9	61.4	1.5	59	
172	RS0Y_025_012	0.25	0.125	0.125	0.0	0.25	0.124	0.148	0.239	0.168	0.237	18.8	11.6	-7.6	13.8	32.6	0.5	330	
173	B50R_025_012	0.25	0.125	0.187	0.30	0.25	0.124	0.248	0.206	0.192	0.355	21.0	12.8	-23.5	20.0	28.7	0.9	254	
174	B25K_037_037	0.25	0.125	0.375	0.25	0.30	0.124	0.192	0.231	0.206	0.181	0.475	29.8	9.7	-28.5	30.1	288.6	0.5	243
175	B15K_050_037	0.25	0.125	0.5	0.375	0.312	0.289	0.101	0.281	0.299	0.807	37.8	8.7	-34.1	35.2	28.4	0.6	238	
176	B11R_062_050	0.25	0.125	0.625	0.437	0.281	0.125	0.375	0.266	0.363	0.597	37.8	8.7	-34.1	35.2	28.4	0.6	238	
177	B07R_087_050	0.25	0.125	0.75	0.437	0.281	0.125	0.452	0.278	0.441	0.729	45.2	8.2	-41.2	42.0	28.1	0.6	238	
178	B04R_100_050	0.25	0.125	0.875	0.5	0.279	0.078	0.5	0.299	0.522	0.865	52.7	8.5	-48.4	49.1	27.9	0.5	237	
179	Y00G_025_012	0.25	0.25	0.1	0.0	0.875	0.562	0.278	0.295	0.6	1.0	59.8	8.2	-55.3	53.0	27.6	0.8	236	
180	Y00G_025_012	0.25	0.25	0.125	0.187	0.90	0.25	0.234	0.24	0.207	0.065	20.7	-1.5	22.6	22.6	93.8	1.6	82	
181	NW_025	0.25	0.25	0.125	0.187	0.90	0.25	0.234	0.24	0.207	0.065	20.7	-1.5	22.6	22.6	93.8	1.6	82	
182	B00R_037_012	0.25	0.25	0.25	0.30	0.25	0.25	0.25	0.232	0.236	0.237	23.7	-0.4	-0.2	0.4	36.0	1.0	0.0	
183	B00R_050_012	0.25	0.25	0.375	0.375	0.312	0.2	0.70	0.276	0.308	0.352	33.1	-0.4	-7.3	7.3	266.8	0.6	232	
184	B00R_062_012	0.25	0.25	0.5	0.437	0.36	0.6	-14.1	0.359	0.458	0.597	46.0	0.0	-14.4	14.4	269.8	0.6	232	
185	B00R_075_012	0.25	0.25	0.625	0.375	0.457	0.70	0.25	0.404	0.538	0.728	53.4	0.4	-28.1	28.1	270.8	0.6	232	
186	B00R_087_012	0.25	0.25	0.75	0.437	0.457	0.70	0.25	0.471	0.604	0.864	60.4	0.9	-35.3	35.3	271.6	0.6	232	
187	B00R_100_012	0.25	0.25	0.875	0.5	0.457	0.70	0.25	0.501	0.701	0.964	69.4	0.9	-35.3	35.3	271.6	0.6	232	
188	Y1G_037_037	0.25	0.375	0.375	0.187	1.09	0.327	0.375	0.292	0.353	0.089	33.4	-15.5	33.1	36.9	114.9	1.0	100	
189	Y50G_037_037	0.25	0.375	0.375	0.187	1.09	0.327	0.375	0.264	0.353	0.089	33.4	-15.5	33.1	36.9	114.9	1.0	100	
190	G50B_037_012	0.25	0.375	0.125	0.312	1.50	0.249	0.375	0.281	0.334	0.351	34.4	-8.7	2.4	9.1	164.6	0.7	193	
191	G50B_037_012	0.25	0.375	0.125	0.312	1.50	0.249	0.361	0.321	0.344	0.351	34.4	-8.7	2.4	9.1	164.6	0.7	193	
192	G75B_050_012	0.25	0.375	0.375	0.5	0.5	0.25	0.49	0.321	0.419	0.472	41.3	-5.4	-10.1	11.5	241.8	0.7	223	
193	G84B_062_037	0.25	0.375	0.625	0.437	2.50	0.249	0.44	0.36	0.497	0.597	48.8	-5.2	-16.9	17.1	252.7	0.5	226	
194	G88B_075_050	0.25	0.375	0.75	0.5	0.5	0.25	0.592	0.39	0.575	0.729	56.0	-5.2	-24.2	24.8	258.2	0.3	227	
195	G98B_087_062	0.25	0.375	0.875	0.625	0.562	0.25	0.668	0.416	0.616	0.865	63.3	-4.7	-31.6	31.6	261.5	0.2	228	
196	G92B_100_050	0.25	0.375	1.0	0.75	0.625	0.26	0.744	0.446	0.741	1.0	70.7	-4.7	-38.0	38.3	262.8	0.6	229	
197	Y50G_050_050	0.25	0.5	0.25	0.25	2.0	0.264	0.5	0.272	0.472	0.095	43.0	-32.2	42.2	42.2	118	0.528	1.0	0.0
198	Y60G_050_050	0.25	0.5	0.25	0.312	1.31	0.124	0.5	0.325	0.476	0.246	43.5	-30.4	25.3	39.0	140.1	0.4	165	
199	G00B_050_037	0.25	0.5	0.25	0.375	1.50	0.249	0.5	0.325	0.476	0.246	43.5	-30.4	25.3	39.0	140.1	0.4	165	
200	G00B_050_037	0.25	0.5	0.25	0.375	1.50	0.249	0.5	0.325	0.476	0.246	43.5	-30.4	25.3	39.0	140.1	0.4	165	
201	G25B_050_025	0.25	0.5	0.375	0.187	1.0	0.249	0.4	0.329	0.474	0.461	45.1	-16.8	5.0	17.5	163.4	0.6	193	
202	G50B_050_025	0.25	0.5	0.375	0.187	1.0	0.249	0.4	0.329	0.474	0.461	45.1	-16.8	5.0	17.5	163.4	0.6	193	
203	G63B_062_037	0.25	0.5	0.625	0.375	0.437	2.20	0.25	0.364	0.532	0.597	51.4	-9.5	-19.9	16.3	189.8	0.7	205	
204	G75B_075_050	0.25	0.5	0.75	0.5	0.5	0.25	0.631	0.4	0.612	0.727	58.7	-9.5	-12.9	28.8	250.5	0.2	225	
205	G84B_087_062	0.25	0.5	0.875	0.625	0.562	0.25	0.706	0.446	0.695	0.863	63.3	-4.7	-31.6	31.6	261.5	0.2	228	
206	G88B_100_075	0.25	0.5	1.0	0.75	0.625	0.25	0.782	0.446	0.781	1.0	73.4	-4.7	-38.0	38.3	262.8	0.6	229	
207	Y61G_062_062	0.25	0.625	0.25	0.25	2.0	0.182	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
208	Y16G_062_037	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
209	G00B_062_037	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
210	G15B_062_037	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
211	G34B_062_037	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
212	G48B_062_037	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
213	G61B_075_050	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
214	G98B_087_062	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
215	G16G_100_075	0.25	0.625	0.375	0.312	1.36	0.125	0.625	0.159	0.596	0.093	52.2	-51.3	50.6	72.0	135.4	0.6	226	
216	Y86G_075_075	0.25	0.75	0.125	0.125	2.0	0.125	0.75	0.375	0.217	0.217	62.8	-14.6	-20.6	20.6	139.9	0.3	165	
217	Y86G_075_075	0.25	0.75	0.125	0.125	2.0	0.125	0.75	0.375	0.217	0.217	62.8	-14.6	-20.6	20.6	139.9	0.3	165	
218	G17B_075_062	0.25	0.75	0.25	0.25	1.90	0.125	0.75	0.294	0.429	0.441	64.3	-46.1	26.8	53.4	149.7	0.2	180	
219	G17B_075_062	0.25	0.75	0.25	0.25	1.90	0.125	0.75	0.294	0.429	0.441	64.3	-46.1	26.8	53.4	149.7	0.2	180	
220	G38B_075_050	0.25	0.75	0.375	0.187	1.0	0.25	0.75	0.413	0.728	0.703	68.7	-28.5	12.5	28.8	189.4	0.2	207	
221	G38B_075_050	0.25	0.75	0.375	0.187	1.0	0.25	0.75	0.413	0.728	0.703	68.7	-28.5	12.5	28.8	189.4	0.2	207	
222	G50B_075_050	0.25	0.75	0.375	0.187	1.0	0.25	0.695	0.411	0.708	0.727	68.6	-21.2	-9.4	21.2	189.4	0.2	207	
223	G50B_075_050	0.25	0.75	0.375	0.187	1.0	0.25	0.695	0.411	0.708	0.727	68.6	-21.2	-9.4	21.2	189.4	0.2	207	
224	G63B_087_062	0.25	0.75	0.625	0.312	2.21	0.25	0.776	0.408	0.676	0.726	63.2	-17.3	-12.9	16.8	216.8	0.2	215	
225	G63B_087_062	0.25	0.75	0.625	0.312	2.21	0.25	0.776	0.408	0.676	0.726	63.2	-17.3	-12.9	16.8	216.8	0.2	215	
226	Y86G_087_075	0.25	0.75	0.125	0.125	2.0	0.25												



TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS application for measurement of display output, no separation


TUB material: code=rha4ta




http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF /PS; 3D-linearization F: 3D-linearization QE32/QE32LE30FP.DAT in file (F), page 23/29

Table with 17 columns: n, HHC*F0, HHC*F1, HHC*F2, HHC*F3, HHC*F4, HHC*F5, HHC*F6, HHC*F7, HHC*F8, HHC*F9, HHC*F10, HHC*F11, HHC*F12, HHC*F13, HHC*F14, HHC*F15. Each row corresponds to a color patch and contains 17 numerical values.


Mean color difference of this page: delta E*ab = 0.3





TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta



n	HC* _{F0E}	rgb* _{F0E}	icr* _{F0E}	hsa* _{F0E}	rgb* _{F0E}	LabCH* _{F0E}	LabCH* _{F0E}	rgb* _{F0E}	DF* _{F0E}	rgb* _{F0E}	LabCH* _{F0E}	DF* _{F0E}	rgb* _{F0E}	LabCH* _{F0E}	DF* _{F0E}	rgb* _{F0E}	LabCH* _{F0E}	DF* _{F0E}	
729	NV_1000e	0.875	1.0	1.0	0.875	0.986	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
730	GS0B_100.012de	0.875	1.0	1.0	0.875	0.986	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
731	GS0B_100.025de	0.75	1.0	1.0	0.75	0.972	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
732	GS0B_100.037de	0.625	1.0	1.0	0.625	0.958	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
733	GS0B_100.050de	0.5	1.0	1.0	0.5	0.945	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
734	GS0B_100.062de	0.375	1.0	1.0	0.375	0.931	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
735	GS0B_100.075de	0.25	1.0	1.0	0.25	0.917	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
736	GS0B_100.087de	0.125	1.0	1.0	0.125	0.903	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
737	GS0B_100.100de	0.0	1.0	1.0	0.0	0.889	1.0	1.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
738	ROXY_100.012de	0.875	1.0	1.0	0.875	0.907	0.907	0.907	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
739	NV_087de	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
740	GS0B_087.012de	0.75	0.875	0.875	0.75	0.861	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
741	GS0B_087.025de	0.625	0.875	0.875	0.625	0.847	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
742	GS0B_087.037de	0.5	0.875	0.875	0.5	0.833	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
743	GS0B_087.050de	0.375	0.875	0.875	0.375	0.819	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
744	GS0B_087.062de	0.25	0.875	0.875	0.25	0.806	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
745	GS0B_087.075de	0.125	0.875	0.875	0.125	0.792	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
746	GS0B_087.100de	0.0	0.875	0.875	0.0	0.778	0.875	0.875	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
747	ROXY_087.012de	0.875	0.75	0.75	0.875	0.75	0.782	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
748	NV_075de	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
749	GS0B_075.012de	0.625	0.75	0.75	0.625	0.736	0.75	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
750	GS0B_075.025de	0.5	0.75	0.75	0.5	0.722	0.75	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
751	GS0B_075.037de	0.375	0.75	0.75	0.375	0.708	0.75	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
752	GS0B_075.050de	0.25	0.75	0.75	0.25	0.695	0.75	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
753	GS0B_075.062de	0.125	0.75	0.75	0.125	0.681	0.75	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
754	GS0B_075.100de	0.0	0.75	0.75	0.0	0.667	0.75	0.75	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
755	ROXY_075.012de	0.875	0.625	0.625	0.875	0.625	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
756	ROXY_075.025de	0.875	0.625	0.625	0.875	0.625	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
757	ROXY_075.037de	0.875	0.625	0.625	0.875	0.625	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
758	NV_062de	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
759	GS0B_062.012de	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
760	GS0B_062.025de	0.5	0.625	0.625	0.5	0.611	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
761	GS0B_062.037de	0.375	0.625	0.625	0.375	0.597	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
762	GS0B_062.050de	0.25	0.625	0.625	0.25	0.583	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
763	GS0B_062.062de	0.125	0.625	0.625	0.125	0.57	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
764	GS0B_062.100de	0.0	0.625	0.625	0.0	0.556	0.625	0.625	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
765	ROXY_100.050de	1.0	0.5	0.5	1.0	0.5	0.631	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
766	ROXY_087.050de	0.875	0.5	0.5	0.875	0.486	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
767	ROXY_075.050de	0.75	0.5	0.5	0.75	0.472	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
768	ROXY_062.012de	0.625	0.5	0.5	0.625	0.458	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
769	NV_050de	0.5	0.5	0.5	0.5	0.445	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
770	GS0B_050.012de	0.375	0.5	0.5	0.375	0.437	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
771	GS0B_050.025de	0.25	0.5	0.5	0.25	0.423	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
772	GS0B_050.037de	0.125	0.5	0.5	0.125	0.409	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
773	GS0B_050.050de	0.0	0.5	0.5	0.0	0.395	0.5	0.5	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
774	ROXY_100.062de	1.0	0.375	0.375	1.0	0.375	0.509	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
775	ROXY_087.050de	0.875	0.375	0.375	0.875	0.375	0.473	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
776	ROXY_075.050de	0.75	0.375	0.375	0.75	0.375	0.444	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
777	ROXY_062.050de	0.625	0.375	0.375	0.625	0.375	0.423	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
778	NV_037de	0.375	0.375	0.375	0.375	0.375	0.407	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
779	GS0B_037.012de	0.25	0.375	0.375	0.25	0.361	0.375	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
780	GS0B_037.025de	0.125	0.375	0.375	0.125	0.347	0.375	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
781	GS0B_037.037de	0.0	0.375	0.375	0.0	0.333	0.375	0.375	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
782	ROXY_100.075de	1.0	0.25	0.25	1.0	0.25	0.447	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
783	ROXY_087.050de	0.875	0.25	0.25	0.875	0.25	0.447	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
784	ROXY_075.050de	0.75	0.25	0.25	0.75	0.25	0.431	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
785	ROXY_062.050de	0.625	0.25	0.25	0.625	0.25	0.417	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
786	ROXY_050.050de	0.5	0.25	0.25	0.5	0.249	0.315	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
787	ROXY_037.050de	0.375	0.25	0.25	0.375	0.249	0.282	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
788	NV_025de	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
789	GS0B_025.012de	0.125	0.25	0.25	0.125	0.236	0.25	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
790	GS0B_025.025de	0.0	0.25	0.25	0.0	0.222	0.25	0.25	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
791	GS0B_025.037de	1.0	0.125	0.125	1.0	0.125	0.255	0.125	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
792	ROXY_087.075de	0.875	0.125	0.125	0.875	0.125	0.255	0.125	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
793	ROXY_075.062de	0.75	0.125	0.125	0.75	0.125	0.229	0.125	0.0	0.0	95.4	0.0	0.0	0					



n	HC*File	rgb*File	icc*File	hsv*File	rgb*File	LabCH*File	rgb*File	LabCH*File	DF*File	hsv*File	rgb*File	LabCH*File
891	NW_1000e	1.0	1.0	1.0	1.0	95.4	1.0	95.4	0.0	325.2	1.0	1.0
892	B50R_100.012de	1.0	0.875	1.0	0.875	99.8	1.0	99.8	0.0	324.9	1.0	1.0
893	B50R_100.025de	1.0	0.75	1.0	0.75	99.8	1.0	99.8	0.0	324.9	1.0	1.0
894	B50R_100.037de	1.0	0.625	1.0	0.625	99.8	1.0	99.8	0.0	324.9	1.0	1.0
895	B50R_100.050de	1.0	0.5	1.0	0.5	99.8	1.0	99.8	0.0	324.9	1.0	1.0
896	B50R_100.062de	1.0	0.375	1.0	0.375	99.8	1.0	99.8	0.0	324.9	1.0	1.0
897	B50R_100.075de	1.0	0.25	1.0	0.25	99.8	1.0	99.8	0.0	324.9	1.0	1.0
898	B50R_100.087de	1.0	0.125	1.0	0.125	99.8	1.0	99.8	0.0	324.9	1.0	1.0
899	B50R_100.100de	1.0	0.0	1.0	0.0	99.8	1.0	99.8	0.0	324.9	1.0	1.0
900	NW_1000e	1.0	1.0	1.0	1.0	95.4	1.0	95.4	0.0	325.2	1.0	1.0
901	B50R_087.012de	0.875	0.875	0.875	0.875	87.5	0.875	87.5	0.0	324.9	1.0	1.0
902	B50R_087.025de	0.875	0.75	0.875	0.75	87.5	0.875	87.5	0.0	324.9	1.0	1.0
903	B50R_087.037de	0.875	0.625	0.875	0.625	87.5	0.875	87.5	0.0	324.9	1.0	1.0
904	B50R_087.050de	0.875	0.5	0.875	0.5	87.5	0.875	87.5	0.0	324.9	1.0	1.0
905	B50R_087.062de	0.875	0.375	0.875	0.375	87.5	0.875	87.5	0.0	324.9	1.0	1.0
906	B50R_087.075de	0.875	0.25	0.875	0.25	87.5	0.875	87.5	0.0	324.9	1.0	1.0
907	B50R_087.087de	0.875	0.125	0.875	0.125	87.5	0.875	87.5	0.0	324.9	1.0	1.0
908	B50R_087.100de	0.875	0.0	0.875	0.0	87.5	0.875	87.5	0.0	324.9	1.0	1.0
909	GOB1_100.025de	0.75	1.0	0.75	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
910	GOB1_100.050de	0.75	1.0	0.75	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
911	GOB1_100.075de	0.75	1.0	0.75	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
912	GOB1_100.100de	0.75	1.0	0.75	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
913	B50R_075.012de	0.75	0.625	0.75	0.625	75.0	0.625	75.0	0.0	324.9	1.0	1.0
914	B50R_075.025de	0.75	0.5	0.75	0.5	75.0	0.625	75.0	0.0	324.9	1.0	1.0
915	B50R_075.037de	0.75	0.375	0.75	0.375	75.0	0.625	75.0	0.0	324.9	1.0	1.0
916	B50R_075.050de	0.75	0.25	0.75	0.25	75.0	0.625	75.0	0.0	324.9	1.0	1.0
917	B50R_075.062de	0.75	0.125	0.75	0.125	75.0	0.625	75.0	0.0	324.9	1.0	1.0
918	B50R_075.075de	0.75	0.0	0.75	0.0	75.0	0.625	75.0	0.0	324.9	1.0	1.0
919	GOB1_100.012de	0.625	1.0	0.625	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
920	GOB1_100.025de	0.625	0.875	0.625	0.875	87.5	1.0	87.5	0.0	324.9	1.0	1.0
921	GOB1_100.050de	0.625	0.75	0.625	0.75	87.5	1.0	87.5	0.0	324.9	1.0	1.0
922	GOB1_100.075de	0.625	0.625	0.625	0.625	87.5	1.0	87.5	0.0	324.9	1.0	1.0
923	GOB1_100.100de	0.625	0.5	0.625	0.5	87.5	1.0	87.5	0.0	324.9	1.0	1.0
924	B50R_062.012de	0.625	0.375	0.625	0.375	62.5	0.625	62.5	0.0	324.9	1.0	1.0
925	B50R_062.025de	0.625	0.25	0.625	0.25	62.5	0.625	62.5	0.0	324.9	1.0	1.0
926	B50R_062.037de	0.625	0.125	0.625	0.125	62.5	0.625	62.5	0.0	324.9	1.0	1.0
927	B50R_062.050de	0.625	0.0	0.625	0.0	62.5	0.625	62.5	0.0	324.9	1.0	1.0
928	GOB1_100.012de	0.5	1.0	0.5	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
929	GOB1_100.025de	0.5	0.875	0.5	0.875	87.5	1.0	87.5	0.0	324.9	1.0	1.0
930	GOB1_100.050de	0.5	0.75	0.5	0.75	87.5	1.0	87.5	0.0	324.9	1.0	1.0
931	GOB1_100.075de	0.5	0.625	0.5	0.625	87.5	1.0	87.5	0.0	324.9	1.0	1.0
932	GOB1_100.100de	0.5	0.5	0.5	0.5	87.5	1.0	87.5	0.0	324.9	1.0	1.0
933	B50R_050.012de	0.5	0.375	0.5	0.375	50.0	0.5	50.0	0.0	324.9	1.0	1.0
934	B50R_050.025de	0.5	0.25	0.5	0.25	50.0	0.5	50.0	0.0	324.9	1.0	1.0
935	B50R_050.037de	0.5	0.125	0.5	0.125	50.0	0.5	50.0	0.0	324.9	1.0	1.0
936	B50R_050.050de	0.5	0.0	0.5	0.0	50.0	0.5	50.0	0.0	324.9	1.0	1.0
937	GOB1_100.012de	0.375	1.0	0.375	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
938	GOB1_100.025de	0.375	0.875	0.375	0.875	87.5	1.0	87.5	0.0	324.9	1.0	1.0
939	GOB1_100.050de	0.375	0.75	0.375	0.75	87.5	1.0	87.5	0.0	324.9	1.0	1.0
940	GOB1_100.075de	0.375	0.625	0.375	0.625	87.5	1.0	87.5	0.0	324.9	1.0	1.0
941	GOB1_100.100de	0.375	0.5	0.375	0.5	87.5	1.0	87.5	0.0	324.9	1.0	1.0
942	B50R_037.012de	0.375	0.25	0.375	0.25	37.5	0.375	37.5	0.0	324.9	1.0	1.0
943	B50R_037.025de	0.375	0.125	0.375	0.125	37.5	0.375	37.5	0.0	324.9	1.0	1.0
944	B50R_037.037de	0.375	0.0	0.375	0.0	37.5	0.375	37.5	0.0	324.9	1.0	1.0
945	GOB1_100.012de	0.25	1.0	0.25	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
946	GOB1_100.025de	0.25	0.875	0.25	0.875	87.5	1.0	87.5	0.0	324.9	1.0	1.0
947	GOB1_100.050de	0.25	0.75	0.25	0.75	87.5	1.0	87.5	0.0	324.9	1.0	1.0
948	GOB1_100.075de	0.25	0.625	0.25	0.625	87.5	1.0	87.5	0.0	324.9	1.0	1.0
949	GOB1_100.100de	0.25	0.5	0.25	0.5	87.5	1.0	87.5	0.0	324.9	1.0	1.0
950	GOB1_037.012de	0.25	0.375	0.25	0.375	37.5	0.25	37.5	0.0	324.9	1.0	1.0
951	GOB1_037.025de	0.25	0.25	0.25	0.25	37.5	0.25	37.5	0.0	324.9	1.0	1.0
952	GOB1_037.037de	0.25	0.125	0.25	0.125	37.5	0.25	37.5	0.0	324.9	1.0	1.0
953	GOB1_037.050de	0.25	0.0	0.25	0.0	37.5	0.25	37.5	0.0	324.9	1.0	1.0
954	GOB1_100.012de	0.125	1.0	0.125	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
955	GOB1_100.025de	0.125	0.875	0.125	0.875	87.5	1.0	87.5	0.0	324.9	1.0	1.0
956	GOB1_100.050de	0.125	0.75	0.125	0.75	87.5	1.0	87.5	0.0	324.9	1.0	1.0
957	GOB1_100.075de	0.125	0.625	0.125	0.625	87.5	1.0	87.5	0.0	324.9	1.0	1.0
958	GOB1_100.100de	0.125	0.5	0.125	0.5	87.5	1.0	87.5	0.0	324.9	1.0	1.0
959	GOB1_037.012de	0.125	0.375	0.125	0.375	37.5	0.125	37.5	0.0	324.9	1.0	1.0
960	GOB1_037.025de	0.125	0.25	0.125	0.25	37.5	0.125	37.5	0.0	324.9	1.0	1.0
961	GOB1_037.037de	0.125	0.125	0.125	0.125	37.5	0.125	37.5	0.0	324.9	1.0	1.0
962	GOB1_037.050de	0.125	0.0	0.125	0.0	37.5	0.125	37.5	0.0	324.9	1.0	1.0
963	GOB1_100.012de	0.0	1.0	0.0	1.0	87.5	1.0	87.5	0.0	324.9	1.0	1.0
964	GOB1_100.025de	0.0	0.875	0.0	0.875	87.5	1.0	87.5	0.0	324.9	1.0	1.0
965	GOB1_100.050de	0.0	0.75	0.0	0.75	87.5	1.0	87.5	0.0	324.9	1.0	1.0
966	GOB1_100.075de	0.0	0.625	0.0	0.625	87.5	1.0	87.5	0.0	324.9	1.0	1.0
967	GOB1_100.100de	0.0	0.5	0.0	0.5	87.5	1.0	87.5	0.0	324.9	1.0	1.0
968	GOB1_037.012de	0.0	0.375	0.0	0.375	37.5	0.0	37.5	0.0	324.9	1.0	1.0
969	GOB1_037.025de	0.0	0.25	0.0	0.25	37.5	0.0	37.5	0.0	324.9	1.0	1.0
970	GOB1_037.037de	0.0	0.125	0.0	0.125	37.5	0.0	37.5	0.0	324.9	1.0	1.0
971	GOB1_037.050de	0.0	0.0	0.0	0.0	37.5	0.0	37.5	0.0	324.9	1.0	1.0

Mean color difference of this page:

delta E* = 0.6

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS application for measurement of display output, no separation



TUB material: code=rha4ta



n	HC*File	rgb_Role	iefc_Role	hsa_Fate	rgbF*File	LabCH*File	LabCH*File	rgb*File	DP*File	hsa*File	rgb*File	LabCH*File	LabCH*File
972	NW_0000de	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_012de	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
974	NW_025de	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
975	NW_037de	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
976	NW_050de	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
977	NW_062de	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
978	NW_075de	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
979	NW_087de	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
980	NW_100de	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
981	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW_012de	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
983	NW_025de	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
984	NW_037de	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
985	NW_050de	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
986	NW_062de	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
987	NW_075de	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
988	NW_087de	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
989	NW_100de	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
990	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
991	NW_012de	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
992	NW_025de	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
993	NW_037de	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
994	NW_050de	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
995	NW_062de	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
996	NW_075de	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
997	NW_087de	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
998	NW_100de	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
999	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	NW_012de	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1001	NW_025de	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1002	NW_037de	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1003	NW_050de	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1004	NW_062de	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1005	NW_075de	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1006	NW_087de	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1007	NW_100de	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1008	NW_000de	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1009	NW_000de	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1010	NW_012de	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1011	NW_025de	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1012	NW_037de	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1013	NW_050de	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1014	NW_062de	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1015	NW_075de	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1016	NW_087de	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1017	NW_100de	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1018	NW_000de	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1019	NW_012de	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1020	NW_025de	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1021	NW_037de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1022	NW_050de	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1023	NW_062de	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1024	NW_075de	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1025	NW_087de	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1026	NW_100de	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1027	NW_000de	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1028	NW_012de	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1029	NW_025de	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1030	NW_037de	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1031	NW_050de	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1032	NW_062de	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1033	NW_075de	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1034	NW_087de	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1035	NW_100de	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1036	NW_000de	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1037	NW_012de	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1038	NW_025de	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1039	NW_037de	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1040	NW_050de	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1041	NW_062de	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1042	NW_075de	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1043	NW_087de	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1044	NW_100de	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1045	NW_000de	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1046	NW_012de	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1047	NW_025de	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1048	NW_037de	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1049	NW_050de	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1050	NW_062de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1051	NW_075de	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1052	NW_087de	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133

Mean color difference of this page: delta E** = 0.3

input: rgb/cmyk -> rgbd
output: 3D-linearization to rgb*de



see similar files: <http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF> / .PS application for measurement of display output, no separation
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE32/QE32L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

n	HC*Fate	rgb*Fate	icT*Fate	hsa*Fate	rgb**Fate	LabCH*Fate	LabCH**Fate	rgb**Fate	DF**Fate	rgb**Fate	LabCH**Fate
1053	NW_0866de	0.866	0.866	0.866	0.866	82.6	82.6	0.847	0.85	0.85	82.5
1054	NW_0933de	0.933	0.933	0.933	0.933	89.0	89.0	0.921	0.924	0.924	88.9
1055	NW_1000de	1.0	1.0	1.0	1.0	95.4	95.4	1.0	1.0	1.0	95.4
1056	NW_0066de	0.066	0.066	0.066	0.066	6.2	6.2	0.0	0.0	0.0	0.0
1057	NW_0133de	0.133	0.133	0.133	0.133	12.6	12.6	0.068	0.07	0.07	4.7
1058	NW_0200de	0.2	0.2	0.2	0.2	19.0	19.0	0.134	0.138	0.138	12.6
1059	NW_0266de	0.266	0.266	0.266	0.266	25.3	25.3	0.181	0.193	0.193	18.7
1060	NW_0333de	0.333	0.333	0.333	0.333	31.7	31.7	0.25	0.251	0.251	25.4
1061	NW_0400de	0.4	0.4	0.4	0.4	38.1	38.1	0.303	0.311	0.311	31.6
1062	NW_0466de	0.466	0.466	0.466	0.466	44.4	44.4	0.374	0.374	0.374	38.2
1063	NW_0533de	0.533	0.533	0.533	0.533	50.8	50.8	0.431	0.437	0.437	44.4
1064	NW_0600de	0.6	0.6	0.6	0.6	57.2	57.2	0.503	0.504	0.504	51.0
1065	NW_0666de	0.666	0.666	0.666	0.666	63.5	63.5	0.564	0.569	0.569	57.1
1066	NW_0734de	0.734	0.734	0.734	0.734	70.0	70.0	0.634	0.635	0.635	63.3
1067	NW_0800de	0.8	0.8	0.8	0.8	76.3	76.3	0.703	0.706	0.707	69.8
1068	NW_0866de	0.866	0.866	0.866	0.866	82.6	82.6	0.775	0.778	0.778	76.1
1069	NW_0933de	0.933	0.933	0.933	0.933	89.0	89.0	0.847	0.85	0.85	82.5
1070	NW_1000de	1.0	1.0	1.0	1.0	95.4	95.4	0.921	0.924	0.924	88.9
1071	NW_0066de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1072	NW_0133de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1073	NW_0200de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1074	NW_0266de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1075	NW_0333de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1076	NW_0400de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1077	NW_0466de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1078	NW_0533de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4
1079	NW_0600de	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4

Mean color difference of this page: delta E** = 0.3

http://130.149.60.45/~farbmetrik/QE32/QE32L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE32/QE32LE30FP.DAT in file (F), page 29/29

input: rgb/cmyk -> rgbde output: 3D-linearization to rgb*de