

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = Y00G_ -$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 90 -9 88 88 96

$HIC^*_{-,Ma}$ : Y00G\_100\_100\_

$rgbic^*_{-,Ma}$ :

1.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_ -$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34L0FP.PDF> / .PS; start output  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS  
 application for measurement of offset print output

TUB material: code=rh4ta

1-103030-L0 QE340-7N

TUB-test chart QE34; hue code:  $H^*_ = Y00G_ -$

Test chart according to DIN 33872, 3D=1, de=0,  $cmk^*$

input:  $rgb/cmyk \rightarrow rgb/cmyk$


output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 97/360 = 0.26$

$H^*_d = Y00G_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = Y00G_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	47.3	63.8	41.2	76.0	32
Y <sub>d,Ma</sub>	88.3	-11.9	95.1	95.8	97
G <sub>d,Ma</sub>	51.9	-68.8	28.1	74.3	157
C <sub>d,Ma</sub>	58.3	-29.2	-43.7	52.6	236
B <sub>d,Ma</sub>	25.3	23.5	-47.3	52.8	296
M <sub>d,Ma</sub>	48.2	72.8	-8.5	73.3	353
N <sub>d,Ma</sub>	17.7	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 88 -11 95 95 97$



$HIC^*_d, Ma: Y00G\_100\_100_d$

$rgbic^*_d, Ma: 1.0 1.0 0.0 1.0 1.0$

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0	32
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5	48
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2	71
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9	89
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8	97
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9	102
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1	115
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6	136
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3	157
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5	193
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6	236
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4	262
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8	296
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9	333
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3	353
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1	11



see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS  
application for measurement of offset print output, separation cmyk6\* (CMYK)  
TUB material: code=rh4ta

1-103130-L0 QE340-72

TUB-test chart QE34; hue code:  $H^*_d=Y00G_d$   
Test chart according to DIN 33872, 3D=1, de=0,  $cmyk^*$

input:  $rgb/cmyk \rightarrow rgb_{dd}$   
output: 3D-linearization to  $cmyk^*_{dd}$

1-103130-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmyk\* (CMYK)



TUB-test chart QE34; hue code:  $H^*_d = Y00G_d$   
Test chart according to DIN 33872, 3D=1, de=0, cmyk\*


input:  $rgb/cmyk \rightarrow rgb_{dd}$   
output: 3D-linearization to  $cmyk^*_{dd}$





see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmyk\* (CMYK)





1-103330-L0 QE340-72

TUB-test chart QE34; hue code:  $H^*_d=Y00G_d$   
Test chart according to DIN 33872, 3D=1, de=0, cmyk\*




input:  $rgb/cmyk \rightarrow rgb_{dd}$   
output: 3D-linearization to  $cmyk^*_{dd}$

1-103330-F0



TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmyk\* (CMYK)

see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



1-103430-L0 QE340-72

TUB-test chart QE34; hue code: H\*d=Y00Gd  
Test chart according to DIN 33872, 3D=1, de=0, cmyk\*

input: rgb/cmyk -> rgb<sub>dd</sub>  
output: 3D-linearization to cmyk\*<sub>dd</sub>




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 97/360 = 0.26$

$H^*_d = Y00G_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = Y00G_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	47.3	63.8	41.2	76.0	32
Y <sub>d, Ma</sub>	88.3	-11.9	95.1	95.8	97
G <sub>d, Ma</sub>	51.9	-68.8	28.1	74.3	157
C <sub>d, Ma</sub>	58.3	-29.2	-43.7	52.6	236
B <sub>d, Ma</sub>	25.3	23.5	-47.3	52.8	296
M <sub>d, Ma</sub>	48.2	72.8	-8.5	73.3	353
N <sub>d, Ma</sub>	17.7	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$ : 88 -11 95 95 97

$HIC^*_d, Ma$ : Y00G\_100\_100d



$rgbic^*_d, Ma$ : 1.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0	32
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5	48
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2	71
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9	89
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8	97
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9	102
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1	115
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6	136
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3	157
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5	193
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6	236
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4	262
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8	296
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9	333
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3	353
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1	11

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE34/QE34L0FP.PDF / .PS  
application for measurement of offset print output, separation cmyk6\* (CMYK)  
TUB material: code=rh4ta

1-103530-L0 QE340-72

TUB-test chart QE34; hue code:  $H^*_d=Y00G_d$   
Test chart according to DIN 33872, 3D=1, de=0,  $cmyk^*$

input:  $rgb/cmyk \rightarrow rgb_{dd}$   
output: 3D-linearization to  $cmyk^*_{dd}$

1-103530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours  $RYGCBM_s$ :  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours  $RYGCBM_d$ :  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours  $RYGCBM_e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$  Yellow

$LCH^*_d = 88.3 \ 95.8 \ 97.1$   
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$  leaf-green

$LCH^*_d = 51.9 \ 74.3 \ 157.7$   
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$  cyan-blue

$LCH^*_d = 58.3 \ 52.6 \ 236.1$   
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$  orange-red


$LCH^*_d = 47.3 \ 76.0 \ 32.8$   
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$  magenta-red

$LCH^*_d = 48.2 \ 73.3 \ 353.3$   
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$  violet-blue

$LCH^*_d = 25.3 \ 52.8 \ 296.4$   
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$



$Y_e$  yellow

$LCH^*_e = 82.9 \ 87.9 \ 92.3$   
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$   
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

$G_e$  green


$LCH^*_e = 52.4 \ 70.5 \ 162.2$   
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

$C_e$  blue-green

$LCH^*_e = 56.6 \ 49.8 \ 216.9$   
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

$B_e$  blue

$LCH^*_e = 37.9 \ 45.4 \ 271.7$   
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$   
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$



$R_e$  red

$LCH^*_e = 47.6 \ 71.9 \ 25.4$   
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

$M_e$  blue-red

$LCH^*_e = 34.8 \ 57.7 \ 328.6$   
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$   
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

$Y_s$  yellow

$LCH^*_s = 80.6 \ 84.9 \ 90.0$   
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$   
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

$G_s$  green

$LCH^*_s = 55.1 \ 70.1 \ 150.0$   
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$   
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

$C_s$  blue-green


$LCH^*_s = 56.1 \ 50.0 \ 210.0$   
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

$R_s$  red

$LCH^*_s = 47.4 \ 74.2 \ 30.0$   
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

$M_s$  blue-red

$LCH^*_s = 35.6 \ 58.3 \ 330.0$   
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$   
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$



$B_s$  blue

$LCH^*_s = 38.8 \ 45.4 \ 270.0$   
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$   
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

- For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.
- For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:  

$$h_{ab,s} = atan [ r^*_d \ cos(30) + g^*_d \ cos(150) ] / [ r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270) ] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
  

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
  


$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_e$  produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS  
 application for measurement of offset print output, separation cmy6\* (CMYK)  
 TUB material: code=rha4ta

Data of maximum color M in colorimetric standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, ddx64M, LAB\*<sub>ddx64M</sub> (x=LabCh), r<sub>gb</sub><sup>b</sup>, ddx361M, LAB\*<sub>ddx361M</sub> (x=LabCh), r<sub>gb</sub><sup>c</sup>, dsx361M, LAB\*<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub><sup>d</sup>, dex361M, LAB\*<sub>dex361M</sub> (x=LabCh), r<sub>gb</sub><sup>e</sup>, dsx361M, LAB\*<sub>dsx361M</sub> (x=LabCh). Rows contain numerical data for 390 different color patches.



see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34L0FP.PDF /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy6\* (CMYK)  
TUB material: code=rh4ta















Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours RYGBCM<sub>d</sub>;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBCM<sub>e</sub>;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with 48 rows and 30 columns. Columns include device and elementary color data (h\_ab,d, h\_ab,s, h\_ab,e, rrgb\*, ds361M, LAB\*, ddx361Mi, x=LabCh, rrgb\*, ds361Mi, LAB\*, dsx361Mi, x=LabCh, rrgb\*, dd361Mi, rrgb\*, de361Mi, LAB\*, dex361Mi, x=LabCh, rrgb\*, dd361Mi, B\_d, B\_e) and colorimetric system data (rrgb\*\_dd, rrgb\*\_ds, rrgb\*\_de).

1=1031430-L0 QE340-72 LAB\*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB\*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6\*, D65, page 15/33

TUB-test chart QE34; hue code: H\*\_d=Y00G\_d  
48 step hue circles; rrgb-LabCh\*tables

input: rrgb/cmyk -> rrgb\_dd  
output: 3D-linearization to cmyk\*\_dd

see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE34/QE34L0FP.PDF /.PS application for measurement of offset print output, separation cmyk6\* (CMYK) TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*\_dd361Mi, LAB\*\_\*\_d361Mi (x=LabCh), r<sub>gb</sub>\*\_\*\_ds361Mi, LAB\*\_\*\_dsx361Mi (x=LabCh), r<sub>gb</sub>\*\_\*\_dd361Mi, r<sub>gb</sub>\*\_\*\_de361Mi, LAB\*\_\*\_dex361Mi (x=LabCh), r<sub>gb</sub>\*\_\*\_dd361Mi, r<sub>gb</sub>\*\_\*\_ds361Mi, r<sub>gb</sub>\*\_\*\_de361Mi. Rows 333-360. Includes M<sub>d</sub> and M<sub>s</sub> labels.



1-1031530-L0 QE340-72 LAB\*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB\*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmyk6\*, D65, page 16/33

TUB-test chart QE34; hue code: H\*\_d=Y00G<sub>d</sub> 48 step hue circles; r<sub>gb</sub>-LabCh\*tables

input: r<sub>gb</sub>/cmyk -> r<sub>gb</sub>dd output: 3D-linearization to cmyk\*\_dd





ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep.Fid	cmyn*_sep.Fid	rgb**Fid	hsa**Fid	LabC**Fid	cmyn**Fid	rgb***Fid	hsa***Fid	LabC***Fid	cmyn***Fid	delta
0/648	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	32.8
1/657	R13Y_100_100ad	0.125	0.0	0.0	1.0	0.116	0.0	0.0	0.882	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.0
2/666	R25Y_100_100ad	0.25	0.0	0.0	1.0	0.233	0.0	0.0	0.765	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.5
3/675	R38Y_100_100ad	0.375	0.0	0.0	1.0	0.366	0.0	0.0	0.631	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.4
4/684	R50Y_100_100ad	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.498	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9
5/693	R63Y_100_100ad	0.625	0.0	0.0	1.0	0.633	0.0	0.0	0.366	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8
6/702	R75Y_100_100ad	0.75	0.0	0.0	1.0	0.766	0.0	0.0	0.234	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.0
7/711	R88Y_100_100ad	0.875	0.0	0.0	1.0	0.883	0.0	0.0	0.117	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5
8/720	Y00G_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.8
9/639	Y13G_100_100ad	0.875	0.0	0.0	1.0	0.883	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.8
10/558	Y25G_100_100ad	0.75	0.0	0.0	1.0	0.766	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	86.0
11/477	Y38G_100_100ad	0.625	0.0	0.0	1.0	0.633	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.0
12/396	Y50G_100_100ad	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.0
13/315	Y63G_100_100ad	0.375	0.0	0.0	1.0	0.366	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.5
14/234	Y75G_100_100ad	0.25	0.0	0.0	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.4
15/153	Y88G_100_100ad	0.125	0.0	0.0	1.0	0.116	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9
16/72	G00C_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.8
17/73	G13C_100_100ad	0.125	0.0	0.0	1.0	0.116	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	86.0
18/74	G25C_100_100ad	0.25	0.0	0.0	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.0
19/75	G38C_100_100ad	0.375	0.0	0.0	1.0	0.366	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.0
20/76	G50C_100_100ad	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.5
21/77	G63C_100_100ad	0.625	0.0	0.0	1.0	0.633	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.4
22/78	G75C_100_100ad	0.75	0.0	0.0	1.0	0.766	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9
23/79	G88C_100_100ad	0.875	0.0	0.0	1.0	0.883	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8
24/70	C00B_100_100ad	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8
25/71	C13B_100_100ad	0.0	0.0	1.0	1.0	0.116	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.0
26/62	C25B_100_100ad	0.0	0.0	1.0	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5
27/53	C38B_100_100ad	0.0	0.0	1.0	1.0	0.366	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5
28/44	C50B_100_100ad	0.0	0.0	1.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0
29/35	C63B_100_100ad	0.0	0.0	1.0	1.0	0.633	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0
30/26	C75B_100_100ad	0.0	0.0	1.0	1.0	0.766	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
31/17	C88B_100_100ad	0.0	0.0	1.0	1.0	0.883	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.75
32/8	B00M_100_100ad	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8
33/89	B13M_100_100ad	0.125	0.0	0.0	1.0	0.116	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.0
34/170	B25M_100_100ad	0.25	0.0	0.0	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5
35/251	B38M_100_100ad	0.375	0.0	0.0	1.0	0.366	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5
36/332	B50M_100_100ad	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0
37/413	B63M_100_100ad	0.625	0.0	0.0	1.0	0.633	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0
38/494	B75M_100_100ad	0.75	0.0	0.0	1.0	0.766	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
39/575	B88M_100_100ad	0.875	0.0	0.0	1.0	0.883	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.75
40/656	M00R_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8
41/655	M13R_100_100ad	0.875	0.0	0.0	1.0	0.116	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.0
42/654	M25R_100_100ad	0.75	0.0	0.0	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.5
43/653	M38R_100_100ad	0.625	0.0	0.0	1.0	0.366	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5
44/652	M50R_100_100ad	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0
45/651	M63R_100_100ad	0.375	0.0	0.0	1.0	0.633	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0
46/650	M75R_100_100ad	0.25	0.0	0.0	1.0	0.766	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
47/649	M88R_100_100ad	0.125	0.0	0.0	1.0	0.883	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.75
48/648	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8
49/0	NV_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013ad	0.125	0.0	0.0	0.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/182	NV_025ad	0.25	0.0	0.0	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/273	NV_038ad	0.375	0.0	0.0	0.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/364	NV_050ad	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NV_063ad	0.625	0.0	0.0	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NV_075ad	0.75	0.0	0.0	0.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NV_088ad	0.875	0.0	0.0	0.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NV_100ad	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk\*dd

TUB-test chart QE34; hue code: H\*\_d=Y00G\_d colors and differences, ΔE\*\_\*



http://130.149.60.45/~farbmetrik/QE34/QE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE34/QE34LE30FP.DAT in file (F), page 20/33

Table with 80 rows and 15 columns: #, H#C\*Fad, rpb\*Fad, icr\*Fad, Hs\*Fad, LabC\*Fad, LabC\*Fad, cmyk\*sep,Fad, LabC\*Fad, Hs\*Fad, rpb\*Fad, LabC\*Fad, LabC\*Fad, delta. Each row contains numerical data for color calibration.

Mean color difference of this page:





input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

QE34-7N; Page 20/33-F

TUB-test chart QE34; hue code: H\*d=Y00Gd colors and differences, ΔE\*

QE3410L

QE3410L



http://130.149.60.45/~farbmetrik/QE34/QE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE34/QE34LE30FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC\*Fid, rpb\*Fid, icr\*Fid, hsa\*Fid, rpb\*Fid, LabCM\*Fid, cmyk\*sep,Fid, cmyk\*Fid, LabCM\*Fid, hsa\*Fid, rpb\*Fid, LabCM\*Fid, delta, and numerical values for each color patch.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk\*dd

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCM*Fid	cmyk*_sep_Fid	hsa_Mid	rgb*Mid	LabCM*Mid	delta
162	ROY_025_025d	0.25 0.0 0.0	0.25 0.25 0.25	300 0.0 0.0	0.25 0.0 0.0	25.1 15.9	0.0 0.0 0.0	389 0.0	1.0 0.0 0.0	47.3 63.8	32.8
163	ROY_025_025d	0.25 0.0 0.0	0.25 0.25 0.25	300 0.0 0.0	0.25 0.0 0.0	25.1 15.9	0.0 0.0 0.0	389 0.0	1.0 0.0 0.0	47.3 63.8	32.8
164	B50R_025_025d	0.25 0.0 0.0	0.25 0.25 0.25	300 0.0 0.0	0.25 0.0 0.0	25.1 15.9	0.0 0.0 0.0	389 0.0	1.0 0.0 0.0	47.3 63.8	32.8
165	B34R_037_037d	0.25 0.0 0.0	0.375 0.375 0.187	311 0.0 0.0	0.256 0.0 0.0	26.8 28.3	0.0 0.0 0.0	311 0.0	0.683 0.0 0.0	48.2 72.8	69.1
166	B25K_050_050d	0.25 0.0 0.0	0.5 0.5 0.25	300 0.0 0.0	0.25 0.0 0.0	25.1 15.9	0.0 0.0 0.0	389 0.0	1.0 0.0 0.0	47.3 63.8	32.8
167	B19K_062_062d	0.25 0.0 0.0	0.625 0.625 0.312	293 0.0 0.0	0.239 0.0 0.0	27.9 26.0	0.0 0.0 0.0	292 0.0	0.383 0.0 0.0	37.8 53.8	59.9
168	B15K_075_075d	0.25 0.0 0.0	0.75 0.75 0.375	288 0.0 0.0	0.237 0.0 0.0	29.0 31.1	0.0 0.0 0.0	288 0.0	0.316 0.0 0.0	34.8 50.9	33.9
169	B13K_087_087d	0.25 0.0 0.0	0.875 0.875 0.437	286 0.0 0.0	0.233 0.0 0.0	30.1 33.8	0.0 0.0 0.0	284 0.0	0.266 0.0 0.0	32.7 42.4	32.0
170	B11R_100_100d	0.25 0.0 0.0	1.0 1.0 0.5	284 0.0 0.0	0.233 0.0 0.0	31.2 35.6	0.0 0.0 0.0	282 0.0	0.233 0.0 0.0	31.2 35.6	31.9
171	RS0Y_025_025d	0.25 0.125 0.0	0.25 0.25 0.125	60 0.0 0.0	0.25 0.125 0.0	30.0 5.6	0.0 0.0 0.0	59 0.0	0.5 0.0 0.0	61.2 22.6	71.4
172	RS0Y_025_025d	0.25 0.125 0.0	0.25 0.25 0.125	60 0.0 0.0	0.25 0.125 0.0	30.0 5.6	0.0 0.0 0.0	59 0.0	0.5 0.0 0.0	61.2 22.6	71.4
173	B50R_025_012d	0.25 0.125 0.0	0.25 0.125 0.187	390 0.0 0.0	0.25 0.124 0.212	31.1 9.1	0.0 0.0 0.0	389 0.0	0.449 0.0	47.3 63.8	32.8
174	B25K_037_037d	0.25 0.125 0.0	0.375 0.375 0.25	300 0.0 0.0	0.25 0.124 0.375	32.4 13.4	0.0 0.0 0.0	330 0.0	0.5 0.0 0.0	47.3 63.8	32.8
175	B15K_037_037d	0.25 0.125 0.0	0.375 0.375 0.312	289 0.0 0.0	0.243 0.124 0.5	33.0 15.9	0.0 0.0 0.0	288 0.0	0.316 0.0 0.0	37.8 53.8	33.9
176	B11R_062_050d	0.25 0.125 0.0	0.625 0.625 0.375	284 0.0 0.0	0.241 0.125 0.625	34.2 17.8	0.0 0.0 0.0	282 0.0	0.233 0.0 0.0	31.2 35.6	31.9
177	B09K_075_062d	0.25 0.125 0.0	0.75 0.625 0.437	281 0.0 0.0	0.239 0.125 0.75	35.2 21.2	0.0 0.0 0.0	279 0.0	0.183 0.0 0.0	30.3 41.0	30.9
178	B07K_087_075d	0.25 0.125 0.0	0.875 0.875 0.5	279 0.0 0.0	0.237 0.125 0.875	36.4 24.5	0.0 0.0 0.0	278 0.0	0.15 0.0 0.0	29.7 32.7	30.7
179	B06K_100_087d	0.25 0.125 0.0	1.0 0.875 0.562	278 0.0 0.0	0.241 0.125 1.0	37.7 28.1	0.0 0.0 0.0	277 0.0	0.133 0.0 0.0	29.4 32.1	30.7
180	Y00G_025_025d	0.25 0.25 0.0	0.25 0.25 0.187	90 0.0 0.0	0.25 0.25 0.0	35.3 -2.9	0.0 0.0 0.0	89 0.0	1.0 0.0 0.0	88.3 -11.9	95.1
181	Y00G_025_025d	0.25 0.25 0.0	0.25 0.25 0.187	90 0.0 0.0	0.25 0.25 0.0	35.3 -2.9	0.0 0.0 0.0	89 0.0	1.0 0.0 0.0	88.3 -11.9	95.1
182	NW_025d	0.25 0.25 0.0	0.25 0.25 0.25	360 0.0 0.0	0.25 0.25 0.25	37.1 0.0	0.0 0.0 0.0	360 0.0	1.0 0.0 0.0	95.4 0.0	0.0
183	B07K_037_012d	0.25 0.25 0.0	0.375 0.375 0.125	270 0.0 0.0	0.249 0.249 0.375	38.1 2.9	0.0 0.0 0.0	270 0.0	0.0 0.0 0.0	25.3 23.5	29.6
184	B06K_050_025d	0.25 0.25 0.0	0.5 0.5 0.25	270 0.0 0.0	0.249 0.249 0.5	39.0 5.8	0.0 0.0 0.0	270 0.0	0.0 0.0 0.0	25.3 23.5	29.6
185	B05K_062_019d	0.25 0.25 0.0	0.625 0.375 0.437	270 0.0 0.0	0.25 0.25 0.625	40.0 8.8	0.0 0.0 0.0	270 0.0	0.0 0.0 0.0	25.3 23.5	29.6
186	B04K_075_019d	0.25 0.25 0.0	0.75 0.5 0.5	270 0.0 0.0	0.25 0.25 0.75	40.9 11.7	0.0 0.0 0.0	270 0.0	0.0 0.0 0.0	25.3 23.5	29.6
187	B03K_087_019d	0.25 0.25 0.0	0.875 0.5 0.62	270 0.0 0.0	0.25 0.25 0.875	41.8 14.6	0.0 0.0 0.0	270 0.0	0.0 0.0 0.0	25.3 23.5	29.6
188	B02K_100_019d	0.25 0.25 0.0	1.0 0.75 0.62	270 0.0 0.0	0.25 0.25 1.0	42.8 17.6	0.0 0.0 0.0	270 0.0	0.0 0.0 0.0	25.3 23.5	29.6
189	Y1G_037_037d	0.25 0.375 0.0	0.375 0.375 0.187	109 0.0 0.0	0.256 0.375 0.0	41.0 -8.5	0.0 0.0 0.0	108 0.0	0.683 0.0	79.8 -21.8	106.0
190	Y50G_050_050d	0.25 0.375 0.0	0.375 0.375 0.25	120 0.0 0.0	0.25 0.375 0.25	41.2 -8.5	0.0 0.0 0.0	119 0.0	0.5 0.0 0.0	72.7 -31.3	115.3
191	G00B_037_012d	0.25 0.375 0.0	0.375 0.125 0.312	150 0.0 0.0	0.249 0.375 0.249	41.4 -8.6	0.0 0.0 0.0	149 0.0	0.1 0.0 0.0	58.3 -29.2	157.7
192	G00B_037_012d	0.25 0.375 0.0	0.375 0.125 0.312	150 0.0 0.0	0.249 0.375 0.249	41.4 -8.6	0.0 0.0 0.0	149 0.0	0.1 0.0 0.0	58.3 -29.2	157.7
193	G75B_050_050d	0.25 0.375 0.0	0.5 0.25 0.375	245 0.0 0.0	0.249 0.375 0.5	43.9 -1.9	0.0 0.0 0.0	240 0.0	0.0 0.0 0.0	46.1 -45.0	263.3
194	G84B_062_057d	0.25 0.375 0.0	0.625 0.375 0.437	251 0.0 0.0	0.25 0.368 0.625	44.6 5.2	0.0 0.0 0.0	251 0.0	0.0 0.0 0.0	46.1 -45.0	263.3
195	G88B_075_087d	0.25 0.375 0.0	0.75 0.5 0.5	256 0.0 0.0	0.25 0.366 0.75	45.6 8.5	0.0 0.0 0.0	257 0.0	0.0 0.0 0.0	46.1 -45.0	263.3
196	G98B_087_062d	0.25 0.375 0.0	0.875 0.625 0.562	259 0.0 0.0	0.25 0.364 0.875	46.5 11.8	0.0 0.0 0.0	260 0.0	0.0 0.0 0.0	46.1 -45.0	263.3
197	G92B_100_075d	0.25 0.375 0.0	1.0 0.75 0.625	261 0.0 0.0	0.25 0.362 1.0	46.0 11.8	0.0 0.0 0.0	262 0.0	0.0 0.0 0.0	46.1 -45.0	263.3
198	Y50G_050_050d	0.25 0.5 0.0	0.5 0.25 0.25	120 0.0 0.0	0.25 0.5 0.0	45.2 -15.6	0.0 0.0 0.0	119 0.0	0.0 0.0 0.0	72.7 -31.3	115.3
199	Y68G_050_037d	0.25 0.5 0.0	0.375 0.125 0.312	131 0.0 0.0	0.243 0.5 0.124	45.2 -15.6	0.0 0.0 0.0	131 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
200	G00B_050_025d	0.25 0.5 0.0	0.25 0.25 0.375	150 0.0 0.0	0.249 0.5 0.249	45.7 -17.2	0.0 0.0 0.0	149 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
201	G25B_050_025d	0.25 0.5 0.0	0.25 0.375 0.187	180 0.0 0.0	0.249 0.5 0.375	46.4 -12.7	0.0 0.0 0.0	180 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
202	G50B_050_025d	0.25 0.5 0.0	0.25 0.375 0.25	210 0.0 0.0	0.249 0.5 0.5	47.3 -7.3	0.0 0.0 0.0	210 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
203	G63B_062_037d	0.25 0.5 0.0	0.625 0.375 0.437	229 0.0 0.0	0.25 0.506 0.625	49.1 -6.2	0.0 0.0 0.0	228 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
204	G75B_062_037d	0.25 0.5 0.0	0.75 0.5 0.5	240 0.0 0.0	0.25 0.5 0.75	49.6 -3.0	0.0 0.0 0.0	240 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
205	G84B_075_050d	0.25 0.5 0.0	0.875 0.625 0.562	247 0.0 0.0	0.25 0.489 0.875	50.0 0.5	0.0 0.0 0.0	247 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
206	G88B_100_075d	0.25 0.5 0.0	1.0 0.75 0.625	251 0.0 0.0	0.25 0.487 1.0	50.7 3.8	0.0 0.0 0.0	251 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
207	Y61G_062_062d	0.25 0.625 0.0	0.625 0.625 0.312	127 0.0 0.0	0.239 0.625 0.0	49.8 -22.4	0.0 0.0 0.0	127 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
208	Y16G_062_050d	0.25 0.625 0.0	0.625 0.375 0.437	136 0.0 0.0	0.241 0.625 0.125	48.7 -24.4	0.0 0.0 0.0	136 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
209	G00B_062_037d	0.25 0.625 0.0	0.625 0.375 0.437	169 0.0 0.0	0.25 0.625 0.25	49.9 -25.8	0.0 0.0 0.0	168 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
210	G15B_062_037d	0.25 0.625 0.0	0.625 0.375 0.437	169 0.0 0.0	0.25 0.625 0.368	50.6 -23.3	0.0 0.0 0.0	169 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
211	G34B_062_037d	0.25 0.625 0.0	0.625 0.375 0.437	191 0.0 0.0	0.25 0.625 0.506	51.6 -15.9	0.0 0.0 0.0	191 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
212	G50B_062_037d	0.25 0.625 0.0	0.625 0.375 0.437	210 0.0 0.0	0.25 0.625 0.625	52.3 -10.9	0.0 0.0 0.0	210 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
213	G61B_075_050d	0.25 0.625 0.0	0.75 0.5 0.5	234 0.0 0.0	0.25 0.633 0.75	54.4 -10.2	0.0 0.0 0.0	232 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
214	G69B_075_050d	0.25 0.625 0.0	0.875 0.625 0.562	234 0.0 0.0	0.25 0.633 0.875	55.7 -8.3	0.0 0.0 0.0	232 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
215	G81B_075_050d	0.25 0.625 0.0	1.0 0.75 0.625	240 0.0 0.0	0.25 0.625 1.0	55.9 -4.5	0.0 0.0 0.0	240 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
216	Y86G_075_075d	0.25 0.75 0.0	0.75 0.75 0.375	141 0.0 0.0	0.237 0.75 0.0	53.2 -31.7	0.0 0.0 0.0	140 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
217	Y81G_075_062d	0.25 0.75 0.0	0.75 0.625 0.437	139 0.0 0.0	0.239 0.75 0.125	53.2 -32.3	0.0 0.0 0.0	140 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
218	G15B_075_062d	0.25 0.75 0.0	0.75 0.5 0.5	190 0.0 0.0	0.25 0.75 0.25	54.2 -34.4	0.0 0.0 0.0	189 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
219	G19B_075_062d	0.25 0.75 0.0	0.75 0.5 0.5	190 0.0 0.0	0.25 0.75 0.368	54.4 -34.4	0.0 0.0 0.0	189 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
220	G35B_075_050d	0.25 0.75 0.0	0.75 0.5 0.5	186 0.0 0.0	0.25 0.75 0.66	55.7 -25.3	0.0 0.0 0.0	187 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
221	G38B_075_050d	0.25 0.75 0.0	0.75 0.5 0.5	186 0.0 0.0	0.25 0.75 0.633	56.7 -21.6	0.0 0.0 0.0	187 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
222	G50B_075_050d	0.25 0.75 0.0	0.75 0.5 0.5	210 0.0 0.0	0.25 0.75 0.75	57.4 -15.8	0.0 0.0 0.0	210 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
223	G59B_087_062d	0.25 0.75 0.0	0.875 0.625 0.562	221 0.0 0.0	0.25 0.76 0.875	59.6 -14.6	0.0 0.0 0.0	219 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
224	G63B_100_087d	0.25 0.75 0.0	1.0 0.75 0.625	229 0.0 0.0	0.25 0.76 0.875	59.6 -14.6	0.0 0.0 0.0	228 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
225	Y85G_087_057d	0.25 0.875 0.0	0.875 0.75 0.5	141 0.0 0.0	0.233 0.875 0.0	56.4 -40.6	0.0 0.0 0.0	142 0.0	0.0 0.0 0.0	66.1 -58.5	128.2
226	Y85G_087_057d	0.25 0.875 0.0	0.875 0.75 0.5	141 0.0 0.0	0.237 0.875 0.125	57.7 -40.6	0.0 0.0 0.0	142 0.0	0.0 0.0 0.0	66.1 -58.5	



n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep.Fid	hsaX.fid	rgb*fid	LabC*Fid	delta
324	ROY_050_050.fid	0.5	0.5	0.25	0.5	32.5	0.0	0.845	0.803	0.544	38.0
325	ROY_050_050.fid	0.5	0.125	0.5	0.0	32.5	0.0	0.845	0.646	0.549	35.7
326	ROY_050_050.fid	0.5	0.0	0.25	0.5	32.5	0.0	0.845	0.452	0.554	34.2
327	B61R_050_050.fid	0.5	0.375	0.5	0.0	32.5	0.0	0.838	0.252	0.557	34.0
328	B61R_050_050.fid	0.5	0.0	0.5	0.0	32.5	0.0	0.838	0.118	0.559	33.0
329	B40R_062_062.fid	0.5	0.0	0.625	0.5	32.5	0.0	0.837	0.081	0.561	32.0
330	B40R_062_062.fid	0.5	0.0	0.0	0.512	32.5	0.0	0.837	0.049	0.561	31.1
331	B23R_087_087.fid	0.5	0.0	0.875	0.5	32.5	0.0	0.837	0.025	0.561	30.5
332	B23R_087_087.fid	0.5	0.0	0.0	0.875	32.5	0.0	0.837	0.000	0.561	30.0
333	B23R_100_100.fid	0.5	0.0	1.0	0.0	32.5	0.0	0.837	0.000	0.561	30.0
334	R18Y_050_037.fid	0.5	0.125	0.25	0.5	32.5	0.0	0.702	0.842	0.549	40.0
335	R18Y_050_037.fid	0.5	0.125	0.25	0.5	32.5	0.0	0.689	0.541	0.555	38.9
336	B63R_050_037.fid	0.5	0.125	0.375	0.5	32.5	0.0	0.689	0.447	0.554	37.1
337	B63R_050_037.fid	0.5	0.125	0.375	0.5	32.5	0.0	0.689	0.225	0.548	34.8
338	B38R_062_062.fid	0.5	0.125	0.625	0.5	32.5	0.0	0.688	0.116	0.552	33.0
339	B38R_062_062.fid	0.5	0.125	0.625	0.5	32.5	0.0	0.798	0.000	0.494	31.7
340	B20R_100_087.fid	0.5	0.125	1.0	0.0	32.5	0.0	0.837	0.000	0.561	30.0
341	R50Y_050_050.fid	0.5	0.25	0.0	0.5	32.5	0.0	0.504	0.842	0.554	49.0
342	R50Y_050_050.fid	0.5	0.25	0.0	0.5	32.5	0.0	0.536	0.648	0.543	48.0
343	R50Y_050_050.fid	0.5	0.25	0.375	0.5	32.5	0.0	0.529	0.414	0.555	46.2
344	R50Y_050_050.fid	0.5	0.25	0.375	0.5	32.5	0.0	0.521	0.245	0.547	44.0
345	B50R_062_062.fid	0.5	0.25	0.375	0.5	32.5	0.0	0.516	0.091	0.555	42.2
346	B50R_062_062.fid	0.5	0.25	0.375	0.5	32.5	0.0	0.516	0.000	0.555	42.2
347	B50R_062_062.fid	0.5	0.25	0.625	0.5	32.5	0.0	0.516	0.000	0.555	42.2
348	B50R_062_062.fid	0.5	0.25	0.625	0.5	32.5	0.0	0.516	0.000	0.555	42.2
349	B50R_062_062.fid	0.5	0.25	0.625	0.5	32.5	0.0	0.516	0.000	0.555	42.2
350	B50R_062_062.fid	0.5	0.25	0.625	0.5	32.5	0.0	0.516	0.000	0.555	42.2
351	B50R_062_062.fid	0.5	0.25	0.625	0.5	32.5	0.0	0.516	0.000	0.555	42.2
352	B50R_062_062.fid	0.5	0.25	0.625	0.5	32.5	0.0	0.516	0.000	0.555	42.2
353	B50R_062_062.fid	0.5	0.25	0.625	0.5	32.5	0.0	0.516	0.000	0.555	42.2
354	R50Y_050_050.fid	0.5	0.375	0.5	0.5	32.5	0.0	0.322	0.234	0.553	38.9
355	R50Y_050_050.fid	0.5	0.375	0.5	0.5	32.5	0.0	0.303	0.051	0.569	33.0
356	B25R_062_062.fid	0.5	0.375	0.625	0.5	32.5	0.0	0.462	0.000	0.568	30.0
357	B18R_075_037.fid	0.5	0.375	0.75	0.5	32.5	0.0	0.323	0.511	0.568	28.8
358	B18R_075_037.fid	0.5	0.375	0.75	0.5	32.5	0.0	0.563	0.000	0.167	27.9
359	B09R_100_062.fid	0.5	0.375	1.0	0.0	32.5	0.0	0.504	0.000	0.581	27.0
360	Y00G_050_050.fid	0.5	0.5	0.0	0.5	32.5	0.0	0.204	0.868	0.498	99.0
361	Y00G_050_050.fid	0.5	0.125	0.5	0.5	32.5	0.0	0.113	0.735	0.546	89.0
362	Y00G_050_050.fid	0.5	0.25	0.5	0.5	32.5	0.0	0.102	0.542	0.547	89.0
363	Y00G_050_050.fid	0.5	0.375	0.5	0.5	32.5	0.0	0.067	0.313	0.562	89.0
364	NW_050.fid	0.5	0.5	0.0	0.5	32.5	0.0	0.000	0.000	0.000	0.0
365	B00R_062_012.fid	0.5	0.625	0.125	0.562	32.5	0.0	0.195	0.19	0.471	36.0
366	B00R_075_025.fid	0.5	0.625	0.25	0.562	32.5	0.0	0.195	0.19	0.471	36.0
367	B00R_087_037.fid	0.5	0.625	0.375	0.562	32.5	0.0	0.195	0.19	0.471	36.0
368	B00R_100_050.fid	0.5	0.625	0.5	0.562	32.5	0.0	0.195	0.19	0.471	36.0
369	Y18G_062_062.fid	0.5	0.625	0.125	0.562	32.5	0.0	0.195	0.19	0.471	36.0
370	Y18G_062_062.fid	0.5	0.625	0.25	0.562	32.5	0.0	0.195	0.19	0.471	36.0
371	Y31G_062_037.fid	0.5	0.625	0.375	0.562	32.5	0.0	0.195	0.19	0.471	36.0
372	Y31G_062_037.fid	0.5	0.625	0.5	0.562	32.5	0.0	0.195	0.19	0.471	36.0
373	G50B_062_012.fid	0.5	0.625	0.125	0.562	32.5	0.0	0.195	0.19	0.471	36.0
374	G50B_062_012.fid	0.5	0.625	0.25	0.562	32.5	0.0	0.195	0.19	0.471	36.0
375	G50B_062_012.fid	0.5	0.625	0.375	0.562	32.5	0.0	0.195	0.19	0.471	36.0
376	G50B_062_012.fid	0.5	0.625	0.5	0.562	32.5	0.0	0.195	0.19	0.471	36.0
377	G88B_100_050.fid	0.5	0.625	1.0	0.0	32.5	0.0	0.195	0.19	0.471	36.0
378	Y31G_075_050.fid	0.5	0.75	0.5	0.375	32.5	0.0	0.195	0.19	0.471	36.0
379	Y31G_075_050.fid	0.5	0.75	0.625	0.437	32.5	0.0	0.195	0.19	0.471	36.0
380	Y31G_075_050.fid	0.5	0.75	0.625	0.437	32.5	0.0	0.195	0.19	0.471	36.0
381	Y31G_075_050.fid	0.5	0.75	0.625	0.437	32.5	0.0	0.195	0.19	0.471	36.0
382	G00B_075_025.fid	0.5	0.75	0.25	0.625	32.5	0.0	0.195	0.19	0.471	36.0
383	G25B_075_025.fid	0.5	0.75	0.25	0.625	32.5	0.0	0.195	0.19	0.471	36.0
384	G50B_075_025.fid	0.5	0.75	0.25	0.625	32.5	0.0	0.195	0.19	0.471	36.0
385	G50B_075_025.fid	0.5	0.75	0.25	0.625	32.5	0.0	0.195	0.19	0.471	36.0
386	G50B_087_037.fid	0.5	0.75	0.375	0.687	32.5	0.0	0.195	0.19	0.471	36.0
387	Y41G_087_050.fid	0.5	0.75	0.5	0.5	32.5	0.0	0.195	0.19	0.471	36.0
388	Y41G_087_050.fid	0.5	0.75	0.5	0.5	32.5	0.0	0.195	0.19	0.471	36.0
389	Y16G_087_062.fid	0.5	0.875	0.25	0.625	32.5	0.0	0.195	0.19	0.471	36.0
390	Y16G_087_062.fid	0.5	0.875	0.375	0.625	32.5	0.0	0.195	0.19	0.471	36.0
391	G00B_087_057.fid	0.5	0.875	0.375	0.687	32.5	0.0	0.195	0.19	0.471	36.0
392	G15B_087_057.fid	0.5	0.875	0.375	0.687	32.5	0.0	0.195	0.19	0.471	36.0
393	G50B_087_057.fid	0.5	0.875	0.375	0.687	32.5	0.0	0.195	0.19	0.471	36.0
394	G50B_087_057.fid	0.5	0.875	0.375	0.687	32.5	0.0	0.195	0.19	0.471	36.0
395	G61B_100_050.fid	0.5	0.875	1.0	0.0	32.5	0.0	0.195	0.19	0.471	36.0
396	Y50G_100_087.fid	0.5	1.0	0.0	0.5	32.5	0.0	0.195	0.19	0.471	36.0
397	Y50G_100_087.fid	0.5	1.0	0.0	0.5	32.5	0.0	0.195	0.19	0.471	36.0
398	Y86G_100_075.fid	0.5	1.0	0.25	1.0	32.5	0.0	0.195	0.19	0.471	36.0
399	Y86G_100_075.fid	0.5	1.0	0.375	1.0	32.5	0.0	0.195	0.19	0.471	36.0
400	G00B_100_050.fid	0.5	1.0	0.5	1.0	32.5	0.0	0.195	0.19	0.471	36.0
401	G11B_100_050.fid	0.5	1.0	0.625	1.0	32.5	0.0	0.195	0.19	0.471	36.0
402	G38B_100_050.fid	0.5	1.0	0.75	1.0	32.5	0.0	0.195	0.19	0.471	36.0
403	G38B_100_050.fid	0.5	1.0	0.75	1.0	32.5	0.0	0.195	0.19	0.471	36.0
404	G50B_100_050.fid	0.5	1.0	0.5	1.0	32.5	0.0	0.195	0.19	0.471	36.0

input: rgb/cmyk -> rgbdd  
 output: 3D-linearization to cmyk\*dd

TUB-test chart QE34; hue code: H\*d=Y00Gd  
 colors and differences, ΔE\*

QE34-7N; Page 24/33-F

I-1032330-F0



QE3410L

QE3410L

http://130.149.60.45/~farbmetrik/QE34/QE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE34/QE34LE30FP.DAT in file (F), page 25/33

Table with 15 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, Hrs\_Fid, rpb\*Fid, LabCH\*Fid, cmyk\*\_sep\_Fid, Hrs\*Fid, rpb\*Fid, LabCH\*Fid, delta. It contains a large grid of numerical data for various color patches.

Mean color difference of this page: 0.455. Input: rgb/cmyk -> rgbd. Output: 3D-linearization to cmyk\*dd.

Table with 26 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, Hs\_Fid, rpb\*Fid, LabCh\*Fid, 30.9, 57.0, 32.8, cmyk\*\_sep,Fid, 0.924, 0.912, LabCh\*Fid, rpb\*Fid, Hs\*Fid, LabCh\*Fid, 41.2, 47.3, 63.8, 76.0, 32.8. Rows include color names like R00Y, R35Y, B00C, etc.

Table with 20 columns: n, H#C\*F0d, H#C\*F0d, rpb\*F0d, icr\*F0d, H#s\*F0d, rpb\*F0d, LabC\*F0d, LabC\*F0d, cmynd\*F0d, cmynd\*F0d, H#s\*F0d, rpb\*F0d, LabC\*F0d, LabC\*F0d, H#s\*F0d, rpb\*F0d, LabC\*F0d, LabC\*F0d, delta. Rows 567-647.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

TUB-test chart QE34; hue code: H\*d=Y00Gd colors and differences, AE\*  
QE340-7N; Page 27/33-F

I-10320-F0

Table with 18 columns: n, HHC\*F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, LabC0\*F0td, LabCh\*F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, cmyn\*sep\_F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, LabC0\*F0td, LabCh\*F0td, delta

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*dd

http://130.149.60.45/~farbmetrik/QE34/QE34L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE34/QE34L0FP.DAT in file (F), page 28/33

TUB-test chart QE34; hue code: H\*d=Y00Gd colors and differences, AE\* \*

QE340-7N; Page:28/33-F I-1032730-F0 I-1032730-F0

Main table with 18 columns: n, HHC\*F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, LabC0\*F0td, LabCh\*F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, cmyn\*sep\_F0td, Hs\_F0td, LabC0\*F0td, LabCh\*F0td, LabC0\*F0td, LabCh\*F0td, delta

see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik







http://130.149.60.45/~farbmetrik/QE34/QE34L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE34/QE34LE30FP.DAT in file (F), page 32/33

Table with columns: n, HC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\_Fid, LabCM\*Fid, cmyk\*\_sep\_Fid, hsa\_Lid, rpb\*\_Lid, LabCM\*\_Lid, and delta. It contains 152 rows of color calibration data.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk\*dd

TUB-test chart QE34; hue code: H\*d=Y00Gd colors and differences, AE\*<sup>2</sup>





n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	hsa_Fid	cmym*_sep_Fid	delta	rgb*Fid	LabC*Fid	hsa_Fid	rgb*Fid	LabC*Fid	hsa_Fid
1053	NW_0860dd	0.866	0.866	0.866	0.866	0.866	0.866	0.024	0.179	0.007	0.0	0.0	0.0	0.0	0.0
1054	NW_0975dd	0.933	0.933	0.933	0.933	0.933	0.933	0.002	0.084	0.005	0.0	0.0	0.0	0.0	0.0
1055	NW_1000dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_0060dd	0.066	0.066	0.066	0.066	0.066	0.066	0.139	0.933	0.022	0.0	0.0	0.0	0.0	0.0
1057	NW_0065dd	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.871	0.043	0.0	0.0	0.0	0.0	0.0
1058	NW_0130dd	0.2	0.2	0.2	0.2	0.2	0.2	0.057	0.825	0.036	0.0	0.0	0.0	0.0	0.0
1059	NW_0260dd	0.266	0.266	0.266	0.266	0.266	0.266	0.013	0.781	0.015	0.0	0.0	0.0	0.0	0.0
1060	NW_0330dd	0.333	0.333	0.333	0.333	0.333	0.333	0.0	0.731	0.016	0.0	0.0	0.0	0.0	0.0
1061	NW_0460dd	0.4	0.4	0.4	0.4	0.4	0.4	0.019	0.628	0.019	0.0	0.0	0.0	0.0	0.0
1062	NW_0530dd	0.466	0.466	0.466	0.466	0.466	0.466	0.021	0.541	0.007	0.0	0.0	0.0	0.0	0.0
1063	NW_0575dd	0.533	0.533	0.533	0.533	0.533	0.533	0.006	0.478	0.006	0.0	0.0	0.0	0.0	0.0
1064	NW_0660dd	0.6	0.6	0.6	0.6	0.6	0.6	0.006	0.405	0.005	0.0	0.0	0.0	0.0	0.0
1065	NW_0730dd	0.666	0.666	0.666	0.666	0.666	0.666	0.021	0.322	0.011	0.0	0.0	0.0	0.0	0.0
1066	NW_0860dd	0.8	0.8	0.8	0.8	0.8	0.8	0.007	0.26	0.007	0.0	0.0	0.0	0.0	0.0
1067	NW_0975dd	0.866	0.866	0.866	0.866	0.866	0.866	0.024	0.179	0.005	0.0	0.0	0.0	0.0	0.0
1068	NW_1000dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1069	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

input: *rgb/cmyk* -> *rgb*dd  
 output: 3D-linearization to *cmyk*\*dd

TUB-test chart QE34; hue code: H\*\_d=Y00G\_d  
 colors and differences, ΔE\*<sub>a</sub>\*