

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = Y00G_ -$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:



1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_ -$	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE34/QE34L0NA.TXT /PS
 application for measurement of offset print output


TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 97/360 = 0.26$

$H^*_d = Y00G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y00G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

LabCh_{d, Ma}: 88 -11 95 95 97

HIC^*_d, Ma : Y00G_100_100d



rgbic_{d, Ma}:
1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data



H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	47.3	63.8	41.2	76.0	32
R25Y_100_100d	55.3	45.8	52.2	69.5	48
R50Y_100_100d	67.2	22.6	67.6	71.2	71
R75Y_100_100d	79.9	1.0	83.9	83.9	89
Y00G_100_100d	88.3	-11.9	95.1	95.8	97
Y25G_100_100d	83.3	-19.2	83.7	85.9	102
Y50G_100_100d	72.7	-31.3	66.0	73.1	115
Y75G_100_100d	60.4	-48.8	46.7	67.6	136
G00B_100_100d	51.9	-68.8	28.1	74.3	157
G25B_100_100d	54.8	-51.0	-12.3	52.5	193
G50B_100_100d	58.3	-29.2	-43.7	52.6	236
G75B_100_100d	42.7	-6.0	-45.0	45.4	262
B00R_100_100d	25.3	23.5	-47.3	52.8	296
B25R_100_100d	37.8	53.8	-26.3	59.9	333
B50R_100_100d	48.2	72.8	-8.5	73.3	353
B75R_100_100d	47.7	67.7	14.0	69.1	11

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$




see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE34/QE34L0NA.TXT /PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta





see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




input: *rgb/cmyk* -> *rgb_D*
output: transfer to *cmyk_D*


TUB-test chart QE34; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=0, de=0, *cmyk*

1-003230-L0 QE340-70





1-003230-F0





http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 4/33

see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




1-003330-L0 QE340-70

TUB-test chart QE34; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=0, de=0, cmyk




input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

1-003330-F0





see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-003430-L0 QE340-70

TUB-test chart QE34; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*


1-003430-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 97/360 = 0.26$

$H^*_d = Y00G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y00G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 88 \ -11 \ 95 \ 95 \ 97$



$HIC^*_{d, Ma}: Y00G_100_100_d$

$rgbic^*_{d, Ma}: 1.0 \ 1.0 \ 0.0 \ 1.0 \ 1.0$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11



see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE34/QE34L0NA.TXT /PS
application for measurement of offset print output, separation cmyk6 (CMYK)
TUB material: code=rh4ta



QE3400L

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

TUB registration: 20130201-QE34/QE34L0NA.TXT /PS TUB material: code=rha4ta
 application for measurement of offset print output, separation cmyk6 (CMYK)

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

device CIELAB (a^*_d, b^*_d) chroma diagram

J=Y_d Yellow
 $LCH^*_d = 88.3 \quad 95.8 \quad 97.1$
 $LAB^*_d = 88.3 \quad -11.9 \quad 95.1$
 $rgb^*_d = 1.0 \quad 1.0 \quad 0.0$

L=G_d leaf-green
 $LCH^*_d = 51.9 \quad 74.3 \quad 157.7$
 $LAB^*_d = 51.9 \quad -68.8 \quad 28.1$
 $rgb^*_d = 0.0 \quad 1.0 \quad 0.0$

C=C_d cyan-blue
 $LCH^*_d = 58.3 \quad 52.6 \quad 236.1$
 $LAB^*_d = 58.3 \quad -29.2 \quad -43.7$
 $rgb^*_d = 0.0 \quad 1.0 \quad 1.0$

O=R_d orange-red
 $LCH^*_d = 47.3 \quad 76.0 \quad 32.8$
 $LAB^*_d = 47.3 \quad 63.8 \quad 41.2$
 $rgb^*_d = 1.0 \quad 0.0 \quad 0.0$

M=M_d magenta-red
 $LCH^*_d = 48.2 \quad 73.3 \quad 353.3$
 $LAB^*_d = 48.2 \quad 72.8 \quad -8.5$
 $rgb^*_d = 1.0 \quad 0.0 \quad 1.0$

V=B_d violet-blue
 $LCH^*_d = 25.3 \quad 52.8 \quad 296.4$
 $LAB^*_d = 25.3 \quad 23.5 \quad -47.3$
 $rgb^*_d = 0.0 \quad 0.0 \quad 1.0$

elementary CIELAB (a^*_e, b^*_e) chroma diagram

Y_e yellow
 $LCH^*_e = 82.9 \quad 87.9 \quad 92.3$
 $LAB^*_e = 82.9 \quad -3.5 \quad 87.8$
 $rgb^*_de = 1.0 \quad 0.841 \quad 0.0$

G_e green
 $LCH^*_e = 52.4 \quad 70.5 \quad 162.2$
 $LAB^*_e = 52.4 \quad -67.1 \quad 21.5$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.093$

R_e red
 $LCH^*_e = 47.6 \quad 71.9 \quad 25.4$
 $LAB^*_e = 47.6 \quad 64.9 \quad 30.9$
 $rgb^*_de = 1.0 \quad 0.0 \quad 0.209$

C_e blue-green
 $LCH^*_e = 56.6 \quad 49.8 \quad 216.9$
 $LAB^*_e = 56.6 \quad -39.7 \quad -29.9$
 $rgb^*_de = 0.0 \quad 1.0 \quad 0.735$

B_e blue
 $LCH^*_e = 37.9 \quad 45.4 \quad 271.7$
 $LAB^*_e = 37.9 \quad 1.3 \quad -45.4$
 $rgb^*_de = 0.0 \quad 0.374 \quad 1.0$

M_e blue-red
 $LCH^*_e = 34.8 \quad 57.7 \quad 328.6$
 $LAB^*_e = 34.8 \quad 49.2 \quad -30.0$
 $rgb^*_de = 0.407 \quad 0.0 \quad 1.0$

standard CIELAB (a^*_s, b^*_s) chroma diagram

Y_s yellow
 $LCH^*_s = 80.6 \quad 84.9 \quad 90.0$
 $LAB^*_s = 80.6 \quad 0.0 \quad 84.9$
 $rgb^*_ds = 1.0 \quad 0.784 \quad 0.0$

G_s green
 $LCH^*_s = 55.1 \quad 70.1 \quad 150.0$
 $LAB^*_s = 55.1 \quad -60.7 \quad 35.0$
 $rgb^*_ds = 0.074 \quad 1.0 \quad 0.0$

C_s blue-green
 $LCH^*_s = 56.1 \quad 50.0 \quad 210.0$
 $LAB^*_s = 56.1 \quad -43.3 \quad -25.0$
 $rgb^*_ds = 0.0 \quad 1.0 \quad 0.665$

R_s red
 $LCH^*_s = 47.4 \quad 74.2 \quad 30.0$
 $LAB^*_s = 47.4 \quad 64.3 \quad 37.1$
 $rgb^*_ds = 1.0 \quad 0.0 \quad 0.084$

M_s blue-red
 $LCH^*_s = 35.6 \quad 58.3 \quad 330.0$
 $LAB^*_s = 35.6 \quad 50.5 \quad -29.1$
 $rgb^*_ds = 0.431 \quad 0.0 \quad 1.0$

B_s blue
 $LCH^*_s = 38.8 \quad 45.4 \quad 270.0$
 $LAB^*_s = 38.8 \quad 0.0 \quad -45.4$
 $rgb^*_ds = 0.0 \quad 0.397 \quad 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_d input values the CIELAB data LCH^*_d and LAB^*_d have been calculated.
- For the calculation of the standard hue angle h_{max} use for any device values rgb^*_d the equation:
 $h_{abs} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{r^*_d \sin(30) + g^*_d \sin(150)} + b^*_d \sin(270) \right]$
- For the 48 or 360 equally spaced standard hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
 $h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$
 $h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$
- For the 48 or 360 elementary hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$
 $h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$
- For any elementary hue angle h_{max} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 4 or 1 to 4.
- The values rgb^*_d produce the output of the device-independent elementary hues

Output: Offset standard print; separation cmyk6*, D65, page 7/33
 input: $rgb/cmyk \rightarrow rgb/d$
 output: transfer to $cmyk/d$

see similar files: <http://130.149.60.45/~farbmetrik/QE34/QE34.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, LAB*_*dd64M, LAB*_*ddx361M, LAB*_*dss361M, LAB*_*dex361M, rgB*_*dd64M, rgB*_*ddx361M, rgB*_*dss361M, rgB*_*dex361M, and color swatches.

input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6*: D65, page 8/33

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h_ab,d	h_ab,s	h_ab,e	rgb* dd64M	rgb* ds	rgb* de	LAB* dex36IM	LAB* dex36IM	LAB* dex36IM													
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	32.8	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25		
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	40.4	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33		
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	50.0	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42		
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	61.1	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49		
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	71.4	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58		
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	81.7	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66		
88.5	75.0	75.6	1.0	0.75	0.0	80.2	2.0	83.0	83.1	88.5	88.5	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75		
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	93.6	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83		
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	97.1	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92		
100.3	97.5	101.0	1.0	0.875	1.0	0.0	85.8	-16.2	88.6	100.3	100.3	1.0	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100	
103.3	105.0	109.7	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	103.3	103.3	1.0	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109	
108.3	112.5	118.5	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	108.3	108.3	1.0	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117	
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	115.3	0.5	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	122.4	0.375	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	134.9	0.25	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	144.6	0.125	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	0.0	0.093	52.4	-67.0	21.5	70.5	162	162		
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	163.7	0.0	0.209	53.1	-63.5	12.8	64.9	168	168		
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	170.9	0.0	0.311	53.7	-59.7	4.3	59.9	175	175		
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	181.0	0.0	0.387	54.2	-56.4	-2.2	56.5	182	182		
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	193.5	0.0	0.46	54.6	-53.1	-8.9	54.0	189	189		
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	205.9	0.0	0.524	55.0	-50.0	-14.3	52.1	195	195		
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	218.4	0.0	0.598	55.6	-46.5	-19.9	50.7	203	203		
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	227.3	0.0	0.662	56.1	-43.4	-24.7	50.1	209	209		
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	236.1	0.0	0.736	56.7	-39.7	-29.9	49.8	216	216		
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	240.3	0.0	0.819	57.2	-36.4	-34.4	50.3	223	223		
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	245.8	0.0	0.922	57.9	-32.5	-39.7	51.4	230	230		
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	252.5	0.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	237	
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	262.3	0.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244	244	
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	271.7	0.0	0.659	1.0	48.9	-15.4	-44.3	47.1	250	250	
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	281.6	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	258	
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	290.3	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	264	
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	296.4	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	271	271	
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	306.7	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	278	
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	312.7	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	285	
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	326.7	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292	292	
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	333.9	0.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	300
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	339.6	0.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	306
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	347.2	0.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	314
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	350.2	0.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	321
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	353.3	0.0	0.407	0.0	1.0	34.9	49.3	-30.0	57.7	328	328
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7	356.5	356.5	0.0	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335	335
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	360.3	0.0	0.678	0.0	1.0	41.9	61.9	-19.0	64.8	342	342
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	365.8	0.0	0.842	0.0	1.0	45.2	68.6	-12.7	69.8	349	349
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	371.6	0.0	0.949	0.0	1.0	47.3	71.5	-9.9	72.2	352	352
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	378.2	0.0	0.765	48.2	70.6	-0.1	70.6	359	359	359	
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	383.9	0.0	0.563	47.9	68.4	10.6	69.2	368	368	368	
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	388.6	0.0	0.408	47.8	66.7	19.8	69.6	376	376	376	
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	392.8	0.0	0.209	47.6	64.9	30.9	71.9	385	385	385	

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 88 rows and 15 columns. Columns include hue angles (h_ab,d, h_ab,s, h_ab,e), device colours (RYGBM_d, RYGBM_s, RYGBM_e), LabCh values (L, a, b), and colorimetric values (R, G, B, Y, C, M, K, R_c, R_g, R_b, R_d, R_e).

Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 12 columns: h_ab,d, h_ab,s, h_ab,e, rgb%_dd361M, LAB*_dss361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh). Rows 88-127.

LAB*lab0, YN=0%, XY,Znw=2.4,2.5,2.6,85.1,88.8,104.3, LAB*rw=17.7,0.0,0.0,95.5,0.0,0.0

TUB-test chart QE34; hue code: H*_d=Y00Gd input: rgb/cmyk -> rgbd output: transfer to cmykd 48 step hue circles; rgb-LabCh*tables

Output: Offset standard print; separation cmyk6*: D65, page 1/33

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 26 columns: h_ab,d, h_ab,s, h_ab,e, rg_b*_dd361M, LAB*_dss361MI (x=LabCh), rg_b*_ds361MI, LAB*_dss361MI (x=LabCh), rg_b*_dd361MI, LAB*_dex361MI (x=LabCh), rg_b*_de361MI, LAB*_dex361MI (x=LabCh), rg_b*_dd361MI, LAB*_dex361MI (x=LabCh), rg_b*_de361MI, LAB*_dex361MI (x=LabCh), rg_b*_dd361MI, LAB*_dex361MI (x=LabCh), rg_b*_de361MI, LAB*_dex361MI (x=LabCh), rg_b*_dd361MI, LAB*_dex361MI (x=LabCh), rg_b*_de361MI, LAB*_dex361MI (x=LabCh), rg_b*_dd361MI, LAB*_dex361MI (x=LabCh), rg_b*_de361MI, LAB*_dex361MI (x=LabCh). Rows 170-236.

Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

TUB-test chart QE34; hue code: H*_d=Y00Gd input: rgb/cmyk -> rgbd output: transfer to cmykd 48 step hue circles; rg_b*-LabCh*tables

Output: Offset standard print; separation cmyk6*: D65, page 13/33

TUB registration: 20130201-QE34/QE34L0NA.TXT /.PS TUB material: code=rha4ta
 application for measurement of offset print output, separation cmyk6 (CMYK)



http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] de361MI	LAB [*] dx361MI (x=LabCh)	C _d	rgb [*] ds361MI	LAB [*] dx361MI (x=LabCh)	rgb [*] dd361MI	LAB [*] dx361MI (x=LabCh)	rgb [*] de361MI	LAB [*] dx361MI (x=LabCh)	rgb [*] dd361MI	LAB [*] dx361MI (x=LabCh)	rgb [*] ds361MI	LAB [*] dx361MI (x=LabCh)	rgb [*] dd361MI	LAB [*] dx361MI (x=LabCh)																						
236	210	216	0.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217.0	0.0	0.983	1.0	0.0	0.983	1.0
237	212	118	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212	0.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0	0.0	0.967	1.0				
237	213	210	0.0	0.95	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213	0.0	0.95	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.95	1.0	0.0	0.95	1.0				
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238	0.0	1.0	0.706	56.5	-41.3	-27.8	49.9	214	0.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0	0.0	0.933	1.0				
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.716	56.6	-40.8	-28.5	49.9	215	0.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0	0.0	0.917	1.0				
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216	0.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0	0.0	0.9	1.0				
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0	0.0	0.883	1.0				
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218	0.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0	0.0	0.867	1.0				
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219	0.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0	0.0	0.85	1.0				
242	221	227	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.776	56.9	-38.1	-32.0	49.9	220	0.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0	0.0	0.833	1.0				
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221	0.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0	0.0	0.817	1.0				
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222	0.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0	0.0	0.8	1.0				
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0	0.0	0.783	1.0				
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224	0.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0	0.0	0.767	1.0				
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0	0.0	0.75	1.0				
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226	0.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0	0.0	0.733	1.0				
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227	0.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0	0.0	0.717	1.0				
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228	0.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0	0.0	0.7	1.0				
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229	0.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0	0.0	0.683	1.0				
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0	0.0	0.667	1.0				
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231	0.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0	0.0	0.65	1.0				
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0	0.0	0.633	1.0			
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233	0.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0	0.0	0.617	1.0			
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234	0.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0	0.0	0.6	1.0			
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235	0.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0	0.0	0.583	1.0			
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0	0.0	0.567	1.0			
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258	0.0	1.0	0.976	1.0	57.7	-28.4	-43.7	52.2	237	0.0	0.55	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0	0.0	0.55	1.0		
259	238	242	0.0	0.533	1.0	44.1	-8.1	-45.0	45.7	259	0.0	1.0	0.946	1.0	57.0	-27.3	-43.8	51.7	238	0.0	0.533	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242	0.0	0.533	1.0	0.0	0.533	1.0		
261	239	243	0.0	0.516	1.0	43.4	-7.0	-45.0	45.5	261	0.0	1.0	0.916	1.0	56.3	-26.3	-43.8	51.2	239	0.0	0.517	1.0	0.0	1.0	0.805	1.0	53.3	-22.0	-44.0	49.3	243	0.0	0.517	1.0	0.0	0.517	1.0		
262	240	244	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262	0.0	1.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240	0.0	0.5	1.0	0.0	1.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244	0.0	0.5	1.0	0.0	0.5	1.0		
263	241	245	0.0	0.483	1.0	42.1	-5.0	-45.1	45.4	263	0.0	1.0	0.861	1.0	54.9	-24.3	-43.9	50.3	241	0.0	0.483	1.0	0.0	1.0	0.764	1.0	52.2	-20.2	-44.1	48.6	245	0.0	0.483	1.0	0.0	0.483	1.0		
264	242	246	0.0	0.466	1.0	41.4	-4.0	-45.2	45.4	264	0.0	1.0	0.838	1.0	54.2	-23.3	-44.0	49.9	242	0.0	0.467	1.0	0.0	1.0	0.745	1.0	51.6	-19.4	-44.1	48.3	246	0.0	0.467	1.0	0.0	0.467	1.0		
266	243	247	0.0	0.45	1.0	40.8	-3.0	-45.3	45.4	266	0.0	1.0	0.815	1.0	53.6	-22.4	-44.0	49.5	243	0.0	0.45	1.0	0.0	1.0	0.727	1.0	51.1	-18.6	-44.2	48.1	247	0.0	0.45	1.0	0.0	0.45	1.0		
267	244	248	0.0	0.433	1.0	40.2	-2.1	-45.3	45.4	267	0.0	1.0	0.793	1.0	53.0	-21.4	-44.1	49.1	244	0.0	0.433	1.0	0.0	1.0	0.71	1.0	50.5	-17.8	-44.2	47.8	248	0.0	0.433	1.0	0.0	0.433	1.0		
268	245	248	0.0	0.416	1.0	39.5	-1.1	-45.4	45.4	268	0.0	1.0	0.77	1.0	52.3	-20.5	-44.1	48.7	245	0.0	0.417	1.0	0.0	1.0	0.693	1.0	50.0	-17.0	-44.3	47.6	248	0.0	0.417	1.0	0.0	0.417	1.0		
269	246	249	0.0	0.4	1.0	38.9	-0.1	-45.4	45.4	269	0.0	1.0	0.748	1.0	51.7	-19.6	-44.1	48.4																					

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmykn6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_ab,d = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, rg_b^*, dg_b^*, ds_b^*, de_b^*, LAB^*_d361M, LAB^*_d361MI, LAB^*_d361M1, LAB^*_d361M2, LAB^*_d361M3, LAB^*_d361M4, LAB^*_d361M5, LAB^*_d361M6, LAB^*_d361M7, LAB^*_d361M8, LAB^*_d361M9, LAB^*_d361M10, LAB^*_d361M11, LAB^*_d361M12, LAB^*_d361M13, LAB^*_d361M14, LAB^*_d361M15, LAB^*_d361M16, LAB^*_d361M17, LAB^*_d361M18, LAB^*_d361M19, LAB^*_d361M20, LAB^*_d361M21, LAB^*_d361M22, LAB^*_d361M23, LAB^*_d361M24, LAB^*_d361M25, LAB^*_d361M26, LAB^*_d361M27, LAB^*_d361M28, LAB^*_d361M29, LAB^*_d361M30, LAB^*_d361M31, LAB^*_d361M32, LAB^*_d361M33, LAB^*_d361M34, LAB^*_d361M35, LAB^*_d361M36, LAB^*_d361M37, LAB^*_d361M38, LAB^*_d361M39, LAB^*_d361M40, LAB^*_d361M41, LAB^*_d361M42, LAB^*_d361M43, LAB^*_d361M44, LAB^*_d361M45, LAB^*_d361M46, LAB^*_d361M47, LAB^*_d361M48, LAB^*_d361M49, LAB^*_d361M50, LAB^*_d361M51, LAB^*_d361M52, LAB^*_d361M53, LAB^*_d361M54, LAB^*_d361M55, LAB^*_d361M56, LAB^*_d361M57, LAB^*_d361M58, LAB^*_d361M59, LAB^*_d361M60, LAB^*_d361M61, LAB^*_d361M62, LAB^*_d361M63, LAB^*_d361M64, LAB^*_d361M65, LAB^*_d361M66, LAB^*_d361M67, LAB^*_d361M68, LAB^*_d361M69, LAB^*_d361M70, LAB^*_d361M71, LAB^*_d361M72, LAB^*_d361M73, LAB^*_d361M74, LAB^*_d361M75, LAB^*_d361M76, LAB^*_d361M77, LAB^*_d361M78, LAB^*_d361M79, LAB^*_d361M80, LAB^*_d361M81, LAB^*_d361M82, LAB^*_d361M83, LAB^*_d361M84, LAB^*_d361M85, LAB^*_d361M86, LAB^*_d361M87, LAB^*_d361M88, LAB^*_d361M89, LAB^*_d361M90, LAB^*_d361M91, LAB^*_d361M92, LAB^*_d361M93, LAB^*_d361M94, LAB^*_d361M95, LAB^*_d361M96, LAB^*_d361M97, LAB^*_d361M98, LAB^*_d361M99, LAB^*_d361M100.

see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmykn6*, D65, page 16/33

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Table with columns: nuf, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DE*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Yd, rpb*Yd, LabCH*Yd. Rows include color names like R000, R001, Y000, Y001, etc.

Mean color difference of this page: delta E** = 2.6

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*d=Y00G*d colors and differences, ΔE**

nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCh*Fd	LabCh*Fd	rgb*Fd	DE*Fd	hsa_Md	rgb*Md	LabCh*Md	LabCh*Md
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8	41.2	69.0	32.8	0.0
1/668	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	48.7	69.5	50.0	48.7	0.0
2/684	R50Y_100_100a	0.0	1.0	1.0	0.0	0.0	0.0	0.0	71.2	71.4	59	71.2	0.0
3/702	R75Y_100_100a	0.0	1.0	0.5	0.0	0.0	0.0	0.0	83.9	83.9	88.5	83.9	0.0
4/720	Y00C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	95.1	95.1	95.8	95.1	0.0
5/558	Y25C_100_100a	0.75	1.0	0.5	0.0	0.0	0.0	0.0	83.3	83.3	103.3	83.3	0.0
6/396	Y50C_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	72.7	66.0	73.1	72.7	0.0
7/234	Y75C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	60.8	47.8	67.6	60.8	0.0
8/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	51.9	68.8	28.1	51.9	0.0
9/72	G25B_100_100a	0.0	1.0	0.5	0.0	0.0	0.0	0.0	51.9	68.8	28.1	51.9	0.0
10/76	G50B_100_100a	0.0	1.0	1.0	0.0	0.0	0.0	0.0	54.8	51.0	12.3	54.8	0.0
11/80	G75B_100_100a	0.0	1.0	1.0	0.5	0.0	0.0	0.0	58.3	29.2	43.7	58.3	0.0
12/44	G50B_100_100a	0.0	0.5	1.0	0.0	0.0	0.0	0.0	42.7	6.0	45.0	42.7	0.0
13/8	B00M_100_100a	0.0	1.0	1.0	0.0	0.0	0.0	0.0	23.5	23.5	29.6	23.5	0.0
14/332	B25R_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	37.8	53.8	33.9	37.8	0.0
15/656	B50R_100_100a	1.0	0.0	1.0	0.0	0.0	0.0	0.0	48.2	72.8	35.3	48.2	0.0
16/652	B75R_100_100a	1.0	0.0	1.0	0.5	0.0	0.0	0.0	47.7	67.7	14.0	47.7	0.0
17/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3	63.8	41.2	47.3	0.0
18/668	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	38.0	32.8	35.7	38.0	0.0
19/608	R50Y_100_050a	1.0	0.75	0.5	0.0	0.0	0.0	0.0	35.6	38.0	32.8	35.6	0.0
20/724	Y00C_100_050a	0.75	1.0	0.5	0.0	0.0	0.0	0.0	47.9	47.9	57.1	47.9	0.0
21/400	G00B_100_050a	0.5	1.0	0.5	0.0	0.0	0.0	0.0	137.7	137.7	112.2	137.7	0.0
22/548	G50B_100_050a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	60.2	42.0	38.3	60.2	0.0
23/548	B00R_100_050a	0.5	0.5	1.0	0.0	0.0	0.0	0.0	40.0	15.2	22.8	40.0	0.0
24/692	B50R_100_050a	1.0	0.5	1.0	0.0	0.0	0.0	0.0	73.3	65.1	31.9	73.3	0.0
26/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	69.7	25.2	25.3	69.7	0.0
27/506	R00Y_075_050a	0.75	0.25	0.5	0.0	0.0	0.0	0.0	39.1	41.6	41.6	39.1	0.0
28/524	R50Y_075_050a	0.75	0.5	0.5	0.0	0.0	0.0	0.0	35.2	35.9	78.9	35.2	0.0
29/544	Y00C_075_050a	0.75	0.5	0.5	0.0	0.0	0.0	0.0	47.9	47.9	64	47.9	0.0
30/380	Y50C_075_050a	0.25	0.75	0.25	0.0	0.0	0.0	0.0	33.0	36.5	115.3	33.0	0.0
32/222	G50B_075_050a	0.25	0.75	0.25	0.0	0.0	0.0	0.0	157.7	157.7	112.2	157.7	0.0
33/186	B00R_075_050a	0.25	0.75	0.25	0.0	0.0	0.0	0.0	26.3	26.3	206.4	26.3	0.0
34/510	B50R_075_050a	0.75	0.25	0.75	0.0	0.0	0.0	0.0	40.9	11.7	23.6	40.9	0.0
35/506	R00Y_075_050a	0.75	0.25	0.25	0.0	0.0	0.0	0.0	36.4	36.4	32.8	36.4	0.0
36/324	R00Y_050_050a	0.5	0.0	0.5	0.0	0.0	0.0	0.0	31.9	20.6	38.0	31.9	0.0
37/342	R50Y_050_050a	0.5	0.25	0.25	0.0	0.0	0.0	0.0	32.5	31.9	20.6	32.5	0.0
38/360	Y00C_050_050a	0.5	0.5	0.5	0.0	0.0	0.0	0.0	42.4	11.3	33.8	42.4	0.0
39/198	Y50C_050_050a	0.25	0.5	0.25	0.0	0.0	0.0	0.0	53.0	53.0	47.9	53.0	0.0
40/36	G00B_050_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	45.2	15.6	33.0	45.2	0.0
41/40	G50B_050_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	34.8	34.4	14.0	34.8	0.0
42/4	B00R_050_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	38.0	14.6	21.8	38.0	0.0
43/328	B50R_050_050a	0.5	0.0	0.5	0.0	0.0	0.0	0.0	21.5	11.7	23.6	21.5	0.0
44/324	R00Y_050_050a	0.5	0.0	0.5	0.0	0.0	0.0	0.0	32.9	36.4	4.2	32.9	0.0
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.7	0.0	0.0	17.7	0.0
46/91	NW_013a	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/455	NW_064a	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/546	NW_078a	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/637	NW_088a	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E* = 3.8

input: rgb/cmyk -> rgbd
output: transfer to cmykd

TUB-test chart QE34; hue code: H*_d=Y00G_d
colors and differences, ΔE*'

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

see similar files: http://130.149.60.45/~farbmetrik/QE34/QE34.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 80 columns (numbered 1-80) and 10 rows of colorimetric data. Columns include H* (hue), L* (lightness), a* (red-green), b* (yellow-blue), and various color difference metrics (delta E*). The data represents color differences between the test chart and a reference.

Mean color difference of this page: delta E* = 3.7

input: rgb/cmyk -> rgbd output: transfer to cmykd

QE340-TN; Page 20/33-F

TUB-test chart QE34; hue code: H*d=Y00Gd colors and differences, AE*

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd. Rows 81-161.

Mean color difference of this page: delta E* = 4.9

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*d=Y00G*d colors and differences, AE*'

QE3400L

QE3400L


http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with columns: n, HHC*Fd, Rgb*Fd, Ict*Fd, Hsa*Fd, Rgb*Fd, LabCh*Fd, LabCh*Fd, DF*Fd, Hsa*Fd, Rgb*Fd, LabCh*Fd, LabCh*Fd. Rows 162-242.

Mean color difference of this page: delta E* = 4.8

TUB-test chart QE34; hue code: H*d=Y00G*d colors and differences, AE*'

input: rgb/cmyk -> rgbd output: transfer to cmykd



http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

Table with 14 columns: n, H#C*F, H*F, iC*F, H*F, iC*F, H*F, H*F, iC*F, H*F, H*F, H*F, H*F, H*F. It contains 323 rows of color calibration data.

Mean color difference of this page: delta E* = 6.5

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*d=Y00G*d colors and differences, AE*'

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 24 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd. Each row represents a color patch with its corresponding colorimetric and registration data.

input: rgb/cmyk -> rgbd output: transfer to cmykd Mean color difference of this page: delta E* = 5.3

Table with columns: n, HHC*Fd, Rgb*Fd, Ict*Fd, Hsb*Fd, Rgb*Fd, LabCH*Fd, LabCH*Fd, DF*Fd, Hsb*Fd, Rgb*Fd, LabCH*Fd. Rows 405-485. Includes color names like R00Y, R00M, B00R, etc.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*d=Y00G*d colors and differences, AE*

QE34-7N; Page 25/33-F

I-0032430-F0

1-0032430-F0

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd. Rows include color names like R00Y, R01Y, etc.

Mean color difference of this page: delta E* = 4.6

TUB-test chart QE34; hue code: H*d=Y00Gd colors and differences, AE* input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd. Rows contain numerical data for various color patches.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*d=Y00G*d colors and differences, AE*²

QE340-TN; Page 27/33-F

I-0032630-F0

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, DE*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd. Rows include color names like R00Y, R00M, R00C, etc.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*d=Y00Gd colors and differences, ΔE*

QE340-7N; Page:2833-F

I=0032730-F0

delta E* = 3.9

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 10 columns: n, H#C*Fd, r*gb*Fd, LabC*H*Fd, i*ct*Fd, i*rs*Fd, r*gb*Fd, LabC*H*Fd, i*ct*Fd, i*rs*Fd. It contains color calibration data for various color patches.

input: rgb/cmyk -> rgbd output: transfer to cmykd

QE3400L

QE3400R

http://130.149.60.45/~farbmatrik/QE34/QE34LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 16 columns: n, HHC#Fid, RGB#Fid, Idr#Fid, Hsa#Fid, LabCH#Fid, RGB#Fid, LabCH#Fid, DF#Fid, Hsa#Fid, RGB#Fid, LabCH#Fid, LabCH#Fid, LabCH#Fid, LabCH#Fid. It contains numerical data for various color patches (e.g., BOOR, YORG, NW).

input: rgb/cmyk -> rgbd output: transfer to cmykd

Mean color difference of this page:

delta E* = 5.5

92340-7N, Page 30/33-F

TUB-test chart QE34; hue code: H*d=Y00Gd colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/QE34/QE34LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*_d=Y00G_d colors and differences, ΔE*_*

QE340-TN; Page 31/33-F

Table with 10 columns: n, HVC*Fid, HVC*Fid, HVC*Fid, HVC*Fid, LabCH*Fid, LabCH*Fid, LabCH*Fid, LabCH*Fid, LabCH*Fid, LabCH*Fid. It lists color patches and their corresponding colorimetric values across various color spaces.

Mean color difference of this page: delta E** = 6.4

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H#C*Fd, rpb*Fd, iet*Fd, ihs*Fd, rpb*Fd, LabC*F*Fd, LabC*F*Fd, rpb*Fd, LabC*F*Fd, LabC*F*Fd, rpb*Fd, LabC*F*Fd, LabC*F*Fd, LabC*F*Fd. Rows include color patches like 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052.

Mean color difference of this page: delta E*90 = 5.5

input: rgb/cmyk -> rgbd output: transfer to cmyk6

TUB-test chart QE34; hue code: H*d=Y00G*d colors and differences, AE*'

http://130.149.60.45/~farbmetrik/QE34/QE34L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fd	rgb_Fd	icr_Fd	is_Fd	rgb*Fd	LabCH*Fd	is_Fd	LabCH*Fd	rgb*Fd	DF*Fd	is_Md	LabCH*Md	rgb*Md	LabCH*Md
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1057	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1058	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1059	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1060	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1061	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1062	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1063	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1064	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1065	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1066	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1067	NW_079d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1068	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1069	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1070	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1071	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1072	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1073	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1074	ROX_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1075	GS0B_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1077	B06C_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08C_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E** = 4.2

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE34; hue code: H*_d=Y00G_d colors and differences, ΔE**

