

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = Y00G_ -$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:

1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_ -$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE35/QE35L0NP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Data for any device (d) or elementary (e) colour:
 HIC^*_e

hue text for the colours of this page:
 $H^*_e = Y00G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 82 -3 87 87 92$

$HIC^*_{e, Ma}: Y00G_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.84 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE35/QE35L0NP.PDF /.PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta

1-013130-L0 QE350-71

TUB-test chart QE35; hue code: $H^*_e=Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$



1-013130-F0



http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 3/33



see similar files: <http://130.149.60.45/~farbmetrik/QE35/QE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*

TUB-test chart QE35; hue code: $H^*_e=Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, *cmyk*








1-013230-L0 QE350-71

1-013230-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE35/QE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>









1-013330-L0 QE350-71

TUB-test chart QE35; hue code: $H^*_e=Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013330-F0




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y00G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$: 82 -3 87 87 92

$HIC^*_{e, Ma}$: Y00G_100_100_e



$rgbic^*_{e, Ma}$:
1.0 0.84 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE35/QE35.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE35/QE35L0NP.PDF /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)
TUB material: code=rh4ta

1-013530-L0 QE350-71


TUB-test chart QE35; hue code: $H^*_e = Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$


1-013530-F0

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


device CIELAB (a^*_d, b^*_d) chroma diagram



elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle h_{ms} use for any device values rgb^*_s the equation:


$$h_{hs} = \arctan \left[r^*_s \cos(30) + g^*_s \sin(150) \right] / \left[r^*_s \sin(30) + g^*_s \sin(150) \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{ms} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ms} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,si} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,si} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles h_{ms} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ms} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,ei} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,ei} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{ms} there is a well defined device hue angle h_{ms} see the following tables, columns 1 to 4 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues



http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h _{ab,ab} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;			Six hue angles of the device colours RYGBCM; h _{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6		
h _{ab,d}	h _{ab,s}	h _{ab,e}	LAB* _{ab}	LAB* _s	LAB* _e
32.8	30.0	25.4	1.0	0.0	0.0
40.4	37.5	33.8	1.0	0.125	0.0
50.0	45.0	42.1	1.0	0.25	0.0
61.1	52.5	50.5	1.0	0.375	0.0
71.4	60.0	58.8	1.0	0.5	0.0
81.7	67.5	67.2	1.0	0.625	0.0
88.5	75.0	75.6	1.0	0.75	0.0
93.6	82.5	83.9	1.0	0.875	0.0
97.1	90.0	92.3	1.0	1.0	0.0
100.3	97.5	101.0	1.0	0.875	1.0
103.3	105.0	109.7	1.0	0.75	1.0
108.3	112.5	118.5	1.0	0.625	1.0
115.3	120.0	127.2	1.0	0.5	1.0
122.4	127.5	136.0	1.0	0.375	1.0
134.9	135.0	144.7	1.0	0.25	1.0
144.6	142.5	153.4	1.0	0.125	1.0
157.7	150.0	162.2	1.0	0.0	1.0
163.7	157.5	169.0	1.0	0.125	0.0
170.9	165.0	175.9	1.0	0.25	0.0
181.0	172.5	182.7	1.0	0.375	0.0
193.5	180.0	189.6	1.0	0.5	0.0
205.9	187.5	196.4	1.0	0.625	0.0
218.4	195.0	203.2	1.0	0.75	0.0
227.3	202.5	210.1	1.0	0.875	0.0
236.1	210.0	216.9	1.0	1.0	0.0
240.3	217.5	223.8	1.0	0.875	1.0
245.8	225.0	230.6	1.0	0.75	1.0
252.5	232.5	237.5	1.0	0.625	1.0
262.3	240.0	244.3	1.0	0.5	1.0
271.7	247.5	251.2	1.0	0.375	1.0
281.6	255.0	258.0	1.0	0.25	1.0
290.3	262.5	264.8	1.0	0.125	1.0
296.4	270.0	271.7	1.0	0.0	1.0
306.7	277.5	278.8	1.0	0.125	0.0
312.7	285.0	285.9	1.0	0.25	0.0
326.7	292.5	293.0	1.0	0.375	0.0
333.9	300.0	300.1	1.0	0.5	0.0
339.6	307.5	307.2	1.0	0.625	0.0
347.2	315.0	314.3	1.0	0.75	0.0
350.2	322.5	321.4	1.0	0.875	0.0
353.3	330.0	328.6	1.0	1.0	0.0
356.5	337.5	335.7	1.0	0.875	1.0
360.3	345.0	342.8	1.0	0.75	1.0
365.8	352.5	349.9	1.0	0.625	1.0
371.6	360.0	357.0	1.0	0.5	1.0
378.2	367.5	364.1	1.0	0.375	1.0
383.9	375.0	371.2	1.0	0.25	1.0
388.6	382.5	378.3	1.0	0.125	1.0
392.8	390.0	385.4	1.0	0.0	1.0



input: rgb/cmyk -> rgbe
output: transfer to cmyke

TUB-test chart QE35; hue code: H_e=Y00G_e
48 step hue circles; rgb-LabCh*tables

I=013730-I0
I=013730-I0

Output: Offset standard print; separation cmyk6; D65, page 8/33



TUB registration: 20130201-QE35/QE35L0NP.PDF /.PS

TUB material: code=rha4ta

application for measurement of offset print output, separation cmykn6 (CMYK)





http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_{ab,ds}=30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_{ab,d}=32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_{ab,e}=25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, L*a*b*, dK64M, L*a*b*, dx64M (x=LabCh), L*a*b*, dx36IM, L*a*b*, dex36IM, and 3x3 RGB color bars.

input: rgb/cmyk -> rgbe
output: transfer to cmyke



http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM: h_ab_ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM: h_ab_d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM: h_ab_e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 11 columns: h_ab,d, h_ab,s, h_ab,e, L*a*b*, d*xy, d*xy, d*xy, d*xy, d*xy, d*xy, d*xy. It contains 120 rows of color calibration data.



input: rgb/cmyk -> rgb output: transfer to cmyk

Output: Offset standard print; separation cmyk6*: D65, page 1/33

QE3501L

QE3501L

http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyn6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h_ab,d	h_ab,s	h_ab,e	rgb*_d	rgb*_s	rgb*_e	LAB*_d	LAB*_s	LAB*_e	rgb*_dd361M	LAB*_dxx361M(x=LabCh)	rgb*_dd361M	LAB*_sxx361M(x=LabCh)	rgb*_dd361M	LAB*_ex361M(x=LabCh)	rgb*_dd361M	LAB*_ex361M(x=LabCh)	rgb*_dd361M	LAB*_ex361M(x=LabCh)	rgb*_dd361M	LAB*_ex361M(x=LabCh)	rgb*_dd361M	LAB*_ex361M(x=LabCh)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0	0.139	1.0	0.0	57.4	-54.1	40.0	67.4	143	0.267	1.0	0.0	0.124	1.0	0.0	56.9	-56.2	38.1	68.0	144	0.25	1.0	0.0	0.113	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.5	74.2	157	0.067	1.0	0.0	0.001	1.0	0.0	51.5	-69.5	27.5	74.8	158	0.05	1.0	0.0	0.0	1.0	0.0	51.0	-70.5	26.5	75.4	159	0.033	1.0	0.0	0.0	1.0	0.0	50.5	-71.5	25.5	76.0	160	0.017	1.0	0.0	0.0	1.0	0.0	50.0	-72.5	24.5	76.6	161	0.0	1.0	0.0	0.0	1.0	0.0	49.5	-73.5	23.5	77.2	162	0.0	1.0	0.0	0.0	1.0	0.0	49.0	-74.5	22.5	77.8	163	0.0	1.0	0.0	0.0	1.0	0.0	48.5	-75.5	21.5	78.4	164	0.0	1.0	0.0	0.0	1.0	0.0	48.0	-76.5	20.5	79.0	165	0.0	1.0	0.0	0.0	1.0	0.0	47.5	-77.5	19.5	79.6	166	0.0	1.0	0.0	0.0	1.0	0.0	47.0	-78.5	18.5	80.2	167	0.0	1.0	0.0	0.0	1.0	0.0	46.5	-79.5	17.5	80.8	168	0.0	1.0	0.0	0.0	1.0	0.0	46.0	-80.5	16.5	81.4	169	0.0	1.0	0.0	0.0	1.0	0.0	45.5	-81.5	15.5	82.0	170	0.0	1.0	0.0	0.0	1.0	0.0	45.0	-82.5	14.5	82.6	171	0.0	1.0	0.0	0.0	1.0	0.0	44.5	-83.5	13.5	83.2	172	0.0	1.0	0.0	0.0	1.0	0.0	44.0	-84.5	12.5	83.8	173	0.0	1.0	0.0	0.0	1.0	0.0	43.5	-85.5	11.5	84.4	174	0.0	1.0	0.0	0.0	1.0	0.0	43.0	-86.5	10.5	85.0	175	0.0	1.0	0.0	0.0	1.0	0.0	42.5	-87.5	9.5	85.6	176	0.0	1.0	0.0	0.0	1.0	0.0	42.0	-88.5	8.5	86.2	177	0.0	1.0	0.0	0.0	1.0	0.0	41.5	-89.5	7.5	86.8	178	0.0	1.0	0.0	0.0	1.0	0.0	41.0	-90.5	6.5	87.4	179	0.0	1.0	0.0	0.0	1.0	0.0	40.5	-91.5	5.5	88.0	180	0.0	1.0	0.0	0.0	1.0	0.0	40.0	-92.5	4.5	88.6

I-0131130-L0 QE350-71 LAB*ab0, YN=0%, XYZnw=2,4,2,5,2,6,85,1,88,8,104,3, LAB*rw=17,7,0,0,0,95,5,0,0,0,0 Output: Offset standard print; separation cmyn6*: D65, page 12/33

TUB-test chart QE35; hue code: H*_e=Y00G_e input: rgb/cmyk -> rgb_e output: transfer to cmyk_e



QE3501L

Y
M
C

0
1
2
3
4
5
6
7
8
9

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
306
307
308
309
310
311
312
314
316
318
320
322
323
325
327
328
329
330
331
332
333

3
4
5
6
7
8
9

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
306
307
308
309
310
311
312
314
316
318
320
322
323
325
327
328
329
330
331
332
333

http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

TUB registration: 20130201-QE35/QE35L0NP.PDF /.PS TUB material: code=rha4ta
 application for measurement of offset print output, separation cmyk6 (CMYK)



Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{ds}	rgb* _{ds361M}	LAB* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)	rgb* _{ds361MI}	LAB* _{ds361MI} (x=LabCh)												
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.25	1.0	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233	1.0	0.0	0.543	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0	0.0	0.532	1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217	1.0
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0	0.0	0.52	1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2	1.0
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0	0.0	0.508	1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183	1.0
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0	0.0	0.497	1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167	1.0
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0	0.0	0.484	1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15	1.0
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133	1.0
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0	0.0	0.46	1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117	1.0
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0	0.0	0.448	1.0	40.8	-2.9	-45.2	45.4	266	0.0	0.1	1.0
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0	0.0	0.436	1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083	1.0
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0	0.0	0.423	1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067	1.0
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.05	1.0
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0	0.0	0.399	1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033	1.0
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0	0.0	0.387	1.0	38.4	0.4	-45.3	45.4	270	0.0	0.017	1.0
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270	0.0	0.0	1.0	0.0	0.375	1.0	37.9	1.7	-45.3	45.5	271	0.0	0.0	1.0
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.017	0.0	1.0	0.0	0.363	1.0	37.5	2.1	-45.5	45.6	272	0.017	0.0	1.0
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.033	0.0	1.0	0.0	0.351	1.0	37.1	2.9	-45.6	45.8	273	0.033	0.0	1.0
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.05	0.0	1.0	0.0	0.339	1.0	36.6	3.7	-45.7	45.9	274	0.05	0.0	1.0
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.067	0.0	1.0	0.0	0.327	1.0	36.2	4.4	-45.7	46.0	275	0.067	0.0	1.0
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.083	0.0	1.0	0.0	0.315	1.0	35.7	5.2	-45.8	46.2	276	0.083	0.0	1.0
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0	1.0	0.0	0.303	1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.117	0.0	1.0	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	0.117	0.0	1.0
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.133	0.0	1.0	0.0	0.279	1.0	34.4	7.6	-45.9	46.6	279	0.133	0.0	1.0
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0	1.0	0.0	0.267	1.0	34.0	8.3	-45.9	46.8	280	0.15	0.0	1.0
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.167	0.0	1.0	0.0	0.256	1.0	33.5	9.1	-45.9	46.9	281	0.167	0.0	1.0
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0	1.0	0.0	0.243	1.0	33.1	9.9	-46.0	47.2	282	0.183	0.0	1.0
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0	0.0	0.229	1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0	1.0
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283</														

http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33


Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, h_ab,ab, L*a*b*, d*361M, L*a*b*, d*361MI, L*a*b*, d*361M, L*a*b*, d*361MI, L*a*b*, d*361M, L*a*b*, d*361MI, R_d. Rows 360-392.

I-0131630-L0 QE350-71 LAB*lab, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart QE35; hue code: H*_e=Y00G_e 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbe output: transfer to cmyke


Output: Offset standard print; separation cmyk6*: D65, page 17/33





TUB registration: 20130201-QE35/QE35L0NP.PDF /.PS

TUB material: code=rha4ta application for measurement of offset print output, separation cmyk6 (CMYK)




http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33




Table with 13 columns: nrf, H*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DFE*Fe, H*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DFE*Fe, H*Fe. Rows list various color patches and their corresponding measurements.

input: rgb/cmyk -> rgbe output: transfer to cmyke

Mean color difference of this page: delta E** = 17.3



see similar files: http://130.149.60.45/~farbmetrik/QE35/QE35.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





http://130.149.60.45/~farbmetrik/QE35/QE35LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with columns: n, H*C*F*E, rgp, Fe, icr, Fe, hsa, Fe, rgp, Fe, LabC*H*F*E, rgp, Fe, LabC*H*F*E, DF*, Fe, hsa, Fe, LabC*H*F*E, rgp, Fe, LabC*H*F*E. Rows 81-161.

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE35; hue code: H*e=Y00G*e colors and differences, ΔE*

1-1032030-F0

QE350-TN; Page 21/33-F




Table with 18 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. Rows 162-242. Includes color patches and registration marks.

Table with 30 columns (n to Y) and 30 rows. Columns include HHC*Fe, rgb*Fe, icl*Fe, Hst*Fe, LabCm*Fe, LabCH*Fe, DF*Fe, HaM*, LabCH*Fe, rgb*Fe, DF*Fe, HaM*, LabCH*Fe, and Y. The table contains numerical data for each cell, representing color calibration values across different color channels and measurement points.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE35; hue code: H*e=Y00Ge colors and differences, ΔE*

Mean color difference of this page: ΔE* = 13.4



http://130.149.60.45/~farbmetrik/QE35/QE35LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

input: rgb/cmyk -> rgbe output: transfer to cmyke

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Hsa*Fe, LabCH*Fe, LabCH*Fe. Rows 324-404. Includes a footer note: Mean color difference of this page: delta E* = 12.8

QE350-TN; Page 24/33-F

I-1032330-F0

QE3501L

QE3501L

http://130.149.60.45/~farbmetrik/QE35/QE35LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

input: rgb/cmyk -> rgbe output: transfer to cmyke

Table with 15 columns (n, HHC*Fe, rpb*Fe, icr*Fe, HsL*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, HsM*Fe, rpb*Fe, LabCH*Fe) and rows for various color and grayscale patches.

Mean color difference of this page: delta E** = 12.8

QE350-TN; Page 26/33-F

TUB-test chart QE35; hue code: H*e=Y00Ge colors and differences, ΔE*

I=1032530-F0



http://130.149.60.45/~farbmetrik/QE35/QE35LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, H#C*F*, Rgb*F*, LabC*F*, LabC*F*, Hs*F*, Rgb*F*, LabC*F*, LabC*F*, LabC*F*, DF*F*, Hs*F*, LabC*F*, Rgb*F*, LabC*F*. Rows include color names like R00Y, R00M, R00C, etc.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE35; hue code: H*e=Y00Ge colors and differences, ΔE*

Mean color difference of this page: delta E* = 13.3



Table with 18 columns: n, H#C*Fe, Rgb*Fe, L*a*Fe, L*b*Fe, LabCh*Fe, LabCh*Ye, Df*Fe, H#a*Ye, H#b*Ye, L*a*Ye, L*b*Ye, LabCh*Ye, Df*Ye, H#a*Ye, H#b*Ye, L*a*Ye, L*b*Ye, LabCh*Ye, Df*Ye. Rows include color codes like R00Y, R35Y, B68R, etc.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE35; hue code: H*e=Y00G*e colors and differences, ΔE**a*

Mean color difference of this page: delta E**a* = 14.4

http://130.149.60.45/~farbmetrik/QE35/QE35LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with columns: n, H* C* M*, r* g* b* Fe, i* e* Fe, H* S* Fe, r* g* b* Fe, Lab C* H* M* Fe, Lab C* H* M* Fe, D* F* Fe, H* a* M* Fe, r* g* b* Fe, Lab C* H* M* Fe, and 0.0. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page: delta E* = 9.3

TUB-test chart QE35; hue code: H*e=Y00Ge colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmyke


http://130.149.60.45/~farbmetrik/QE35/QE35LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 15 columns: n, H#C*F*, Rgb*F*, iet*F*, Hs*F*, Rgb*Fe, LabCh*Fe, Rgb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, Rgb*Fe, LabCh*Fe, Rgb*Fe, LabCh*Fe. Rows 891-971.

Mean color difference of this page: delta E* = 11.7

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart QE35; hue code: H*e=Y00Ge colors and differences, ΔE*'



http://130.149.60.45/~farbmetrik/QE35/QE35L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Me	DF*Fe	hsa*Me	rgb*Me	LabCH*Me	DF*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	89.4	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	92.2	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1057	NW_013e	0.133	0.133	0.133	0.133	0.133	17.7	0.133	0.133	0.133	0.133	0.133	0.133
1058	NW_020e	0.2	0.2	0.2	0.2	0.2	33.2	0.2	0.2	0.2	0.2	0.2	0.2
1059	NW_026e	0.266	0.266	0.266	0.266	0.266	38.3	0.266	0.266	0.266	0.266	0.266	0.266
1060	NW_033e	0.333	0.333	0.333	0.333	0.333	43.6	0.333	0.333	0.333	0.333	0.333	0.333
1061	NW_040e	0.4	0.4	0.4	0.4	0.4	48.8	0.4	0.4	0.4	0.4	0.4	0.4
1062	NW_046e	0.466	0.466	0.466	0.466	0.466	53.9	0.466	0.466	0.466	0.466	0.466	0.466
1063	NW_053e	0.533	0.533	0.533	0.533	0.533	59.1	0.533	0.533	0.533	0.533	0.533	0.533
1064	NW_059e	0.566	0.566	0.566	0.566	0.566	64.3	0.566	0.566	0.566	0.566	0.566	0.566
1065	NW_066e	0.6	0.6	0.6	0.6	0.6	69.5	0.6	0.6	0.6	0.6	0.6	0.6
1066	NW_073e	0.734	0.734	0.734	0.734	0.734	74.7	0.734	0.734	0.734	0.734	0.734	0.734
1067	NW_079e	0.799	0.799	0.799	0.799	0.799	79.9	0.799	0.799	0.799	0.799	0.799	0.799
1068	NW_086e	0.8	0.8	0.8	0.8	0.8	84.8	0.8	0.8	0.8	0.8	0.8	0.8
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	89.3	0.866	0.866	0.866	0.866	0.866	0.866
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	92.2	0.933	0.933	0.933	0.933	0.933	0.933
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	1.0	1.0
1072	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1073	NW_010e	0.1	0.1	0.1	0.1	0.1	17.7	0.1	0.1	0.1	0.1	0.1	0.1
1074	ROY_100_100e	1.0	0.0	1.0	0.0	1.0	95.4	1.0	0.0	1.0	0.0	1.0	0.0
1075	GS0B_100_100e	0.0	1.0	1.0	0.5	390	0.0	1.0	0.209	47.6	64.9	30.9	25.4
1076	Y06G_100_100e	0.0	1.0	0.0	1.0	0.5	210	0.0	1.0	0.735	56.6	-39.7	87.8
1077	B06M_100_100e	0.0	1.0	0.0	1.0	0.5	210	0.0	0.841	0.0	82.9	-3.5	87.8
1078	B06M_100_100e	0.0	1.0	0.0	1.0	0.5	210	0.0	0.374	0.0	37.9	1.3	87.8
1079	B50R_100_100e	0.0	1.0	0.0	1.0	0.5	330	0.0	0.1093	0.0	52.4	-67.1	21.5
1079	B50R_100_100e	1.0	0.0	1.0	1.0	0.5	330	0.407	0.0	0.093	0.407	0.0	34.8

Mean color difference of this page: delta E* = 7.6



input: rgb/cmyk -> rgb
 output: transfer to cmyk

TUB-test chart QE35; hue code: H*e=Y00G*e
 colors and differences, ΔE*'