

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = Y00G_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:

1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



see similar files: <http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT> /PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-103031-L0 QE370-7N

TUB-test chart QE37; hue code: $H^*_ = Y00G_$

Test chart according to DIN 33872, 3D=1, de=0, cm_y0^*

input: $rgb/cmyk \rightarrow rgb/cmyk$


output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_d = Y00G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y00G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9
Y _{d, Ma}	87.8	-10.2	95.4	96.0
G _{d, Ma}	50.0	-65.0	29.6	71.4
C _{d, Ma}	56.8	-25.5	-41.5	48.7
B _{d, Ma}	25.0	29.5	-40.4	50.0
M _{d, Ma}	46.1	79.3	-0.2	79.3
N _{d, Ma}	24.3	0.0	0.0	0.0
W _{d, Ma}	95.6	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 87 -10 95 96 96

HIC^*_d, Ma : Y00G_100_100d



$rgbic^*_d, Ma$: 1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9
R25Y_100_100d	53.0	53.4	54.8	76.5
R50Y_100_100d	64.9	28.9	68.6	74.5
R75Y_100_100d	78.6	4.3	84.7	84.8
Y00G_100_100d	87.8	-10.2	95.4	96.0
Y25G_100_100d	81.2	-17.0	84.3	86.0
Y50G_100_100d	70.6	-29.7	66.5	72.8
Y75G_100_100d	57.9	-48.3	45.8	66.5
G00B_100_100d	50.0	-65.0	29.6	71.4
G25B_100_100d	52.9	-48.6	-8.0	49.3
G50B_100_100d	56.8	-25.5	-41.5	48.7
G75B_100_100d	41.7	-1.2	-40.6	40.6
B00R_100_100d	25.0	29.5	-40.4	50.0
B25R_100_100d	35.6	58.6	-20.7	62.1
B50R_100_100d	46.1	79.3	-0.2	79.3
B75R_100_100d	45.9	74.2	21.1	77.1

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-103131-L0 QE370-72

TUB-test chart QE37; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$


1-103131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_d = Y00G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y00G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 87 -10 95 96 96$

$HIC^*_d, Ma: Y00G_100_100_d$

$rgbic^*_d, Ma:$



1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-103231-L0 QE370-72

TUB-test chart QE37; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

1-103231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_d = Y00G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y00G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 87 -10 95 96 96$

$HIC^*_d, Ma: Y00G_100_100_d$

$rgbic^*_d, Ma:$

1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15




see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

TUB-test chart QE37; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_d = Y00G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y00G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9
Y _{d, Ma}	87.8	-10.2	95.4	96.0
G _{d, Ma}	50.0	-65.0	29.6	71.4
C _{d, Ma}	56.8	-25.5	-41.5	48.7
B _{d, Ma}	25.0	29.5	-40.4	50.0
M _{d, Ma}	46.1	79.3	-0.2	79.3
N _{d, Ma}	24.3	0.0	0.0	0.0
W _{d, Ma}	95.6	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 87 -10 95 96 96

HIC^*_d, Ma : Y00G_100_100d

$rgbic^*_d, Ma$:



1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_H, rel = 57$
 $g^*_C, rel = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9
R25Y_100_100d	53.0	53.4	54.8	76.5
R50Y_100_100d	64.9	28.9	68.6	74.5
R75Y_100_100d	78.6	4.3	84.7	84.8
Y00G_100_100d	87.8	-10.2	95.4	96.0
Y25G_100_100d	81.2	-17.0	84.3	86.0
Y50G_100_100d	70.6	-29.7	66.5	72.8
Y75G_100_100d	57.9	-48.3	45.8	66.5
G00B_100_100d	50.0	-65.0	29.6	71.4
G25B_100_100d	52.9	-48.6	-8.0	49.3
G50B_100_100d	56.8	-25.5	-41.5	48.7
G75B_100_100d	41.7	-1.2	-40.6	40.6
B00R_100_100d	25.0	29.5	-40.4	50.0
B25R_100_100d	35.6	58.6	-20.7	62.1
B50R_100_100d	46.1	79.3	-0.2	79.3
B75R_100_100d	45.9	74.2	21.1	77.1



see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-103431-L0 QE370-72

TUB-test chart QE37; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$


input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103431-F0


TUB registration: 20130201-QE37/QE37L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmy0* (CMY0)



http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE37/QE37LE30FA.DAT in file (F), page 6/33




see similar files: <http://130.149.60.45/~farbmetrik/QE37/QE37.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmy0*_{dd}*

TUB-test chart QE37; hue code: $H^*_d=Y00G_d$
Test chart according to DIN 33872, 3D=1, de=0, *cmy0**

1-103531-L0 QE370-72




1=103531=F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow
 $LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green
 $LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue
 $LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$



O=R_d orange-red
 $LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red
 $LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$


V=B_d violet-blue
 $LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow
 $LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green
 $LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$


C_e blue-green
 $LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue
 $LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$



R_e red
 $LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red
 $LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$



Y_s yellow
 $LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green
 $LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

C_s blue-green
 $LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

B_s blue
 $LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

R_s red
 $LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red
 $LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of maximum color M in colorimetric system offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_c: h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*_d (x=LabCh), r_{gb}^b, d_{361M}, LAB*_d (x=LabCh), r_{gb}^c, d_{361M}, LAB*_d (x=LabCh), r_{gb}^d, d_{361M}, LAB*_d (x=LabCh). Rows contain numerical data for various color points.




TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^{dd}	dd64M	LAB [*]	ddx64M (x=LabCh)	rgb ^{dd}	dex361M	LAB [*]	dex361M
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3



see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device color data (h_ab,d, h_ab,s, h_ab,e, rrgb*dd361M, LAB* ddx361Mi, R_d), elementary color data (rgb*ds361Mi, LAB* dsx361Mi, R_s), and maximum color data (rgb*de361Mi, LAB* dex361Mi, R_c). The table contains 48 rows of data corresponding to the 48 step hue circles.

see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4t4



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGCBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGCBM_c: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB* ddx361Mi (x=LabCh)	$rgb^*_{ds361Mi}$	LAB* dsx361Mi (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	LAB* dex361Mi (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$			
86	75	75	1.0	0.75 0.0	77.9	5.4	83.8	84.0	86	1.0	0.75 0.0	77.9	5.4	83.8	84.0	86
87	76	76	1.0	0.766 0.0	78.6	4.3	84.7	84.8	87	1.0	0.767 0.0	78.6	4.3	84.7	84.8	87
87	77	77	1.0	0.783 0.0	79.4	3.2	85.6	85.7	87	1.0	0.783 0.0	79.4	3.2	85.6	85.7	87
88	78	78	1.0	0.8 0.0	80.1	2.0	86.5	86.5	88	1.0	0.8 0.0	80.1	2.0	86.5	86.5	88
89	79	80	1.0	0.816 0.0	80.8	0.8	87.3	87.3	89	1.0	0.817 0.0	80.8	0.8	87.3	87.3	89
90	80	81	1.0	0.833 0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833 0.0	81.6	-0.3	88.2	88.2	90
91	81	82	1.0	0.85 0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85 0.0	82.3	-1.5	89.0	89.0	91
91	82	83	1.0	0.866 0.0	83.1	-2.8	89.8	89.8	91	1.0	0.867 0.0	83.1	-2.8	89.8	89.8	91
92	83	84	1.0	0.883 0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883 0.0	83.7	-3.8	90.5	90.6	92
92	84	85	1.0	0.9 0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9 0.0	84.3	-4.7	91.3	91.4	92
93	85	86	1.0	0.916 0.0	84.9	-5.6	92.0	92.2	93	1.0	0.917 0.0	84.9	-5.6	92.0	92.2	93
94	86	87	1.0	0.933 0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933 0.0	85.5	-6.5	92.7	92.9	94
94	87	88	1.0	0.95 0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95 0.0	86.0	-7.4	93.4	93.7	94
95	88	90	1.0	0.966 0.0	86.6	-8.3	94.1	94.5	95	1.0	0.967 0.0	86.6	-8.3	94.1	94.5	95
95	89	91	1.0	0.983 0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983 0.0	87.2	-9.2	94.8	95.2	95
96	90	92	1.0	1.0 0.0	87.8	-10.2	95.4	95.6	96	1.0	1.0 0.0	87.8	-10.2	95.4	95.6	96
96	91	93	0.983	1.0 0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983 1.0 0.0	87.3	-10.7	94.6	95.2	96
96	92	94	0.966	1.0 0.0	86.8	-11.2	93.8	94.5	96	1.0	0.966 1.0 0.0	86.8	-11.2	93.8	94.5	96
97	93	95	0.95	1.0 0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95 1.0 0.0	86.4	-11.7	93.0	93.7	97
97	94	96	0.933	1.0 0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933 1.0 0.0	85.9	-12.2	92.2	93.0	97
97	95	98	0.916	1.0 0.0	85.5	-12.7	91.3	92.2	97	1.0	0.916 1.0 0.0	85.5	-12.7	91.3	92.2	97
98	96	99	0.9	1.0 0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9 1.0 0.0	85.0	-13.2	90.5	91.5	98
98	97	100	0.883	1.0 0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883 1.0 0.0	84.5	-13.6	89.7	90.7	98
99	98	101	0.866	1.0 0.0	84.1	-14.1	88.9	90.0	99	1.0	0.866 1.0 0.0	84.1	-14.1	88.9	90.0	99
99	99	102	0.85	1.0 0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85 1.0 0.0	83.6	-14.6	88.1	89.3	99
99	100	103	0.833	1.0 0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833 1.0 0.0	83.1	-15.1	87.4	88.7	99
100	101	105	0.816	1.0 0.0	82.6	-15.6	86.6	88.0	100	1.0	0.816 1.0 0.0	82.6	-15.6	86.6	88.0	100
100	102	106	0.8	1.0 0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8 1.0 0.0	82.2	-16.1	85.8	87.3	100
101	103	107	0.783	1.0 0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783 1.0 0.0	81.7	-16.6	85.1	86.7	101
101	104	108	0.766	1.0 0.0	81.2	-17.0	84.3	86.0	101	1.0	0.766 1.0 0.0	81.2	-17.0	84.3	86.0	101
101	105	109	0.75	1.0 0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75 1.0 0.0	80.7	-17.5	83.5	85.3	101
102	106	110	0.733	1.0 0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733 1.0 0.0	80.0	-18.4	82.5	84.6	102
103	107	112	0.716	1.0 0.0	79.3	-19.3	81.5	83.8	103	1.0	0.716 1.0 0.0	79.3	-19.3	81.5	83.8	103
104	108	113	0.7	1.0 0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7 1.0 0.0	78.5	-20.2	80.5	83.0	104
104	109	114	0.683	1.0 0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683 1.0 0.0	77.8	-21.1	79.4	82.2	104
105	110	115	0.666	1.0 0.0	77.1	-22.0	78.4	81.4	105	1.0	0.666 1.0 0.0	77.1	-22.0	78.4	81.4	105
106	111	116	0.65	1.0 0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65 1.0 0.0	76.4	-22.8	77.3	80.6	106
107	112	117	0.633	1.0 0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633 1.0 0.0	75.6	-23.6	76.2	79.8	107
108	113	119	0.616	1.0 0.0	75.0	-24.4	75.1	79.0	108	1.0	0.616 1.0 0.0	75.0	-24.4	75.1	79.0	108
108	114	120	0.6	1.0 0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6 1.0 0.0	74.3	-25.3	73.9	78.1	108
109	115	121	0.583	1.0 0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583 1.0 0.0	73.7	-26.1	72.7	77.2	109
110	116	122	0.566	1.0 0.0	73.1	-26.9	71.4	76.3	110	1.0	0.566 1.0 0.0	73.1	-26.9	71.4	76.3	110
111	117	123	0.55	1.0 0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55 1.0 0.0	72.4	-27.6	70.2	75.5	111
112	118	124	0.533	1.0 0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533 1.0 0.0	71.8	-28.3	69.0	74.6	112
113	119	126	0.516	1.0 0.0	71.2	-29.0	67.7	73.7	113	1.0	0.516 1.0 0.0	71.2	-29.0	67.7	73.7	113
114	120	127	0.5	1.0 0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5 1.0 0.0	70.6	-29.7	66.5	72.8	114



see similar files: <http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_C: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361Mi	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	LAB* dd361Mi	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																		
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.466	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.466	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.416	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.416	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.366	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.366	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.316	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.316	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.266	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.266	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.216	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.216	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.166	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.166	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.116	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.116	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.066	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.066	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.049	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.049	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.016	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.016	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G _d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G _s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G _e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2															



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dd361Mi} (x=LabCh)	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi} (x=LabCh)	rgb [*] _{dd361Mi}	LAB [*] _{dc361Mi}	rgb [*] _{dex361Mi} (x=LabCh)	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.8	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT / .PS application for measurement of offset print output, separation cmy0* (CMY0)

TUB registration: 20130201-QE37/QE37L0FA.TXT /.PS TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] dd361M	LAB [*] ddx361Mi (x=LabCh)	rgb [*] ds361Mi	LAB [*] dsx361Mi (x=LabCh)	rgb [*] dd361Mi	LAB [*] de361Mi	rgb [*] dex361Mi (x=LabCh)	rgb [*] dd361Mi	rgb [*] dd361Mi	rgb [*] ds361Mi	rgb [*] ds361Mi	rgb [*] ds361Mi																							
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	C _d	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C _s	0.0	1.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	C _e	0.0	1.0	1.0	1.0
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239		0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211		0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0			
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239		0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212		0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0			
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240		0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213		0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0			
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240		0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214		0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0			
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241		0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215		0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0			
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242		0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216		0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0			
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242		0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217		0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0			
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243		0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218		0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0			
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244		0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219		0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0			
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245		0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220		0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0			
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245		0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221		0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0			
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246		0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222		0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0			
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247		0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223		0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0			
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248		0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224		0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0			
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249		0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225		0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0			
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250		0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226		0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0			
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251		0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227		0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	0.0	0.717	1.0			
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252		0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228		0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0			
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253		0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229		0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0			
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254		0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230		0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0			
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255		0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231		0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0			
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256		0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232		0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0			
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257		0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233		0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0			
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259		0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234		0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0		
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260		0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235		0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0		
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262		0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236		0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0		
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263		0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237		0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0		
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265		0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238		0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0		
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266		0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239		0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	0.0	0.517	1.0		
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268		0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240		0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	0.0	0.5	1.0		
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269		0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241		0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245	0.0	0.483	1.0		
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271		0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242		0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246	0.0	0.467	1.0		
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272		0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243		0.0	0.45	1.0	0.0	1.0	0.793	1.0	51.7	-17.3	-41.2	44.8	247	0.0	0.45	1.0		
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273		0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244		0.0	0.433	1.0	0.0	1.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	0.0	0.433	1.0		
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6	275		0.0	0.834	1.0	53.0	-19.2	-41.3	45.7	245		0.0	0.417	1.0	0.0	1.0	0.757	1.0	50.7	-15.8	-41.1	44.1	248	0.0	0.417	1.0		
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7	276		0.0	0.815	1.0	52.4	-18.3	-41.3	45.3	246		0.0	0.4	1.0	0.0	1.0	0.741	1.0	50.2	-15.0	-41.0	43.8	249	0.0	0.4	1.0		
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7	277		0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247		0.0	0.383	1.0	0.0	1.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	0.0	0.383	1.0		
279	248	251	0.0	0.366	1.0	37.0	6.6	-40.2	40																												



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _{ds} 361Mi (x=LabCh)	rgb* _{ds} 361Mi	LAB* _{dsx} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{de} 361Mi	LAB* _{dex} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{de} 361Mi	LAB* _{de} 361Mi								
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2 42.7	289	0.0	0.25 1.0	0.0	0.613 1.0	46.1	-8.6	-40.8 41.9	258	0.0	0.25 1.0		
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3 43.1	290	0.0	0.233 1.0	0.0	0.603 1.0	45.7	-7.9	-40.9 41.7	258	0.0	0.233 1.0		
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3 43.6	292	0.0	0.216 1.0	0.0	0.593 1.0	45.3	-7.2	-40.9 41.6	259	0.0	0.216 1.0		
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4 44.0	293	0.0	0.2 1.0	0.0	0.583 1.0	44.9	-6.6	-40.9 41.5	260	0.0	0.2 1.0		
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4 44.5	294	0.0	0.183 1.0	0.0	0.573 1.0	44.5	-5.9	-40.9 41.4	261	0.0	0.183 1.0		
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4 44.9	295	0.0	0.166 1.0	0.0	0.562 1.0	44.1	-5.2	-40.9 41.3	262	0.0	0.166 1.0		
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4 45.4	297	0.0	0.15 1.0	0.0	0.552 1.0	43.7	-4.5	-40.9 41.2	263	0.0	0.15 1.0		
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3 45.8	298	0.0	0.133 1.0	0.0	0.542 1.0	43.4	-3.9	-40.8 41.1	264	0.0	0.133 1.0		
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3 46.3	299	0.0	0.116 1.0	0.0	0.532 1.0	43.0	-3.2	-40.8 41.0	265	0.0	0.116 1.0		
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4 46.9	300	0.0	0.1 1.0	0.0	0.522 1.0	42.6	-2.6	-40.7 40.9	266	0.0	0.1 1.0		
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4 47.4	301	0.0	0.083 1.0	0.0	0.512 1.0	42.2	-1.9	-40.7 40.8	267	0.0	0.083 1.0		
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4 47.9	302	0.0	0.066 1.0	0.0	0.502 1.0	41.8	-1.3	-40.6 40.7	268	0.0	0.066 1.0		
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5 48.4	303	0.0	0.049 1.0	0.0	0.491 1.0	41.4	-0.6	-40.6 40.7	269	0.0	0.049 1.0		
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4 49.0	304	0.0	0.033 1.0	0.0	0.48 1.0	41.0	0.0	-40.6 40.7	269	0.0	0.033 1.0		
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4 49.5	305	0.0	0.016 1.0	0.0	0.469 1.0	40.6	0.6	-40.6 40.7	270	0.0	0.016 1.0		
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4 50.0	306	0.0	0.0 1.0	0.0	0.458 1.0	40.3	1.2	-40.6 40.7	271	0.0	0.0 1.0		
307	271	272	0.016	0.0 1.0	25.4	30.4	-39.9 50.2	307	0.0	0.467 1.0	0.0	0.447 1.0	39.9	1.9	-40.5 40.7	272	0.016	0.0 1.0		
308	272	273	0.033	0.0 1.0	25.8	31.3	-39.4 50.4	308	0.0	0.455 1.0	0.033	0.0 1.0	0.0	0.435 1.0	39.5	2.6	-40.5 40.7	273	0.033	0.0 1.0
309	273	274	0.05	0.0 1.0	26.2	32.2	-38.9 50.5	309	0.0	0.443 1.0	0.05	0.0 1.0	0.0	0.424 1.0	39.1	3.3	-40.5 40.7	274	0.05	0.0 1.0
310	274	275	0.066	0.0 1.0	26.5	33.1	-38.4 50.7	310	0.0	0.431 1.0	0.066	0.0 1.0	0.0	0.413 1.0	38.7	3.9	-40.4 40.7	275	0.066	0.0 1.0
311	275	276	0.083	0.0 1.0	26.9	33.9	-37.8 50.8	311	0.0	0.419 1.0	0.083	0.0 1.0	0.0	0.401 1.0	38.3	4.6	-40.3 40.7	276	0.083	0.0 1.0
313	276	277	0.1	0.0 1.0	27.3	34.8	-37.3 51.0	313	0.0	0.407 1.0	0.1	0.0 1.0	0.0	0.39 1.0	37.9	5.3	-40.3 40.7	277	0.1	0.0 1.0
314	277	278	0.116	0.0 1.0	27.7	35.6	-36.7 51.1	314	0.0	0.395 1.0	0.116	0.0 1.0	0.0	0.378 1.0	37.5	5.9	-40.2 40.7	278	0.116	0.0 1.0
315	278	279	0.133	0.0 1.0	27.9	36.4	-36.2 51.3	315	0.0	0.383 1.0	0.133	0.0 1.0	0.0	0.367 1.0	37.1	6.6	-40.2 40.8	279	0.133	0.0 1.0
316	279	280	0.15	0.0 1.0	28.1	37.2	-35.7 51.6	316	0.0	0.371 1.0	0.15	0.0 1.0	0.0	0.357 1.0	36.7	7.3	-40.2 41.0	280	0.15	0.0 1.0
317	280	281	0.166	0.0 1.0	28.2	38.0	-35.2 51.9	317	0.0	0.36 1.0	0.166	0.0 1.0	0.0	0.346 1.0	36.3	8.0	-40.3 41.2	281	0.166	0.0 1.0
318	281	282	0.183	0.0 1.0	28.3	38.8	-34.7 52.1	318	0.0	0.348 1.0	0.183	0.0 1.0	0.0	0.335 1.0	35.9	8.7	-40.3 41.3	282	0.183	0.0 1.0
319	282	283	0.2	0.0 1.0	28.5	39.6	-34.2 52.4	319	0.0	0.337 1.0	0.2	0.0 1.0	0.0	0.324 1.0	35.5	9.4	-40.3 41.5	283	0.2	0.0 1.0
320	283	284	0.216	0.0 1.0	28.6	40.4	-33.7 52.6	320	0.0	0.326 1.0	0.216	0.0 1.0	0.0	0.313 1.0	35.1	10.1	-40.3 41.7	284	0.216	0.0 1.0
321	284	285	0.233	0.0 1.0	28.7	41.2	-33.1 52.9	321	0.0	0.314 1.0	0.233	0.0 1.0	0.0	0.303 1.0	34.8	10.8	-40.3 41.9	285	0.233	0.0 1.0
322	285	285	0.25	0.0 1.0	28.8	41.9	-32.5 53.1	322	0.0	0.303 1.0	0.25	0.0 1.0	0.0	0.292 1.0	34.4	11.6	-40.3 42.0	285	0.25	0.0 1.0
323	286	286	0.266	0.0 1.0	29.4	43.3	-31.8 53.8	323	0.0	0.291 1.0	0.266	0.0 1.0	0.0	0.281 1.0	34.0	12.3	-40.3 42.2	286	0.266	0.0 1.0
325	287	287	0.283	0.0 1.0	29.9	44.7	-31.1 54.4	325	0.0	0.28 1.0	0.283	0.0 1.0	0.0	0.27 1.0	33.6	13.0	-40.2 42.4	287	0.283	0.0 1.0
326	288	288	0.3	0.0 1.0	30.4	46.0	-30.3 55.1	326	0.0	0.269 1.0	0.3	0.0 1.0	0.0	0.26 1.0	33.2	13.7	-40.2 42.5	288	0.3	0.0 1.0
328	289	289	0.316	0.0 1.0	30.9	47.3	-29.4 55.7	328	0.0	0.257 1.0	0.316	0.0 1.0	0.0	0.249 1.0	32.8	14.4	-40.1 42.7	289	0.316	0.0 1.0
329	290	290	0.333	0.0 1.0	31.4	48.6	-28.5 56.4	329	0.0	0.245 1.0	0.333	0.0 1.0	0.0	0.236 1.0	32.4	15.2	-40.2 43.1	290	0.333	0.0 1.0
331	291	291	0.35	0.0 1.0	32.0	49.9	-27.5 57.0	331	0.0	0.232 1.0	0.35	0.0 1.0	0.0	0.223 1.0	32.0	16.0	-40.3 43.4	291	0.35	0.0 1.0
332	292	292	0.366	0.0 1.0	32.5	51.2	-26.5 57.7	332	0.0	0.219 1.0	0.366	0.0 1.0	0.0	0.211 1.0	31.5	16.8	-40.3 43.8	292	0.366	0.0 1.0
333	293	293	0.383	0.0 1.0	32.9	52.3	-25.7 58.3	333	0.0	0.205 1.0	0.383	0.0 1.0	0.0	0.198 1.0	31.1	17.6	-40.3 44.1	293	0.383	0.0 1.0
334	294	294	0.4	0.0 1.0	33.3	53.2	-25.0 58.8	334	0.0	0.192 1.0	0.4	0.0 1.0	0.0	0.186 1.0	30.7	18.4	-40.4 44.5	294	0.4	0.0 1.0
335	295	295	0.416	0.0 1.0	33.7	54.1	-24.4 59.4	335	0.0	0.179 1.0	0.416	0.0 1.0	0.0	0.173 1.0	30.3	19.2	-40.4 44.8	295	0.416	0.0 1.0
336	296	296	0.433	0.0 1.0	34.0	55.0	-23.7 59.9	336	0.0	0.166 1.0	0.433	0.0 1.0	0.0	0.161 1.0	29.9	20.1	-40.3 45.1	296	0.433	0.0 1.0
337	297	297	0.45	0.0 1.0	34.4	55.9	-23.0 60.5	337	0.0	0.152 1.0	0.45	0.0 1.0	0.0	0.148 1.0	29.4	20.9	-40.3 45.5	297	0.45	0.0 1.0
338	298	298	0.466	0.0 1.0	34.8	56.8	-22.2 61.0	338	0.0	0.139 1.0	0.466	0.0 1.0	0.0	0.136 1.0	29.0	21.7	-40.3 45.8	298	0.466	0.0 1.0
339	299	299	0.483	0.0 1.0	35.2	57.7	-21.5 61.6	339	0.0	0.126 1.0	0.483	0.0 1.0	0.0	0.122 1.0	28.6	22.6	-40.2 46.2	299	0.483	0.0 1.0
340	300	300	0.5	0.0 1.0	35.6	58.6	-20.7 62.1	340	0.0	0.109 1.0	0.5	0.0 1.0	0.0	0.106 1.0	28.1	23.5	-40.3 46.7	300	0.5	0.0 1.0



see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
340	300	300	0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340	0.0 0.109 1.0	28.2 23.3 -40.3 46.6 300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300	0.5 0.0 1.0
341	301	301	0.516 0.0 1.0	35.9 59.5 -19.9 62.8 341	0.0 0.091 1.0	27.7 24.3 -40.3 47.2 301	0.517 0.0 1.0	0.0 0.089 1.0	27.6 24.4 -40.3 47.2 301	0.517 0.0 1.0
342	302	302	0.533 0.0 1.0	36.2 60.5 -19.0 63.4 342	0.0 0.074 1.0	27.2 25.3 -40.4 47.7 302	0.533 0.0 1.0	0.0 0.073 1.0	27.2 25.4 -40.4 47.8 302	0.533 0.0 1.0
343	303	303	0.55 0.0 1.0	36.6 61.4 -18.2 64.0 343	0.0 0.056 1.0	26.7 26.3 -40.4 48.3 303	0.55 0.0 1.0	0.0 0.056 1.0	26.7 26.3 -40.4 48.3 303	0.55 0.0 1.0
344	304	303	0.566 0.0 1.0	36.9 62.3 -17.3 64.7 344	0.0 0.039 1.0	26.2 27.3 -40.4 48.9 304	0.567 0.0 1.0	0.0 0.039 1.0	26.2 27.3 -40.4 48.8 303	0.567 0.0 1.0
345	305	304	0.583 0.0 1.0	37.2 63.2 -16.4 65.3 345	0.0 0.021 1.0	25.7 28.3 -40.4 49.4 305	0.583 0.0 1.0	0.0 0.023 1.0	25.7 28.2 -40.4 49.4 304	0.583 0.0 1.0
346	306	305	0.6 0.0 1.0	37.6 64.1 -15.4 66.0 346	0.0 0.004 1.0	25.2 29.4 -40.3 50.0 306	0.6 0.0 1.0	0.0 0.006 1.0	25.3 29.2 -40.3 49.9 305	0.6 0.0 1.0
347	307	306	0.616 0.0 1.0	37.9 65.0 -14.5 66.6 347	0.011 0.0 1.0	25.3 30.2 -40.0 50.2 307	0.617 0.0 1.0	0.009 0.0 1.0	25.3 30.1 -40.1 50.2 306	0.617 0.0 1.0
348	308	307	0.633 0.0 1.0	38.3 65.8 -13.7 67.2 348	0.026 0.0 1.0	25.7 31.0 -39.6 50.3 308	0.633 0.0 1.0	0.023 0.0 1.0	25.6 30.8 -39.7 50.3 307	0.633 0.0 1.0
348	309	308	0.65 0.0 1.0	38.8 66.6 -13.1 67.9 348	0.041 0.0 1.0	26.0 31.8 -39.1 50.5 309	0.65 0.0 1.0	0.036 0.0 1.0	25.9 31.5 -39.3 50.4 308	0.65 0.0 1.0
349	310	309	0.666 0.0 1.0	39.3 67.3 -12.5 68.5 349	0.056 0.0 1.0	26.3 32.5 -38.7 50.6 310	0.667 0.0 1.0	0.05 0.0 1.0	26.2 32.3 -38.8 50.6 309	0.667 0.0 1.0
350	311	310	0.683 0.0 1.0	39.8 68.1 -11.9 69.1 350	0.07 0.0 1.0	26.7 33.3 -38.2 50.8 311	0.683 0.0 1.0	0.064 0.0 1.0	26.5 33.0 -38.4 50.7 310	0.683 0.0 1.0
350	312	311	0.7 0.0 1.0	40.3 68.8 -11.2 69.7 350	0.085 0.0 1.0	27.0 34.1 -37.7 50.9 312	0.7 0.0 1.0	0.078 0.0 1.0	26.9 33.7 -37.9 50.8 311	0.7 0.0 1.0
351	313	312	0.716 0.0 1.0	40.8 69.5 -10.6 70.4 351	0.1 0.0 1.0	27.3 34.8 -37.2 51.0 313	0.717 0.0 1.0	0.092 0.0 1.0	27.2 34.4 -37.5 51.0 312	0.717 0.0 1.0
351	314	313	0.733 0.0 1.0	41.3 70.3 -9.9 71.0 351	0.114 0.0 1.0	27.7 35.5 -36.7 51.2 314	0.733 0.0 1.0	0.106 0.0 1.0	27.5 35.1 -37.0 51.1 313	0.733 0.0 1.0
352	315	314	0.75 0.0 1.0	41.8 71.0 -9.2 71.6 352	0.13 0.0 1.0	27.9 36.3 -36.2 51.3 315	0.75 0.0 1.0	0.12 0.0 1.0	27.8 35.8 -36.5 51.2 314	0.75 0.0 1.0
353	316	315	0.766 0.0 1.0	42.1 71.6 -8.7 72.1 353	0.146 0.0 1.0	28.1 37.1 -35.7 51.6 316	0.767 0.0 1.0	0.135 0.0 1.0	28.0 36.6 -36.0 51.4 315	0.767 0.0 1.0
353	317	316	0.783 0.0 1.0	42.4 72.1 -8.1 72.6 353	0.163 0.0 1.0	28.2 37.9 -35.3 51.8 317	0.783 0.0 1.0	0.151 0.0 1.0	28.1 37.3 -35.6 51.7 316	0.783 0.0 1.0
353	318	317	0.8 0.0 1.0	42.7 72.7 -7.6 73.1 353	0.18 0.0 1.0	28.3 38.7 -34.8 52.1 318	0.8 0.0 1.0	0.167 0.0 1.0	28.2 38.1 -35.1 51.9 317	0.8 0.0 1.0
354	319	318	0.816 0.0 1.0	43.1 73.2 -7.0 73.6 354	0.197 0.0 1.0	28.5 39.5 -34.2 52.4 319	0.817 0.0 1.0	0.183 0.0 1.0	28.4 38.9 -34.7 52.1 318	0.817 0.0 1.0
354	320	319	0.833 0.0 1.0	43.4 73.8 -6.5 74.1 354	0.213 0.0 1.0	28.6 40.3 -33.7 52.6 320	0.833 0.0 1.0	0.199 0.0 1.0	28.5 39.6 -34.2 52.4 319	0.833 0.0 1.0
355	321	320	0.85 0.0 1.0	43.7 74.3 -5.9 74.6 355	0.23 0.0 1.0	28.7 41.1 -33.2 52.9 321	0.85 0.0 1.0	0.215 0.0 1.0	28.6 40.4 -33.7 52.6 320	0.85 0.0 1.0
355	322	321	0.866 0.0 1.0	44.0 74.9 -5.3 75.1 355	0.247 0.0 1.0	28.9 41.9 -32.6 53.1 322	0.867 0.0 1.0	0.231 0.0 1.0	28.7 41.1 -33.2 52.9 321	0.867 0.0 1.0
356	323	321	0.883 0.0 1.0	44.3 75.4 -4.7 75.6 356	0.259 0.0 1.0	29.2 42.7 -32.1 53.5 323	0.883 0.0 1.0	0.247 0.0 1.0	28.9 41.8 -32.6 53.1 321	0.883 0.0 1.0
356	324	322	0.9 0.0 1.0	44.6 76.0 -4.1 76.1 356	0.27 0.0 1.0	29.5 43.7 -31.6 54.0 324	0.9 0.0 1.0	0.258 0.0 1.0	29.2 42.7 -32.1 53.5 322	0.9 0.0 1.0
357	325	323	0.916 0.0 1.0	44.8 76.6 -3.5 76.6 357	0.282 0.0 1.0	29.9 44.6 -31.1 54.4 325	0.917 0.0 1.0	0.269 0.0 1.0	29.5 43.5 -31.7 53.9 323	0.917 0.0 1.0
357	326	324	0.933 0.0 1.0	45.1 77.1 -2.8 77.2 357	0.293 0.0 1.0	30.2 45.5 -30.6 54.8 326	0.933 0.0 1.0	0.28 0.0 1.0	29.8 44.4 -31.2 54.3 324	0.933 0.0 1.0
358	327	325	0.95 0.0 1.0	45.3 77.7 -2.2 77.7 358	0.304 0.0 1.0	30.6 46.4 -30.0 55.3 327	0.95 0.0 1.0	0.29 0.0 1.0	30.1 45.2 -30.7 54.7 325	0.95 0.0 1.0
358	328	326	0.966 0.0 1.0	45.6 78.2 -1.5 78.2 358	0.315 0.0 1.0	30.9 47.2 -29.4 55.7 328	0.967 0.0 1.0	0.301 0.0 1.0	30.5 46.1 -30.2 55.1 326	0.967 0.0 1.0
359	329	327	0.983 0.0 1.0	45.8 78.7 -0.8 78.7 359	0.326 0.0 1.0	31.3 48.1 -28.8 56.1 329	0.983 0.0 1.0	0.311 0.0 1.0	30.8 46.9 -29.6 55.6 327	0.983 0.0 1.0
359	330	328	1.0 0.0 1.0	46.1 79.3 -0.2 79.3 359	0.337 0.0 1.0	31.6 49.0 -28.2 56.6 330	1.0 0.0 1.0	0.322 0.0 1.0	31.1 47.8 -29.1 56.0 328	1.0 0.0 1.0
360	331	329	1.0 0.0 0.983	46.1 79.1 0.3 79.1 360	0.349 0.0 1.0	32.0 49.9 -27.5 57.0 331	1.0 0.0 0.983	0.332 0.0 1.0	31.5 48.6 -28.5 56.4 329	1.0 0.0 0.983
360	332	330	1.0 0.0 0.966	46.0 79.0 0.9 79.0 360	0.36 0.0 1.0	32.3 50.7 -26.9 57.5 332	1.0 0.0 0.967	0.343 0.0 1.0	31.8 49.4 -27.9 56.8 330	1.0 0.0 0.967
361	333	331	1.0 0.0 0.95	46.0 78.9 1.5 78.9 361	0.371 0.0 1.0	32.7 51.6 -26.2 57.9 333	1.0 0.0 0.95	0.354 0.0 1.0	32.1 50.3 -27.2 57.2 331	1.0 0.0 0.95
361	334	332	1.0 0.0 0.933	46.0 78.7 2.1 78.8 361	0.386 0.0 1.0	33.0 52.5 -25.5 58.4 334	1.0 0.0 0.933	0.364 0.0 1.0	32.4 51.1 -26.6 57.6 332	1.0 0.0 0.933
361	335	333	1.0 0.0 0.916	46.0 78.6 2.7 78.6 361	0.404 0.0 1.0	33.4 53.5 -24.8 59.0 335	1.0 0.0 0.917	0.375 0.0 1.0	32.8 51.9 -25.9 58.0 333	1.0 0.0 0.917
362	336	334	1.0 0.0 0.9	46.0 78.4 3.2 78.5 362	0.421 0.0 1.0	33.8 54.4 -24.1 59.6 336	1.0 0.0 0.9	0.391 0.0 1.0	33.1 52.8 -25.3 58.6 334	1.0 0.0 0.9
362	337	335	1.0 0.0 0.883	45.9 78.3 3.8 78.4 362	0.438 0.0 1.0	34.2 55.4 -23.4 60.1 337	1.0 0.0 0.883	0.408 0.0 1.0	33.5 53.7 -24.7 59.1 335	1.0 0.0 0.883
363	338	336	1.0 0.0 0.866	45.9 78.1 4.4 78.3 363	0.456 0.0 1.0	34.6 56.3 -22.6 60.7 338	1.0 0.0 0.867	0.424 0.0 1.0	33.9 54.6 -24.0 59.7 336	1.0 0.0 0.867
363	339	337	1.0 0.0 0.85	45.9 78.0 5.0 78.2 363	0.473 0.0 1.0	35.0 57.2 -21.9 61.3 339	1.0 0.0 0.85	0.441 0.0 1.0	34.3 55.5 -23.3 60.2 337	1.0 0.0 0.85
364	340	338	1.0 0.0 0.833	45.9 77.9 5.6 78.1 364	0.491 0.0 1.0	35.4 58.1 -21.1 61.9 340	1.0 0.0 0.833	0.457 0.0 1.0	34.6 56.4 -22.6 60.8 338	1.0 0.0 0.833
364	341	339	1.0 0.0 0.816	45.9 77.7 6.2 78.0 364	0.508 0.0 1.0	35.8 59.1 -20.2 62.5 341	1.0 0.0 0.817	0.474 0.0 1.0	35.0 57.2 -21.8 61.3 339	1.0 0.0 0.817
365	342	339	1.0 0.0 0.8	45.9 77.6 6.8 77.9 365	0.525 0.0 1.0	36.1 60.0 -19.4 63.1 342	1.0 0.0 0.8	0.491 0.0 1.0	35.4 58.1 -21.1 61.8 339	1.0 0.0 0.8
365	343	340	1.0 0.0 0.783	45.9 77.4 7.4 77.8 365	0.542 0.0 1.0	36.4 61.0 -18.5 63.8 343	1.0 0.0 0.783	0.507 0.0 1.0	35.7 59.0 -20.3 62.4 340	1.0 0.0 0.783
365	344	341	1.0 0.0 0.766	45.9 77.3 8.0 77.7 365	0.559 0.0 1.0	36.8 61.9 -17.7 64.4 344	1.0 0.0 0.767	0.523 0.0 1.0	36.1 59.9 -19.5 63.0 341	1.0 0.0 0.767
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6 77.6 366	0.576 0.0 1.0	37.1 62.9 -16.7 65.1 345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8 -18.7 63.7 342	1.0 0.0 0.75



see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE37/QE37L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	LAB [*] _{dd361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6	77.6 366	0.576 0.0 1.0	37.1 62.9	-16.7 65.1	345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8	-18.7 63.7	342
367	346	343	1.0 0.0 0.733	45.9 77.0 9.4	77.5 367	0.593 0.0 1.0	37.5 63.8	-15.8 65.7	346	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7	-17.9 64.3	343
367	347	344	1.0 0.0 0.716	45.9 76.8 10.3	77.5 367	0.61 0.0 1.0	37.8 64.7	-14.8 66.4	347	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6	-17.0 64.9	344
368	348	345	1.0 0.0 0.7	45.9 76.6 11.1	77.4 368	0.627 0.0 1.0	38.2 65.6	-13.8 67.1	348	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5	-16.1 65.5	345
368	349	346	1.0 0.0 0.683	45.9 76.4 11.9	77.3 368	0.654 0.0 1.0	39.0 66.8	-12.9 68.1	349	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3	-15.2 66.1	346
369	350	347	1.0 0.0 0.666	45.9 76.2 12.8	77.2 369	0.681 0.0 1.0	39.8 68.0	-11.9 69.1	350	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2	-14.3 66.7	347
370	351	348	1.0 0.0 0.65	46.0 75.9 13.6	77.2 370	0.708 0.0 1.0	40.6 69.2	-10.9 70.1	351	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2	-13.4 67.6	348
370	352	349	1.0 0.0 0.633	46.0 75.7 14.4	77.1 370	0.735 0.0 1.0	41.4 70.4	-9.8 71.1	352	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4	-12.4 68.5	349
371	353	350	1.0 0.0 0.616	46.0 75.5 15.2	77.1 371	0.765 0.0 1.0	42.1 71.6	-8.7 72.1	353	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5	-11.5 69.5	350
372	354	351	1.0 0.0 0.6	45.9 75.4 16.1	77.1 372	0.8 0.0 1.0	42.8 72.7	-7.5 73.1	354	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6	-10.5 70.4	351
372	355	352	1.0 0.0 0.583	45.9 75.2 16.9	77.1 372	0.835 0.0 1.0	43.5 73.9	-6.4 74.2	355	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7	-9.5 71.4	352
373	356	353	1.0 0.0 0.566	45.9 75.0 17.8	77.1 373	0.87 0.0 1.0	44.2 75.0	-5.1 75.2	356	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9	-8.4 72.4	353
374	357	354	1.0 0.0 0.55	45.9 74.8 18.6	77.1 374	0.904 0.0 1.0	44.7 76.2	-3.9 76.3	357	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0	-7.3 73.3	354
374	358	355	1.0 0.0 0.533	45.9 74.6 19.5	77.1 374	0.938 0.0 1.0	45.2 77.3	-2.6 77.3	358	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1	-6.2 74.3	355
375	359	356	1.0 0.0 0.516	45.9 74.4 20.3	77.1 375	0.971 0.0 1.0	45.7 78.4	-1.3 78.4	359	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1	-5.0 75.3	356
375	360	357	1.0 0.0 0.5	45.9 74.2 21.1	77.1 375	1.0 0.0 0.994	46.1 79.3	0.0 79.3	360	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5	-9.7 71.1	352
376	361	353	1.0 0.0 0.483	45.8 74.1 22.1	77.3 376	1.0 0.0 0.955	46.1 79.0	1.4 79.0	361	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8	-8.5 72.3	353
377	362	354	1.0 0.0 0.466	45.8 73.9 23.1	77.4 377	1.0 0.0 0.916	46.0 78.6	2.7 78.7	362	1.0 0.0 0.467	0.81 0.0 1.0	43.0 73.1	-7.2 73.4	354
378	363	355	1.0 0.0 0.45	45.8 73.8 24.0	77.6 378	1.0 0.0 0.876	46.0 78.3	4.1 78.4	363	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4	-5.9 74.6	355
378	364	356	1.0 0.0 0.433	45.8 73.6 25.0	77.7 378	1.0 0.0 0.839	46.0 78.0	5.5 78.2	364	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6	-4.5 75.8	356
379	365	357	1.0 0.0 0.416	45.8 73.4 25.9	77.9 379	1.0 0.0 0.802	46.0 77.7	6.8 78.0	365	1.0 0.0 0.417	0.925 0.0 1.0	45.0 76.9	-3.1 77.0	357
380	366	358	1.0 0.0 0.4	45.8 73.2 26.9	78.0 380	1.0 0.0 0.765	46.0 77.3	8.1 77.8	366	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1	-1.6 78.1	358
380	367	359	1.0 0.0 0.383	45.8 73.0 27.8	78.2 380	1.0 0.0 0.734	46.0 77.0	9.5 77.6	367	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3	-0.1 79.3	359
381	368	360	1.0 0.0 0.366	45.8 72.9 28.7	78.4 381	1.0 0.0 0.708	46.0 76.7	10.8 77.5	368	1.0 0.0 0.367	1.0 0.0 0.956	46.1 79.0	1.3 79.0	360
382	369	362	1.0 0.0 0.35	45.8 72.8 29.6	78.6 382	1.0 0.0 0.681	46.0 76.4	12.1 77.4	369	1.0 0.0 0.35	1.0 0.0 0.912	46.0 78.6	2.9 78.7	362
382	370	363	1.0 0.0 0.333	45.7 72.7 30.4	78.8 382	1.0 0.0 0.655	46.0 76.1	13.4 77.2	370	1.0 0.0 0.333	1.0 0.0 0.869	46.0 78.2	4.4 78.3	363
383	371	364	1.0 0.0 0.316	45.7 72.6 31.2	79.1 383	1.0 0.0 0.628	46.0 75.7	14.7 77.1	371	1.0 0.0 0.317	1.0 0.0 0.828	46.0 77.9	5.9 78.1	364
383	372	365	1.0 0.0 0.3	45.7 72.5 32.1	79.3 383	1.0 0.0 0.602	46.0 75.4	16.0 77.1	372	1.0 0.0 0.3	1.0 0.0 0.786	46.0 77.5	7.4 77.9	365
384	373	366	1.0 0.0 0.283	45.6 72.4 32.9	79.6 384	1.0 0.0 0.576	46.0 75.2	17.4 77.1	373	1.0 0.0 0.283	1.0 0.0 0.746	46.0 77.1	8.8 77.7	366
385	374	367	1.0 0.0 0.266	45.6 72.3 33.8	79.8 385	1.0 0.0 0.55	45.9 74.9	18.7 77.2	374	1.0 0.0 0.267	1.0 0.0 0.717	46.0 76.8	10.3 77.5	367
385	375	368	1.0 0.0 0.25	45.6 72.1 34.6	80.0 385	1.0 0.0 0.524	45.9 74.5	20.0 77.2	375	1.0 0.0 0.25	1.0 0.0 0.687	46.0 76.5	11.8 77.4	368
386	376	369	1.0 0.0 0.233	45.6 72.1 35.3	80.3 386	1.0 0.0 0.498	45.9 74.2	21.3 77.2	376	1.0 0.0 0.233	1.0 0.0 0.658	46.0 76.1	13.3 77.2	369
386	377	370	1.0 0.0 0.216	45.6 72.0 36.1	80.5 386	1.0 0.0 0.475	45.9 74.0	22.6 77.4	377	1.0 0.0 0.217	1.0 0.0 0.628	46.0 75.7	14.7 77.1	370
387	378	372	1.0 0.0 0.2	45.6 71.9 36.8	80.8 387	1.0 0.0 0.451	45.9 73.8	24.0 77.6	378	1.0 0.0 0.2	1.0 0.0 0.599	46.0 75.4	16.2 77.1	372
387	379	373	1.0 0.0 0.183	45.5 71.8 37.5	81.0 387	1.0 0.0 0.428	45.9 73.6	25.3 77.8	379	1.0 0.0 0.183	1.0 0.0 0.57	46.0 75.1	17.6 77.1	373
388	380	374	1.0 0.0 0.166	45.5 71.7 38.2	81.3 388	1.0 0.0 0.404	45.9 73.3	26.7 78.0	380	1.0 0.0 0.167	1.0 0.0 0.541	45.9 74.8	19.1 77.2	374
388	381	375	1.0 0.0 0.15	45.5 71.6 39.0	81.5 388	1.0 0.0 0.38	45.8 73.1	28.0 78.3	381	1.0 0.0 0.15	1.0 0.0 0.512	45.9 74.4	20.6 77.2	375
389	382	376	1.0 0.0 0.133	45.5 71.5 39.7	81.8 389	1.0 0.0 0.353	45.8 72.9	29.4 78.6	382	1.0 0.0 0.133	1.0 0.0 0.485	45.9 74.1	22.0 77.3	376
389	383	377	1.0 0.0 0.116	45.5 71.4 40.4	82.1 389	1.0 0.0 0.325	45.8 72.7	30.9 79.0	383	1.0 0.0 0.117	1.0 0.0 0.459	45.9 73.9	23.6 77.6	377
389	384	378	1.0 0.0 0.1	45.5 71.3 41.0	82.3 389	1.0 0.0 0.297	45.7 72.5	32.3 79.4	384	1.0 0.0 0.1	1.0 0.0 0.433	45.9 73.6	25.1 77.8	378
390	385	379	1.0 0.0 0.083	45.5 71.3 41.6	82.6 390	1.0 0.0 0.268	45.7 72.3	33.7 79.8	385	1.0 0.0 0.083	1.0 0.0 0.406	45.9 73.4	26.6 78.0	379
390	386	381	1.0 0.0 0.066	45.5 71.2 42.3	82.8 390	1.0 0.0 0.238	45.6 72.1	35.2 80.3	386	1.0 0.0 0.067	1.0 0.0 0.38	45.8 73.1	28.1 78.3	381
391	387	382	1.0 0.0 0.049	45.5 71.1 42.9	83.1 391	1.0 0.0 0.204	45.6 72.0	36.7 80.8	387	1.0 0.0 0.05	1.0 0.0 0.349	45.8 72.9	29.6 78.7	382
391	388	383	1.0 0.0 0.033	45.4 71.1 43.5	83.4 391	1.0 0.0 0.17	45.6 71.8	38.2 81.3	388	1.0 0.0 0.033	1.0 0.0 0.318	45.8 72.7	31.2 79.1	383
391	389	384	1.0 0.0 0.016	45.4 71.0 44.2	83.6 391	1.0 0.0 0.135	45.6 71.6	39.7 81.8	389	1.0 0.0 0.017	1.0 0.0 0.286	45.7 72.5	32.8 79.6	384
392	390	385	1.0 0.0 0.0	45.4 70.9 44.8	83.9 392	1.0 0.0 0.096	45.5 71.4	41.2 82.4	390	1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2	34.4 80.0	385

see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE37/QE37L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Table with columns: nrf, HHC*Fid, rgp_Fid, icr_Fid, hsa_Fid, rgp*Fid, LabC*Fid, cmy*sep_Fid, rha*Fid, hsa*Fid, rgp*Fid, LabC*Fid, cmy*sep_Fid, delta. Rows include color patches like R000, R001, Y000, Y001, etc.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

Mean color difference of this page:

Table with columns: ruf, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabC*Fid, cmyk*_sep_Fid, rpb*_Fid, hsa*_Fid, LabC*_Fid, rpb*_Fid, hsa*_Fid, LabC*_Fid, rpb*_Fid, hsa*_Fid, LabC*_Fid, delta





input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0**dd

Mean color difference of this page: delta

TUB-test chart QE37; hue code: H*d=Y00Gd colors and differences, ΔE*

QE3710L



QE3710L



http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE37/QE37L30FA.DAT in file (F), page 21/33

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd



Table with 16 columns: n, HHC*F0d, rpb_F0d, icr_F0d, hsa_F0d, rpb_F0d, LabC0*F0d, cmyk*_sep_F0d, hsa_M0d, rpb_M0d, LabC0*_M0d, delta, LabC0*_M0d, rpb_M0d, LabC0*_M0d, delta. Rows 81-161.





http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE37/QE37L0FA.DAT in file (F), page 22/33

Table with 15 columns: n, HHC*F0d, rpb*F0d, icr*F0d, hsa*F0d, rpb*F0d, LabC0*F0d, cmy0*sep*F0d, hsa*F0d, rpb*F0d, LabC0*F0d, delta, LabC0*F0d, rpb*F0d, LabC0*F0d. Rows 162-242.

Mean color difference of this page: delta input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd









http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE37/QE37L30FA.DAT in file (F), page 23/33

Table with 32 columns: n, HHC*Fid, rgb_Fid, icr_Fid, Hsa_Fid, rgb*Fid, LabC*Fid, LabC*Fid, cmy*sep_Fid, Hsa*Fid, rgb*Fid, LabC*Fid, LabC*Fid, delta. Rows 243-523.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd







http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE37/QE37L30FA.DAT in file (F), page 24/33

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hs_Fid, rpb*Fid, LabC*Fid, LabC*Fid, cmy0*_sep_Fid, rpb*_Fid, Hs*Fid, rpb*_Fid, LabC*_Fid, LabC*_Fid, delta. Rows 324-404.



Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*dd



QE3710L

QE3710L



Y M C

see similar files: http://130.149.60.45/~farbmetrik/QE37/QE37.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 20 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hsa_Fid, rpb*Fid, LabC0*Fid, LabC0*Fid, cmy0*sep_Fid, rpb*Fid, Hsa*Fid, LabC0*Fid, LabC0*Fid, delta. Rows 486-566.





input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd I-1032531-F0 I-1032531-F0



Y M C

QE3710L

QE3710L



http://130.149.60.45/~farbmtrik/QE37/QE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE37/QE37L30FA.DAT in file (F), page 27/33

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*dd

Table with 20 columns: n, HCC*F0d, rpb_F0d, icr_F0d, hsa_F0d, rpb*F0d, LabC0*F0d, LabC0*F0d, cmy0*_sep_F0d, hsa*F0d, rpb*F0d, LabC0*F0d, LabC0*F0d, delta, LabC0*F0d, rpb*F0d, LabC0*F0d, LabC0*F0d, LabC0*F0d, LabC0*F0d. Rows 567-647.

delta



Mean color difference of this page:

1-1032631-F0

QE370-TN; Page 27/33-F

TUB-test chart QE37; hue code: H*d=Y00Gd colors and differences, AE* *

n	HC*F0d	rgb*F0d	icr*F0d	hsa*F0d	rgb*F0d	LabC*F0d	cmyp*sep:0d	cmyp*sep:0d	hsa*F0d	rgb*F0d	LabC*F0d	delta
648	R00Y_100_1000d	1.0	0.0	0.5	390	0.0	0.0	0.0	389	1.0	0.0	0.0
649	R38Y_100_1000d	1.0	0.125	1.0	383	0.0	0.0	0.0	383	1.0	0.0	0.0
650	R26Y_100_1000d	1.0	0.25	1.0	376	0.0	0.0	0.0	377	1.0	0.0	0.0
651	R13Y_100_1000d	1.0	0.375	1.0	368	0.0	0.0	0.0	368	1.0	0.0	0.0
652	R00Y_100_1000d	1.0	0.5	1.0	360	0.0	0.0	0.0	360	1.0	0.0	0.0
653	B68R_100_1000d	1.0	0.0	0.5	352	0.0	0.0	0.0	351	1.0	0.0	0.0
654	B61R_100_1000d	1.0	0.0	0.375	344	0.0	0.0	0.0	342	1.0	0.0	0.0
655	B55R_100_1000d	1.0	0.0	0.25	337	0.0	0.0	0.0	336	1.0	0.0	0.0
656	B50R_100_1000d	1.0	0.0	0.125	330	0.0	0.0	0.0	330	1.0	0.0	0.0
657	R11Y_100_1000d	1.0	0.125	1.0	323	0.0	0.0	0.0	323	1.0	0.0	0.0
658	R00Y_100_0875d	1.0	0.0875	0.562	320	0.0	0.0	0.0	320	1.0	0.0	0.0
659	R36Y_100_0875d	1.0	0.125	0.562	312	0.0	0.0	0.0	312	1.0	0.0	0.0
660	R23Y_100_0875d	1.0	0.125	0.375	304	0.0	0.0	0.0	304	1.0	0.0	0.0
661	R00Y_100_0875d	1.0	0.0875	0.362	296	0.0	0.0	0.0	296	1.0	0.0	0.0
662	B70R_100_0875d	1.0	0.0875	0.562	288	0.0	0.0	0.0	288	1.0	0.0	0.0
663	B63R_100_0875d	1.0	0.0875	0.562	280	0.0	0.0	0.0	280	1.0	0.0	0.0
664	B56R_100_0875d	1.0	0.0875	0.562	272	0.0	0.0	0.0	272	1.0	0.0	0.0
665	B50R_100_0875d	1.0	0.0875	0.562	264	0.0	0.0	0.0	264	1.0	0.0	0.0
666	R23Y_100_1000d	1.0	0.25	1.0	257	0.0	0.0	0.0	257	1.0	0.0	0.0
667	R13Y_100_1000d	1.0	0.375	1.0	250	0.0	0.0	0.0	250	1.0	0.0	0.0
668	R00Y_100_1000d	1.0	0.5	1.0	243	0.0	0.0	0.0	243	1.0	0.0	0.0
669	R33Y_100_1000d	1.0	0.125	0.562	236	0.0	0.0	0.0	236	1.0	0.0	0.0
670	R20Y_100_1000d	1.0	0.25	0.562	228	0.0	0.0	0.0	228	1.0	0.0	0.0
671	R07Y_100_1000d	1.0	0.375	0.562	220	0.0	0.0	0.0	220	1.0	0.0	0.0
672	B68R_100_0750d	1.0	0.0	0.5	213	0.0	0.0	0.0	213	1.0	0.0	0.0
673	B61R_100_0750d	1.0	0.0	0.375	205	0.0	0.0	0.0	205	1.0	0.0	0.0
674	B55R_100_0750d	1.0	0.0	0.25	197	0.0	0.0	0.0	197	1.0	0.0	0.0
675	B50R_100_0750d	1.0	0.0	0.125	190	0.0	0.0	0.0	190	1.0	0.0	0.0
676	R26Y_100_0875d	1.0	0.375	0.125	183	0.0	0.0	0.0	183	1.0	0.0	0.0
677	R15Y_100_0875d	1.0	0.375	0.125	175	0.0	0.0	0.0	175	1.0	0.0	0.0
678	R00Y_100_0875d	1.0	0.375	0.125	167	0.0	0.0	0.0	167	1.0	0.0	0.0
679	R31Y_100_0875d	1.0	0.375	0.125	160	0.0	0.0	0.0	160	1.0	0.0	0.0
680	R18Y_100_0875d	1.0	0.375	0.125	152	0.0	0.0	0.0	152	1.0	0.0	0.0
681	B69R_100_0875d	1.0	0.375	0.125	145	0.0	0.0	0.0	145	1.0	0.0	0.0
682	B62R_100_0875d	1.0	0.375	0.125	137	0.0	0.0	0.0	137	1.0	0.0	0.0
683	B59R_100_0875d	1.0	0.375	0.125	130	0.0	0.0	0.0	130	1.0	0.0	0.0
684	B50Y_100_1000d	1.0	0.5	0.0	123	0.0	0.0	0.0	123	1.0	0.0	0.0
685	R41Y_100_0875d	1.0	0.0875	0.562	115	0.0	0.0	0.0	115	1.0	0.0	0.0
686	R34Y_100_0750d	1.0	0.5	0.25	108	0.0	0.0	0.0	108	1.0	0.0	0.0
687	R18Y_100_0625d	1.0	0.5	0.375	100	0.0	0.0	0.0	100	1.0	0.0	0.0
688	R00Y_100_0500d	1.0	0.5	0.5	93	0.0	0.0	0.0	93	1.0	0.0	0.0
689	R26Y_100_0500d	1.0	0.5	0.625	85	0.0	0.0	0.0	85	1.0	0.0	0.0
690	R16Y_100_0500d	1.0	0.5	0.75	77	0.0	0.0	0.0	77	1.0	0.0	0.0
691	B61R_100_0500d	1.0	0.5	0.875	70	0.0	0.0	0.0	70	1.0	0.0	0.0
692	B50R_100_0500d	1.0	0.5	0.875	62	0.0	0.0	0.0	62	1.0	0.0	0.0
693	R63Y_100_1000d	1.0	0.625	0.125	55	0.0	0.0	0.0	55	1.0	0.0	0.0
694	R38Y_100_0875d	1.0	0.625	0.125	47	0.0	0.0	0.0	47	1.0	0.0	0.0
695	R30Y_100_0750d	1.0	0.625	0.125	40	0.0	0.0	0.0	40	1.0	0.0	0.0
696	R38Y_100_0625d	1.0	0.625	0.125	32	0.0	0.0	0.0	32	1.0	0.0	0.0
697	R23Y_100_0500d	1.0	0.625	0.125	24	0.0	0.0	0.0	24	1.0	0.0	0.0
698	R00Y_100_0375d	1.0	0.625	0.125	16	0.0	0.0	0.0	16	1.0	0.0	0.0
699	B68R_100_0375d	1.0	0.625	0.125	8	0.0	0.0	0.0	8	1.0	0.0	0.0
700	B50R_100_0375d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
701	R26Y_100_0375d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
702	R16Y_100_0375d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
703	B68R_100_0375d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
704	R38Y_100_0375d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
705	R30Y_100_0375d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
706	B50Y_100_0500d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
707	R31Y_100_0375d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
708	R00Y_100_0250d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
709	B50R_100_0250d	1.0	0.625	0.125	0	0.0	0.0	0.0	0	1.0	0.0	0.0
710	R88Y_100_1000d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
711	R85Y_100_0875d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
712	R82Y_100_0750d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
713	R85Y_100_0625d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
714	R81Y_100_0625d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
715	R76Y_100_0500d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
716	R68Y_100_0375d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
717	R50Y_100_0250d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
718	R00Y_100_0125d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
719	B50R_100_0125d	1.0	0.75	0.0	0	0.0	0.0	0.0	0	1.0	0.0	0.0
720	Y00G_100_1000d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
721	Y00G_100_0875d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
722	Y00G_100_0750d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
723	Y00G_100_0625d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
724	Y00G_100_0500d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
725	Y00G_100_0375d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
726	Y00G_100_0250d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
727	Y00G_100_0125d	1.0	0.0	0.5	90	0.0	0.0	0.0	89	1.0	0.0	0.0
728	NW_1000d	1.0	1.0	1.0	360	0.0	0.0	0.0	360	1.0	0.0	0.0





http://130.149.60.45/~farbmetrik/QE37/QE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE37/QE37L0FA.DAT in file (F), page 30/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*sep_Fid	delta	hsa_Mid	rgb*Mid	LabC*Mid	cmyp*sep_Mid	delta
810	NW_1000hd	0.875	0.875	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0	0.0
811	BOOR_100.012hd	0.875	0.875	1.0	1.0	1.0	0.131	0.0	270	1.0	1.0	0.131	0.0
812	BOOR_100.025hd	0.75	0.75	1.0	1.0	1.0	0.14	0.0	270	1.0	1.0	0.14	0.0
813	BOOR_100.037hd	0.625	0.625	1.0	1.0	1.0	0.232	0.0	270	1.0	1.0	0.232	0.0
814	BOOR_100.050hd	0.5	0.5	1.0	1.0	1.0	0.33	0.0	270	1.0	1.0	0.33	0.0
815	BOOR_100.062hd	0.375	0.375	1.0	1.0	1.0	0.447	0.0	270	1.0	1.0	0.447	0.0
816	BOOR_100.075hd	0.25	0.25	1.0	1.0	1.0	0.55	0.0	270	1.0	1.0	0.55	0.0
817	BOOR_100.087hd	0.125	0.125	1.0	1.0	1.0	0.661	0.0	270	1.0	1.0	0.661	0.0
818	BOOR_100.100hd	0.0	0.0	1.0	1.0	1.0	0.826	0.0	270	1.0	1.0	0.826	0.0
819	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.016	0.0	89	1.0	1.0	0.016	0.0
820	YOCG_100.025hd	0.875	0.875	1.0	1.0	1.0	0.162	0.0	360	1.0	1.0	0.162	0.0
821	YOCG_100.037hd	0.75	0.75	1.0	1.0	1.0	0.207	0.0	270	1.0	1.0	0.207	0.0
822	YOCG_100.050hd	0.625	0.625	1.0	1.0	1.0	0.309	0.0	270	1.0	1.0	0.309	0.0
823	YOCG_100.062hd	0.5	0.5	1.0	1.0	1.0	0.434	0.0	270	1.0	1.0	0.434	0.0
824	YOCG_100.075hd	0.375	0.375	1.0	1.0	1.0	0.534	0.0	270	1.0	1.0	0.534	0.0
825	YOCG_100.087hd	0.25	0.25	1.0	1.0	1.0	0.628	0.0	270	1.0	1.0	0.628	0.0
826	YOCG_100.100hd	0.125	0.125	1.0	1.0	1.0	0.714	0.0	270	1.0	1.0	0.714	0.0
827	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.023	0.0	89	1.0	1.0	0.023	0.0
828	YOCG_100.025hd	0.875	0.875	1.0	1.0	1.0	0.113	0.0	360	1.0	1.0	0.113	0.0
829	YOCG_100.037hd	0.75	0.75	1.0	1.0	1.0	0.181	0.0	270	1.0	1.0	0.181	0.0
830	YOCG_100.050hd	0.625	0.625	1.0	1.0	1.0	0.259	0.0	270	1.0	1.0	0.259	0.0
831	YOCG_100.062hd	0.5	0.5	1.0	1.0	1.0	0.335	0.0	270	1.0	1.0	0.335	0.0
832	YOCG_100.075hd	0.375	0.375	1.0	1.0	1.0	0.419	0.0	270	1.0	1.0	0.419	0.0
833	YOCG_100.087hd	0.25	0.25	1.0	1.0	1.0	0.52	0.0	270	1.0	1.0	0.52	0.0
834	YOCG_100.100hd	0.125	0.125	1.0	1.0	1.0	0.642	0.0	270	1.0	1.0	0.642	0.0
835	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.1816	0.0	89	1.0	1.0	0.1816	0.0
836	YOCG_100.025hd	0.75	0.75	1.0	1.0	1.0	0.259	0.0	270	1.0	1.0	0.259	0.0
837	YOCG_100.037hd	0.625	0.625	1.0	1.0	1.0	0.335	0.0	270	1.0	1.0	0.335	0.0
838	YOCG_100.050hd	0.5	0.5	1.0	1.0	1.0	0.419	0.0	270	1.0	1.0	0.419	0.0
839	YOCG_100.062hd	0.375	0.375	1.0	1.0	1.0	0.52	0.0	270	1.0	1.0	0.52	0.0
840	YOCG_100.075hd	0.25	0.25	1.0	1.0	1.0	0.642	0.0	270	1.0	1.0	0.642	0.0
841	YOCG_100.087hd	0.125	0.125	1.0	1.0	1.0	0.714	0.0	270	1.0	1.0	0.714	0.0
842	YOCG_100.100hd	0.0	0.0	1.0	1.0	1.0	0.826	0.0	270	1.0	1.0	0.826	0.0
843	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.112	0.0	89	1.0	1.0	0.112	0.0
844	YOCG_100.025hd	0.75	0.75	1.0	1.0	1.0	0.126	0.0	360	1.0	1.0	0.126	0.0
845	YOCG_100.037hd	0.625	0.625	1.0	1.0	1.0	0.162	0.0	270	1.0	1.0	0.162	0.0
846	YOCG_100.050hd	0.5	0.5	1.0	1.0	1.0	0.207	0.0	270	1.0	1.0	0.207	0.0
847	YOCG_100.062hd	0.375	0.375	1.0	1.0	1.0	0.259	0.0	270	1.0	1.0	0.259	0.0
848	YOCG_100.075hd	0.25	0.25	1.0	1.0	1.0	0.316	0.0	270	1.0	1.0	0.316	0.0
849	YOCG_100.087hd	0.125	0.125	1.0	1.0	1.0	0.397	0.0	270	1.0	1.0	0.397	0.0
850	YOCG_100.100hd	0.0	0.0	1.0	1.0	1.0	0.491	0.0	270	1.0	1.0	0.491	0.0
851	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.54	0.0	89	1.0	1.0	0.54	0.0
852	YOCG_100.025hd	0.75	0.75	1.0	1.0	1.0	0.645	0.0	360	1.0	1.0	0.645	0.0
853	YOCG_100.037hd	0.625	0.625	1.0	1.0	1.0	0.726	0.0	270	1.0	1.0	0.726	0.0
854	YOCG_100.050hd	0.5	0.5	1.0	1.0	1.0	0.861	0.0	270	1.0	1.0	0.861	0.0
855	YOCG_100.062hd	0.375	0.375	1.0	1.0	1.0	0.979	0.0	270	1.0	1.0	0.979	0.0
856	YOCG_100.075hd	0.25	0.25	1.0	1.0	1.0	1.0	0.024	270	1.0	1.0	1.0	0.024
857	YOCG_100.087hd	0.125	0.125	1.0	1.0	1.0	0.109	0.0	89	1.0	1.0	0.109	0.0
858	YOCG_100.100hd	0.0	0.0	1.0	1.0	1.0	0.123	0.0	360	1.0	1.0	0.123	0.0
859	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.205	0.0	270	1.0	1.0	0.205	0.0
860	YOCG_100.025hd	0.75	0.75	1.0	1.0	1.0	0.267	0.0	270	1.0	1.0	0.267	0.0
861	YOCG_100.037hd	0.625	0.625	1.0	1.0	1.0	0.386	0.0	270	1.0	1.0	0.386	0.0
862	YOCG_100.050hd	0.5	0.5	1.0	1.0	1.0	0.522	0.0	270	1.0	1.0	0.522	0.0
863	YOCG_100.062hd	0.375	0.375	1.0	1.0	1.0	0.653	0.0	270	1.0	1.0	0.653	0.0
864	YOCG_100.075hd	0.25	0.25	1.0	1.0	1.0	0.734	0.0	270	1.0	1.0	0.734	0.0
865	YOCG_100.087hd	0.125	0.125	1.0	1.0	1.0	0.867	0.0	270	1.0	1.0	0.867	0.0
866	YOCG_100.100hd	0.0	0.0	1.0	1.0	1.0	0.98	0.0	270	1.0	1.0	0.98	0.0
867	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.02	0.0	89	1.0	1.0	0.02	0.0
868	YOCG_100.025hd	0.75	0.75	1.0	1.0	1.0	0.117	0.0	360	1.0	1.0	0.117	0.0
869	YOCG_100.037hd	0.625	0.625	1.0	1.0	1.0	0.139	0.0	270	1.0	1.0	0.139	0.0
870	YOCG_100.050hd	0.5	0.5	1.0	1.0	1.0	0.181	0.0	270	1.0	1.0	0.181	0.0
871	YOCG_100.062hd	0.375	0.375	1.0	1.0	1.0	0.224	0.0	270	1.0	1.0	0.224	0.0
872	YOCG_100.075hd	0.25	0.25	1.0	1.0	1.0	0.267	0.0	270	1.0	1.0	0.267	0.0
873	YOCG_100.087hd	0.125	0.125	1.0	1.0	1.0	0.316	0.0	270	1.0	1.0	0.316	0.0
874	YOCG_100.100hd	0.0	0.0	1.0	1.0	1.0	0.397	0.0	270	1.0	1.0	0.397	0.0
875	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.447	0.0	89	1.0	1.0	0.447	0.0
876	YOCG_100.025hd	0.75	0.75	1.0	1.0	1.0	0.511	0.0	360	1.0	1.0	0.511	0.0
877	YOCG_100.037hd	0.625	0.625	1.0	1.0	1.0	0.582	0.0	270	1.0	1.0	0.582	0.0
878	YOCG_100.050hd	0.5	0.5	1.0	1.0	1.0	0.661	0.0	270	1.0	1.0	0.661	0.0
879	YOCG_100.062hd	0.375	0.375	1.0	1.0	1.0	0.743	0.0	270	1.0	1.0	0.743	0.0
880	YOCG_100.075hd	0.25	0.25	1.0	1.0	1.0	0.857	0.0	270	1.0	1.0	0.857	0.0
881	YOCG_100.087hd	0.125	0.125	1.0	1.0	1.0	0.984	0.0	270	1.0	1.0	0.984	0.0
882	YOCG_100.100hd	0.0	0.0	1.0	1.0	1.0	1.0	0.0	270	1.0	1.0	1.0	0.0
883	YOCG_100.012hd	0.875	0.875	1.0	1.0	1.0	0.0	0.0	89	1.0	1.0	0.0	0.0
884	YOCG_100.025hd	0.75	0.75	1.0	1.0	1.0	0.129	0.0	360	1.0	1.0	0.129	0.0
885	YOCG_100.037hd	0.625	0.625	1.0	1.0	1.0	0.274	0.0	270	1.0	1.0	0.274	0.0
886	YOCG_100.050hd	0.5	0.5	1.0	1.0	1.0	0.496	0.0	270	1.0	1.0	0.496	0.0
887	YOCG_100.062hd	0.375	0.375	1.0	1.0	1.0	0.637	0.0	270	1.0	1.0	0.637	0.0
888	YOCG_100.075hd	0.25	0.25	1.0	1.0	1.0	0.732	0.0	270	1.0	1.0	0.732	0.0
889	YOCG_100.087hd	0.125	0.125	1.0	1.0	1.0	0.885	0.0	270	1.0	1.0	0.885	0.0
890	YOCG_100.100hd	0.0	0.0	1.0	1.0	1.0	1.0	0.0	270	1.0	1.0	1.0	0.0

Mean color difference of this page:

TUB-test chart QE37; hue code: H*d=Y00Gd colors and differences, ΔE*


input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd



n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*_sep_Fid	cmyp*_sep_Fid	delta	hsa_Mid	rgb*_Mid	LabC*_Mid	0.0
891	NW_1000	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
892	NW_1000	1.0	0.875	1.0	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
893	NW_1000	1.0	0.75	1.0	0.75	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
894	NW_1000	1.0	0.625	1.0	0.625	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
895	NW_1000	1.0	0.5	1.0	0.5	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
896	NW_1000	1.0	0.375	1.0	0.375	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
897	NW_1000	1.0	0.25	1.0	0.25	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
898	NW_1000	1.0	0.125	1.0	0.125	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
899	NW_1000	1.0	0.0	1.0	0.0	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
900	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
901	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
902	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
903	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
904	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
905	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
906	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
907	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
908	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
909	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
910	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
911	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
912	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
913	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
914	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
915	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
916	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
917	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
918	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
919	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
920	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
921	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
922	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
923	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
924	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
925	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
926	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
927	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
928	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
929	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
930	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
931	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
932	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
933	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
934	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
935	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
936	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
937	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
938	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
939	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
940	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
941	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
942	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
943	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
944	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
945	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
946	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
947	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
948	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
949	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
950	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
951	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
952	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
953	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
954	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
955	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
956	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
957	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
958	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
959	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
960	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
961	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
962	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
963	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
964	NW_1000	1.0	0.875	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
965	NW_1000	1.0	0.75	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
966	NW_1000	1.0	0.625	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
967	NW_1000	1.0	0.5	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
968	NW_1000	1.0	0.375	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
969	NW_1000	1.0	0.25	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
970	NW_1000	1.0	0.125	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0
971	NW_1000	1.0	0.0	0.875	0.875	95.6	0.0	0.0	0.0	360	1.0	1.0	0.0

input: *rgb/cmyk* -> *rgb*
 output: 3D-linearization to *cmy0**
 Mean color difference of this page:

QE370-TN; Page 31/33-F
 TUB-test chart QE37; hue code: H*d=Y00Gd
 colors and differences, ΔE*



n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCM*Fid	cmy0*sep_Fid	hsa_Lab	rgb*Lab	LabCM*Lab	delta
972	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
973	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
974	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
975	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
976	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
977	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
978	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
979	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
980	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
981	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
982	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
983	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
984	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
985	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
986	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
987	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
988	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
989	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
990	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
991	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
992	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
993	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
994	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
995	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
996	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
997	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
998	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
999	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
1000	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
1001	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
1002	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
1003	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
1004	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
1005	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
1006	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
1007	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
1008	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
1009	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
1010	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
1011	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
1012	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
1013	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
1014	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
1015	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
1016	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
1017	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
1018	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
1019	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
1020	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
1021	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
1022	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
1023	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
1024	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
1025	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
1026	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
1027	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
1028	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
1029	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
1030	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
1031	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
1032	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
1033	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
1034	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
1035	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
1036	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
1037	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
1038	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
1039	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
1040	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
1041	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
1042	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
1043	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0
1044	NW_0000ab	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0
1045	NW_0120ab	0.125	0.125	0.125	0.125	24.3	0.0	0.885	0.774	0.736	0.0
1046	NW_0250ab	0.25	0.25	0.25	0.25	33.2	0.0	0.885	0.774	0.736	0.0
1047	NW_0375ab	0.375	0.375	0.375	0.375	42.1	0.0	0.743	0.587	0.55	0.0
1048	NW_0500ab	0.5	0.5	0.5	0.5	60.0	0.0	0.653	0.473	0.452	0.0
1049	NW_0625ab	0.625	0.625	0.625	0.625	68.9	0.0	0.54	0.382	0.356	0.0
1050	NW_0750ab	0.75	0.75	0.75	0.75	77.8	0.0	0.417	0.26	0.26	0.0
1051	NW_0875ab	0.875	0.875	0.875	0.875	86.7	0.0	0.299	0.181	0.177	0.0
1052	NW_1000ab	1.0	1.0	1.0	1.0	95.6	0.0	0.162	0.101	0.093	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0*dd

QE370-7N; Page 32/33-F
TUB-test chart QE37; hue code: H*d=Y00Gd
colors and differences, ΔE*

