

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_- = Y00G_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = Y00G_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 90 \ -9 \ 88 \ 88 \ 96$

$HIC^*_{-,Ma}: Y00G\_100\_100_-$

$rgbic^*_{-,Ma}: 1.0 \ 1.0 \ 0.0 \ 1.0 \ 1.0$

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE38/QE38.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
 application for measurement of offset print output

TUB material: code=rh4ta

1-113031-L0 QE380-7N

TUB-test chart QE38; hue code:  $H^*_- = Y00G_-$

Test chart according to DIN 33872, 3D=1, de=1,  $cm_y0^*$

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = Y00G_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 83 -3 90 90 92$

$HIC^*_{e, Ma}: Y00G\_100\_100_e$



$rgbic^*_{e, Ma}$ :

1.0 0.87 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta

1-113131-L0 QE380-73

TUB-test chart QE38; hue code:  $H^*_e=Y00G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmy0\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmy0^*_{de}$


1-113131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = Y00G_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 83 -3 90 90 92$

$HIC^*_{e, Ma}: Y00G\_100\_100_e$



$rgbic^*_{e, Ma}: 1.0 0.87 0.0 1.0 1.0$

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta

1-113231-L0 QE380-73

TUB-test chart QE38; hue code:  $H^*_e=Y00G_e$   
Test chart according to DIN 33872, 3D=1, de=1,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$

1-113231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = Y00G_e$

triangle lightness  $T^*$



**ORS20a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 83 -3 90 90 92$

$HIC^*_{e, Ma}: Y00G\_100\_100_e$

$rgbic^*_{e, Ma}$ :



1.0 0.87 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT> /PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta

1-113331-L0 QE380-73

TUB-test chart QE38; hue code:  $H^*_e=Y00G_e$   
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$

1-113331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = Y00G_e$

triangle lightness  $T^*$



**ORS20a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	45.6	72.2	34.4	80.0
$Y_{e, Ma}$	83.6	-3.6	90.4	90.4
$G_{e, Ma}$	50.6	-62.1	19.9	65.2
$C_{e, Ma}$	55.0	-36.2	-27.2	45.3
$B_{e, Ma}$	40.2	1.2	-40.6	40.6
$M_{e, Ma}$	31.1	47.7	-29.1	55.9
$N_{e, Ma}$	24.3	0.0	0.0	0.0
$W_{e, Ma}$	95.6	0.0	0.0	0.0
$R_{e, CIE}$	39.9	58.7	27.9	65.0
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6
$G_{e, CIE}$	52.2	-42.4	13.6	44.5
$B_{e, CIE}$	30.5	1.4	-46.4	46.4

Data for maximum colour ( $Ma$ ):

$LabCh^*_{e, Ma}$ : 83 -3 90 90 92

$HIC^*_{e, Ma}$ : Y00G\_100\_100\_e

$rgbic^*_{e, Ma}$ :



1.0 0.87 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H, rel} = 57$   
 $g^*_{C, rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_e}$	45.6	72.2	34.4	80.0
$R25Y_{100_100_e}$	50.5	59.2	51.6	78.6
$R50Y_{100_100_e}$	60.2	38.2	63.4	74.1
$R75Y_{100_100_e}$	70.9	17.9	75.9	77.9
$Y00G_{100_100_e}$	83.6	-3.6	90.4	90.4
$Y25G_{100_100_e}$	74.5	-25.0	74.3	78.4
$Y50G_{100_100_e}$	62.6	-40.9	53.8	67.6
$Y75G_{100_100_e}$	54.1	-55.5	37.5	67.0
$G00B_{100_100_e}$	50.6	-62.1	19.9	65.2
$G25B_{100_100_e}$	53.0	-48.6	-8.2	49.2
$G50B_{100_100_e}$	55.0	-36.2	-27.2	45.3
$G75B_{100_100_e}$	53.3	-19.8	-41.3	45.9
$B00R_{100_100_e}$	40.2	1.2	-40.6	40.6
$B25R_{100_100_e}$	28.1	23.4	-40.3	46.7
$B50R_{100_100_e}$	31.1	47.7	-29.1	55.9
$B75R_{100_100_e}$	41.4	70.4	-9.8	71.1



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta

1-113431-L0 QE380-73




TUB-test chart QE38; hue code:  $H^*_e=Y00G_e$   
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$

1-113431-F0

TUB registration: 20130201-QE38/QE38L0FA.TXT /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE38/QE38.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113531-L0 QE380-73

TUB-test chart QE38; hue code:  $H^*_e=Y00G_e$   
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours  $RYGCBM_s$ :  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours  $RYGCBM_d$ :  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours  $RYGCBM_e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$  Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$   
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$  leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$   
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$  cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$   
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$  orange-red


$LCH^*_d = 45.4 \ 83.9 \ 32.3$   
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$  magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$   
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$  violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$   
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$



$Y_e$  yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$   
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$   
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

$G_e$  green


$LCH^*_e = 50.6 \ 65.2 \ 162.2$   
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

$C_e$  blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$   
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

$B_e$  blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$   
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$   
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$



$R_e$  red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$   
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

$M_e$  blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$   
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$   
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

$Y_s$  yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$   
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$   
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

$G_s$  green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$   
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$   
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

$C_s$  blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$   
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

$R_s$  red


$LCH^*_s = 45.5 \ 82.4 \ 30.0$   
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

$M_s$  blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$   
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$   
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

$B_s$  blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$   
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$   
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$



Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

1. For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.

2. For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:

$$h_{ab,s} = \text{atan} [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.


6. The values  $rgb^*_{de}$  produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
 application for measurement of offset print output, separation cmy0\* (CMY0)  
 TUB material: code=rh4ta

Data of maximum color M in colorimetric system offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>dx64M</sub>, LAB<sup>a</sup>, d<sub>dx64M</sub> (x=LabCh)), elementary colors (r<sub>gb</sub><sup>a</sup>, d<sub>dx361M</sub>, LAB<sup>a</sup>, d<sub>dx361M</sub> (x=LabCh)), and standard colors (r<sub>gb</sub><sup>a</sup>, d<sub>dsx361M</sub>, LAB<sup>a</sup>, d<sub>dsx361M</sub> (x=LabCh)). Each row contains 24 numerical values representing colorimetric data.




see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>de</sup>	dd64M	LAB <sup>de</sup>	ddx64M (x=LabCh)	rgb <sup>de</sup>	dex361M	LAB <sup>de</sup>	dex361M
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM*<sub>S</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours *RYGCBM*<sub>d</sub>:  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours *RYGCBM*<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_d$	dd361M	<i>LAB</i> <sup>*</sup>	ddx361Mi (x=LabCh)	$R_d$	$rgb^*_s$	ds361Mi	<i>LAB</i> <sup>*</sup>	dsx361Mi (x=LabCh)	$R_s$	$rgb^*_e$	dd361Mi	<i>LAB</i> <sup>*</sup>	dex361Mi (x=LabCh)	$R_e$	$rgb^*_d$	dd361Mi	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$				
32	30	25	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.0	0.0	0.0			
33	31	26	1.0	0.016	0.0	45.9	69.8	45.5	83.4	33	1.0	0.0	0.055	45.5	71.2	42.8	83.1	31	1.0	0.017	0.0	1.0	0.0	0.017	0.0	
33	32	27	1.0	0.033	0.0	46.3	68.8	46.1	82.8	33	1.0	0.0	0.013	45.5	71.0	44.4	83.7	32	1.0	0.033	0.0	1.0	0.0	0.033	0.0	
34	33	28	1.0	0.05	0.0	46.8	67.7	46.8	82.3	34	1.0	0.0	0.015	0.0	45.9	70.0	45.5	83.5	33	1.0	0.05	0.0	1.0	0.0	0.05	0.0
35	34	29	1.0	0.066	0.0	47.3	66.6	47.4	81.8	35	1.0	0.0	0.036	0.0	46.5	68.6	46.3	82.8	34	1.0	0.067	0.0	1.0	0.0	0.067	0.0
36	35	31	1.0	0.083	0.0	47.7	65.5	48.0	81.2	36	1.0	0.0	0.057	0.0	47.1	67.3	47.1	82.1	35	1.0	0.083	0.0	1.0	0.0	0.083	0.0
36	36	32	1.0	0.1	0.0	48.2	64.4	48.5	80.7	36	1.0	0.0	0.079	0.0	47.6	65.9	47.9	81.4	36	1.0	0.1	0.0	1.0	0.0	0.1	0.0
37	37	33	1.0	0.116	0.0	48.6	63.3	49.1	80.2	37	1.0	0.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.117	0.0	1.0	0.0	0.117	0.0
38	38	34	1.0	0.133	0.0	49.2	62.1	49.8	79.6	38	1.0	0.0	0.121	0.0	48.8	63.1	49.3	80.1	38	1.0	0.133	0.0	1.0	0.0	0.133	0.0
39	39	35	1.0	0.15	0.0	49.8	60.7	50.7	79.1	39	1.0	0.0	0.137	0.0	49.4	61.8	50.1	79.6	39	1.0	0.15	0.0	1.0	0.0	0.15	0.0
41	40	36	1.0	0.166	0.0	50.5	59.2	51.6	78.6	41	1.0	0.0	0.151	0.0	49.9	60.6	50.9	79.1	40	1.0	0.167	0.0	1.0	0.0	0.167	0.0
42	41	37	1.0	0.183	0.0	51.1	57.8	52.5	78.1	42	1.0	0.0	0.166	0.0	50.5	59.4	51.6	78.7	41	1.0	0.183	0.0	1.0	0.0	0.183	0.0
43	42	38	1.0	0.2	0.0	51.7	56.3	53.3	77.5	43	1.0	0.0	0.18	0.0	51.0	58.1	52.3	78.2	42	1.0	0.2	0.0	1.0	0.0	0.2	0.0
44	43	39	1.0	0.216	0.0	52.4	54.9	54.0	77.0	44	1.0	0.0	0.194	0.0	51.6	56.9	53.0	77.8	43	1.0	0.217	0.0	1.0	0.0	0.217	0.0
45	44	41	1.0	0.233	0.0	53.0	53.4	54.8	76.5	45	1.0	0.0	0.209	0.0	52.1	55.6	53.7	77.3	44	1.0	0.233	0.0	1.0	0.0	0.233	0.0
46	45	42	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46	1.0	0.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.25	0.0	1.0	0.0	0.25	0.0
48	46	43	1.0	0.266	0.0	54.4	50.4	56.5	75.7	48	1.0	0.0	0.237	0.0	53.2	53.1	55.0	76.4	46	1.0	0.267	0.0	1.0	0.0	0.267	0.0
49	47	44	1.0	0.283	0.0	55.1	48.9	57.4	75.4	49	1.0	0.0	0.251	0.0	53.7	51.8	55.6	76.0	47	1.0	0.283	0.0	1.0	0.0	0.283	0.0
50	48	45	1.0	0.3	0.0	55.8	47.4	58.4	75.2	50	1.0	0.0	0.264	0.0	54.3	50.7	56.3	75.8	48	1.0	0.3	0.0	1.0	0.0	0.3	0.0
52	49	46	1.0	0.316	0.0	56.6	45.8	59.2	74.9	52	1.0	0.0	0.276	0.0	54.8	49.6	57.1	75.6	49	1.0	0.317	0.0	1.0	0.0	0.317	0.0
53	50	47	1.0	0.333	0.0	57.3	44.2	60.1	74.6	53	1.0	0.0	0.288	0.0	55.4	48.5	57.8	75.4	50	1.0	0.333	0.0	1.0	0.0	0.333	0.0
54	51	48	1.0	0.35	0.0	58.0	42.7	60.9	74.4	54	1.0	0.0	0.301	0.0	55.9	47.3	58.5	75.2	51	1.0	0.35	0.0	1.0	0.0	0.35	0.0
56	52	49	1.0	0.366	0.0	58.8	41.1	61.7	74.1	56	1.0	0.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.367	0.0	1.0	0.0	0.367	0.0
57	53	51	1.0	0.383	0.0	59.5	39.5	62.5	74.0	57	1.0	0.0	0.326	0.0	57.0	45.0	59.8	74.8	53	1.0	0.383	0.0	1.0	0.0	0.383	0.0
59	54	52	1.0	0.4	0.0	60.3	38.1	63.5	74.1	59	1.0	0.0	0.338	0.0	57.6	43.9	60.4	74.6	54	1.0	0.4	0.0	1.0	0.0	0.4	0.0
60	55	53	1.0	0.416	0.0	61.0	36.6	64.5	74.1	60	1.0	0.0	0.35	0.0	58.1	42.7	61.0	74.4	55	1.0	0.417	0.0	1.0	0.0	0.417	0.0
61	56	54	1.0	0.433	0.0	61.8	35.1	65.4	74.2	61	1.0	0.0	0.363	0.0	58.6	41.5	61.5	74.2	56	1.0	0.433	0.0	1.0	0.0	0.433	0.0
63	57	55	1.0	0.45	0.0	62.6	33.6	66.2	74.3	63	1.0	0.0	0.375	0.0	59.2	40.3	62.1	74.0	57	1.0	0.45	0.0	1.0	0.0	0.45	0.0
64	58	56	1.0	0.466	0.0	63.3	32.0	67.1	74.4	64	1.0	0.0	0.387	0.0	59.8	39.3	62.8	74.1	58	1.0	0.467	0.0	1.0	0.0	0.467	0.0
65	59	57	1.0	0.483	0.0	64.1	30.5	67.9	74.4	65	1.0	0.0	0.4	0.0	60.3	38.2	63.5	74.1	59	1.0	0.483	0.0	1.0	0.0	0.483	0.0
67	60	58	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67	1.0	0.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.5	0.0	1.0	0.0	0.5	0.0
68	61	60	1.0	0.516	0.0	65.8	27.2	69.9	75.0	68	1.0	0.0	0.424	0.0	61.4	36.0	64.9	74.2	61	1.0	0.517	0.0	1.0	0.0	0.517	0.0
70	62	61	1.0	0.533	0.0	66.8	25.5	71.1	75.6	70	1.0	0.0	0.436	0.0	62.0	34.9	65.6	74.3	62	1.0	0.533	0.0	1.0	0.0	0.533	0.0
71	63	62	1.0	0.55	0.0	67.7	23.8	72.3	76.1	71	1.0	0.0	0.449	0.0	62.6	33.7	66.2	74.3	63	1.0	0.55	0.0	1.0	0.0	0.55	0.0
73	64	63	1.0	0.566	0.0	68.7	22.0	73.5	76.7	73	1.0	0.0	0.461	0.0	63.1	32.6	66.9	74.4	64	1.0	0.567	0.0	1.0	0.0	0.567	0.0
74	65	64	1.0	0.583	0.0	69.7	20.2	74.6	77.3	74	1.0	0.0	0.473	0.0	63.7	31.5	67.5	74.4	65	1.0	0.583	0.0	1.0	0.0	0.583	0.0
76	66	65	1.0	0.6	0.0	70.6	18.3	75.6	77.8	76	1.0	0.0	0.486	0.0	64.2	30.3	68.0	74.5	66	1.0	0.6	0.0	1.0	0.0	0.6	0.0
77	67	66	1.0	0.616	0.0	71.6	16.4	76.6	78.4	77	1.0	0.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.617	0.0	1.0	0.0	0.617	0.0
79	68	67	1.0	0.633	0.0	72.5	14.8	77.6	79.0	79	1.0	0.0	0.509	0.0	65.4	28.0	69.4	74.8	68	1.0	0.633	0.0	1.0	0.0	0.633	0.0
80	69	68	1.0	0.65	0.0	73.2	13.6	78.5	79.7	80	1.0	0.0	0.52	0.0	66.1	26.9	70.2	75.2	69	1.0	0.65	0.0	1.0	0.0	0.65	0.0
81	70	70	1.0	0.666	0.0	74.0	12.3	79.5	80.4	81	1.0	0.0	0.531	0.0	66.7	25.8	71.0	75.6	70	1.0	0.667	0.0	1.0	0.0	0.667	0.0
82	71	71	1.0	0.683	0.0	74.8	11.0	80.4	81.1	82	1.0	0.0	0.542	0.0	67.3	24.7	71.8	75.9	71	1.0	0.683	0.0	1.0	0.0	0.683	0.0
83	72	72	1.0	0.7	0.0	75.6	9.6	81.3	81.9	83	1.0	0.0	0.553	0.0	67.9	23.6	72.6	76.3	72	1.0	0.7	0.0	1.0	0.0	0.7	0.0
84	73	73	1.0	0.716	0.0	76.3	8.3	82.2	82.6	84	1.0	0.0	0.564	0.0	68.6	22.4	73.3	76.6	73	1.0	0.717	0.0	1.0	0.0	0.717	0.0
85	74	74	1.0	0.733	0.0	77.1	6.9	83.0	83.3	85	1.0	0.0	0.574	0.0	69.2	21.2	74.0	77.0	74	1.0	0.733	0.0	1.0	0.0	0.733	0.0
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.0	0.75	0.0

1-113931-L0 QE380-73 LAB\*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0\*, D65, page 10/33

TUB-test chart QE38; hue code:  $H^*_e=Y00G_e$   
 48 step hue circles;  $rgb-LabCh$ \*tables

input:  $rgb/cmyk \rightarrow rgb_{de}$   
 output: 3D-linearization to  $cmy0^*_{de}$

see similar files: <http://130.149.60.45/~farbmetrik/QE38/QE38.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20130201-QE38/QE38L0FA.TXT /.PS  
 application for measurement of offset print output, separation cmy0\* (CMY0)  
 TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4t4

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0 0.585 0.0	69.8 20.0 74.7 77.4 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	1.0 0.75 0.0	
87	76	76	1.0 0.766 0.0	78.6 4.3 84.7 84.8 87	1.0 0.596 0.0	70.5 18.8 75.4 77.7 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	1.0 0.767 0.0	
87	77	77	1.0 0.783 0.0	79.4 3.2 85.6 85.7 87	1.0 0.607 0.0	71.1 17.6 76.1 78.1 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	1.0 0.783 0.0	
88	78	78	1.0 0.8 0.0	80.1 2.0 86.5 86.5 88	1.0 0.618 0.0	71.7 16.3 76.7 78.5 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	1.0 0.8 0.0	
89	79	80	1.0 0.816 0.0	80.8 0.8 87.3 87.3 89	1.0 0.631 0.0	72.4 15.1 77.5 78.9 79	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	1.0 0.817 0.0	
90	80	81	1.0 0.833 0.0	81.6 -0.3 88.2 88.2 90	1.0 0.647 0.0	73.2 13.8 78.4 79.6 80	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	1.0 0.833 0.0	
91	81	82	1.0 0.85 0.0	82.3 -1.5 89.0 89.0 91	1.0 0.664 0.0	73.9 12.6 79.4 80.4 81	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	1.0 0.85 0.0	
91	82	83	1.0 0.866 0.0	83.1 -2.8 89.8 89.8 91	1.0 0.68 0.0	74.7 11.3 80.3 81.1 82	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	1.0 0.867 0.0	
92	83	84	1.0 0.883 0.0	83.7 -3.8 90.5 90.6 92	1.0 0.697 0.0	75.5 10.0 81.2 81.8 83	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	1.0 0.883 0.0	
92	84	85	1.0 0.9 0.0	84.3 -4.7 91.3 91.4 92	1.0 0.713 0.0	76.2 8.6 82.0 82.5 84	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	1.0 0.9 0.0	
93	85	86	1.0 0.916 0.0	84.9 -5.6 92.0 92.2 93	1.0 0.729 0.0	77.0 7.2 82.9 83.2 85	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	1.0 0.917 0.0	
94	86	87	1.0 0.933 0.0	85.5 -6.5 92.7 92.9 94	1.0 0.746 0.0	77.7 5.9 83.7 83.9 86	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	1.0 0.933 0.0	
94	87	88	1.0 0.95 0.0	86.0 -7.4 93.4 93.7 94	1.0 0.766 0.0	78.6 4.4 84.7 84.8 87	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	1.0 0.95 0.0	
95	88	90	1.0 0.966 0.0	86.6 -8.3 94.1 94.5 95	1.0 0.787 0.0	79.6 3.0 85.8 85.9 88	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	1.0 0.967 0.0	
95	89	91	1.0 0.983 0.0	87.2 -9.2 94.8 95.2 95	1.0 0.808 0.0	80.5 1.5 86.9 86.9 89	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	1.0 0.983 0.0	
96	90	92	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96	Y <sub>d</sub> 1.0 0.829 0.0	81.4 0.0 88.0 88.0 90	Y <sub>s</sub> 1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92	Y <sub>e</sub> 1.0 1.0 0.0	1.0 1.0 0.0	
96	91	93	0.983 1.0 0.0	87.3 -10.7 94.6 95.2 96	1.0 0.85 0.0	82.4 -1.5 89.0 89.0 91	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	0.983 1.0 0.0	
96	92	94	0.966 1.0 0.0	86.8 -11.2 93.8 94.5 96	1.0 0.871 0.0	83.3 -3.0 90.0 90.1 92	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	0.967 1.0 0.0	
97	93	95	0.95 1.0 0.0	86.4 -11.7 93.0 93.7 97	1.0 0.901 0.0	84.4 -4.7 91.4 91.5 93	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	0.95 1.0 0.0	
97	94	96	0.933 1.0 0.0	85.9 -12.2 92.2 93.0 97	1.0 0.933 0.0	85.5 -6.4 92.7 93.0 94	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	0.933 1.0 0.0	
97	95	98	0.916 1.0 0.0	85.5 -12.7 91.3 92.2 97	1.0 0.965 0.0	86.6 -8.1 94.1 94.4 95	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9 91.8 98	0.917 1.0 0.0	0.917 1.0 0.0	
98	96	99	0.9 1.0 0.0	85.0 -13.2 90.5 91.5 98	1.0 0.997 0.0	87.7 -9.9 95.4 95.9 96	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	0.9 1.0 0.0	
98	97	100	0.883 1.0 0.0	84.5 -13.6 89.7 90.7 98	0.959 1.0 0.0	86.7 -11.4 93.5 94.2 97	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100	0.883 1.0 0.0	0.883 1.0 0.0	
99	98	101	0.866 1.0 0.0	84.1 -14.1 88.9 90.0 99	0.914 1.0 0.0	85.4 -12.7 91.2 92.1 98	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0 85.7 101	0.867 1.0 0.0	0.867 1.0 0.0	
99	99	102	0.85 1.0 0.0	83.6 -14.6 88.1 89.3 99	0.869 1.0 0.0	84.2 -14.0 89.0 90.1 99	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3 84.4 102	0.85 1.0 0.0	0.85 1.0 0.0	
99	100	103	0.833 1.0 0.0	83.1 -15.1 87.4 88.7 99	0.827 1.0 0.0	83.0 -15.3 87.1 88.5 100	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8 83.2 103	0.833 1.0 0.0	0.833 1.0 0.0	
100	101	105	0.816 1.0 0.0	82.6 -15.6 86.6 88.0 100	0.785 1.0 0.0	81.8 -16.5 85.2 86.8 101	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	0.817 1.0 0.0	
100	102	106	0.8 1.0 0.0	82.2 -16.1 85.8 87.3 100	0.747 1.0 0.0	80.6 -17.6 83.4 85.2 102	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6 80.8 106	0.8 1.0 0.0	0.8 1.0 0.0	
101	103	107	0.783 1.0 0.0	81.7 -16.6 85.1 86.7 101	0.725 1.0 0.0	79.7 -18.8 82.0 84.2 103	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0 79.6 107	0.783 1.0 0.0	0.783 1.0 0.0	
101	104	108	0.766 1.0 0.0	81.2 -17.0 84.3 86.0 101	0.703 1.0 0.0	78.7 -20.0 80.7 83.2 104	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3 78.4 108	0.767 1.0 0.0	0.767 1.0 0.0	
101	105	109	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101	0.682 1.0 0.0	77.8 -21.2 79.4 82.2 105	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	0.75 1.0 0.0	
102	106	110	0.733 1.0 0.0	80.0 -18.4 82.5 84.6 102	0.66 1.0 0.0	76.8 -22.3 78.0 81.1 106	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0 76.1 110	0.733 1.0 0.0	0.733 1.0 0.0	
103	107	112	0.716 1.0 0.0	79.3 -19.3 81.5 83.8 103	0.638 1.0 0.0	75.9 -23.3 76.6 80.1 107	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3 74.9 112	0.717 1.0 0.0	0.717 1.0 0.0	
104	108	113	0.7 1.0 0.0	78.5 -20.2 80.5 83.0 104	0.617 1.0 0.0	75.0 -24.3 75.2 79.1 108	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7 73.7 113	0.7 1.0 0.0	0.7 1.0 0.0	
104	109	114	0.683 1.0 0.0	77.8 -21.1 79.4 82.2 104	0.598 1.0 0.0	74.3 -25.3 73.8 78.1 109	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1 72.6 114	0.683 1.0 0.0	0.683 1.0 0.0	
105	110	115	0.666 1.0 0.0	77.1 -22.0 78.4 81.4 105	0.579 1.0 0.0	73.6 -26.2 72.4 77.0 110	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8 71.9 115	0.667 1.0 0.0	0.667 1.0 0.0	
106	111	116	0.65 1.0 0.0	76.4 -22.8 77.3 80.6 106	0.559 1.0 0.0	72.9 -27.1 71.0 76.0 111	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5 71.2 116	0.65 1.0 0.0	0.65 1.0 0.0	
107	112	117	0.633 1.0 0.0	75.6 -23.6 76.2 79.8 107	0.54 1.0 0.0	72.1 -28.0 69.5 75.0 112	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117	0.633 1.0 0.0	0.633 1.0 0.0	
108	113	119	0.616 1.0 0.0	75.0 -24.4 75.1 79.0 108	0.521 1.0 0.0	71.4 -28.8 68.1 74.0 113	0.617 1.0 0.0	0.414 1.0 0.0	67.3 -33.8 60.9 69.7 119	0.617 1.0 0.0	0.617 1.0 0.0	
108	114	120	0.6 1.0 0.0	74.3 -25.3 73.9 78.1 108	0.501 1.0 0.0	70.7 -29.6 66.6 72.9 114	0.6 1.0 0.0	0.394 1.0 0.0	66.5 -34.7 59.6 69.0 120	0.6 1.0 0.0	0.6 1.0 0.0	
109	115	121	0.583 1.0 0.0	73.7 -26.1 72.7 77.2 109	0.484 1.0 0.0	70.0 -30.4 65.5 72.3 115	0.583 1.0 0.0	0.375 1.0 0.0	65.7 -35.5 58.3 68.3 121	0.583 1.0 0.0	0.583 1.0 0.0	
110	116	122	0.566 1.0 0.0	73.1 -26.9 71.4 76.3 110	0.467 1.0 0.0	69.3 -31.3 64.4 71.7 116	0.567 1.0 0.0	0.364 1.0 0.0	65.1 -36.6 57.4 68.2 122	0.567 1.0 0.0	0.567 1.0 0.0	
111	117	123	0.55 1.0 0.0	72.4 -27.6 70.2 75.5 111	0.45 1.0 0.0	68.7 -32.2 63.3 71.0 117	0.55 1.0 0.0	0.354 1.0 0.0	64.5 -37.7 56.6 68.0 123	0.55 1.0 0.0	0.55 1.0 0.0	
112	118	124	0.533 1.0 0.0	71.8 -28.3 69.0 74.6 112	0.433 1.0 0.0	68.0 -33.0 62.2 70.4 118	0.533 1.0 0.0	0.343 1.0 0.0	63.9 -38.8 55.7 67.9 124	0.533 1.0 0.0	0.533 1.0 0.0	
113	119	126	0.516 1.0 0.0	71.2 -29.0 67.7 73.7 113	0.416 1.0 0.0	67.3 -33.7 61.1 69.8 119	0.517 1.0 0.0	0.333 1.0 0.0	63.3 -39.8 54.7 67.8 126	0.517 1.0 0.0	0.517 1.0 0.0	
114	120	127	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114	0.399 1.0 0.0	66.7 -34.5 59.9 69.2 120	0.5 1.0 0.0	0.322 1.0 0.0	62.6 -40.8 53.8 67.6 127	0.5 1.0 0.0	0.5 1.0 0.0	



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>S</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)														
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.466	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.466	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.416	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.416	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.366	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.366	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.316	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.316	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.266	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.266	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.216	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.216	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.166	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.166	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.116	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.116	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.066	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.066	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.049	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.049	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.016	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.016	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G <sub>d</sub> 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G <sub>s</sub> 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G <sub>e</sub> 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7	9.7	58.6	170	0.0	1.0	



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>S</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>\*</sup>, d<sub>s361M</sub>, LAB<sup>\*</sup>, d<sub>dx361Mi</sub> (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>s361Mi</sub>, LAB<sup>\*</sup>, d<sub>dsx361Mi</sub> (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>de361Mi</sub>, LAB<sup>\*</sup>, d<sub>dex361Mi</sub> (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>dd361Mi</sub>, r<sub>gb</sub><sup>\*</sup>, d<sub>dd361Mi</sub>, r<sub>gb</sub><sup>%</sup>, d<sub>dd361Mi</sub>, r<sub>gb</sub><sup>%</sup>, d<sub>ds361Mi</sub>, r<sub>gb</sub><sup>%</sup>, d<sub>de361Mi</sub>) and rows 167-238.

see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi
238	210	216	0.0 1.0 1.0	56.8 -25.5 -41.5 48.7 238	0.0 1.0 0.685 54.5	-39.5 -22.8 45.7 210C <sub>s</sub>	0.0 1.0 1.0	0.0 1.0 0.747 55.0	-36.1 -27.2 45.3 216C <sub>e</sub>	0.0 1.0 1.0		
239	211	217	0.0 0.983 1.0	56.4 -24.9 -41.5 48.4 239	0.0 1.0 0.694 54.6	-39.0 -23.4 45.7 211	0.0 0.983 1.0	0.0 1.0 0.757 55.1	-35.7 -27.8 45.4 217	0.0 0.983 1.0		
239	212	218	0.0 0.966 1.0	56.1 -24.3 -41.5 48.1 239	0.0 1.0 0.703 54.7	-38.6 -24.1 45.6 212	0.0 0.967 1.0	0.0 1.0 0.767 55.2	-35.3 -28.4 45.4 218	0.0 0.967 1.0		
240	213	219	0.0 0.95 1.0	55.7 -23.7 -41.5 47.8 240	0.0 1.0 0.712 54.7	-38.1 -24.7 45.6 213	0.0 0.95 1.0	0.0 1.0 0.778 55.2	-34.9 -29.0 45.5 219	0.0 0.95 1.0		
240	214	220	0.0 0.933 1.0	55.4 -23.1 -41.5 47.5 240	0.0 1.0 0.721 54.8	-37.6 -25.3 45.5 214	0.0 0.933 1.0	0.0 1.0 0.788 55.3	-34.5 -29.6 45.6 220	0.0 0.933 1.0		
241	215	221	0.0 0.916 1.0	55.0 -22.5 -41.4 47.2 241	0.0 1.0 0.73 54.9	-37.1 -26.0 45.4 215	0.0 0.917 1.0	0.0 1.0 0.798 55.4	-34.1 -30.2 45.7 221	0.0 0.917 1.0		
242	216	222	0.0 0.9 1.0	54.6 -22.0 -41.4 46.9 242	0.0 1.0 0.739 55.0	-36.6 -26.6 45.4 216	0.0 0.9 1.0	0.0 1.0 0.808 55.4	-33.6 -30.8 45.7 222	0.0 0.9 1.0		
242	217	223	0.0 0.883 1.0	54.3 -21.4 -41.4 46.6 242	0.0 1.0 0.747 55.0	-36.1 -27.2 45.3 217	0.0 0.883 1.0	0.0 1.0 0.819 55.5	-33.2 -31.3 45.8 223	0.0 0.883 1.0		
243	218	224	0.0 0.866 1.0	53.9 -20.7 -41.3 46.3 243	0.0 1.0 0.758 55.1	-35.6 -27.8 45.4 218	0.0 0.867 1.0	0.0 1.0 0.829 55.6	-32.7 -31.9 45.9 224	0.0 0.867 1.0		
244	219	225	0.0 0.85 1.0	53.4 -20.0 -41.3 45.9 244	0.0 1.0 0.769 55.2	-35.2 -28.5 45.4 219	0.0 0.85 1.0	0.0 1.0 0.839 55.6	-32.3 -32.5 45.9 225	0.0 0.85 1.0		
245	220	226	0.0 0.833 1.0	52.9 -19.2 -41.3 45.6 245	0.0 1.0 0.781 55.3	-34.8 -29.2 45.5 220	0.0 0.833 1.0	0.0 1.0 0.85 55.7	-31.8 -33.1 46.0 226	0.0 0.833 1.0		
245	221	227	0.0 0.816 1.0	52.4 -18.5 -41.3 45.3 245	0.0 1.0 0.792 55.3	-34.3 -29.8 45.6 221	0.0 0.817 1.0	0.0 1.0 0.86 55.8	-31.3 -33.6 46.1 227	0.0 0.817 1.0		
246	222	227	0.0 0.8 1.0	51.9 -17.7 -41.3 44.9 246	0.0 1.0 0.803 55.4	-33.9 -30.5 45.7 222	0.0 0.8 1.0	0.0 1.0 0.87 55.8	-30.8 -34.2 46.2 227	0.0 0.8 1.0		
247	223	228	0.0 0.783 1.0	51.4 -17.0 -41.2 44.6 247	0.0 1.0 0.815 55.5	-33.4 -31.1 45.8 223	0.0 0.783 1.0	0.0 1.0 0.881 55.9	-30.4 -34.8 46.3 228	0.0 0.783 1.0		
248	224	229	0.0 0.766 1.0	50.9 -16.2 -41.2 44.2 248	0.0 1.0 0.826 55.6	-32.9 -31.7 45.8 224	0.0 0.767 1.0	0.0 1.0 0.893 56.0	-30.0 -35.4 46.6 229	0.0 0.767 1.0		
249	225	230	0.0 0.75 1.0	50.4 -15.5 -41.1 43.9 249	0.0 1.0 0.837 55.6	-32.4 -32.4 45.9 225	0.0 0.75 1.0	0.0 1.0 0.904 56.1	-29.6 -36.1 46.8 230	0.0 0.75 1.0		
250	226	231	0.0 0.733 1.0	49.9 -14.7 -41.1 43.6 250	0.0 1.0 0.849 55.7	-31.9 -33.0 46.0 226	0.0 0.733 1.0	0.0 1.0 0.915 56.2	-29.1 -36.7 47.0 231	0.0 0.733 1.0		
251	227	232	0.0 0.716 1.0	49.4 -13.8 -41.1 43.4 251	0.0 1.0 0.86 55.8	-31.3 -33.6 46.1 227	0.0 0.717 1.0	0.0 1.0 0.926 56.3	-28.7 -37.4 47.2 232	0.0 0.717 1.0		
252	228	233	0.0 0.7 1.0	48.8 -13.0 -41.1 43.1 252	0.0 1.0 0.871 55.9	-30.8 -34.2 46.2 228	0.0 0.7 1.0	0.0 1.0 0.938 56.3	-28.2 -38.0 47.5 233	0.0 0.7 1.0		
253	229	234	0.0 0.683 1.0	48.3 -12.2 -41.1 42.9 253	0.0 1.0 0.883 55.9	-30.3 -34.9 46.4 229	0.0 0.683 1.0	0.0 1.0 0.949 56.4	-27.7 -38.6 47.7 234	0.0 0.683 1.0		
254	230	235	0.0 0.666 1.0	47.8 -11.4 -41.0 42.6 254	0.0 1.0 0.896 56.0	-29.9 -35.6 46.6 230	0.0 0.667 1.0	0.0 1.0 0.96 56.5	-27.2 -39.3 47.9 235	0.0 0.667 1.0		
255	231	236	0.0 0.65 1.0	47.3 -10.6 -41.0 42.3 255	0.0 1.0 0.908 56.1	-29.4 -36.3 46.9 231	0.0 0.65 1.0	0.0 1.0 0.972 56.6	-26.7 -39.9 48.2 236	0.0 0.65 1.0		
256	232	237	0.0 0.633 1.0	46.8 -9.8 -40.9 42.1 256	0.0 1.0 0.92 56.2	-28.9 -37.0 47.1 232	0.0 0.633 1.0	0.0 1.0 0.983 56.7	-26.2 -40.5 48.4 237	0.0 0.633 1.0		
257	233	237	0.0 0.616 1.0	46.2 -8.9 -40.9 41.8 257	0.0 1.0 0.933 56.3	-28.4 -37.7 47.4 233	0.0 0.617 1.0	0.0 1.0 0.994 56.8	-25.7 -41.1 48.6 237	0.0 0.617 1.0		
259	234	238	0.0 0.6 1.0	45.5 -7.8 -40.9 41.7 259	0.0 1.0 0.945 56.4	-27.9 -38.4 47.6 234	0.0 0.6 1.0	0.0 0.988 1.0 56.6	-25.0 -41.4 48.5 238	0.0 0.6 1.0		
260	235	239	0.0 0.583 1.0	44.9 -6.6 -41.0 41.5 260	0.0 1.0 0.957 56.5	-27.4 -39.1 47.9 235	0.0 0.583 1.0	0.0 0.962 1.0 56.0	-24.1 -41.4 48.1 239	0.0 0.583 1.0		
262	236	240	0.0 0.566 1.0	44.2 -5.5 -40.9 41.3 262	0.0 1.0 0.97 56.6	-26.8 -39.8 48.1 236	0.0 0.567 1.0	0.0 0.937 1.0 55.5	-23.2 -41.4 47.6 240	0.0 0.567 1.0		
263	237	241	0.0 0.55 1.0	43.6 -4.4 -40.9 41.1 263	0.0 1.0 0.982 56.7	-26.2 -40.5 48.4 237	0.0 0.55 1.0	0.0 0.911 1.0 54.9	-22.3 -41.4 47.1 241	0.0 0.55 1.0		
265	238	242	0.0 0.533 1.0	43.0 -3.3 -40.8 41.0 265	0.0 1.0 0.994 56.8	-25.7 -41.1 48.6 238	0.0 0.533 1.0	0.0 0.885 1.0 54.4	-21.4 -41.3 46.7 242	0.0 0.533 1.0		
266	239	243	0.0 0.516 1.0	42.3 -2.3 -40.7 40.8 266	0.0 0.985 1.0 56.5	-24.9 -41.4 48.5 239	0.0 0.517 1.0	0.0 0.864 1.0 53.9	-20.6 -41.3 46.3 243	0.0 0.517 1.0		
268	240	244	0.0 0.5 1.0	41.7 -1.2 -40.6 40.6 268	0.0 0.956 1.0 55.9	-23.9 -41.4 48.0 240	0.0 0.5 1.0	0.0 0.847 1.0 53.3	-19.8 -41.3 45.9 244	0.0 0.5 1.0		
269	241	245	0.0 0.483 1.0	41.1 -0.2 -40.6 40.6 269	0.0 0.928 1.0 55.3	-22.9 -41.4 47.4 241	0.0 0.483 1.0	0.0 0.829 1.0 52.8	-19.0 -41.3 45.6 245	0.0 0.483 1.0		
271	242	246	0.0 0.466 1.0	40.5 0.7 -40.6 40.6 271	0.0 0.9 1.0 54.7	-21.9 -41.3 46.9 242	0.0 0.467 1.0	0.0 0.811 1.0 52.3	-18.1 -41.2 45.2 246	0.0 0.467 1.0		
272	243	247	0.0 0.45 1.0	39.9 1.7 -40.6 40.6 272	0.0 0.873 1.0 54.1	-21.0 -41.3 46.4 243	0.0 0.45 1.0	0.0 0.793 1.0 51.7	-17.3 -41.2 44.8 247	0.0 0.45 1.0		
273	244	248	0.0 0.433 1.0	39.3 2.7 -40.6 40.6 273	0.0 0.854 1.0 53.5	-20.1 -41.3 46.1 244	0.0 0.433 1.0	0.0 0.775 1.0 51.2	-16.6 -41.1 44.5 248	0.0 0.433 1.0		
275	245	248	0.0 0.416 1.0	38.8 3.6 -40.5 40.6 275	0.0 0.834 1.0 53.0	-19.2 -41.3 45.7 245	0.0 0.417 1.0	0.0 0.757 1.0 50.7	-15.8 -41.1 44.1 248	0.0 0.417 1.0		
276	246	249	0.0 0.4 1.0	38.2 4.6 -40.4 40.7 276	0.0 0.815 1.0 52.4	-18.3 -41.3 45.3 246	0.0 0.4 1.0	0.0 0.741 1.0 50.2	-15.0 -41.0 43.8 249	0.0 0.4 1.0		
277	247	250	0.0 0.383 1.0	37.6 5.6 -40.3 40.7 277	0.0 0.795 1.0 51.8	-17.4 -41.2 44.9 247	0.0 0.383 1.0	0.0 0.726 1.0 49.7	-14.3 -41.1 43.6 250	0.0 0.383 1.0		
279	248	251	0.0 0.366 1.0	37.0 6.6 -40.2 40.8 279	0.0 0.775 1.0 51.2	-16.6 -41.1 44.5 248	0.0 0.367 1.0	0.0 0.711 1.0 49.2	-13.5 -41.0 43.4 251	0.0 0.367 1.0		
280	249	252	0.0 0.35 1.0	36.4 7.7 -40.3 41.1 280	0.0 0.756 1.0 50.6	-15.7 -41.1 44.1 249	0.0 0.35 1.0	0.0 0.697 1.0 48.8	-12.8 -41.0 43.1 252	0.0 0.35 1.0		
282	250	253	0.0 0.333 1.0	35.8 8.8 -40.4 41.3 282	0.0 0.739 1.0 50.1	-14.9 -41.0 43.8 250	0.0 0.333 1.0	0.0 0.682 1.0 48.3	-12.1 -41.0 42.9 253	0.0 0.333 1.0		
283	251	254	0.0 0.316 1.0	35.2 9.9 -40.4 41.6 283	0.0 0.722 1.0 49.6	-14.1 -41.1 43.5 251	0.0 0.317 1.0	0.0 0.667 1.0 47.9	-11.4 -41.0 42.6 254	0.0 0.317 1.0		
285	252	255	0.0 0.3 1.0	34.6 11.0 -40.4 41.9 285	0.0 0.706 1.0 49.1	-13.3 -41.0 43.3 252	0.0 0.3 1.0	0.0 0.652 1.0 47.4	-10.7 -40.9 42.4 255	0.0 0.3 1.0		
286	253	256	0.0 0.283 1.0	34.0 12.1 -40.3 42.1 286	0.0 0.69 1.0 48.6	-12.5 -41.0 43.0 253	0.0 0.283 1.0	0.0 0.637 1.0 46.9	-9.9 -40.9 42.2 256	0.0 0.283 1.0		
288	254	257	0.0 0.266 1.0	33.4 13.2 -40.3 42.4 288	0.0 0.673 1.0 48.1	-11.7 -41.0 42.7 254	0.0 0.267 1.0	0.0 0.623 1.0 46.5	-9.2 -40.8 42.0 257	0.0 0.267 1.0		
289	255	258	0.0 0.25 1.0	32.8 14.3 -40.2 42.7 289	0.0 0.657 1.0 47.5	-10.9 -40.9 42.5 255	0.0 0.25 1.0	0.0 0.613 1.0 46.1	-8.6 -40.8 41.9 258	0.0 0.25 1.0		

1-1131331-L0 QE380-73 LAB\*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0\*, D65, page 14/33

TUB-test chart QE38; hue code: H\*<sub>e</sub>=Y00G<sub>e</sub>  
48 step hue circles; rgb-LabCh\*tables

input: rgb/cmyk -> rgb<sub>de</sub>  
output: 3D-linearization to cmy0\*<sub>de</sub>

1-1131331-F0

see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /.PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rha4ta



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0FA.TXT /PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>a*</sup>	dd361M	LAB <sup>a*</sup>	dsx361Mi (x=LabCh)	rgb <sup>a*</sup>	ds361Mi	LAB <sup>a*</sup>	dsx361Mi (x=LabCh)	rgb <sup>a*</sup>	de361Mi	LAB <sup>a*</sup>	dex361Mi (x=LabCh)	rgb <sup>a*</sup>	dd361Mi	rgb <sup>a*</sup>	ds361Mi	LAB <sup>a*</sup>	dsx361Mi (x=LabCh)	rgb <sup>a*</sup>	de361Mi	LAB <sup>a*</sup>	dex361Mi (x=LabCh)	rgb <sup>a*</sup>	dd361Mi	rgb <sup>a*</sup>	ds361Mi	LAB <sup>a*</sup>	dsx361Mi (x=LabCh)	rgb <sup>a*</sup>	de361Mi	LAB <sup>a*</sup>	dex361Mi (x=LabCh)	rgb <sup>a*</sup>	dd361Mi											
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.25	1.0	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25	1.0	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25	1.0				
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.641	1.0	47.0	-10.1	-40.9	42.2	256	0.0	0.233	1.0	0.0	0.603	1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233	1.0	0.0	0.603	1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233	1.0				
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257	0.0	0.217	1.0	0.0	0.593	1.0	45.3	-7.2	-40.9	41.6	259	0.0	0.217	1.0	0.0	0.593	1.0	45.3	-7.2	-40.9	41.6	259	0.0	0.217	1.0				
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.2	1.0	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2	1.0	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2	1.0				
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.602	1.0	45.7	-7.9	-40.9	41.7	259	0.0	0.183	1.0	0.0	0.573	1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183	1.0	0.0	0.573	1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183	1.0				
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.591	1.0	45.3	-7.1	-40.9	41.6	260	0.0	0.167	1.0	0.0	0.562	1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.167	1.0	0.0	0.562	1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.167	1.0				
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.58	1.0	44.8	-6.4	-40.9	41.5	261	0.0	0.15	1.0	0.0	0.552	1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.15	1.0	0.0	0.552	1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.15	1.0				
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.133	1.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133	1.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133	1.0				
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.558	1.0	44.0	-4.9	-40.9	41.3	263	0.0	0.117	1.0	0.0	0.532	1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.117	1.0	0.0	0.532	1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.117	1.0				
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.547	1.0	43.5	-4.2	-40.8	41.2	264	0.0	0.1	1.0	0.0	0.522	1.0	42.6	-2.6	-40.7	40.9	266	0.0	0.1	1.0	0.0	0.522	1.0	42.6	-2.6	-40.7	40.9	266	0.0	0.1	1.0				
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.536	1.0	43.1	-3.5	-40.8	41.1	265	0.0	0.083	1.0	0.0	0.512	1.0	42.2	-1.9	-40.7	40.8	267	0.0	0.083	1.0	0.0	0.512	1.0	42.2	-1.9	-40.7	40.8	267	0.0	0.083	1.0				
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.525	1.0	42.7	-2.8	-40.7	40.9	266	0.0	0.067	1.0	0.0	0.502	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.067	1.0	0.0	0.502	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.067	1.0				
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.514	1.0	42.3	-2.0	-40.7	40.8	267	0.0	0.05	1.0	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.05	1.0	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.05	1.0				
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.503	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.033	1.0	0.0	0.48	1.0	41.0	0.0	-40.6	40.7	269	0.0	0.033	1.0	0.0	0.48	1.0	41.0	0.0	-40.6	40.7	269	0.0	0.033	1.0				
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.017	1.0	0.0	0.469	1.0	40.6	0.6	-40.6	40.7	270	0.0	0.017	1.0	0.0	0.469	1.0	40.6	0.6	-40.6	40.7	270	0.0	0.017	1.0				
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	B <sub>d</sub>	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	B <sub>s</sub>	0.0	0.0	1.0	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	B <sub>e</sub>	0.0	0.0	1.0	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	B <sub>e</sub>	0.0	0.0	1.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.467	1.0	40.6	0.7	-40.6	40.7	271	0.017	0.0	1.0	0.0	0.447	1.0	39.9	1.9	-40.5	40.7	272	0.017	0.0	1.0	0.0	0.447	1.0	39.9	1.9	-40.5	40.7	272	0.017	0.0	1.0				
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.455	1.0	40.2	1.4	-40.6	40.7	272	0.033	0.0	1.0	0.0	0.435	1.0	39.5	2.6	-40.5	40.7	273	0.033	0.0	1.0	0.0	0.435	1.0	39.5	2.6	-40.5	40.7	273	0.033	0.0	1.0				
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.443	1.0	39.7	2.1	-40.5	40.7	273	0.05	0.0	1.0	0.0	0.424	1.0	39.1	3.3	-40.5	40.7	274	0.05	0.0	1.0	0.0	0.424	1.0	39.1	3.3	-40.5	40.7	274	0.05	0.0	1.0				
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.431	1.0	39.3	2.8	-40.5	40.7	274	0.067	0.0	1.0	0.0	0.413	1.0	38.7	3.9	-40.4	40.7	275	0.067	0.0	1.0	0.0	0.413	1.0	38.7	3.9	-40.4	40.7	275	0.067	0.0	1.0				
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.419	1.0	38.9	3.5	-40.4	40.7	275	0.083	0.0	1.0	0.0	0.401	1.0	38.3	4.6	-40.3	40.7	276	0.083	0.0	1.0	0.0	0.401	1.0	38.3	4.6	-40.3	40.7	276	0.083	0.0	1.0				
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.407	1.0	38.5	4.3	-40.4	40.7	276	0.1	0.0	1.0	0.0	0.39	1.0	37.9	5.3	-40.3	40.7	277	0.1	0.0	1.0	0.0	0.39	1.0	37.9	5.3	-40.3	40.7	277	0.1	0.0	1.0				
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.117	0.0	1.0	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	0.117	0.0	1.0	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	0.117	0.0	1.0				
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.383	1.0	37.6	5.7	-40.2	40.7	278	0.133	0.0	1.0	0.0	0.367	1.0	37.1	6.6	-40.2	40.8	279	0.133	0.0	1.0	0.0	0.367	1.0	37.1	6.6	-40.2	40.8	279	0.133	0.0	1.0				
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.371	1.0	37.2	6.4	-40.2	40.8	279	0.15	0.0	1.0	0.0	0.357	1.0	36.7	7.3	-40.2	41.0	280	0.15	0.0	1.0	0.0	0.357	1.0	36.7	7.3	-40.2	41.0	280	0.15	0.0	1.0				
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.36	1.0	36.8	7.1	-40.2	41.0	280	0.167	0.0	1.0	0.0	0.346	1.0	36.3	8.0	-40.3	41.2	281	0.167	0.0	1.0	0.0	0.346	1.0	36.3	8.0	-40.3	41.2	281	0.167	0.0	1.0				
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.348	1.0	36.4	7.8	-40.3	41.1	281	0.183	0.0	1.0	0.0	0.335	1.0	35.9	8.7	-40.3	41.3	282	0.183	0.0	1.0	0.0	0.335	1.0	35.9	8.7	-40.3	41.3	282	0.183	0.0	1.0				
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.337	1.0	36.0	8.6	-40.3	41.3	282	0.2	0.0	1.0	0.0	0.324	1.0	35.5	9.4	-40.3	41.5	283	0.2	0.0	1.0	0.0	0.324	1.0	35.5	9.4	-40.3	41.5	283	0.2	0.0	1.0				
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.326	1.0	35.6	9.3	-40.3	41.5	283	0.217	0.0	1.0	0.0	0.313	1.0	35.1	10.1	-40.3	41.7	284	0.217	0.0	1.0	0.0	0.313	1.0	35.1	10.1	-40.3	41.7	284	0.217	0.0	1.0				
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.314	1.0	35.2	10.1	-40.3	41.7	284	0.233	0.0	1.0	0.0	0.303	1.0</																							

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)																
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0	1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359	0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	1.0	0.0	1.0
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0	0.0	0.917	0.375	0.0	1.0	32.8	51.9	-25.9	58.0	333	1.0	0.0	0.917
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5	362	0.421	0.0	1.0	33.8	54.4	-24.1	59.6	336	1.0	0.0	0.9	0.391	0.0	1.0	33.1	52.8	-25.3	58.6	334	1.0	0.0	0.9
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4	362	0.438	0.0	1.0	34.2	55.4	-23.4	60.1	337	1.0	0.0	0.883	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	1.0	0.0	0.883
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3	363	0.456	0.0	1.0	34.6	56.3	-22.6	60.7	338	1.0	0.0	0.867	0.424	0.0	1.0	33.9	54.6	-24.0	59.7	336	1.0	0.0	0.867
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2	363	0.473	0.0	1.0	35.0	57.2	-21.9	61.3	339	1.0	0.0	0.85	0.441	0.0	1.0	34.3	55.5	-23.3	60.2	337	1.0	0.0	0.85
364	340	338	1.0	0.0	0.833	45.9	77.9	5.6																								













http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE38/QE38L0FA.DAT in file (F), page 20/33



TUB registration: 20130201-QE38/QE38L0FA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmy0\* (CMY0)

Table with 10 columns: n/F, H/C\*F, r/g/b, i/c/t, h/s, h/s, r/g/b, LabC/H\*, LabC/H\*, cmy0\* sep, cmy0\* sep, r/g/b, h/s, h/s, LabC/H\*, LabC/H\*, delta. Contains 80 rows of color calibration data.

see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de

TUB-test chart QE38; hue code: H\*e=Y00Ge colors and differences, ΔE\*

I-119131-F0 I-119131-F0

QE380-7N; Page 20/33-F








TUB registration: 20130201-QE38/QE38L0FA.TXT /.PS  
 application for measurement of offset print output, separation cmy0\* (CMY0)

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /.PS; 3D-linearization  
 F: 3D-linearization QE38/QE38L0FA.DAT in file (F), page 22/33


n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCIE*File	cmyp*sep*File	hsa*File	rgb*File	LabCIE*File	delta
162	ROY_025_025	0.25	0.0	0.25	0.0	0.063	29.6	18.0	0.0	0.963	0.0
163	ROY_025_025	0.25	0.0	0.25	0.0	0.063	29.6	18.0	0.0	0.963	0.0
164	B5R_025_025	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
165	B3R_037_037	0.25	0.0	0.375	0.0	0.25	26.0	11.9	0.0	0.321	0.0
166	B2R_050_050	0.25	0.0	0.5	0.0	0.052	0.5	0.0	0.0	0.064	0.0
167	B1R_062_062	0.25	0.0	0.625	0.0	0.123	0.625	0.0	0.0	0.105	0.0
168	B1R_075_075	0.25	0.0	0.75	0.0	0.186	0.75	0.0	0.0	0.198	0.0
169	B1R_087_087	0.25	0.0	0.875	0.0	0.245	0.875	0.0	0.0	0.281	0.0
170	B1R_100_100	0.25	0.0	1.0	0.0	0.302	1.0	0.0	0.0	0.302	0.0
171	ROY_025_025	0.25	0.0	0.25	0.0	0.099	0.0	0.0	0.0	0.398	0.0
172	ROY_025_025	0.25	0.0	0.25	0.0	0.124	0.156	0.0	0.0	0.0	0.254
173	B5R_025_025	0.25	0.0	0.25	0.0	0.165	0.124	0.25	0.0	0.321	0.0
174	B3R_037_037	0.25	0.0	0.375	0.0	0.124	0.151	0.375	0.0	0.105	0.0
175	B2R_050_050	0.25	0.0	0.5	0.0	0.124	0.181	0.5	0.0	0.248	0.0
176	B1R_062_062	0.25	0.0	0.625	0.0	0.125	0.276	0.625	0.0	0.302	0.0
177	B0R_075_075	0.25	0.0	0.75	0.0	0.125	0.334	0.75	0.0	0.335	0.0
178	B0R_087_087	0.25	0.0	0.875	0.0	0.125	0.392	0.875	0.0	0.356	0.0
179	B0R_100_100	0.25	0.0	1.0	0.0	0.125	0.446	1.0	0.0	0.367	0.0
180	Y0G_025_025	0.25	0.0	0.25	0.0	0.219	0.0	0.0	0.0	0.878	0.0
181	Y0G_025_025	0.25	0.0	0.25	0.0	0.219	0.124	0.0	0.0	0.0	0.0
182	Y0G_025_025	0.25	0.0	0.25	0.0	0.25	0.25	0.0	0.0	0.0	0.0
183	B0R_037_037	0.25	0.0	0.375	0.0	0.249	0.307	0.375	0.0	0.458	0.0
184	B0R_050_050	0.25	0.0	0.5	0.0	0.249	0.364	0.5	0.0	0.458	0.0
185	B0R_062_062	0.25	0.0	0.625	0.0	0.249	0.421	0.625	0.0	0.458	0.0
186	B0R_075_075	0.25	0.0	0.75	0.0	0.249	0.479	0.75	0.0	0.458	0.0
187	B0R_087_087	0.25	0.0	0.875	0.0	0.249	0.537	0.875	0.0	0.458	0.0
188	B0R_100_100	0.25	0.0	1.0	0.0	0.249	0.595	1.0	0.0	0.458	0.0
189	Y1G_037_037	0.25	0.0	0.375	0.0	0.185	0.375	0.0	0.0	0.493	0.0
190	Y1G_037_037	0.25	0.0	0.375	0.0	0.185	0.375	0.0	0.0	0.493	0.0
191	G0B_037_037	0.25	0.0	0.375	0.0	0.205	0.375	0.124	0.0	0.322	0.0
192	G0B_037_037	0.25	0.0	0.375	0.0	0.249	0.375	0.268	0.0	0.0	0.151
193	G7B_050_025	0.25	0.0	0.375	0.0	0.249	0.461	0.5	0.0	0.846	0.0
194	G8B_062_037	0.25	0.0	0.375	0.0	0.249	0.461	0.5	0.0	0.666	0.0
195	G8B_062_037	0.25	0.0	0.375	0.0	0.249	0.461	0.5	0.0	0.666	0.0
196	G8B_075_050	0.25	0.0	0.375	0.0	0.25	0.551	0.75	0.0	0.602	0.0
197	G8B_075_050	0.25	0.0	0.375	0.0	0.25	0.607	0.875	0.0	0.572	0.0
198	Y9G_050_050	0.25	0.0	0.5	0.0	0.25	0.664	1.0	0.0	0.552	0.0
199	Y9G_050_050	0.25	0.0	0.5	0.0	0.25	0.664	1.0	0.0	0.552	0.0
200	G0B_050_037	0.25	0.0	0.375	0.0	0.161	0.5	0.0	0.0	0.322	0.0
201	G2B_050_025	0.25	0.0	0.5	0.0	0.194	0.5	0.124	0.0	0.184	0.0
202	G2B_050_025	0.25	0.0	0.5	0.0	0.249	0.5	0.287	0.0	0.184	0.0
203	G2B_050_025	0.25	0.0	0.5	0.0	0.249	0.5	0.436	0.0	0.184	0.0
204	G3B_062_037	0.25	0.0	0.375	0.0	0.249	0.5	0.436	0.0	0.184	0.0
205	G3B_062_037	0.25	0.0	0.375	0.0	0.249	0.5	0.436	0.0	0.184	0.0
206	G8B_087_062	0.25	0.0	0.875	0.0	0.25	0.703	0.875	0.0	0.846	0.0
207	G8B_087_062	0.25	0.0	0.875	0.0	0.25	0.703	0.875	0.0	0.846	0.0
208	Y1G_062_062	0.25	0.0	0.625	0.0	0.155	0.625	0.0	0.0	0.266	0.0
209	G0B_062_037	0.25	0.0	0.375	0.0	0.179	0.625	0.125	0.0	0.108	0.0
210	G1B_062_037	0.25	0.0	0.375	0.0	0.25	0.625	0.306	0.0	0.108	0.0
211	G3B_062_037	0.25	0.0	0.375	0.0	0.25	0.625	0.472	0.0	0.108	0.0
212	G4B_062_037	0.25	0.0	0.375	0.0	0.25	0.625	0.536	0.0	0.108	0.0
213	G6B_075_050	0.25	0.0	0.375	0.0	0.25	0.875	0.875	0.0	0.846	0.0
214	G9B_100_075	0.25	0.0	1.0	0.0	0.25	0.875	0.875	0.0	0.846	0.0
215	G9B_100_075	0.25	0.0	1.0	0.0	0.25	0.875	0.875	0.0	0.846	0.0
216	Y8G_075_062	0.25	0.0	0.75	0.0	0.138	0.75	0.0	0.0	0.184	0.0
217	Y8G_075_062	0.25	0.0	0.75	0.0	0.168	0.75	0.125	0.0	0.069	0.0
218	G1B_075_050	0.25	0.0	0.375	0.0	0.25	0.75	0.325	0.0	0.108	0.0
219	G1B_075_050	0.25	0.0	0.375	0.0	0.25	0.75	0.450	0.0	0.108	0.0
220	G3B_075_050	0.25	0.0	0.375	0.0	0.25	0.75	0.500	0.0	0.108	0.0
221	G3B_075_050	0.25	0.0	0.375	0.0	0.25	0.75	0.566	0.0	0.108	0.0
222	G8B_075_050	0.25	0.0	0.375	0.0	0.25	0.75	0.623	0.0	0.108	0.0
223	G8B_075_050	0.25	0.0	0.375	0.0	0.25	0.75	0.623	0.0	0.108	0.0
224	G6B_100_087	0.25	0.0	1.0	0.0	0.25	0.875	0.787	0.0	0.108	0.0
225	Y8G_087_075	0.25	0.0	0.875	0.0	0.119	0.875	0.0	0.0	0.038	0.0
226	Y8G_087_075	0.25	0.0	0.875	0.0	0.157	0.875	0.125	0.0	0.038	0.0
227	G0B_087_062	0.25	0.0	0.625	0.0	0.25	0.875	0.444	0.0	0.151	0.0
228	G0B_087_062	0.25	0.0	0.625	0.0	0.25	0.875	0.524	0.0	0.151	0.0
229	G1B_087_062	0.25	0.0	0.625	0.0	0.25	0.875	0.599	0.0	0.151	0.0
230	G4B_087_062	0.25	0.0	0.625	0.0	0.25	0.875	0.661	0.0	0.151	0.0
231	G4B_087_062	0.25	0.0	0.625	0.0	0.25	0.875	0.661	0.0	0.151	0.0
232	G5B_100_075	0.25	0.0	1.0	0.0	0.25	0.875	0.717	0.0	0.151	0.0
233	G5B_100_075	0.25	0.0	1.0	0.0	0.25	0.875	0.717	0.0	0.151	0.0
234	Y8G_100_087	0.25	0.0	1.0	0.0	0.108	1.0	0.0	0.0	0.108	0.0
235	Y8G_100_087	0.25	0.0	1.0	0.0	0.108	1.0	0.0	0.0	0.108	0.0
236	G0B_100_075	0.25	0.0	0.25	0.0	0.25	1.0	0.363	0.0	0.029	0.0
237	G0B_100_075	0.25	0.0	0.25	0.0	0.25	1.0	0.363	0.0	0.029	0.0
238	G1B_100_075	0.25	0.0	0.375	0.0	0.25	1.0	0.465	0.0	0.029	0.0
239	G2B_100_075	0.25	0.0	0.5	0.0	0.25	1.0	0.562	0.0	0.029	0.0
240	G3B_100_075	0.25	0.0	0.625	0.0	0.25	1.0	0.626	0.0	0.029	0.0
241	G4B_100_075	0.25	0.0	0.75	0.0	0.25	1.0	0.694	0.0	0.029	0.0
242	G5B_100_075	0.25	0.0	0.875	0.0	0.25	1.0	0.755	0.0	0.029	0.0

Mean color difference of this page:


input: rgb/cmyk -> rgbde  
 output: 3D-linearization to cmy0\*de

QE380-TN; Page 22/33-F

TUB-test chart QE38; hue code: H\*e=Y00Ge  
 colors and differences, ΔE\*



see similar files: <http://130.149.60.45/~farbmetrik/QE38/QE38.HTM>  
 technical information: <http://www.ps.bam.de/> or <http://130.149.60.45/~farbmetrik>



http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE38/QE38LE30FA.DAT in file (F), page 23/33

Table with 35 columns: n, HHC\*File, rgb\*File, icr\*File, hsa\*File, rgpb\*File, LabCM\*File, LabCM\*File, cmy0\*sep, cmyp\*sep, Hsa\*File, rgpb\*File, LabCM\*File, LabCM\*File, delta, and two unlabeled columns. It lists various color calibration data points.

Input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmy0\*de. TUB-test chart QE38; hue code: H\*e=Y00Ge colors and differences, AE\*.\*

http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE38/QE38L0FA.DAT in file (F), page 24/33

Table with 40 columns: n, HHC\*File, rgb\*File, icr\*File, Hsa\*File, rgb\*File, LabCM\*File, LabCM\*File, cmy0\*sep\*File, Hsa\*File, rgb\*File, LabCM\*File, LabCM\*File, delta. Rows 324-404.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de










Table with columns: n, HHC\*File, rgb\*File, Lab\*File, Hsa\*File, rgb\*File, Lab\*File, Hsa\*File, cmy\*sep\*File, Lab\*File, Hsa\*File, rgb\*File, Lab\*File, Hsa\*File, delta. Rows include color names like R001, R002, etc.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de



TUB-test chart QE38; hue code: H\*\_e=Y00G\_e colors and differences, ΔE\*\_\*

Mean color difference of this page: delta



http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /.PS; 3D-linearization  
 F: 3D-linearization QE38/QE38L0FA.DAT in file (F), page 29/33

n	HC*File	rgb*File	icc*File	hsa*File	rgbm*File	LabCM*File	cmyp*sep*File	hsa*File	rgbm*File	LabCM*File	delta
729	NW_1000e	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
730	G50B_100.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
731	G50B_100.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
732	G50B_100.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
733	G50B_100.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
734	G50B_100.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
735	G50B_100.075de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
736	G50B_100.087de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
737	G50B_100.100de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
738	ROY_100.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
739	NW_087de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
740	G50B_087.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
741	G50B_087.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
742	G50B_087.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
743	G50B_087.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
744	G50B_087.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
745	G50B_087.075de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
746	G50B_087.087de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
747	ROY_100.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
748	ROY_100.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
749	NW_075de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
750	G50B_075.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
751	G50B_075.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
752	G50B_075.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
753	G50B_075.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
754	G50B_075.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
755	G50B_075.075de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
756	ROY_100.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
757	ROY_087.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
758	ROY_075.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
759	NW_062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
760	G50B_062.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
761	G50B_062.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
762	G50B_062.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
763	G50B_062.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
764	G50B_062.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
765	ROY_100.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
766	ROY_087.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
767	ROY_075.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
768	ROY_062.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
769	NW_050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
770	G50B_050.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
771	G50B_050.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
772	G50B_050.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
773	G50B_050.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
774	ROY_100.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
775	ROY_087.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
776	ROY_075.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
777	ROY_062.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
778	ROY_050.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
779	NW_037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
780	G50B_037.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
781	G50B_037.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
782	G50B_037.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
783	ROY_100.075de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
784	ROY_087.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
785	ROY_075.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
786	ROY_062.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
787	ROY_050.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
788	ROY_037.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
789	NW_025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
790	G50B_025.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
791	G50B_025.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
792	G50B_025.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
793	ROY_087.075de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
794	ROY_075.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
795	ROY_062.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
796	ROY_050.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
797	ROY_037.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
798	NW_012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
799	G50B_012.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
800	ROY_100.087de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
801	ROY_100.100de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
802	ROY_087.087de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
803	ROY_075.075de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
804	ROY_062.062de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
805	ROY_050.050de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
806	ROY_037.037de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
807	ROY_025.025de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
808	ROY_012.012de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0
809	NW_000de	0.875	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6	0.0



input: rgb/cmyk -> rgbd  
 output: 3D-linearization to cmy0\*de

TUB-test chart QE38; hue code: H\*e=Y00Ge  
 colors and differences, ΔE\*

Mean color difference of this page: delta

QE380-7N; Page 29/33-F

I-1132831-F0



TUB registration: 20130201-QE38/QE38L0FA.TXT /.PS application for measurement of offset print output, separation cmy0\* (CMY0) TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE38/QE38L0FA.DAT in file (F), page 31/33

Table with 15 columns: n, HHC\*File, HHC\*Rate, iCt\*File, iCt\*Rate, Hs\*File, Hs\*Rate, rgb\*File, rgb\*Rate, LabC\*File, LabC\*Rate, cmyp\*sep, cmyp\*Rate, Hs\*File, Hs\*Rate, rgb\*File, rgb\*Rate, LabC\*File, LabC\*Rate, delta. Contains data for various color patches and registration marks.

Mean color difference of this page:

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de

QE380-TN; Page 31/33-F

TUB-test chart QE38; hue code: H\*e=Y00Ge colors and differences, ΔE\*<sup>a</sup>\*

see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

<http://130.149.60.45/~farbmetrik/QE38/QE38L0FA.TXT /.PS; 3D-linearization>  
[F: 3D-linearization QE38/QE38LE30FA.DAT in file \(F\), page 32/33](http://130.149.60.45/~farbmetrik/QE38/QE38LE30FA.DAT in file (F), page 32/33)

n	HC*File	rgb*File	Lab*File	LabCM*File	Ink*File	rgb*File	LabCM*File	cmy0*Sep*File	Ink*File	rgb*File	LabCM*File	Ink*File	LabCM*File	delta
972	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
974	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
975	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
976	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
977	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
978	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
979	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
980	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
981	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
983	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
984	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
985	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
986	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
987	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
988	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
989	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
990	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
991	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
992	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
993	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
994	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
995	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
996	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
997	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
998	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
999	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1001	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1002	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
1003	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
1004	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
1005	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
1006	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
1007	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
1008	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1009	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1010	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1011	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
1012	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
1013	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
1014	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
1015	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
1016	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
1017	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1018	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1019	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1020	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
1021	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
1022	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
1023	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
1024	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
1025	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
1026	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1027	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1028	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1029	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
1030	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
1031	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
1032	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
1033	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
1034	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
1035	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1036	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1037	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1038	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
1039	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
1040	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
1041	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
1042	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
1043	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0
1044	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1045	NW_0120de	0.125	0.125	0.125	0.125	0.125	0.125	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1046	NW_0250de	0.25	0.25	0.25	0.25	0.25	0.25	0.885	0.774	0.736	0.0	0.0	0.0	0.0
1047	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.743	0.587	0.55	0.0	0.0	0.0	0.0
1048	NW_0500de	0.5	0.5	0.5	0.5	0.5	0.5	0.653	0.473	0.452	0.0	0.0	0.0	0.0
1049	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.54	0.382	0.356	0.0	0.0	0.0	0.0
1050	NW_0750de	0.75	0.75	0.75	0.75	0.75	0.75	0.417	0.26	0.26	0.0	0.0	0.0	0.0
1051	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.299	0.181	0.177	0.0	0.0	0.0	0.0
1052	NW_1000de	1.0	1.0	1.0	1.0	1.0	1.0	0.162	0.101	0.093	0.0	0.0	0.0	0.0

Mean color difference of this page:

input: *rgb/cmyk* → *rgbde*  
output: *3D-linearization to cmy0\*de*



