

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_- = Y00G_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = Y00G_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 90 \ -9 \ 88 \ 88 \ 96$

$HIC^*_{-,Ma}: Y00G_100_100_-$

$rgbic^*_{-,Ma}: 1.0 \ 1.0 \ 0.0 \ 1.0 \ 1.0$

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE38/QE38.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE38/QE38L0NP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-013031-L0 QE380-7N

TUB-test chart QE38; hue code: $H^*_- = Y00G_-$

Test chart according to DIN 33872, 3D=0, de=1, cm_y0


input: $rgb/cmyk \rightarrow rgb/cmyk$
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Data for any device (d) or elementary (e) colour:
 HIC^*_e

hue text for the colours of this page:
 $H^*_e = Y00G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

LabCh $^*_e, Ma$: 83 -3 90 90 92

HIC^*_e, Ma : Y00G_100_100_e



rgbic $^*_e, Ma$:

1.0 0.87 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013131-L0 QE380-71

TUB-test chart QE38; hue code: $H^*_e = Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: rgb/cmyk -> rgb_e
output: transfer to cmy0_e

1-013131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = Y00G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 83 -3 90 90 92$

$HIC^*_{e, Ma}: Y00G_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.87 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013231-L0 QE380-71

TUB-test chart QE38; hue code: $H^*_e = Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$


1-013231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y00G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	30.5	1.4	-46.4	46.4	271



Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$: 83 -3 90 90 92
 $HIC^*_{e, Ma}$: Y00G_100_100_e
 $rgbic^*_{e, Ma}$:
1.0 0.87 0.0 1.0 1.0

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

triangle lightness T^*
%Gamut $u^*_{rel} = 92$
%Regularity $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013331-L0 QE380-71

TUB-test chart QE38; hue code: $H^*_e = Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = Y00G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 83 -3 90 90 92$

$HIC^*_{e, Ma}: Y00G_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.87 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



see similar files: http://130.149.60.45/~farbmetrik/QE38/QE38.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE38/QE38L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta


1-013431-L0 QE380-71

TUB-test chart QE38; hue code: $H^*_e = Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0


input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013431-F0


TUB registration: 20130201-QE38/QE38L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmy0 (CMY0)



http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/33



see similar files: <http://130.149.60.45/~farbmetrik/QE38/QE38.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




1-013531-L0 QE380-71

TUB-test chart QE38; hue code: $H^*_e=Y00G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0


input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


J=Y_d Yellow
 device CIELAB (a^*_d, b^*_d) chroma diagram



Y_e yellow
 elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle h_{max} use for any device values rgb^*_s the equation:

$$h_{abs} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48abs,ej} = h_{abs,e,i} + j [h_{abs,e,i+1} - h_{abs,e,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360abs,ej} = h_{abs,e,i} + j [h_{abs,e,i+1} - h_{abs,e,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{max} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, rgb*, d64M, L*a*b*, d64M (x=LabCh), L*a*b*, dex36IM, LAB*, dex36IM, rgb*, dex36IM, LAB*, dex36IM, rgb*, dex36IM, LAB*, dex36IM, rgb*, dex36IM, LAB*, dex36IM. Contains 392 rows of color data.

Output: Offset standard print; separation cmy0*: D65, page 9/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; LAB*_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (86-114), device colours (h_ab,s, h_ab,d), and colorimetric data (LAB*_{ab,s}, LAB*_{ab,d}, RGB*, etc.).

I-0131031-L0 QE380-71 LAB*_{ab,d}, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{nw}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE38; hue code: H*_e=Y00G_e input: rgb/cmyk -> rgb_e output: transfer to cmy0_e

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; Lab; h_ab,d_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; Lab; h_ab,d = 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM; Lab; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for hue angles (h_ab,d, h_ab,s, h_ab,e) and colorimetric values (LAB*, dcs361MI, ddx361MI, dds361MI, etc.) for various color patches (114-167).

input: rgb/cmyk -> rgb
output: transfer to cmy0e

I=0131131-L0 QE380-71 LAB*lab, YN=0%, XYZnw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0

Output: Offset standard print; separation cmy0*, D65, page 12/33

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colors RYGBM; h_ab,d_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, rgb*_dd361MI, LAB*_dcs361MI (x=LabCh), rgb*_dcs361MI, LAB*_dcs361MI (x=LabCh), rgb*_dd361MI, LAB*_dex361MI, rgb*_dd361MI, LAB*_dex361MI, rgb*_dd361MI, LAB*_dex361MI. Rows 167-238.

Input: Offset standard print; separation cmy0*, D65, page 13/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 30 columns: h_ab,d, h_ab,s, h_ab,e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e, L*a*b*_d, L*a*b*_s, L*a*b*_e. Rows 289-340.

LAB*at0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE38; hue code: H*_e=Y00G_e 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_e output: transfer to cmy0_e

Output: Offset standard print; separation cmy0*: D65, page 15/33

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 16 columns: h_ab,d, h_ab,s, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M, LAB*_ds361M. Rows 340-366.

I=0131531=L0 QE380-71 LAB*at0, YN=0%, XY,Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE38; hue code: H*_e=Y00G_e input: rgb/cmyk -> rgb_e output: transfer to cmy0_e 48 step hue circles; rgb-LabCh*tables

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for device colours (h_ab,d, h_ab,s, h_ab,e, h_ab,e), Lab* (L*, a*, b*), and RGB* (R, G, B) values for various color separations and printing conditions.

I-0131631-L0 QE380-71 LAB*lab, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE38; hue code: H*_e=Y00G_e 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_e output: transfer to cmy0_e

Output: Offset standard print; separation cmy0*, D65, page 17/33



nif	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	rgb*Fe	DF*Fe	HaMe	rgb*Me	LabCh*Me	LabCh*Me	DF*Me	HaMe
0/648	R00Y_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/668	R25Y_100_100k	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100k	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_100k	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00C_100_100k	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25C_100_100k	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50C_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75C_100_100k	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	G00B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	G25B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G50B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/80	G75B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/44	G50B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B00M_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/656	B50R_100_100k	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_100k	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_050k	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/706	R50Y_100_050k	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/724	Y00C_100_050k	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/400	G00B_100_050k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/456	G25B_100_050k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/464	G50B_100_050k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/460	B00M_100_050k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/692	B50R_100_050k	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_050k	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_050k	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
28/524	R50Y_075_050k	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
29/542	Y00C_075_050k	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
30/380	Y50C_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
31/218	G00B_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
32/222	G50B_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
33/186	B00R_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
34/510	B50R_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
35/506	R00Y_075_050k	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
36/324	R00Y_050_050k	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/342	R50Y_050_050k	0.5	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38/360	Y00C_050_050k	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39/198	Y50C_050_050k	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40/36	G00B_050_050k	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41/40	G50B_050_050k	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42/4	B00R_050_050k	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/328	B50R_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
44/324	R00Y_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
45/0	NW_00k	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_01k	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025k	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_050k	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_075k	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50/455	NW_100k	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/546	NW_125k	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52/637	NW_150k	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_200k	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E* = 13.3

input: rgb/cmyk -> rgbe
output: transfer to cmy0e

TUB-test chart QE38; hue code: H*e=Y00Ge
colors and differences, ΔE*'

n#	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	DF*Fe	HaM*	rgb*Fe	LabCH*Fe	LabCH*Fe
1	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
2	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
3	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
4	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
5	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
6	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
7	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
8	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
9	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
10	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
11	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
12	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
13	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
14	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
15	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
16	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
17	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
18	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
19	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
20	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
21	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
22	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
23	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
24	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
25	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
26	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
27	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
28	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
29	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
30	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
31	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
32	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
33	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
34	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
35	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
36	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
37	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
38	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
39	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
40	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
41	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
42	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
43	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
44	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
45	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
46	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
47	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
48	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
49	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
50	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
51	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
52	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
53	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
54	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
55	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
56	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
57	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
58	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
59	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
60	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
61	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
62	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
63	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
64	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
65	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
66	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
67	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
68	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
69	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
70	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
71	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
72	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
73	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
74	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
75	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
76	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
77	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
78	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
79	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0
80	0.0	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6	0.0

Mean color difference of this page: delta E* = 10.9

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 16 columns: n, HHC*Fe, rgB*Fe, iet*Fe, Hs*Fe, rgB*Fe, LabCH*Fe, Hs*Fe, LabCH*Fe, rgB*Fe, DF*Fe, Hs*Fe, LabCH*Fe, rgB*Fe, LabCH*Fe, Hs*Fe. Rows include color patches like R00Y, B25K, B15K, etc.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE38; hue code: H*e=Y00Ge colors and differences, ΔE*

QE380-TN; Page 21/33-F

I-10313-F0

http://130.149.60.45/~farbmetrik/QE38/QE38LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 24 columns: n, H*E*Fe, rpb*Re, iet*Fe, Hs*Ea, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Ha*Me, rpb*Me, LabCh*Me, LabCh*Me. Rows represent color patches from 162 to 242.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE38; hue code: H*e=Y00Ge colors and differences, ΔE*

Mean color difference of this page: delta E* = 13.7

Table with columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. The table contains 323 rows of numerical data for various color and registration patches.

http://130.149.60.45/~farbmetrik/QE38/QE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE38; hue code: H*e=Y00Ge colors and differences, ΔE*

QE380-TN; Page 23/33-F

I=1032231-F0

I=103223-F0

Table with 40 columns (n, HHC*, RgB*, iet, Fe, Hs, Fe, LabCH*, LabCH*, rGb*, rGb*, LabCH*, LabCH*, DF*, DF*, rGb*, rGb*, LabCH*, LabCH*) and 40 rows of color data.

see similar files: http://130.149.60.45/~farbmatrik/QE38/QE38LONP.PDF /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

input: rgb/cmyk -> rGbE output: transfer to cmy0E

TUB-test chart QE38; hue code: H*e=Y00Ge colors and differences, ΔE*

Mean color difference of this page: ΔE* = 15.7

Table with columns: n, H#C*Fe, Rgb*Fe, LabCh*Fe, iet*Fe, Hs*Fe, Rgb*Fe, LabCh*Fe, Rgb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, Rgb*Fe, LabCh*Fe. Rows list color patches from 567 to 647. Includes a 'Mean color difference of this page:' section at the bottom right of the table area.

Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, DF*Fe, HaMe, rpb*Fe, LabCH*Fe, LabCH*Fe, delta E* = 15.7



input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE38; hue code: H*e=Y00Ge colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/QE38/QE38LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs_Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs_Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. Rows list various color patches like NV, BOOR, YOCG, etc.

Mean color difference of this page: delta E* = 12.1 input: rgb/cmyk -> rgbe output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

n	HC*Fe	rgb*Fe	act*Fe	hsa*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabCh*Fe	
891	NW_100k	1.0	1.0	1.0	95.6	1.0	95.6	111.4	360	1.0	95.6	0.0
892	B50R_100.012k	1.0	0.875	1.0	87.5	1.0	90.7	348.2	3.9	0.875	90.7	0.0
893	B50R_100.025k	1.0	0.75	1.0	75.0	1.0	84.2	351.2	7.7	0.75	84.2	0.0
894	B50R_100.037k	1.0	0.625	1.0	62.5	1.0	78.5	352.1	11.9	0.625	78.5	0.0
895	B50R_100.050k	1.0	0.5	1.0	50.0	1.0	70.6	353.8	17.4	0.5	70.6	0.0
896	B50R_100.062k	1.0	0.375	1.0	37.5	1.0	65.5	355.3	23.7	0.375	65.5	0.0
897	B50R_100.075k	1.0	0.25	1.0	25.0	1.0	58.1	357.1	30.8	0.25	58.1	0.0
898	B50R_100.087k	1.0	0.125	1.0	12.5	1.0	50.3	358.6	38.8	0.125	50.3	0.0
899	B50R_100.100k	1.0	0.0	1.0	0.0	1.0	45.4	359.4	46.1	0.0	45.4	0.0
900	GOB1_100.012k	0.875	1.0	0.875	90.0	1.0	87.5	135.3	3.8	0.875	90.0	0.0
901	NW_087k	0.875	0.875	0.875	87.5	0.875	86.2	1.2	3.6	0.875	86.2	0.0
902	B50R_087.012k	0.875	0.75	0.875	75.0	0.875	80.1	11.8	7.2	0.875	80.1	0.0
903	B50R_087.025k	0.875	0.625	0.875	62.5	0.875	74.6	18.0	11.0	0.875	74.6	0.0
904	B50R_087.037k	0.875	0.5	0.875	50.0	0.875	66.7	25.6	16.8	0.875	66.7	0.0
905	B50R_087.050k	0.875	0.375	0.875	37.5	0.875	60.5	33.8	22.5	0.875	60.5	0.0
906	B50R_087.062k	0.875	0.25	0.875	25.0	0.875	54.8	40.8	29.2	0.875	54.8	0.0
907	B50R_087.075k	0.875	0.125	0.875	12.5	0.875	47.9	48.4	35.9	0.875	47.9	0.0
908	B50R_087.087k	0.875	0.0	0.875	0.0	0.875	42.9	53.7	43.4	0.875	42.9	0.0
909	GOB1_087.012k	0.75	1.0	0.75	75.0	1.0	75.0	136.5	7.1	0.75	75.0	0.0
910	GOB1_087.025k	0.75	0.875	0.75	87.5	1.0	85.6	117.5	6.7	0.75	85.6	0.0
911	NW_075k	0.75	0.75	0.75	75.0	0.75	75.0	56.1	8.1	0.75	75.0	0.0
912	B50R_075.012k	0.75	0.625	0.75	62.5	0.75	70.6	64.7	13.1	0.75	70.6	0.0
913	B50R_075.025k	0.75	0.5	0.75	50.0	0.75	63.2	72.0	18.0	0.75	63.2	0.0
914	B50R_075.037k	0.75	0.375	0.75	37.5	0.75	57.3	79.9	21.1	0.75	57.3	0.0
915	B50R_075.050k	0.75	0.25	0.75	25.0	0.75	50.7	87.4	25.9	0.75	50.7	0.0
916	B50R_075.062k	0.75	0.125	0.75	12.5	0.75	43.2	95.9	31.7	0.75	43.2	0.0
917	B50R_075.075k	0.75	0.0	0.75	0.0	0.75	37.0	104.8	38.2	0.75	37.0	0.0
918	GOB1_087.037k	0.625	1.0	0.625	62.5	1.0	62.5	137.8	9.4	0.625	62.5	0.0
919	GOB1_087.050k	0.625	0.875	0.625	87.5	1.0	85.6	117.2	10.1	0.625	85.6	0.0
920	NW_062k	0.625	0.75	0.625	75.0	0.625	75.0	56.1	10.3	0.625	75.0	0.0
921	B50R_062.012k	0.625	0.625	0.625	62.5	0.625	60.6	100.3	10.3	0.625	60.6	0.0
922	B50R_062.025k	0.625	0.5	0.625	50.0	0.625	55.7	109.3	14.8	0.625	55.7	0.0
923	B50R_062.037k	0.625	0.375	0.625	37.5	0.625	53.7	119.0	19.0	0.625	53.7	0.0
924	B50R_062.050k	0.625	0.25	0.625	25.0	0.625	47.9	126.9	24.7	0.625	47.9	0.0
925	B50R_062.062k	0.625	0.125	0.625	12.5	0.625	42.0	135.1	31.1	0.625	42.0	0.0
926	GOB1_087.062k	0.5	1.0	0.5	50.0	1.0	50.0	140.7	11.9	0.5	50.0	0.0
927	GOB1_087.075k	0.5	0.875	0.5	87.5	1.0	85.6	126.9	11.6	0.5	85.6	0.0
928	GOB1_087.087k	0.5	0.75	0.5	75.0	1.0	75.0	100.7	11.5	0.5	75.0	0.0
929	NW_050k	0.5	0.5	0.5	50.0	0.5	50.0	47.0	13.7	0.5	50.0	0.0
930	B50R_050.012k	0.5	0.375	0.5	37.5	0.5	37.5	47.0	13.7	0.5	37.5	0.0
931	B50R_050.025k	0.5	0.25	0.5	25.0	0.5	34.5	54.8	18.6	0.5	34.5	0.0
932	B50R_050.037k	0.5	0.125	0.5	12.5	0.5	27.7	62.5	24.7	0.5	27.7	0.0
933	B50R_050.050k	0.5	0.0	0.5	0.0	0.5	20.0	71.9	31.1	0.5	20.0	0.0
934	B50R_050.062k	0.5	0.0	0.5	0.0	0.5	15.0	81.1	38.2	0.5	15.0	0.0
935	B50R_050.075k	0.5	0.0	0.5	0.0	0.5	10.0	91.9	46.1	0.5	10.0	0.0
936	GOB1_087.075k	0.375	1.0	0.375	37.5	1.0	37.5	140.7	13.4	0.375	37.5	0.0
937	GOB1_087.087k	0.375	0.875	0.375	87.5	1.0	85.6	126.9	13.2	0.375	85.6	0.0
938	GOB1_087.090k	0.375	0.75	0.375	75.0	1.0	75.0	100.7	12.2	0.375	75.0	0.0
939	GOB1_087.095k	0.375	0.625	0.375	62.5	1.0	62.5	88.6	13.5	0.375	62.5	0.0
940	NW_037k	0.375	0.5	0.375	37.5	0.5	37.5	47.0	13.7	0.375	37.5	0.0
941	B50R_037.012k	0.375	0.375	0.375	37.5	0.375	37.5	47.0	13.7	0.375	37.5	0.0
942	B50R_037.025k	0.375	0.25	0.375	25.0	0.375	34.5	54.8	18.6	0.375	34.5	0.0
943	B50R_037.037k	0.375	0.125	0.375	12.5	0.375	27.7	62.5	24.7	0.375	27.7	0.0
944	B50R_037.050k	0.375	0.0	0.375	0.0	0.375	20.0	71.9	31.1	0.375	20.0	0.0
945	GOB1_100.075k	0.25	1.0	0.25	25.0	1.0	25.0	140.7	13.4	0.25	25.0	0.0
946	GOB1_100.087k	0.25	0.875	0.25	87.5	1.0	85.6	126.9	13.2	0.25	85.6	0.0
947	GOB1_100.090k	0.25	0.75	0.25	75.0	1.0	75.0	100.7	12.2	0.25	75.0	0.0
948	GOB1_100.095k	0.25	0.625	0.25	62.5	1.0	62.5	88.6	13.5	0.25	62.5	0.0
949	GOB1_087.037k	0.25	0.5	0.25	50.0	1.0	50.0	140.7	13.4	0.25	50.0	0.0
950	GOB1_087.050k	0.25	0.375	0.25	37.5	1.0	37.5	140.7	13.4	0.25	37.5	0.0
951	NW_025k	0.25	0.25	0.25	25.0	0.25	25.0	47.0	13.7	0.25	25.0	0.0
952	B50R_025.012k	0.25	0.125	0.25	12.5	0.25	12.5	47.0	13.7	0.25	12.5	0.0
953	B50R_025.025k	0.25	0.0	0.25	0.0	0.25	10.0	54.8	18.6	0.25	10.0	0.0
954	GOB1_100.087k	0.125	1.0	0.125	12.5	1.0	12.5	140.7	13.4	0.125	12.5	0.0
955	GOB1_100.090k	0.125	0.875	0.125	87.5	1.0	85.6	126.9	13.2	0.125	85.6	0.0
956	GOB1_100.095k	0.125	0.75	0.125	75.0	1.0	75.0	100.7	12.2	0.125	75.0	0.0
957	GOB1_087.062k	0.125	0.625	0.125	62.5	1.0	62.5	88.6	13.5	0.125	62.5	0.0
958	GOB1_087.075k	0.125	0.5	0.125	50.0	1.0	50.0	140.7	13.4	0.125	50.0	0.0
959	GOB1_087.087k	0.125	0.375	0.125	37.5	1.0	37.5	140.7	13.4	0.125	37.5	0.0
960	GOB1_087.090k	0.125	0.25	0.125	25.0	1.0	25.0	140.7	13.4	0.125	25.0	0.0
961	NW_012k	0.125	0.125	0.125	12.5	0.125	12.5	47.0	13.7	0.125	12.5	0.0
962	B50R_012.012k	0.125	0.0	0.125	0.0	0.125	10.0	54.8	18.6	0.125	10.0	0.0
963	GOB1_100.100k	0.0	1.0	0.0	0.0	1.0	0.0	140.7	13.4	0.0	140.7	0.0
964	GOB1_087.087k	0.0	0.875	0.0	87.5	1.0	85.6	126.9	13.2	0.0	85.6	0.0
965	GOB1_087.090k	0.0	0.75	0.0	75.0	1.0	75.0	100.7	12.2	0.0	75.0	0.0
966	GOB1_087.095k	0.0	0.625	0.0	62.5	1.0	62.5	88.6	13.5	0.0	62.5	0.0
967	GOB1_087.090k	0.0	0.5	0.0	50.0	1.0	50.0	140.7	13.4	0.0	140.7	0.0
968	GOB1_087.095k	0.0	0.375	0.0	37.5	1.0	37.5	140.7	13.4	0.0	140.7	0.0
969	GOB1_087.090k	0.0	0.25	0.0	25.0	1.0	25.0	140.7	13.4	0.0	140.7	0.0
970	GOB1_087.095k	0.0	0.125	0.0	12.5	1.0	12.5	140.7	13.4	0.0	140.7	0.0
971	NW_000k	0.0	0.0	0.0	0.0	0.0	0.0	47.0	13.7	0.0	47.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmy0e

QE380-TN; Page 31/33-F

TUB-test chart QE38; hue code: H*e=Y00Ge colors and differences, ΔE*

I-103031-F0

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H* C* F*, r* g* b*, i* e* F*, H* s* F*, r* g* b* F*, Lab C* H* F*, Lab C* H* F* Fe, r* g* b* F* Fe, Lab C* H* F* Fe, D* F* F* Fe, H* a* M* e, r* g* b* M* e, Lab C* H* F* M* e. Rows 972-1052.

Mean color difference of this page: delta E*90 = 9.2

input: rgb/cmyk -> rgbe output: transfer to cmy0e

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	DF*Fe	rgb*Me	LabCh*Me	DF*Me	rgb*Me	LabCh*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.7	69.9	1.0	95.6
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.5	71.6	1.0	95.6
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	114.3	1.0	95.6
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	1.1	308.5	1.1	308.5	1.0	95.6
1057	NW_100e	0.066	0.066	0.066	0.066	0.066	0.066	6.5	6.7	6.5	6.7	1.0	95.6
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	9.0	22.4	9.0	22.4	1.0	95.6
1059	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	3.4	9.0	3.4	9.0	1.0	95.6
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	11.6	30.4	11.6	30.4	1.0	95.6
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	13.3	34.4	13.3	34.4	1.0	95.6
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	14.0	44.7	14.0	44.7	1.0	95.6
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	14.5	40.4	14.5	40.4	1.0	95.6
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	14.7	48.4	14.7	48.4	1.0	95.6
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	11.8	51.6	11.8	51.6	1.0	95.6
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	11.5	56.7	11.5	56.7	1.0	95.6
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	8.3	69.4	8.3	69.4	1.0	95.6
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	5.9	62.0	5.9	62.0	1.0	95.6
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	7.1	71.7	7.1	71.7	1.0	95.6
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.1	118.4	0.1	118.4	1.0	95.6
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	2.8	299.2	2.8	299.2	1.0	95.6
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	138.7	0.0	138.7	1.0	95.6
1073	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	48.8	32.8	48.8	32.8	1.0	95.6
1074	ROY_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	83.9	11.2	83.9	11.2	1.0	95.6
1075	GS0B_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	36.0	18.2	36.0	18.2	1.0	95.6
1076	Y06G_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	8.5	8.5	8.5	8.5	1.0	95.6
1077	B06B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	32.5	24.2	32.5	24.2	1.0	95.6
1078	B08B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	19.2	15.9	19.2	15.9	1.0	95.6
1079	B50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	45.2	45.2	45.2	45.2	1.0	95.6
1079	B50B_100_100e	1.0	0.0	1.0	1.0	31.1	47.7	79.2	359.8	79.2	359.8	0.321	31.1

Mean color difference of this page: delta E* = 10.3

http://130.149.60.45/~farbmetrik/QE38/QE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE38; hue code: H*e=Y00Ge colors and differences, ΔE*'