

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_- = Y25G_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = Y25G_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 83 -18 79 81 102

$HIC^*_{-,Ma}$: Y25G_100_100_

$rgbic^*_{-,Ma}$:



0.76 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS
 application for measurement of display output


TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 116/360 = 0.32$

$H^*_d = Y25G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y25G_d$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	50.4	76.9	64.5	100.4	40
Y _{d,Ma}	92.6	-20.7	90.7	93.0	102
G _{d,Ma}	83.6	-82.7	79.8	115.0	136
C _{d,Ma}	86.8	-46.1	-13.5	48.1	196
B _{d,Ma}	30.3	76.0	-103.5	128.5	306
M _{d,Ma}	57.2	94.3	-58.4	110.9	328
N _{d,Ma}	0.0	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 88 -43 86 96 116

HIC^*_d, Ma : Y25G_100_100d



$rgbic^*_d, Ma$:
0.76 1.0 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$





see similar files: <http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE41/QE41L0FP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rh4ta

TUB-test chart QE41; hue code: $H^*_d=Y25G_d$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$


L=G_d leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

device CIELAB (a*_d, b*_d) chroma diagram



O=R_d orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$


M=M_d magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

elementary CIELAB (a*_e, b*_e) chroma diagram



Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$


R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

standard CIELAB (a*_s, b*_s) chroma diagram



Y_s yellow

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

Notes to the CIELAB chroma diagrams (a*_d, b*_d), (a*_s, b*_s), (a*_e, b*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF /.PS
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta




Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd64M, LAB^{*}ddx64M (x=LabCh), r_{gb}^{*}ddx361M, LAB^{*}ddx361M (x=LabCh), r_{gb}^{*}dsx361M, LAB^{*}dsx361M (x=LabCh), r_{gb}^{*}dex361M, LAB^{*}dex361M, and r_{gb}^add, r_{gb}^ads, r_{gb}^ade. The table contains 48 rows of color data.

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	1.0 0.0	1.0 0.41 84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0	0.573 84.6 -70.9 63.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0	0.706 85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	0.0 1.0	0.778 85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	0.0 1.0	0.847 85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	0.0 1.0	0.9 86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	0.0 1.0	0.952 86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	0.0 1.0	0.997 86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	0.0 0.963 1.0	84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	0.0 0.929 1.0	81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	0.0 0.89 1.0	79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0 77.9	-32.3 -27.0 42.1 219.8	0.0 0.859 1.0	76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0 69.1	-17.0 -40.7 44.1 247.2	0.0 0.826 1.0	74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0 60.3	-0.1 -54.6 54.6 269.8	0.0 0.797 1.0	72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0 51.7	18.3 -68.3 70.7 285.0	0.0 0.763 1.0	70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0 43.8	37.6 -81.2 89.5 294.8	0.0 0.731 1.0	67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0 37.1	55.9 -92.3 107.9 301.1	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0 32.4	69.5 -100.0 121.8 304.8	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0 30.3	76.0 -103.5 128.5 306.2	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0 31.0	76.2 -102.4 127.7 306.6	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0 32.6	76.8 -99.8 125.9 307.5	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0 35.1	77.9 -95.5 123.3 309.2	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0 38.5	79.8 -89.7 120.0 311.6	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0 42.7	82.5 -82.7 116.8 314.8	0.0 0.146 0.0	31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0 47.2	85.8 -75.1 114.0 318.8	0.605 0.0 1.0	42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0 52.1	89.8 -66.9 112.0 323.3	0.811 0.0 1.0	49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0 57.2	94.3 -58.4 110.9 328.2	0.0 0.0	0.992 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	0.0 0.0	0.856 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	1.0 0.0	0.735 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	1.0 0.0	0.65 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	1.0 0.0	0.618 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	1.0 0.0	0.533 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.2 386.7	1.0 0.0	0.441 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	1.0 0.0	0.361 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	1.0 0.0	0.263 50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd} 361M	LAB [*] _{ddx361Mi} (x=LabCh)	R _d	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi} (x=LabCh)	R _s	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi} (x=LabCh)	R _e	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40		1.0 0.0 0.203 50.8 78.0 45.1 90.1 30		1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25		1.0 0.0 0.0				
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40		1.0 0.0 0.189 50.7 78.0 46.9 91.0 31		1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26		1.0 0.017 0.0				
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40		1.0 0.0 0.174 50.7 77.9 48.7 91.8 32		1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27		1.0 0.033 0.0				
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40		1.0 0.0 0.16 50.7 77.7 50.5 92.7 33		1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28		1.0 0.05 0.0				
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40		1.0 0.0 0.146 50.6 77.6 52.3 93.6 34		1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29		1.0 0.067 0.0				
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40		1.0 0.0 0.131 50.6 77.3 54.2 94.4 35		1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31		1.0 0.083 0.0				
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41		1.0 0.0 0.11 50.6 77.3 56.1 95.5 36		1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32		1.0 0.1 0.0				
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41		1.0 0.0 0.082 50.6 77.2 58.2 96.7 37		1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33		1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41		1.0 0.0 0.055 50.5 77.2 60.3 98.0 38		1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34		1.0 0.133 0.0				
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41		1.0 0.0 0.028 50.5 77.1 62.4 99.2 39		1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35		1.0 0.15 0.0				
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42		1.0 0.0 0.0 50.5 76.9 64.6 100.4 40		1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36		1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42		1.0 0.095 0.0 51.3 74.6 64.9 98.9 41		1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37		1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43		1.0 0.151 0.0 52.1 72.4 65.2 97.5 42		1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38		1.0 0.2 0.0				
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43		1.0 0.188 0.0 52.8 70.3 65.5 96.1 43		1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39		1.0 0.217 0.0				
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44		1.0 0.225 0.0 53.6 68.2 65.8 94.8 44		1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41		1.0 0.233 0.0				
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44		1.0 0.256 0.0 54.3 66.1 66.1 93.5 45		1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42		1.0 0.25 0.0				
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45		1.0 0.277 0.0 55.0 64.3 66.6 92.5 46		1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43		1.0 0.267 0.0				
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46		1.0 0.297 0.0 55.6 62.4 66.9 91.5 47		1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44		1.0 0.283 0.0				
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47		1.0 0.318 0.0 56.3 60.6 67.3 90.5 48		1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45		1.0 0.3 0.0				
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47		1.0 0.338 0.0 57.0 58.7 67.6 89.5 49		1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46		1.0 0.317 0.0				
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48		1.0 0.359 0.0 57.7 56.9 67.8 88.5 50		1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47		1.0 0.333 0.0				
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49		1.0 0.378 0.0 58.3 55.1 68.1 87.6 51		1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48		1.0 0.35 0.0				
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50		1.0 0.392 0.0 58.9 53.6 68.6 87.0 52		1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49		1.0 0.367 0.0				
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51		1.0 0.406 0.0 59.6 52.0 69.0 86.4 53		1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51		1.0 0.383 0.0				
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52		1.0 0.42 0.0 60.2 50.4 69.4 85.8 54		1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52		1.0 0.4 0.0				
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53		1.0 0.433 0.0 60.8 48.8 69.8 85.2 55		1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53		1.0 0.417 0.0				
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54		1.0 0.447 0.0 61.4 47.3 70.1 84.5 56		1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54		1.0 0.433 0.0				
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56		1.0 0.461 0.0 62.0 45.7 70.4 83.9 57		1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55		1.0 0.45 0.0				
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57		1.0 0.475 0.0 62.6 44.1 70.7 83.3 58		1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56		1.0 0.467 0.0				
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58		1.0 0.489 0.0 63.2 42.6 70.9 82.7 59		1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57		1.0 0.483 0.0				
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59		1.0 0.502 0.0 63.8 41.1 71.2 82.2 60		1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58		1.0 0.5 0.0				
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61		1.0 0.513 0.0 64.4 39.7 71.6 81.9 61		1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60		1.0 0.517 0.0				
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62		1.0 0.525 0.0 64.9 38.3 72.1 81.7 62		1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61		1.0 0.533 0.0				
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64		1.0 0.536 0.0 65.5 37.0 72.5 81.4 63		1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62		1.0 0.55 0.0				
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65		1.0 0.547 0.0 66.1 35.6 72.9 81.1 64		1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63		1.0 0.567 0.0				
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67		1.0 0.558 0.0 66.7 34.2 73.3 80.9 65		1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64		1.0 0.583 0.0				
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5 79.9 68		1.0 0.569 0.0 67.2 32.8 73.7 80.6 66		1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65		1.0 0.6 0.0				
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8 79.5 70		1.0 0.58 0.0 67.8 31.4 74.0 80.4 67		1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66		1.0 0.617 0.0				
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71		1.0 0.591 0.0 68.4 30.0 74.3 80.1 68		1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67		1.0 0.633 0.0				
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73		1.0 0.602 0.0 69.0 28.6 74.6 79.9 69		1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68		1.0 0.65 0.0				
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75		1.0 0.614 0.0 69.5 27.2 74.8 79.6 70		1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70		1.0 0.667 0.0				
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76		1.0 0.625 0.0 70.1 25.8 75.0 79.4 71		1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71		1.0 0.683 0.0				
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78		1.0 0.635 0.0 70.7 24.5 75.6 79.4 72		1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72		1.0 0.7 0.0				
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79		1.0 0.646 0.0 71.3 23.3 76.1 79.5 73		1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73		1.0 0.717 0.0				
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81		1.0 0.656 0.0 71.9 21.9 76.5 79.6 74		1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74		1.0 0.733 0.0				
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82		1.0 0.667 0.0 72.5 20.6 77.0 79.7 75		1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75		1.0 0.75 0.0				

1-103530-L0 QE410-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 6/29

TUB-test chart QE41; hue code: H*d_q=Y25G_d
48 step hue circles; rgb-LabCh*tables


input: rgb/cmyk -> rgb_{dd}
output: 3D-linearization to rgb*_{dd}

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}
139	165	175	0.0 1.0 0.25	83.8 -80.5 69.1	106.1 139	0.0 1.0 0.25	85.3 -62.5 16.8	64.8 165	0.0 1.0 0.25	0.0 1.0 0.25	0.0 1.0 0.25	0.0 1.0 0.25
139	166	176	0.0 1.0 0.266	83.8 -80.2 67.6	104.9 139	0.0 1.0 0.267	85.4 -61.8 15.4	63.8 166	0.0 1.0 0.267	0.0 1.0 0.267	0.0 1.0 0.267	0.0 1.0 0.267
140	167	177	0.0 1.0 0.283	83.8 -79.9 66.1	103.7 140	0.0 1.0 0.283	85.4 -61.4 14.2	63.1 167	0.0 1.0 0.283	0.0 1.0 0.283	0.0 1.0 0.283	0.0 1.0 0.283
140	168	178	0.0 1.0 0.3	83.8 -79.6 64.6	102.5 140	0.0 1.0 0.3	85.5 -60.9 13.0	62.4 168	0.0 1.0 0.3	0.0 1.0 0.3	0.0 1.0 0.3	0.0 1.0 0.3
141	169	179	0.0 1.0 0.316	83.9 -79.2 63.1	101.3 141	0.0 1.0 0.317	85.5 -60.4 11.8	61.7 169	0.0 1.0 0.317	0.0 1.0 0.317	0.0 1.0 0.317	0.0 1.0 0.317
141	170	180	0.0 1.0 0.333	83.9 -78.8 61.7	100.1 141	0.0 1.0 0.333	85.6 -59.9 10.6	60.9 170	0.0 1.0 0.333	0.0 1.0 0.333	0.0 1.0 0.333	0.0 1.0 0.333
142	171	181	0.0 1.0 0.35	83.9 -78.4 60.2	98.9 142	0.0 1.0 0.35	85.6 -59.4 9.4	60.2 171	0.0 1.0 0.35	0.0 1.0 0.35	0.0 1.0 0.35	0.0 1.0 0.35
142	172	182	0.0 1.0 0.366	84.0 -78.0 58.8	97.7 142	0.0 1.0 0.367	85.7 -58.8 8.3	59.5 172	0.0 1.0 0.367	0.0 1.0 0.367	0.0 1.0 0.367	0.0 1.0 0.367
143	173	183	0.0 1.0 0.383	84.0 -77.6 57.2	96.4 143	0.0 1.0 0.383	85.7 -58.2 7.2	58.8 173	0.0 1.0 0.383	0.0 1.0 0.383	0.0 1.0 0.383	0.0 1.0 0.383
144	174	184	0.0 1.0 0.4	84.0 -77.1 55.4	94.9 144	0.0 1.0 0.4	85.8 -57.6 6.1	58.1 174	0.0 1.0 0.4	0.0 1.0 0.4	0.0 1.0 0.4	0.0 1.0 0.4
145	175	185	0.0 1.0 0.416	84.1 -76.6 53.6	93.5 145	0.0 1.0 0.417	85.8 -57.0 5.0	57.3 175	0.0 1.0 0.417	0.0 1.0 0.417	0.0 1.0 0.417	0.0 1.0 0.417
145	176	185	0.0 1.0 0.433	84.1 -76.1 51.8	92.1 145	0.0 1.0 0.433	85.9 -56.4 4.0	56.6 176	0.0 1.0 0.433	0.0 1.0 0.433	0.0 1.0 0.433	0.0 1.0 0.433
146	177	186	0.0 1.0 0.45	84.2 -75.6 50.0	90.6 146	0.0 1.0 0.45	86.0 -55.7 2.9	55.9 177	0.0 1.0 0.45	0.0 1.0 0.45	0.0 1.0 0.45	0.0 1.0 0.45
147	178	187	0.0 1.0 0.466	84.2 -75.0 48.3	89.2 147	0.0 1.0 0.467	86.0 -55.1 1.9	55.2 178	0.0 1.0 0.467	0.0 1.0 0.467	0.0 1.0 0.467	0.0 1.0 0.467
147	179	188	0.0 1.0 0.483	84.3 -74.4 46.6	87.8 147	0.0 1.0 0.483	86.1 -54.4 1.0	54.5 179	0.0 1.0 0.483	0.0 1.0 0.483	0.0 1.0 0.483	0.0 1.0 0.483
148	180	189	0.0 1.0 0.5	84.3 -73.7 44.9	86.4 148	0.0 1.0 0.5	86.1 -54.1 0.0	54.2 180	0.0 1.0 0.5	0.0 1.0 0.5	0.0 1.0 0.5	0.0 1.0 0.5
149	181	190	0.0 1.0 0.516	84.4 -73.2 42.9	84.8 149	0.0 1.0 0.517	86.2 -53.7 -0.8	53.8 181	0.0 1.0 0.517	0.0 1.0 0.517	0.0 1.0 0.517	0.0 1.0 0.517
150	182	191	0.0 1.0 0.533	84.4 -72.6 40.9	83.3 150	0.0 1.0 0.533	86.2 -53.3 -1.8	53.4 182	0.0 1.0 0.533	0.0 1.0 0.533	0.0 1.0 0.533	0.0 1.0 0.533
151	183	192	0.0 1.0 0.55	84.5 -71.9 39.0	81.8 151	0.0 1.0 0.55	86.2 -52.9 -2.7	53.1 183	0.0 1.0 0.55	0.0 1.0 0.55	0.0 1.0 0.55	0.0 1.0 0.55
152	184	193	0.0 1.0 0.566	84.5 -71.2 37.0	80.3 152	0.0 1.0 0.567	86.3 -52.5 -3.6	52.7 184	0.0 1.0 0.567	0.0 1.0 0.567	0.0 1.0 0.567	0.0 1.0 0.567
153	185	194	0.0 1.0 0.583	84.6 -70.5 35.2	78.8 153	0.0 1.0 0.583	86.3 -52.0 -4.5	52.3 185	0.0 1.0 0.583	0.0 1.0 0.583	0.0 1.0 0.583	0.0 1.0 0.583
154	186	195	0.0 1.0 0.6	84.6 -69.7 33.3	77.3 154	0.0 1.0 0.6	86.4 -51.6 -5.3	52.0 186	0.0 1.0 0.6	0.0 1.0 0.6	0.0 1.0 0.6	0.0 1.0 0.6
155	187	195	0.0 1.0 0.616	84.7 -68.9 31.5	75.8 155	0.0 1.0 0.617	86.4 -51.1 -6.2	51.6 187	0.0 1.0 0.617	0.0 1.0 0.617	0.0 1.0 0.617	0.0 1.0 0.617
156	188	196	0.0 1.0 0.633	84.8 -68.1 29.5	74.3 156	0.0 1.0 0.633	86.5 -50.6 -7.0	51.2 188	0.0 1.0 0.633	0.0 1.0 0.633	0.0 1.0 0.633	0.0 1.0 0.633
157	189	197	0.0 1.0 0.65	84.8 -67.4 27.4	72.8 157	0.0 1.0 0.65	86.5 -50.1 -7.9	50.8 189	0.0 1.0 0.65	0.0 1.0 0.65	0.0 1.0 0.65	0.0 1.0 0.65
159	190	198	0.0 1.0 0.666	84.9 -66.7 25.4	71.3 159	0.0 1.0 0.667	86.6 -49.6 -8.7	50.5 190	0.0 1.0 0.667	0.0 1.0 0.667	0.0 1.0 0.667	0.0 1.0 0.667
160	191	199	0.0 1.0 0.683	85.0 -65.8 23.4	69.9 160	0.0 1.0 0.683	86.6 -49.1 -9.5	50.1 191	0.0 1.0 0.683	0.0 1.0 0.683	0.0 1.0 0.683	0.0 1.0 0.683
161	192	200	0.0 1.0 0.7	85.1 -65.0 21.4	68.4 161	0.0 1.0 0.7	86.7 -48.6 -10.2	49.7 192	0.0 1.0 0.7	0.0 1.0 0.7	0.0 1.0 0.7	0.0 1.0 0.7
163	193	201	0.0 1.0 0.716	85.2 -64.0 19.5	67.0 163	0.0 1.0 0.717	86.7 -48.0 -11.0	49.4 193	0.0 1.0 0.717	0.0 1.0 0.717	0.0 1.0 0.717	0.0 1.0 0.717
164	194	202	0.0 1.0 0.733	85.2 -63.1 17.6	65.5 164	0.0 1.0 0.733	86.8 -47.5 -11.8	49.0 194	0.0 1.0 0.733	0.0 1.0 0.733	0.0 1.0 0.733	0.0 1.0 0.733
165	195	203	0.0 1.0 0.75	85.3 -62.0 15.9	64.0 165	0.0 1.0 0.75	86.8 -46.9 -12.5	48.6 195	0.0 1.0 0.75	0.0 1.0 0.75	0.0 1.0 0.75	0.0 1.0 0.75
167	196	204	0.0 1.0 0.766	85.4 -61.2 13.7	62.8 167	0.0 1.0 0.767	86.9 -46.3 -13.2	48.3 196	0.0 1.0 0.767	0.0 1.0 0.767	0.0 1.0 0.767	0.0 1.0 0.767
169	197	205	0.0 1.0 0.783	85.5 -60.4 11.5	61.5 169	0.0 1.0 0.783	86.6 -45.8 -13.9	48.0 197	0.0 1.0 0.783	0.0 1.0 0.783	0.0 1.0 0.783	0.0 1.0 0.783
170	198	206	0.0 1.0 0.8	85.6 -59.5 9.5	60.2 170	0.0 1.0 0.8	86.3 -45.3 -14.6	47.7 198	0.0 1.0 0.8	0.0 1.0 0.8	0.0 1.0 0.8	0.0 1.0 0.8
172	199	206	0.0 1.0 0.816	85.7 -58.5 7.5	59.0 172	0.0 1.0 0.817	86.3 -44.8 -15.4	47.5 199	0.0 1.0 0.817	0.0 1.0 0.817	0.0 1.0 0.817	0.0 1.0 0.817
174	200	207	0.0 1.0 0.833	85.8 -57.4 5.5	57.7 174	0.0 1.0 0.833	86.3 -44.3 -16.0	47.2 200	0.0 1.0 0.833	0.0 1.0 0.833	0.0 1.0 0.833	0.0 1.0 0.833
176	201	208	0.0 1.0 0.85	85.9 -56.3 3.7	56.4 176	0.0 1.0 0.85	86.3 -43.7 -16.7	47.0 201	0.0 1.0 0.85	0.0 1.0 0.85	0.0 1.0 0.85	0.0 1.0 0.85
177	202	209	0.0 1.0 0.866	86.0 -55.1 1.9	55.2 177	0.0 1.0 0.867	86.3 -43.2 -17.4	46.7 202	0.0 1.0 0.867	0.0 1.0 0.867	0.0 1.0 0.867	0.0 1.0 0.867
180	203	210	0.0 1.0 0.883	86.1 -54.1 0.0	54.1 180	0.0 1.0 0.883	86.3 -42.7 -18.0	46.4 203	0.0 1.0 0.883	0.0 1.0 0.883	0.0 1.0 0.883	0.0 1.0 0.883
182	204	211	0.0 1.0 0.9	86.2 -53.2 -2.1	53.2 182	0.0 1.0 0.9	86.3 -42.1 -18.7	46.2 204	0.0 1.0 0.9	0.0 1.0 0.9	0.0 1.0 0.9	0.0 1.0 0.9
184	205	212	0.0 1.0 0.916	86.3 -52.2 -4.2	52.4 184	0.0 1.0 0.917	86.3 -41.5 -19.3	45.9 205	0.0 1.0 0.917	0.0 1.0 0.917	0.0 1.0 0.917	0.0 1.0 0.917
187	206	213	0.0 1.0 0.933	86.4 -51.1 -6.3	51.5 187	0.0 1.0 0.933	86.3 -41.0 -19.9	45.7 206	0.0 1.0 0.933	0.0 1.0 0.933	0.0 1.0 0.933	0.0 1.0 0.933
189	207	214	0.0 1.0 0.95	86.5 -50.0 -8.2	50.7 189	0.0 1.0 0.95	86.3 -40.4 -20.5	45.4 207	0.0 1.0 0.95	0.0 1.0 0.95	0.0 1.0 0.95	0.0 1.0 0.95
191	208	215	0.0 1.0 0.966	86.6 -48.8 -10.1	49.8 191	0.0 1.0 0.967	86.3 -39.8 -21.1	45.2 208	0.0 1.0 0.967	0.0 1.0 0.967	0.0 1.0 0.967	0.0 1.0 0.967
194	209	216	0.0 1.0 0.983	86.7 -47.5 -11.8	48.9 194	0.0 1.0 0.983	86.3 -39.2 -21.7	44.9 209	0.0 1.0 0.983	0.0 1.0 0.983	0.0 1.0 0.983	0.0 1.0 0.983
196	210	216	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196	0.0 1.0 1.0	86.3 -38.6 -22.2	44.7 210	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0




see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}			
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25	1.0	0.0	0.25	1.0		
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233	1.0	0.0	0.233	1.0		
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.216	1.0	0.0	0.216	1.0		
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2	1.0	0.0	0.2	1.0		
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183	1.0	0.0	0.183	1.0		
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.166	1.0	0.0	0.166	1.0		
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15	1.0	0.0	0.15	1.0		
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133	1.0	0.0	0.133	1.0		
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	123.3	304	0.0	0.116	1.0	0.0	0.116	1.0		
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1	1.0	0.0	0.1	1.0		
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083	1.0	0.0	0.083	1.0		
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.066	1.0	0.0	0.066	1.0		
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.049	1.0	0.0	0.049	1.0		
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033	1.0	0.0	0.033	1.0		
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.016	1.0	0.0	0.016	1.0		
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.0	1.0	0.0	0.0	1.0		
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.016	0.0	1.0	0.0	0.016	0.0	1.0
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.033	0.0	1.0	0.0	0.033	0.0	1.0
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.05	0.0	1.0	0.0	0.05	0.0	1.0
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.066	0.0	1.0	0.0	0.066	0.0	1.0
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.083	0.0	1.0	0.0	0.083	0.0	1.0
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.1	0.0	1.0	0.0	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.116	0.0	1.0	0.0	0.116	0.0	1.0
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.133	0.0	1.0	0.0	0.133	0.0	1.0
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.15	0.0	1.0	0.0	0.15	0.0	1.0
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.166	0.0	1.0	0.0	0.166	0.0	1.0
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.183	0.0	1.0	0.0	0.183	0.0	1.0
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.2	0.0	1.0	0.0	0.2	0.0	1.0
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.216	0.0	1.0	0.0	0.216	0.0	1.0
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.233	0.0	1.0	0.0	0.233	0.0	1.0
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.0	0.25	0.0	1.0	0.0	0.25	0.0	1.0
307	286	286	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.0	0.266	0.0	1.0	0.0	0.266	0.0	1.0
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.0	0.283	0.0	1.0	0.0	0.283	0.0	1.0
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.0	0.3	0.0	1.0	0.0	0.3	0.0	1.0
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.0	0.316	0.0	1.0	0.0	0.316	0.0	1.0
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.0	0.333	0.0	1.0	0.0	0.333	0.0	1.0
308	291	291	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308	0.0	0.35	0.0	1.0	0.0	0.35	0.0	1.0
309	292	292	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309	0.0	0.366	0.0	1.0	0.0	0.366	0.0	1.0
309	293	293	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309	0.0	0.383	0.0	1.0	0.0	0.383	0.0	1.0
309	294	294	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309	0.0	0.4	0.0	1.0	0.0	0.4	0.0	1.0
310	295	295	0.416	0.0	1.0	36.3	78.6	-93.5	122.2	310	0.0	0.416	0.0	1.0	0.0	0.416	0.0	1.0
310	296	296	0.433	0.0	1.0	36.7	78.9	-92.7	121.8	310	0.0	0.433	0.0	1.0	0.0	0.433	0.0	1.0
310	297	297	0.45	0.0	1.0	37.2	79.1	-92.0	121.3	310	0.0	0.45	0.0	1.0	0.0	0.45	0.0	1.0
311	298	298	0.466	0.0	1.0	37.6	79.3	-91.2	120.9	311	0.0	0.466	0.0	1.0	0.0	0.466	0.0	1.0
311	299	299	0.483	0.0	1.0	38.1	79.6	-90.4	120.5	311	0.0	0.483	0.0	1.0	0.0	0.483	0.0	1.0
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.5	0.0	1.0	0.0	0.5	0.0	1.0



see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 43 columns and 35 rows of numerical data. Headers include: h_{ab,d}, h_{ab,s}, h_{ab,e}, rg^b*_{dd}361M, LAB*_{ds}361Mi (x=LabCh), rg^b*_{ds}361Mi, LAB*_{ds}361Mi (x=LabCh), rg^b*_{de}361Mi, LAB*_{de}361Mi (x=LabCh), rg^b*_{de}361Mi, and M_d, M_s, M_e. The table contains detailed colorimetric data for various color patches.

1-1031130-L0 QE410-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 12/29

TUB-test chart QE41; hue code: H*d=Y25Gd
48 step hue circles; rg^b-LabCh*tables

input: rgb/cmyk -> rg^bdd
output: 3D-linearization to rg^b*_{dd}

1-1031130-F0

TUB registration: 20130201-QE41/QE41L0FP.PDF /PS
application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*; *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours *RYGCBM_d*; *h_{ab,d}* = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours *RYGCBM_e*; *h_{ab,e}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb[*]_{dd}361M</i>	<i>LAB[*]_{dsx361Mi} (x=LabCh)</i>	<i>rgb[*]_{ds361Mi}</i>	<i>LAB[*]_{dsx361Mi} (x=LabCh)</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{de361Mi}</i>	<i>LAB[*]_{dex361Mi} (x=LabCh)</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{dd}</i>	<i>rgb[*]_{ds}</i>	<i>rgb[*]_{de}</i>
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

see similar files: <http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-QE41/QE41L0FP.PDF / .PS
application for measurement of display output, no separation
TUB material: code=rha4ta



1-1031230-L0 QE410-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 13/29

TUB-test chart QE41; hue code: H*d=Y25Gd
48 step hue circles; *rgb-LabCh**tables



input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *rgb^{*}_{dd}*





TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE41/QE41LE30FP.DAT in file (F), page 14/29

Table with columns: rnf, HFC*Fid, rfp, Fid, icr, Fid, Hs, Fid, rfp, Fid, LabCh*Fid, DP*Fid, rfp, Fid, LabCh*Fid, rfp, Fid, LabCh*Fid. It contains a large grid of numerical data for color calibration.

Mean color difference of this page: delta E** = 0.1

input: rgb/cmyk -> rgbd output: 3D-linearization to rfp*dd

TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, AE**

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n/f, H/C/F, r/g/b, i/c/a, h/s, r/g/b, LabCH*, DP*, r/g/b, LabCH*, DP*, r/g/b, LabCH*, DP*, r/g/b. Includes a 'Mean color difference of this page: delta E* = 0.8' note.

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbdd output: 3D-linearization to r/g/b*dd

TUB-test chart QE41; hue code: H*_d=Y25G_d colors and differences, ΔE*_*

TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE41/QE41LE30FP.DAT in file (F), page 16/29

Table with 80 rows (n#) and 100 columns (m#). Columns include: H#*F, rgb*F, iet*F, ihs*F, rgb*F, LabCH*F, LabCH*F, rgb*F, DP*F, rgb*F, LabCH*F, LabCH*F, rgb*F. Each cell contains numerical values representing color differences and linearization data.

Mean color difference of this page: delta E*ab = 0.5

TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, AE*#

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 16 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, DF*Fid, hsa*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid. Rows 81-161.

Mean color difference of this page: delta E*ab = 0.6

input: rgb*cmlyk -> rgbd output: 3D-linearization to rgb*dd

http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE41/QE41LE30FP.DAT in file (F), page 17/29

TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, AE*^{*}

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization output: 3D-linearization to rgb*dd


Table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, DP*Fid, rpb*Fid, LabCh*Fid, rpb*Fid. Rows include color names like ROY, B, G, Y, C, M, K and their numerical values.

input: rgb*cmk -> rgb*dd output: 3D-linearization to rgb*dd Mean color difference of this page: delta E*ab = 0.6



TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization QE41/QE41LE30FP.DAT in file (F), page 19/29

Table with columns: n, HHC*F0id, rpb*F0id, iet*F0id, Hns*F0id, rpb*F0id, LabCH*F0id, LabCH*F0id, rpb*F0id, DF*F0id, Hns*F0id, LabCH*F0id, rpb*F0id, LabCH*F0id. It contains a large grid of numerical data for 3D-linearization.

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

QE410-TN; Page 19/29-F

TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, ΔE*^{*}

input: rgb/cmlyk -> rgbd
output: 3D-linearization to rgb*dd
Mean color difference of this page: ΔE*^{*} = 0.5

L-1031830-F0



L-1031830-F0

application for measurement of display output, no separation

http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization output: rgb*myk -> rgbdd input: rgb*myk -> rgbdd output: 3D-linearization to rgb*dd

Table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, ins*Fid, rpb*Fid, LabCH*Fid, LabCH*Fid, DP*Fid, rpb*Fid, LabCH*Fid, LabCH*Fid. Contains 404 rows of numerical data.

Mean color difference of this page: delta E*ab = 0.5



n	HC*Fid	rgb*Fid	ief*Fid	hsa*Fid	rgb*Fid	LabCH*Fid	LabCH*Fid	DF*Fid	rgb*Fid	LabCH*Fid
405	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.605 0.011	0.037	41.0	63.5	41.0	48.5
406	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.605 0.099	0.103	31.4	49.2	31.4	49.2
407	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.602 0.105	0.242	31.9	50.0	31.9	50.0
408	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.611 0.114	0.378	32.9	52.5	32.9	52.5
409	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.616 0.124	0.525	33.6	55.8	33.6	55.8
410	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.621 0.092	0.725	38.1	67.2	38.1	67.2
411	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	0.866	40.6	75.1	40.6	75.1
412	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	1.011	42.8	82.4	42.8	82.4
413	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	1.156	45.1	89.7	45.1	89.7
414	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	1.301	47.4	97.0	47.4	97.0
415	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	1.446	49.7	104.3	49.7	104.3
416	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	1.591	52.0	111.6	52.0	111.6
417	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	1.736	54.3	118.9	54.3	118.9
418	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	1.881	56.6	126.2	56.6	126.2
419	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	2.026	58.9	133.5	58.9	133.5
420	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	2.171	61.2	140.8	61.2	140.8
421	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	2.316	63.5	148.1	63.5	148.1
422	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	2.461	65.8	155.4	65.8	155.4
423	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	2.606	68.1	162.7	68.1	162.7
424	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	2.751	70.4	170.0	70.4	170.0
425	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	2.896	72.7	177.3	72.7	177.3
426	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	3.041	75.0	184.6	75.0	184.6
427	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	3.186	77.3	191.9	77.3	191.9
428	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	3.331	79.6	199.2	79.6	199.2
429	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	3.476	81.9	206.5	81.9	206.5
430	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	3.621	84.2	213.8	84.2	213.8
431	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	3.766	86.5	221.1	86.5	221.1
432	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	3.911	88.8	228.4	88.8	228.4
433	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	4.056	91.1	235.7	91.1	235.7
434	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	4.201	93.4	243.0	93.4	243.0
435	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	4.346	95.7	250.3	95.7	250.3
436	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	4.491	98.0	257.6	98.0	257.6
437	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	4.636	100.3	264.9	100.3	264.9
438	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	4.781	102.6	272.2	102.6	272.2
439	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	4.926	104.9	279.5	104.9	279.5
440	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	5.071	107.2	286.8	107.2	286.8
441	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	5.216	109.5	294.1	109.5	294.1
442	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	5.361	111.8	301.4	111.8	301.4
443	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	5.506	114.1	308.7	114.1	308.7
444	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	5.651	116.4	316.0	116.4	316.0
445	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	5.796	118.7	323.3	118.7	323.3
446	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	5.941	121.0	330.6	121.0	330.6
447	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	6.086	123.3	337.9	123.3	337.9
448	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	6.231	125.6	345.2	125.6	345.2
449	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	6.376	127.9	352.5	127.9	352.5
450	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	6.521	130.2	359.8	130.2	359.8
451	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	6.666	132.5	367.1	132.5	367.1
452	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	6.811	134.8	374.4	134.8	374.4
453	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	6.956	137.1	381.7	137.1	381.7
454	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	7.101	139.4	389.0	139.4	389.0
455	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	7.246	141.7	396.3	141.7	396.3
456	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	7.391	144.0	403.6	144.0	403.6
457	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	7.536	146.3	410.9	146.3	410.9
458	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	7.681	148.6	418.2	148.6	418.2
459	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	7.826	150.9	425.5	150.9	425.5
460	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	7.971	153.2	432.8	153.2	432.8
461	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	8.116	155.5	440.1	155.5	440.1
462	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	8.261	157.8	447.4	157.8	447.4
463	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	8.406	160.1	454.7	160.1	454.7
464	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	8.551	162.4	462.0	162.4	462.0
465	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	8.696	164.7	469.3	164.7	469.3
466	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	8.841	167.0	476.6	167.0	476.6
467	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	8.986	169.3	483.9	169.3	483.9
468	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	9.131	171.6	491.2	171.6	491.2
469	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	9.276	173.9	498.5	173.9	498.5
470	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	9.421	176.2	505.8	176.2	505.8
471	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	9.566	178.5	513.1	178.5	513.1
472	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	9.711	180.8	520.4	180.8	520.4
473	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	9.856	183.1	527.7	183.1	527.7
474	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	10.001	185.4	535.0	185.4	535.0
475	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	10.146	187.7	542.3	187.7	542.3
476	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	10.291	190.0	549.6	190.0	549.6
477	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	10.436	192.3	556.9	192.3	556.9
478	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	10.581	194.6	564.2	194.6	564.2
479	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	10.726	196.9	571.5	196.9	571.5
480	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	10.871	199.2	578.8	199.2	578.8
481	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	11.016	201.5	586.1	201.5	586.1
482	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	11.161	203.8	593.4	203.8	593.4
483	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	11.306	206.1	600.7	206.1	600.7
484	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	11.451	208.4	608.0	208.4	608.0
485	R00Y.062.062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.634 0.055	11.596	210.7	615.3	210.7	615.3

Mean color difference of this page: delta E** = 0.4

TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 566 rows and 10 columns: n, HHC*Fid, rpb*Fid, iet*Fid, ihs*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid. The table contains numerical data for each row, representing color calibration parameters.

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, AE*^{*}

L-1032130-F0

QE410-7N; Page 22/29-F

Mean color difference of this page: delta E*ab = 0.4

TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE41/QE41LE30FP.DAT in file (F), page 23/29

Table with columns: n, HHC*F0d, rpb*F0d, iet*F0d, hsa*F0d, rpb*F0d, LabCh*F0d, LabCh*F0d, rpb*F0d, DP*F0d, rpb*F0d, LabCh*F0d, LabCh*F0d, rpb*F0d. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page: delta E*ab = 0.3

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rpb*dd

QE410-7N; Page 23/29-F

TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, AE*ab

L-1032230-F0

L-1032230-F0

TUB registration: 20130201-QE41/QE41LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 728 rows and 10 columns: n, HHC*Ftd, rpb*Ftd, icr*Ftd, hsa*Ftd, rpb*Ftd, LabC*Ftd, LabCH*Ftd, DP*Ftd, HAN*Ftd, rpb*Ftd, LabCH*Ftd. Each cell contains numerical data for various color channels and differences.

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd



Table with columns: n, HFC*Fid, rpb*Fid, iet*Fid, ihs*Fid, rpb*Fid, LabCH*Fid, rpb*Fid, LabCH*Fid, DP*Fid, rpb*Fid, LabCH*Fid, rpb*Fid, LabCH*Fid. Rows 891-971.

TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, ΔE* input: rgb*cmysk -> rbg*dd output: 3D-linearization to rbg*dd

Mean color difference of this page: delta E** = 0.6

QE410-7N; Page 27/29-F

L-1032630-F0





http://130.149.60.45/~farbmetrik/QE41/QE41LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE41/QE41LE30FP.DAT in file (F), page 28/29

Table with columns: n, HC*Fid, rpb*Fid, iet*Fid, hsa*Fid, rpb**Fid, LabCH*Fid, rpb**Fid, DP**Fid, hsa**Fid, rpb**Fid, LabCH**Fid, and 0.0 values. The table contains 152 rows of color calibration data.

Mean color difference of this page: delta E** = 0.3

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb**dd

QE41-7N; Page 28/29-F TUB-test chart QE41; hue code: H*d=Y25Gd colors and differences, AE**



TUB registration: 20130201-QE41/QE41L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

n	HC*Fad	rgb_Fad	icr_Fad	hsa_Fad	rgb*Fad	LabCH*Fad	hsa_Fad	rgb*Fad	LabCH*Fad	DF*Fad hax,lad	rgb*Fad	LabCH*Fad
1053	NW_086ad	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.2	0.1	209.2
1054	NW_093ad	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.2	0.2	207.0
1055	NW_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	325.2
1056	NW_006ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0
1057	NW_006ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0
1058	NW_013ad	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	1.5	0.1	215.3
1059	NW_020ad	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.5	0.1	198.8
1060	NW_026ad	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	1.3	0.0	198.2
1061	NW_033ad	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.8	0.0	203.1
1062	NW_040ad	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.8	0.0	217.7
1063	NW_046ad	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.5	0.0	203.8
1064	NW_053ad	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.1	0.0	222.6
1065	NW_059ad	0.593	0.593	0.593	0.593	0.593	0.593	0.593	0.593	0.4	0.0	204.7
1066	NW_066ad	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.2	0.0	206.4
1067	NW_073ad	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.2	0.0	209.2
1068	NW_080ad	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	325.2
1069	NW_086ad	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	325.2
1070	NW_093ad	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	325.2
1071	NW_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	325.2
1072	NW_006ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0
1073	NW_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	325.2
1074	ROY_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	325.2
1075	GS0B_100_100ad	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2
1076	Y06C_100_100ad	1.0	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	325.2
1077	B06B_100_100ad	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	325.2
1078	B08B_100_100ad	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	325.2
1079	B50B_100_100ad	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	325.2

Mean color difference of this page: delta E* = 0.2

http://130.149.60.45/~farbmetrik/QE41/QE41L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE41/QE41L30FP.DAT in file (F), page 29/29

input: rgb/cmyk -> rgbdd output: 3D-linearization to rgb*dd

see similar files: http://130.149.60.45/~farbmetrik/QE41/QE41.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik