

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_ = Y25G_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = Y25G_ -$

triangle lightness  $T^*$



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 83 -18 79 81 102

$HIC^*_{-,Ma}$ : Y25G\_100\_100\_

$rgbic^*_{-,Ma}$ :

0.76 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_ -$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF> / .PS; start output  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS  
 application for measurement of offset print output

TUB material: code=rh4ta

1-113030-L0 QE450-7N

TUB-test chart QE45; hue code:  $H^*_ = Y25G_ -$

Test chart according to DIN 33872, 3D=1, de=1,  $cm\dot{y}k^*$


input:  $rgb/cmyk \rightarrow rgb/cmyk$   
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 108/360 = 0.3$

$H^*_e = Y25G_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = Y25G_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data



name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 76 \ -25 \ 75 \ 80 \ 108$   
 $HIC^*_{e, Ma}: Y25G\_100\_100_e$   
 $rgbic^*_{e, Ma}: 0.61 \ 1.0 \ 0.0 \ 1.0 \ 1.0$   
triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



see similar files: <http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE45/QE45L0FP.PDF / .PS  
application for measurement of offset print output, separation cmyk6\* (CMYK)  
TUB material: code=rh4ta

1-113130-L0 QE450-73

TUB-test chart QE45; hue code:  $H^*_e=Y25G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$

1-113130-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE45/QE45L0FP.PDF / .PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rh4ta




TUB-test chart QE45; hue code:  $H^*_e = Y25G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$



TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmykn6\* (CMYK)

see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



1-113330-L0 QE450-73





TUB-test chart QE45; hue code:  $H^*_e=Y25G_e$   
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cmyk^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$



TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmykn6\* (CMYK)

see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



1-113430-L0 QE450-73

TUB-test chart QE45; hue code:  $H^*_e=Y25G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 108/360 = 0.3$

$H^*_e = Y25G_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = Y25G_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data



name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 76 \ -25 \ 75 \ 80 \ 108$   
 $HIC^*_{e, Ma}: Y25G\_100\_100_e$   
 $rgbic^*_{e, Ma}: 0.61 \ 1.0 \ 0.0 \ 1.0 \ 1.0$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352





see similar files: <http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE45/QE45L0FP.PDF / .PS  
application for measurement of offset print output, separation cmyk6\* (CMYK)  
TUB material: code=rh4ta

1-113530-L0 QE450-73

TUB-test chart QE45; hue code:  $H^*_e=Y25G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy<sub>6</sub>\*, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM<sub>s</sub>*:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours *RYGCBM<sub>d</sub>*:  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours *RYGCBM<sub>e</sub>*:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

**J=Y<sub>d</sub> Yellow**

$LCH^*_d = 88.3 \ 95.8 \ 97.1$   
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

**L=G<sub>d</sub> leaf-green**

$LCH^*_d = 51.9 \ 74.3 \ 157.7$   
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

**C=C<sub>d</sub> cyan-blue**

$LCH^*_d = 58.3 \ 52.6 \ 236.1$   
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

**O=R<sub>d</sub> orange-red**

$LCH^*_d = 47.3 \ 76.0 \ 32.8$   
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

**M=M<sub>d</sub> magenta-red**

$LCH^*_d = 48.2 \ 73.3 \ 353.3$   
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

**V=B<sub>d</sub> violet-blue**

$LCH^*_d = 25.3 \ 52.8 \ 296.4$   
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

**Y<sub>e</sub> yellow**

$LCH^*_e = 82.9 \ 87.9 \ 92.3$   
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$   
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

**G<sub>e</sub> green**

$LCH^*_e = 52.4 \ 70.5 \ 162.2$   
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

**C<sub>e</sub> blue-green**

$LCH^*_e = 56.6 \ 49.8 \ 216.9$   
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

**B<sub>e</sub> blue**

$LCH^*_e = 37.9 \ 45.4 \ 271.7$   
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$   
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

**R<sub>e</sub> red**

$LCH^*_e = 47.6 \ 71.9 \ 25.4$   
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

**M<sub>e</sub> blue-red**

$LCH^*_e = 34.8 \ 57.7 \ 328.6$   
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$   
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

**Y<sub>s</sub> yellow**

$LCH^*_s = 80.6 \ 84.9 \ 90.0$   
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$   
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

**G<sub>s</sub> green**

$LCH^*_s = 55.1 \ 70.1 \ 150.0$   
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$   
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

**C<sub>s</sub> blue-green**

$LCH^*_s = 56.1 \ 50.0 \ 210.0$   
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

**R<sub>s</sub> red**

$LCH^*_s = 47.4 \ 74.2 \ 30.0$   
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

**M<sub>s</sub> blue-red**

$LCH^*_s = 35.6 \ 58.3 \ 330.0$   
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$   
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

**B<sub>s</sub> blue**

$LCH^*_s = 38.8 \ 45.4 \ 270.0$   
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$   
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

1. For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.

2. For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:

$$h_{ab,s} = \text{atan} [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.

6. The values  $rgb^*_e$  produce the output of the device-independent elementary hues


see similar files: <http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF> / .PS  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE45/QE45L0FP.PDF / .PS  
 application for measurement of offset print output, separation cmy<sub>6</sub>\* (CMYK)  
 TUB material: code=rha4ta



Data of maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>64M</sub>, LAB\*<sub>ddx64M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>361M</sub>, LAB\*<sub>ddx361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>361M</sub>, LAB\*<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh). Rows contain numerical data for 60 color patches.




see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd</sub>	dd64M	LAB* <sub>dx</sub>	ddx64M (x=LabCh)	rgb* <sub>ds</sub>	dex361M	LAB* <sub>ds</sub>	dex361M
32.8	30.0	25.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 32.8	1.0	0.0	0.209 47.6	64.9 30.9 71.9 25
40.4	37.5	33.8	1.0	0.125	0.0	51.2 54.9 46.7 72.1 40.4	1.0	0.007	0.0 47.6	63.4 41.6 75.8 33
50.0	45.0	42.1	1.0	0.25	0.0	56.0 44.4 53.0 69.1 50.0	1.0	0.148	0.0 52.1	53.0 48.1 71.6 42
61.1	52.5	50.5	1.0	0.375	0.0	61.4 33.2 60.3 68.8 61.1	1.0	0.25	0.0 56.0	44.5 53.0 69.2 49
71.4	60.0	58.8	1.0	0.5	0.0	67.2 22.6 67.6 71.2 71.4	1.0	0.35	0.0 60.3	35.6 59.0 69.0 58
81.7	67.5	67.2	1.0	0.625	0.0	73.6 11.0 76.1 76.9 81.7	1.0	0.442	0.0 64.5	27.8 64.5 70.2 66
88.5	75.0	75.6	1.0	0.75	0.0	79.2 2.0 83.0 83.1 88.5	1.0	0.55	0.0 69.8	18.3 71.3 73.6 75
93.6	82.5	83.9	1.0	0.875	0.0	84.2 -5.7 89.4 89.6 93.6	1.0	0.655	0.0 75.0	9.0 77.9 78.5 83
97.1	90.0	92.3	1.0	1.0	0.0	88.3 -11.9 95.1 95.8 97.1	1.0	0.842	0.0 83.0	-3.4 87.8 87.9 92
100.3	97.5	101.0	0.875	1.0	0.0	85.8 -16.2 88.6 90.0 100.3	0.871	1.0	0.0 85.8	-16.2 88.4 89.9 100
103.3	105.0	109.7	0.75	1.0	0.0	82.9 -19.7 83.0 85.3 103.3	0.599	1.0	0.0 76.2	-26.6 74.3 78.9 109
108.3	112.5	118.5	0.625	1.0	0.0	77.0 -25.2 76.3 80.4 108.3	0.455	1.0	0.0 71.4	-33.4 63.2 71.6 117
115.3	120.0	127.2	0.5	1.0	0.0	72.7 -31.3 66.0 73.1 115.3	0.327	1.0	0.0 65.8	-41.3 54.4 68.4 127
122.4	127.5	136.0	0.375	1.0	0.0	68.9 -36.9 58.1 68.8 122.4	0.244	1.0	0.0 60.7	-48.1 47.5 67.6 135
134.9	135.0	144.7	0.25	1.0	0.0	60.8 -47.8 47.8 67.6 134.9	0.124	1.0	0.0 57.4	-54.9 38.9 67.4 144
144.6	142.5	153.4	0.125	1.0	0.0	57.4 -54.9 38.9 67.3 144.6	0.047	1.0	0.0 54.0	-63.8 32.7 71.7 152
157.7	150.0	162.2	0.0	1.0	0.0	51.9 -68.8 28.1 74.3 157.7	0.0	1.0	0.093 52.4	-67.0 21.5 70.5 162
163.7	157.5	169.0	0.0	1.0	0.125 52.5	-66.4 19.3 69.1 163.7	0.0	1.0	0.209 53.1	-63.5 12.8 64.9 168
170.9	165.0	175.9	0.0	1.0	0.25 53.2	-61.9 9.8 62.7 170.9	0.0	1.0	0.311 53.7	-59.7 4.3 59.9 175
181.0	172.5	182.7	0.0	1.0	0.375 54.1	-56.9 -1.0 56.9 181.0	0.0	1.0	0.387 54.2	-56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0	1.0	0.5 54.8	-51.0 -12.3 52.5 193.5	0.0	1.0	0.46 54.6	-53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0	1.0	0.625 55.8	-45.1 -21.9 50.1 205.9	0.0	1.0	0.524 55.0	-50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0	1.0	0.75 56.7	-38.9 -30.9 49.7 218.4	0.0	1.0	0.598 55.6	-46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0	1.0	0.875 57.5	-34.3 -37.2 50.6 227.3	0.0	1.0	0.662 56.1	-43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0	1.0	1.0 58.3	-29.2 -43.7 52.6 236.1	0.0	1.0	0.736 56.7	-39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0	0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0	1.0	0.819 57.2	-36.4 -34.4 50.3 223	
245.8	225.0	230.6	0.0	0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0	1.0	0.922 57.9	-32.5 -39.7 51.4 230	
252.5	232.5	237.5	0.0	0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0	0.974 1.0	57.7 -28.3 -43.7 52.2 237		
262.3	240.0	244.3	0.0	0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0	0.785 1.0	52.7 -21.1 -44.1 49.0 244		
271.7	247.5	251.2	0.0	0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0	0.659 1.0	48.9 -15.4 -44.3 47.1 250		
281.6	255.0	258.0	0.0	0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0	0.555 1.0	45.0 -9.4 -44.8 45.9 258		
290.3	262.5	264.8	0.0	0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0	0.472 1.0	41.7 -4.3 -45.1 45.4 264		
296.4	270.0	271.7	0.0	0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0	0.375 1.0	37.9 1.4 -45.3 45.5 271		
306.7	277.5	278.8	0.125	0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0	0.291 1.0	34.9 6.8 -45.9 46.5 278		
312.7	285.0	285.9	0.25	0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0	0.188 1.0	31.0 13.3 -46.6 48.5 285		
326.7	292.5	293.0	0.375	0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0	0.079 1.0	27.4 19.6 -47.1 51.1 292		
333.9	300.0	300.1	0.5	0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046	0.0 1.0	26.8 26.6 -45.7 53.0 300		
339.6	307.5	307.2	0.625	0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.126	0.0 1.0	29.4 31.9 -42.5 53.2 306		
347.2	315.0	314.3	0.75	0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265	0.0 1.0	31.8 37.7 -38.4 53.8 314		
350.2	322.5	321.4	0.875	0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324	0.0 1.0	32.9 43.2 -34.8 55.5 321		
353.3	330.0	328.6	1.0	0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407	0.0 1.0	34.9 49.3 -30.0 57.7 328		
356.5	337.5	335.7	1.0	0.0 0.875 48.2	71.6 -4.3 71.7 356.5	0.529	0.0 1.0	38.6 55.0 -25.3 60.6 335		
360.3	345.0	342.8	1.0	0.0 0.75 48.1	70.4 0.3 70.4 360.3	0.678	0.0 1.0	41.9 61.9 -19.0 64.8 342		
365.8	352.5	349.9	1.0	0.0 0.625 48.0	68.9 7.1 69.3 365.8	0.842	0.0 1.0	45.2 68.6 -12.7 69.8 349		
371.6	360.0	357.0	1.0	0.0 0.5 47.7	67.7 14.0 69.1 371.6	0.949	0.0 1.0	47.3 71.5 -9.9 72.2 352		
378.2	367.5	364.1	1.0	0.0 0.375 47.7	66.1 21.8 69.6 378.2	1.0	0.0 0.765 48.2	70.6 -0.1 70.6 359		
383.9	375.0	371.2	1.0	0.0 0.25 47.7	65.0 28.9 71.2 383.9	1.0	0.0 0.563 47.9	68.4 10.6 69.2 368		
388.6	382.5	378.3	1.0	0.0 0.125 47.4	64.4 35.1 73.4 388.6	1.0	0.0 0.408 47.8	66.7 19.8 69.6 376		
392.8	390.0	385.4	1.0	0.0 0.0 47.3	63.8 41.2 76.0 392.8	1.0	0.0 0.209 47.6	64.9 30.9 71.9 385		




see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF / .PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE45/QE45L0FP.PDF / .PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0	69.4 19.0 70.7	73.2 75	1.0 0.75 0.0	1.0 0.55 0.0	69.8 18.3 71.3	73.6 75	1.0 0.75 0.0	
89	76	76	1.0 0.766 0.0	79.9 1.0 83.9	17.9 71.6 73.8	76	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2	74.2 76	1.0 0.767 0.0	
89	77	77	1.0 0.783 0.0	80.6 0.0 84.8	16.7 72.4 74.3	77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1	74.8 77	1.0 0.783 0.0	
90	78	78	1.0 0.8 0.0	81.2 -0.9 85.7	15.6 73.3 74.9	78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0	75.4 78	1.0 0.8 0.0	
91	79	80	1.0 0.816 0.0	81.9 -1.9 86.5	14.4 74.1 75.5	79	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9	76.0 80	1.0 0.817 0.0	
91	80	81	1.0 0.833 0.0	82.6 -3.0 87.4	13.2 74.9 76.0	80	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8	76.7 81	1.0 0.833 0.0	
92	81	82	1.0 0.85 0.0	83.2 -4.0 88.2	12.0 75.6 76.6	81	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8	77.5 82	1.0 0.85 0.0	
93	82	83	1.0 0.866 0.0	83.9 -5.1 89.0	10.7 76.5 77.2	82	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9	78.5 83	1.0 0.867 0.0	
93	83	84	1.0 0.883 0.0	84.5 -6.1 89.8	9.5 77.5 78.1	83	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1	79.5 84	1.0 0.883 0.0	
94	84	85	1.0 0.9 0.0	85.1 -6.9 90.6	8.3 78.6 79.0	84	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2	80.5 85	1.0 0.9 0.0	
94	85	86	1.0 0.916 0.0	85.6 -7.7 91.3	7.0 79.6 79.9	85	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3	81.5 86	1.0 0.917 0.0	
95	86	87	1.0 0.933 0.0	86.1 -8.5 92.1	5.6 80.6 80.8	86	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4	82.5 87	1.0 0.933 0.0	
95	87	88	1.0 0.95 0.0	86.7 -9.3 92.9	4.3 81.6 81.7	87	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6	83.6 88	1.0 0.95 0.0	
96	88	90	1.0 0.966 0.0	87.2 -10.2 93.6	2.9 82.5 82.6	88	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0	85.0 90	1.0 0.967 0.0	
96	89	91	1.0 0.983 0.0	87.8 -11.1 94.3	1.5 83.6 83.6	89	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5	86.5 91	1.0 0.983 0.0	
97	90	92	1.0 1.0 0.0	88.3 -11.9 95.1	0.0 84.9 84.9	90	1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8	87.9 92	1.0 1.0 0.0	
97	91	93	0.983 1.0 0.0	88.0 -12.5 94.2	81.7 -1.4 86.2	86.2 91	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2	89.4 93	0.983 1.0 0.0	
98	92	94	0.966 1.0 0.0	87.7 -13.1 93.4	82.7 -3.0 87.5	87.5 92	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1	91.4 94	0.967 1.0 0.0	
98	93	95	0.95 1.0 0.0	87.3 -13.7 92.5	83.6 -4.5 88.7	88.8 93	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0	93.4 95	0.95 1.0 0.0	
98	94	96	0.933 1.0 0.0	87.0 -14.3 91.6	84.7 -6.2 90.0	90.3 94	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8	95.1 96	0.933 1.0 0.0	
99	95	98	0.916 1.0 0.0	86.6 -14.8 90.8	85.8 -7.9 91.7	92.0 95	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2	94.1 98	0.917 1.0 0.0	
99	96	99	0.9 1.0 0.0	86.3 -15.4 89.9	87.0 -9.7 93.3	93.8 96	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8	92.0 99	0.9 1.0 0.0	
100	97	100	0.883 1.0 0.0	86.0 -15.9 89.0	88.2 -11.5 94.8	95.6 97	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4	89.9 100	0.883 1.0 0.0	
100	98	101	0.866 1.0 0.0	85.6 -16.4 88.2	87.7 -13.0 93.5	94.4 98	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3	88.1 101	0.867 1.0 0.0	
100	99	102	0.85 1.0 0.0	85.2 -16.9 87.4	86.9 -14.4 91.4	92.6 99	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1	86.2 102	0.85 1.0 0.0	
101	100	103	0.833 1.0 0.0	84.8 -17.4 86.7	86.2 -15.7 89.4	90.8 100	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2	84.7 103	0.833 1.0 0.0	
101	101	105	0.816 1.0 0.0	84.5 -17.9 86.0	85.3 -16.9 87.5	89.1 101	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7	83.6 105	0.817 1.0 0.0	
102	102	106	0.8 1.0 0.0	84.1 -18.3 85.2	84.3 -18.1 85.6	87.5 102	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1	82.4 106	0.8 1.0 0.0	
102	103	107	0.783 1.0 0.0	83.7 -18.8 84.5	83.3 -19.2 83.7	85.9 103	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5	81.3 107	0.783 1.0 0.0	
102	104	108	0.766 1.0 0.0	83.3 -19.2 83.7	82.2 -20.4 82.2	84.7 104	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9	80.1 108	0.767 1.0 0.0	
103	105	109	0.75 1.0 0.0	82.9 -19.7 83.0	81.0 -21.6 80.9	83.7 105	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3	78.9 109	0.75 1.0 0.0	
104	106	110	0.733 1.0 0.0	82.2 -20.5 82.1	79.9 -22.7 79.5	82.7 106	0.733 1.0 0.0	0.578 1.0 0.0	75.5 -27.7 72.6	77.7 110	0.733 1.0 0.0	
104	107	112	0.716 1.0 0.0	81.4 -21.3 81.2	78.7 -23.8 78.2	81.7 107	0.717 1.0 0.0	0.558 1.0 0.0	74.8 -28.7 70.9	76.5 112	0.717 1.0 0.0	
105	108	113	0.7 1.0 0.0	80.6 -22.0 80.3	77.5 -24.9 76.8	80.8 108	0.7 1.0 0.0	0.537 1.0 0.0	74.1 -29.7 69.2	75.3 113	0.7 1.0 0.0	
106	109	114	0.683 1.0 0.0	79.8 -22.8 79.5	76.7 -25.9 75.4	79.7 109	0.683 1.0 0.0	0.517 1.0 0.0	73.4 -30.6 67.5	74.1 114	0.683 1.0 0.0	
106	110	115	0.666 1.0 0.0	79.0 -23.5 78.6	76.1 -26.8 74.0	78.7 110	0.667 1.0 0.0	0.496 1.0 0.0	72.7 -31.5 65.8	73.0 115	0.667 1.0 0.0	
107	111	116	0.65 1.0 0.0	78.2 -24.2 77.7	75.5 -27.7 72.5	77.7 111	0.65 1.0 0.0	0.475 1.0 0.0	72.0 -32.5 64.5	72.3 116	0.65 1.0 0.0	
107	112	117	0.633 1.0 0.0	77.4 -24.9 76.8	74.9 -28.6 71.1	76.6 112	0.633 1.0 0.0	0.455 1.0 0.0	71.4 -33.4 63.2	71.6 117	0.633 1.0 0.0	
108	113	119	0.616 1.0 0.0	76.8 -25.7 75.6	74.2 -29.4 69.6	75.6 113	0.617 1.0 0.0	0.434 1.0 0.0	70.7 -34.4 61.9	70.9 119	0.617 1.0 0.0	
109	114	120	0.6 1.0 0.0	76.2 -26.6 74.3	73.6 -30.2 68.1	74.6 114	0.6 1.0 0.0	0.413 1.0 0.0	70.1 -35.3 60.6	70.2 120	0.6 1.0 0.0	
110	115	121	0.583 1.0 0.0	75.6 -27.5 72.9	73.0 -31.0 66.7	73.5 115	0.583 1.0 0.0	0.393 1.0 0.0	69.5 -36.1 59.2	69.4 121	0.583 1.0 0.0	
111	116	122	0.566 1.0 0.0	75.0 -28.3 71.6	72.5 -31.8 65.4	72.8 116	0.567 1.0 0.0	0.373 1.0 0.0	68.8 -37.0 58.0	68.8 122	0.567 1.0 0.0	
112	117	123	0.55 1.0 0.0	74.5 -29.1 70.2	71.9 -32.7 64.3	72.2 117	0.55 1.0 0.0	0.362 1.0 0.0	68.1 -38.1 57.1	68.7 123	0.55 1.0 0.0	
113	118	124	0.533 1.0 0.0	73.9 -29.9 68.8	71.4 -33.5 63.2	71.5 118	0.533 1.0 0.0	0.35 1.0 0.0	67.3 -39.2 56.2	68.6 124	0.533 1.0 0.0	
114	119	126	0.516 1.0 0.0	73.3 -30.6 67.4	70.8 -34.3 62.0	70.9 119	0.517 1.0 0.0	0.338 1.0 0.0	66.6 -40.3 55.3	68.5 126	0.517 1.0 0.0	
115	120	127	0.5 1.0 0.0	72.7 -31.3 66.0	70.3 -35.1 60.9	70.3 120	0.5 1.0 0.0	0.327 1.0 0.0	65.8 -41.3 54.4	68.4 127	0.5 1.0 0.0	



see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rh4t4





Data of Maximum color M in colorimetric system Offset standard print; separation cmy<sup>6</sup>\*; D65 for input or output; Six hue angles of the 60 degree standard colours RY<sup>6</sup>GCB<sup>6</sup><sub>M</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RY<sup>6</sup>GCB<sup>6</sup><sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RY<sup>6</sup>GCB<sup>6</sup><sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>ddx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>dd</sub>	rgb <sup>*</sup> <sub>ds</sub>	rgb <sup>*</sup> <sub>de</sub>
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	53.2
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	53.8
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	53.8
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	53.9
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	54.0
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	54.1
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	54.1
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	54.2
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	54.2
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	54.3
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	54.3
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	54.4
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	54.4
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	54.5
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	54.6
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	54.6
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	54.7
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	54.7
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	54.8
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	54.8
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	54.9
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	55.0
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	55.0
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	55.1
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	55.2
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	55.3
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	55.3
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	55.4
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	55.5
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	55.6
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	55.6
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	55.7
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	55.8
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	55.8
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	55.9
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	56.0
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	56.0
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	56.1
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	56.2
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	56.3
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	56.3
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	56.4
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	56.5
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	56.5
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	56.6
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	56.7

see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy<sup>6</sup>\* (CMYK)  
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGCMB<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGCMB<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*\_dd361M, LAB\*\_\*\_ddx361Mi (x=LabCh), C<sub>d</sub>, r<sub>gb</sub>\*\_\*\_ds361Mi, LAB\*\_\*\_dsx361Mi (x=LabCh), 210C<sub>s</sub>, r<sub>gb</sub>\*\_\*\_dd361Mi, LAB\*\_\*\_de361Mi, LAB\*\_\*\_dex361Mi (x=LabCh), r<sub>gb</sub>\*\_\*\_dd361Mi, 216C<sub>e</sub>, r<sub>gb</sub>\*\_\*\_dd361Mi, r<sub>gb</sub>\*\_\*\_dd, r<sub>gb</sub>\*\_\*\_ds, r<sub>gb</sub>\*\_\*\_de


see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBCM<sub>d</sub>;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBCM<sub>e</sub>;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>ds361M</sub>	LAB <sup>*</sup> <sub>ds361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>de361Mi</sub>	LAB <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>de361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	rgb <sup>*</sup> <sub>de361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	rgb <sup>*</sup> <sub>de361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	rgb <sup>*</sup> <sub>de361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>		
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.1	51.4	293	0.0	0.066	1.0	27.0	20.2	-47.1	51.4	293
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.188	1.0	31.0	13.4	-46.6	48.6	286
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.173	1.0	30.4	14.3	-46.7	48.9	287
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3	320	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9	329	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294
330	296	296	0.433	0.0	1.0	35.7	50.5	-29.0	58.3	330	0.0	0.029	1.0	26.1	22.1	-47.2	52.2	295
331	297	297	0.45	0.0	1.0	36.2	51.4	-28.4	58.7	331	0.0	0.008	1.0	25.6	23.1	-47.3	52.7	296
332	298	298	0.466	0.0	1.0	36.7	52.2	-27.7	59.1	332	0.007	0.0	1.0	25.6	24.0	-47.0	52.9	297
332	299	299	0.483	0.0	1.0	37.3	53.0	-27.0	59.5	332	0.019	0.0	1.0	25.9	24.8	-46.6	52.9	298
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.031	0.0	1.0	26.3	25.7	-46.2	52.9	299
											0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300



see similar files: <http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE45/QE45L0FP.PDF / .PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBCM;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBCM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361M}$	LAB* dex361Mi (x=LabCh)	$rgb^*_{ds361Mi}$	LAB* dsx361Mi (x=LabCh)	$rgb^*_{dd361Mi}$	LAB* dex361Mi (x=LabCh)	$rgb^*_{ds361Mi}$	
333	300	300	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333	0.043 0.0 1.0	26.7 26.5 -45.8 53.0 300	0.5 0.0 1.0	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300	0.5 0.0 1.0
334	301	301	0.516 0.0 1.0	38.3 54.5 -25.7 60.3 334	0.056 0.0 1.0	27.1 27.3 -45.3 53.0 301	0.517 0.0 1.0	0.057 0.0 1.0	27.2 27.4 -45.3 53.0 301	0.517 0.0 1.0
335	302	302	0.533 0.0 1.0	38.7 55.2 -25.2 60.6 335	0.068 0.0 1.0	27.5 28.1 -44.9 53.0 302	0.533 0.0 1.0	0.068 0.0 1.0	27.5 28.2 -44.8 53.0 302	0.533 0.0 1.0
336	303	303	0.55 0.0 1.0	39.1 55.8 -24.6 61.0 336	0.08 0.0 1.0	27.9 28.9 -44.4 53.1 303	0.55 0.0 1.0	0.08 0.0 1.0	27.9 28.9 -44.4 53.1 303	0.55 0.0 1.0
336	304	303	0.566 0.0 1.0	39.5 56.5 -24.0 61.4 336	0.092 0.0 1.0	28.3 29.7 -43.9 53.1 304	0.567 0.0 1.0	0.091 0.0 1.0	28.3 29.7 -43.9 53.1 303	0.567 0.0 1.0
337	305	304	0.583 0.0 1.0	39.9 57.2 -23.4 61.8 337	0.104 0.0 1.0	28.7 30.5 -43.4 53.1 305	0.583 0.0 1.0	0.103 0.0 1.0	28.6 30.4 -43.5 53.1 304	0.583 0.0 1.0
338	306	305	0.6 0.0 1.0	40.3 57.8 -22.8 62.2 338	0.116 0.0 1.0	29.0 31.2 -42.9 53.1 306	0.6 0.0 1.0	0.114 0.0 1.0	29.0 31.1 -43.0 53.1 305	0.6 0.0 1.0
339	307	306	0.616 0.0 1.0	40.7 58.5 -22.1 62.5 339	0.13 0.0 1.0	29.4 32.0 -42.4 53.2 307	0.617 0.0 1.0	0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306	0.617 0.0 1.0
340	308	307	0.633 0.0 1.0	41.1 59.3 -21.4 63.0 340	0.151 0.0 1.0	29.8 32.8 -41.8 53.2 308	0.633 0.0 1.0	0.146 0.0 1.0	29.7 32.6 -42.0 53.2 307	0.633 0.0 1.0
341	309	308	0.65 0.0 1.0	41.4 60.3 -20.5 63.7 341	0.172 0.0 1.0	30.2 33.5 -41.3 53.3 309	0.65 0.0 1.0	0.166 0.0 1.0	30.1 33.3 -41.5 53.2 308	0.65 0.0 1.0
342	310	309	0.666 0.0 1.0	41.7 61.3 -19.7 64.3 342	0.193 0.0 1.0	30.6 34.3 -40.7 53.3 310	0.667 0.0 1.0	0.186 0.0 1.0	30.4 34.0 -40.9 53.3 309	0.667 0.0 1.0
343	311	310	0.683 0.0 1.0	41.9 62.2 -18.8 65.0 343	0.214 0.0 1.0	30.9 35.0 -40.2 53.3 311	0.683 0.0 1.0	0.205 0.0 1.0	30.8 34.7 -40.4 53.3 310	0.683 0.0 1.0
344	312	311	0.7 0.0 1.0	42.2 63.2 -17.8 65.6 344	0.234 0.0 1.0	31.3 35.7 -39.6 53.4 312	0.7 0.0 1.0	0.225 0.0 1.0	31.1 35.4 -39.8 53.4 311	0.7 0.0 1.0
345	313	312	0.716 0.0 1.0	42.5 64.1 -16.9 66.3 345	0.252 0.0 1.0	31.6 36.5 -39.0 53.5 313	0.717 0.0 1.0	0.245 0.0 1.0	31.5 36.1 -39.3 53.4 312	0.717 0.0 1.0
346	314	313	0.733 0.0 1.0	42.8 65.0 -15.9 66.9 346	0.261 0.0 1.0	31.8 37.3 -38.5 53.7 314	0.733 0.0 1.0	0.256 0.0 1.0	31.7 36.8 -38.8 53.6 313	0.733 0.0 1.0
347	315	314	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347	0.27 0.0 1.0	31.9 38.2 -38.1 54.0 315	0.75 0.0 1.0	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314	0.75 0.0 1.0
347	316	315	0.766 0.0 1.0	43.5 66.4 -14.5 68.0 347	0.279 0.0 1.0	32.1 39.0 -37.6 54.2 316	0.767 0.0 1.0	0.273 0.0 1.0	32.0 38.5 -37.9 54.1 315	0.767 0.0 1.0
348	317	316	0.783 0.0 1.0	43.8 66.9 -14.1 68.4 348	0.288 0.0 1.0	32.3 39.8 -37.1 54.5 317	0.783 0.0 1.0	0.282 0.0 1.0	32.1 39.3 -37.4 54.3 316	0.783 0.0 1.0
348	318	317	0.8 0.0 1.0	44.2 67.3 -13.7 68.7 348	0.297 0.0 1.0	32.4 40.7 -36.5 54.7 318	0.8 0.0 1.0	0.29 0.0 1.0	32.3 40.0 -36.9 54.5 317	0.8 0.0 1.0
348	319	318	0.816 0.0 1.0	44.6 67.8 -13.3 69.1 348	0.306 0.0 1.0	32.6 41.5 -36.0 55.0 319	0.817 0.0 1.0	0.299 0.0 1.0	32.4 40.8 -36.4 54.8 318	0.817 0.0 1.0
349	320	319	0.833 0.0 1.0	45.0 68.3 -12.9 69.5 349	0.315 0.0 1.0	32.7 42.3 -35.4 55.2 320	0.833 0.0 1.0	0.307 0.0 1.0	32.6 41.6 -35.9 55.0 319	0.833 0.0 1.0
349	321	320	0.85 0.0 1.0	45.3 68.8 -12.5 69.9 349	0.324 0.0 1.0	32.9 43.1 -34.8 55.5 321	0.85 0.0 1.0	0.315 0.0 1.0	32.7 42.4 -35.4 55.3 320	0.85 0.0 1.0
350	322	321	0.866 0.0 1.0	45.7 69.2 -12.1 70.3 350	0.333 0.0 1.0	33.1 43.9 -34.2 55.8 322	0.867 0.0 1.0	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321	0.867 0.0 1.0
350	323	321	0.883 0.0 1.0	46.1 69.7 -11.7 70.7 350	0.342 0.0 1.0	33.2 44.7 -33.6 56.0 323	0.883 0.0 1.0	0.332 0.0 1.0	33.0 43.9 -34.2 55.7 321	0.883 0.0 1.0
350	324	322	0.9 0.0 1.0	46.4 70.1 -11.2 71.0 350	0.351 0.0 1.0	33.4 45.5 -33.0 56.3 324	0.9 0.0 1.0	0.341 0.0 1.0	33.2 44.7 -33.7 56.0 322	0.9 0.0 1.0
351	325	323	0.916 0.0 1.0	46.7 70.6 -10.8 71.4 351	0.359 0.0 1.0	33.5 46.3 -32.3 56.5 325	0.917 0.0 1.0	0.349 0.0 1.0	33.4 45.4 -33.1 56.2 323	0.917 0.0 1.0
351	326	324	0.933 0.0 1.0	47.0 71.0 -10.3 71.8 351	0.368 0.0 1.0	33.7 47.1 -31.6 56.8 326	0.933 0.0 1.0	0.358 0.0 1.0	33.5 46.2 -32.4 56.5 324	0.933 0.0 1.0
352	327	325	0.95 0.0 1.0	47.3 71.5 -9.9 72.2 352	0.379 0.0 1.0	34.0 47.9 -31.0 57.1 327	0.95 0.0 1.0	0.366 0.0 1.0	33.7 46.9 -31.8 56.7 325	0.95 0.0 1.0
352	328	326	0.966 0.0 1.0	47.6 71.9 -9.4 72.5 352	0.397 0.0 1.0	34.5 48.7 -30.4 57.5 328	0.967 0.0 1.0	0.375 0.0 1.0	33.8 47.6 -31.2 57.0 326	0.967 0.0 1.0
352	329	327	0.983 0.0 1.0	47.9 72.4 -9.0 72.9 352	0.414 0.0 1.0	35.1 49.6 -29.7 57.9 329	0.983 0.0 1.0	0.391 0.0 1.0	34.3 48.4 -30.6 57.3 327	0.983 0.0 1.0
353	330	328	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353	0.432 0.0 1.0	35.7 50.5 -29.1 58.3 330	1.0 0.0 1.0	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328	1.0 0.0 1.0
353	331	329	1.0 0.0 0.983	48.2 72.7 -7.9 73.1 353	0.449 0.0 1.0	36.2 51.4 -28.4 58.7 331	1.0 0.0 0.983	0.424 0.0 1.0	35.4 50.1 -29.4 58.1 329	1.0 0.0 0.983
354	332	330	1.0 0.0 0.966	48.2 72.5 -7.4 72.9 354	0.467 0.0 1.0	36.8 52.2 -27.7 59.1 332	1.0 0.0 0.967	0.441 0.0 1.0	35.9 50.9 -28.7 58.5 330	1.0 0.0 0.967
354	333	331	1.0 0.0 0.95	48.2 72.4 -6.8 72.7 354	0.484 0.0 1.0	37.4 53.1 -26.9 59.6 333	1.0 0.0 0.95	0.457 0.0 1.0	36.5 51.8 -28.1 58.9 331	1.0 0.0 0.95
355	334	332	1.0 0.0 0.933	48.2 72.2 -6.2 72.5 355	0.502 0.0 1.0	37.9 53.9 -26.2 60.0 334	1.0 0.0 0.933	0.474 0.0 1.0	37.0 52.6 -27.4 59.3 332	1.0 0.0 0.933
355	335	333	1.0 0.0 0.916	48.2 72.0 -5.7 72.3 355	0.524 0.0 1.0	38.5 54.8 -25.5 60.5 335	1.0 0.0 0.917	0.49 0.0 1.0	37.6 53.4 -26.7 59.7 333	1.0 0.0 0.917
355	336	334	1.0 0.0 0.9	48.2 71.9 -5.1 72.1 355	0.546 0.0 1.0	39.0 55.7 -24.7 61.0 336	1.0 0.0 0.9	0.508 0.0 1.0	38.1 54.2 -26.0 60.1 334	1.0 0.0 0.9
356	337	335	1.0 0.0 0.883	48.2 71.7 -4.6 71.8 356	0.567 0.0 1.0	39.6 56.6 -23.9 61.5 337	1.0 0.0 0.883	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335	1.0 0.0 0.883
356	338	336	1.0 0.0 0.866	48.2 71.5 -4.0 71.7 356	0.589 0.0 1.0	40.1 57.5 -23.1 62.0 338	1.0 0.0 0.867	0.55 0.0 1.0	39.1 55.9 -24.6 61.1 336	1.0 0.0 0.867
357	339	337	1.0 0.0 0.85	48.2 71.4 -3.3 71.5 357	0.611 0.0 1.0	40.7 58.3 -22.3 62.5 339	1.0 0.0 0.85	0.57 0.0 1.0	39.6 56.7 -23.8 61.5 337	1.0 0.0 0.85
357	340	338	1.0 0.0 0.833	48.2 71.3 -2.7 71.3 357	0.631 0.0 1.0	41.1 59.2 -21.5 63.0 340	1.0 0.0 0.833	0.591 0.0 1.0	40.2 57.5 -23.0 62.0 338	1.0 0.0 0.833
358	341	339	1.0 0.0 0.816	48.2 71.1 -2.1 71.1 358	0.648 0.0 1.0	41.4 60.2 -20.6 63.7 341	1.0 0.0 0.817	0.612 0.0 1.0	40.7 58.3 -22.3 62.5 339	1.0 0.0 0.817
358	342	339	1.0 0.0 0.8	48.2 70.9 -1.4 71.0 358	0.664 0.0 1.0	41.7 61.1 -19.8 64.3 342	1.0 0.0 0.8	0.631 0.0 1.0	41.1 59.2 -21.5 63.0 339	1.0 0.0 0.8
359	343	340	1.0 0.0 0.783	48.1 70.8 -0.8 70.8 359	0.68 0.0 1.0	41.9 62.1 -18.9 64.9 343	1.0 0.0 0.783	0.646 0.0 1.0	41.4 60.1 -20.7 63.6 340	1.0 0.0 0.783
359	344	341	1.0 0.0 0.766	48.1 70.6 -0.2 70.6 359	0.697 0.0 1.0	42.2 63.0 -18.0 65.6 344	1.0 0.0 0.767	0.662 0.0 1.0	41.6 61.0 -19.9 64.2 341	1.0 0.0 0.767
360	345	342	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360	0.713 0.0 1.0	42.5 64.0 -17.0 66.2 345	1.0 0.0 0.75	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342	1.0 0.0 0.75

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
360	345	342	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.713	0.0	1.0
361	346	343	1.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.73	0.0	1.0
361	347	344	1.0	0.0	0.716	48.1	70.1	2.2	70.1	361	0.746	0.0	1.0
362	348	345	1.0	0.0	0.7	48.1	69.9	3.1	70.0	362	0.782	0.0	1.0
363	349	346	1.0	0.0	0.683	48.1	69.7	4.0	69.8	363	0.823	0.0	1.0
364	350	347	1.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.864	0.0	1.0
364	351	348	1.0	0.0	0.65	48.0	69.3	5.7	69.5	364	0.905	0.0	1.0
365	352	349	1.0	0.0	0.633	48.0	69.0	6.6	69.3	365	0.946	0.0	1.0
366	353	350	1.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.988	0.0	1.0
367	354	351	1.0	0.0	0.6	47.9	68.7	8.5	69.2	367	1.0	0.0	0.973
367	355	352	1.0	0.0	0.583	47.9	68.6	9.4	69.2	367	1.0	0.0	0.935
368	356	353	1.0	0.0	0.566	47.9	68.4	10.3	69.2	368	1.0	0.0	0.896
369	357	354	1.0	0.0	0.55	47.8	68.2	11.2	69.2	369	1.0	0.0	0.86
370	358	355	1.0	0.0	0.533	47.8	68.1	12.1	69.1	370	1.0	0.0	0.827
370	359	356	1.0	0.0	0.516	47.7	67.9	13.1	69.1	370	1.0	0.0	0.794
371	360	352	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371	1.0	0.0	0.761
372	361	353	1.0	0.0	0.483	47.7	67.5	15.0	69.2	372	1.0	0.0	0.735
373	362	354	1.0	0.0	0.466	47.7	67.3	16.1	69.2	373	1.0	0.0	0.712
374	363	355	1.0	0.0	0.45	47.7	67.2	17.1	69.3	374	1.0	0.0	0.69
375	364	356	1.0	0.0	0.433	47.7	67.0	18.2	69.4	375	1.0	0.0	0.667
376	365	357	1.0	0.0	0.416	47.7	66.7	19.2	69.5	376	1.0	0.0	0.645
376	366	358	1.0	0.0	0.4	47.7	66.5	20.3	69.5	376	1.0	0.0	0.623
377	367	359	1.0	0.0	0.383	47.7	66.3	21.3	69.6	377	1.0	0.0	0.601
378	368	360	1.0	0.0	0.366	47.7	66.1	22.3	69.7	378	1.0	0.0	0.58
379	369	362	1.0	0.0	0.35	47.7	66.0	23.2	69.9	379	1.0	0.0	0.558
380	370	363	1.0	0.0	0.333	47.7	65.8	24.2	70.2	380	1.0	0.0	0.536
380	371	364	1.0	0.0	0.316	47.7	65.7	25.1	70.4	380	1.0	0.0	0.515
381	372	365	1.0	0.0	0.3	47.7	65.6	26.0	70.6	381	1.0	0.0	0.494
382	373	366	1.0	0.0	0.283	47.7	65.4	27.0	70.8	382	1.0	0.0	0.475
383	374	367	1.0	0.0	0.266	47.7	65.2	27.9	71.0	383	1.0	0.0	0.456
383	375	368	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383	1.0	0.0	0.437
384	376	369	1.0	0.0	0.233	47.6	65.0	29.7	71.5	384	1.0	0.0	0.418
385	377	370	1.0	0.0	0.216	47.6	64.9	30.5	71.8	385	1.0	0.0	0.399
385	378	372	1.0	0.0	0.2	47.6	64.9	31.4	72.1	385	1.0	0.0	0.38
386	379	373	1.0	0.0	0.183	47.5	64.8	32.2	72.4	386	1.0	0.0	0.359
387	380	374	1.0	0.0	0.166	47.5	64.7	33.0	72.7	387	1.0	0.0	0.337
387	381	375	1.0	0.0	0.15	47.5	64.6	33.9	72.9	387	1.0	0.0	0.315
388	382	376	1.0	0.0	0.133	47.4	64.5	34.7	73.2	388	1.0	0.0	0.293
388	383	377	1.0	0.0	0.116	47.4	64.4	35.5	73.6	388	1.0	0.0	0.271
389	384	378	1.0	0.0	0.1	47.4	64.3	36.3	73.9	389	1.0	0.0	0.249
390	385	379	1.0	0.0	0.083	47.4	64.3	37.1	74.2	390	1.0	0.0	0.222
390	386	381	1.0	0.0	0.066	47.4	64.2	37.9	74.6	390	1.0	0.0	0.195
391	387	382	1.0	0.0	0.049	47.4	64.1	38.7	74.9	391	1.0	0.0	0.169
391	388	383	1.0	0.0	0.033	47.3	64.0	39.5	75.3	391	1.0	0.0	0.142
392	389	384	1.0	0.0	0.016	47.3	63.9	40.3	75.6	392	1.0	0.0	0.114
392	390	385	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392	1.0	0.0	0.084

see similar files: http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE45/QE45L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rh4ta



Table with columns: nrf, HHC\*File, rfp\_Rate, icr\_\*File, lns\_\*File, rfp\*\_File, LabC\*\_\*File, cmyk\*\_sep\_Rate, rfp\*\_File, rfp\*\_File, LabC\*\_\*File, rfp\*\_File, LabC\*\_\*File, delta. Rows list various color patches and their corresponding values.

Mean color difference of this page:

delta

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE45/QE45LE30FP.DAT in file (F), page 19/33

Table with columns: nuf, HHC\*F0e, R00Y\_100\_1000e, R25Y\_100\_1000e, R50Y\_100\_1000e, R75Y\_100\_1000e, Y00C\_100\_1000e, Y25C\_100\_1000e, Y50C\_100\_1000e, Y75C\_100\_1000e, G00B\_100\_1000e, G25B\_100\_1000e, G50B\_100\_1000e, G75B\_100\_1000e, B00M\_100\_1000e, B25M\_100\_1000e, B50M\_100\_1000e, B75M\_100\_1000e, R00Y\_100\_0500e, R25Y\_100\_0500e, R50Y\_100\_0500e, R75Y\_100\_0500e, Y00C\_100\_0500e, Y25C\_100\_0500e, Y50C\_100\_0500e, Y75C\_100\_0500e, G00B\_100\_0500e, G25B\_100\_0500e, G50B\_100\_0500e, G75B\_100\_0500e, B00M\_100\_0500e, B25M\_100\_0500e, B50M\_100\_0500e, B75M\_100\_0500e, NW\_0000e, NW\_0150e, NW\_0250e, NW\_0350e, NW\_0500e, NW\_0650e, NW\_0800e, NW\_1000e. Rows contain numerical data for each color and registration mark.

Mean color difference of this page: delta



http://130.149.60.45/~farbmetrik/QE45/QE45LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE45/QE45LE30FP.DAT in file (F), page 20/33

Table with 10 columns: n/F, H/C\*File, r/g/b\*File, i/c/t\*File, h/s\*File, r/g/b\*File, LabC/M\*File, cmyk\*sep,Rate, cmyk\*sep,Rate, LabC/M\*File, h/s\*File, r/g/b\*File, LabC/M\*File, delta. It contains 80 rows of color calibration data.

Mean color difference of this page: delta. input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de







http://130.149.60.45/~farbmetrik/QE45/QE45LOFP.PDF /.PS; 3D-linearization  
F: 3D-linearization QE45/QE45LE30FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC\*File, rgb\*File, icr\*File, Hsa\*File, rgb\*File, LabCh\*File, cmyk\*sep, cmyk\*sep, LabCh\*File, Hsa\*File, rgb\*File, LabCh\*File, LabCh\*File, Hsa\*File, delta. Contains data for 161 different color patches.

input: *rgb/cmyk* -> *rgbde*  
output: 3D-linearization to *cmyk\*de*

TUB-test chart QE45; hue code: H\*\_e=Y25Ge  
colors and differences, ΔE\*<sub>a</sub>\*







http://130.149.60.45/~farbmetrik/QE45/QE45LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE45/QE45LE30FP.DAT in file (F), page 22/33

Table with 15 columns: n, HHC\*File, rgb\*File, iet\*File, Hsa\*File, rgb\*File, LabC\*File, LabC\*File, cmyk\*sep, cmyk\*sep, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, LabC\*File. Rows 162-242.

delta

Mean color difference of this page:

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de














http://130.149.60.45/~farbmetrik/QE45/QE45LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE45/QE45LE30FP.DAT in file (F), page 26/33

Table with 15 columns: n, HHC\*Fde, rpb\_Fde, icr\_Fde, Hsa\_Fde, rpb\_Fde, LabC\*Fde, cmyk\*\_sep\_Fde, LabC\*Fde, rpb\_Fde, Hsa\_Fde, LabC\*Fde, rpb\_Fde, LabC\*Fde, delta. Rows 486-566.

Mean color difference of this page:

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de





Table with 15 columns: n, H#C\*File, rgb\*File, LabC\*File, H#s\*File, rgb\*File, LabC\*File, cmyn\*sep, File, LabC\*File, H#s\*File, rgb\*File, LabC\*File, delta. Rows 567-647.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk\*delta







http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS; 3D-linearization  
 F: 3D-linearization QE45/QE45L30FP.DAT in file (F), page 29/33

n	HC*File	rgb*File	Lab*File	rgb*File	Lab*File	cmyn*sep*File	rgb*File	Lab*File	cmyn*sep*File	delta
729	NV_100.00e	0.875	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
730	G50B_100.012de	0.875	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
731	G50B_100.025de	0.75	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
732	G50B_100.037de	0.625	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
733	G50B_100.050de	0.5	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
734	G50B_100.062de	0.375	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
735	G50B_100.075de	0.25	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
736	G50B_100.087de	0.125	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
737	G50B_100.100de	0.0	1.0	0.0	95.4	0.0	0.0	360	0.0	0.0
738	ROY_100.012de	0.875	0.875	0.875	95.4	0.0	0.152	378	0.0	0.0
739	NV_087de	0.875	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
740	G50B_087.012de	0.75	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
741	G50B_087.025de	0.625	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
742	G50B_087.037de	0.5	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
743	G50B_087.050de	0.375	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
744	G50B_087.062de	0.25	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
745	G50B_087.075de	0.125	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
746	G50B_087.087de	0.0	0.875	0.875	95.4	0.0	0.0	360	0.0	0.0
747	ROY_100.025de	0.875	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
748	ROY_100.037de	0.75	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
749	NV_075de	0.625	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
750	G50B_075.012de	0.5	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
751	G50B_075.025de	0.375	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
752	G50B_075.037de	0.25	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
753	G50B_075.050de	0.125	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
754	G50B_075.062de	0.0	0.75	0.75	95.4	0.0	0.0	360	0.0	0.0
755	ROY_100.037de	0.875	0.625	0.625	95.4	0.0	0.0	360	0.0	0.0
756	ROY_100.050de	0.875	0.5	0.5	95.4	0.0	0.0	360	0.0	0.0
757	ROY_100.062de	0.875	0.375	0.375	95.4	0.0	0.0	360	0.0	0.0
758	ROY_100.075de	0.875	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
759	ROY_100.087de	0.875	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
760	G50B_062.012de	0.5	0.625	0.625	95.4	0.0	0.0	360	0.0	0.0
761	G50B_062.025de	0.375	0.625	0.625	95.4	0.0	0.0	360	0.0	0.0
762	G50B_062.037de	0.25	0.625	0.625	95.4	0.0	0.0	360	0.0	0.0
763	G50B_062.050de	0.125	0.625	0.625	95.4	0.0	0.0	360	0.0	0.0
764	G50B_062.062de	0.0	0.625	0.625	95.4	0.0	0.0	360	0.0	0.0
765	ROY_100.050de	0.875	0.5	0.5	95.4	0.0	0.0	360	0.0	0.0
766	ROY_100.062de	0.875	0.375	0.375	95.4	0.0	0.0	360	0.0	0.0
767	ROY_100.075de	0.875	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
768	ROY_100.087de	0.875	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
769	NV_050de	0.5	0.5	0.5	95.4	0.0	0.0	360	0.0	0.0
770	G50B_050.012de	0.375	0.5	0.5	95.4	0.0	0.0	360	0.0	0.0
771	G50B_050.025de	0.25	0.5	0.5	95.4	0.0	0.0	360	0.0	0.0
772	G50B_050.037de	0.125	0.5	0.5	95.4	0.0	0.0	360	0.0	0.0
773	G50B_050.050de	0.0	0.5	0.5	95.4	0.0	0.0	360	0.0	0.0
774	ROY_100.062de	0.875	0.375	0.375	95.4	0.0	0.0	360	0.0	0.0
775	ROY_100.075de	0.875	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
776	ROY_100.087de	0.875	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
777	ROY_062.025de	0.625	0.375	0.375	95.4	0.0	0.0	360	0.0	0.0
778	ROY_062.050de	0.625	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
779	ROY_062.075de	0.625	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
780	ROY_062.100de	0.625	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
781	G50B_037.012de	0.25	0.375	0.375	95.4	0.0	0.0	360	0.0	0.0
782	G50B_037.025de	0.125	0.375	0.375	95.4	0.0	0.0	360	0.0	0.0
783	G50B_037.037de	0.0	0.375	0.375	95.4	0.0	0.0	360	0.0	0.0
784	ROY_100.100de	0.875	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
785	ROY_100.075de	0.875	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
786	ROY_100.050de	0.875	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
787	ROY_062.037de	0.625	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
788	ROY_062.050de	0.625	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
789	ROY_037.025de	0.375	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
790	G50B_025.012de	0.125	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
791	G50B_025.025de	0.0	0.25	0.25	95.4	0.0	0.0	360	0.0	0.0
792	ROY_100.087de	0.875	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
793	ROY_100.062de	0.875	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
794	ROY_075.062de	0.75	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
795	ROY_062.050de	0.625	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
796	ROY_050.050de	0.5	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
797	ROY_037.025de	0.375	0.125	0.125	95.4	0.0	0.0	360	0.0	0.0
798	ROY_037.050de	0.375	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
799	G50B_012de	0.125	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
800	G50B_012.012de	0.0	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
801	ROY_100.100de	0.875	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
802	ROY_087.087de	0.875	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
803	ROY_075.075de	0.75	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
804	ROY_062.062de	0.625	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
805	ROY_050.050de	0.5	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
806	ROY_037.037de	0.375	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
807	ROY_025.025de	0.25	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
808	ROY_012.012de	0.125	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0
809	NV_100.00de	0.0	0.0	0.0	95.4	0.0	0.0	360	0.0	0.0

Mean color difference of this page:  $\Delta E^*$

input: *rgb/cmyk* -> *rgbde*  
 output: 3D-linearization to *cmyk\*de*







Table with 11 columns: n, H#C\*File, H#s\*File, rgp\*File, LabC\*File, LabM\*sep,File, cmyk\*sep,File, H#m\*File, rgp\*File, LabC\*File. The table contains data for various color patches and their corresponding values across different color channels.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

Mean color difference of this page: delta

http://130.149.60.45/~farbmetrik/QE45/QE45L0FP.PDF /.PS; 3D-linearization  
F: 3D-linearization QE45/QE45L30FP.DAT in file (F), page 32/33

n	HC*File	rgb_Rate	icf_Rate	hsv_Rate	rgb*Rate	LabCM*Rate	cmym*_sep_Rate	hsv_Rate	rgb*Rate	LabCM*Rate
972	NW_000de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	1.0	95.4
973	NW_012de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	0.878	95.4
974	NW_025de	0.25	0.25	0.00	0.25	17.7	0.0	0.0	0.791	95.4
975	NW_037de	0.375	0.375	0.00	0.375	17.7	0.0	0.0	0.69	95.4
976	NW_050de	0.5	0.5	0.00	0.5	17.7	0.0	0.0	0.581	95.4
977	NW_062de	0.625	0.625	0.00	0.625	17.7	0.0	0.0	0.443	95.4
978	NW_075de	0.75	0.75	0.00	0.75	17.7	0.0	0.0	0.306	95.4
979	NW_087de	0.875	0.875	0.00	0.875	17.7	0.0	0.0	0.17	95.4
980	NW_100de	1.0	1.0	0.00	1.0	17.7	0.0	0.0	0.0	95.4
981	NW_000de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	0.0	95.4
982	NW_012de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	0.0	95.4
983	NW_025de	0.25	0.25	0.00	0.25	17.7	0.0	0.0	0.0	95.4
984	NW_037de	0.375	0.375	0.00	0.375	17.7	0.0	0.0	0.0	95.4
985	NW_050de	0.5	0.5	0.00	0.5	17.7	0.0	0.0	0.0	95.4
986	NW_062de	0.625	0.625	0.00	0.625	17.7	0.0	0.0	0.0	95.4
987	NW_075de	0.75	0.75	0.00	0.75	17.7	0.0	0.0	0.0	95.4
988	NW_087de	0.875	0.875	0.00	0.875	17.7	0.0	0.0	0.0	95.4
989	NW_100de	1.0	1.0	0.00	1.0	17.7	0.0	0.0	0.0	95.4
990	NW_000de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	0.0	95.4
991	NW_012de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	0.0	95.4
992	NW_025de	0.25	0.25	0.00	0.25	17.7	0.0	0.0	0.0	95.4
993	NW_037de	0.375	0.375	0.00	0.375	17.7	0.0	0.0	0.0	95.4
994	NW_050de	0.5	0.5	0.00	0.5	17.7	0.0	0.0	0.0	95.4
995	NW_062de	0.625	0.625	0.00	0.625	17.7	0.0	0.0	0.0	95.4
996	NW_075de	0.75	0.75	0.00	0.75	17.7	0.0	0.0	0.0	95.4
997	NW_087de	0.875	0.875	0.00	0.875	17.7	0.0	0.0	0.0	95.4
998	NW_100de	1.0	1.0	0.00	1.0	17.7	0.0	0.0	0.0	95.4
999	NW_000de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	0.0	95.4
1000	NW_012de	0.125	0.125	0.00	0.125	17.7	0.0	0.0	0.0	95.4
1001	NW_025de	0.25	0.25	0.00	0.25	17.7	0.0	0.0	0.0	95.4
1002	NW_037de	0.375	0.375	0.00	0.375	17.7	0.0	0.0	0.0	95.4
1003	NW_050de	0.5	0.5	0.00	0.5	17.7	0.0	0.0	0.0	95.4
1004	NW_062de	0.625	0.625	0.00	0.625	17.7	0.0	0.0	0.0	95.4
1005	NW_075de	0.75	0.75	0.00	0.75	17.7	0.0	0.0	0.0	95.4
1006	NW_087de	0.875	0.875	0.00	0.875	17.7	0.0	0.0	0.0	95.4
1007	NW_100de	1.0	1.0	0.00	1.0	17.7	0.0	0.0	0.0	95.4
1008	NW_000de	0.066	0.066	0.00	0.066	17.7	0.0	0.0	0.0	95.4
1009	NW_006de	0.133	0.133	0.00	0.133	17.7	0.0	0.0	0.0	95.4
1010	NW_013de	0.2	0.2	0.00	0.2	17.7	0.0	0.0	0.0	95.4
1011	NW_020de	0.266	0.266	0.00	0.266	17.7	0.0	0.0	0.0	95.4
1012	NW_026de	0.333	0.333	0.00	0.333	17.7	0.0	0.0	0.0	95.4
1013	NW_033de	0.4	0.4	0.00	0.4	17.7	0.0	0.0	0.0	95.4
1014	NW_040de	0.466	0.466	0.00	0.466	17.7	0.0	0.0	0.0	95.4
1015	NW_046de	0.533	0.533	0.00	0.533	17.7	0.0	0.0	0.0	95.4
1016	NW_053de	0.6	0.6	0.00	0.6	17.7	0.0	0.0	0.0	95.4
1017	NW_060de	0.666	0.666	0.00	0.666	17.7	0.0	0.0	0.0	95.4
1018	NW_066de	0.734	0.734	0.00	0.734	17.7	0.0	0.0	0.0	95.4
1019	NW_073de	0.8	0.8	0.00	0.8	17.7	0.0	0.0	0.0	95.4
1020	NW_080de	0.866	0.866	0.00	0.866	17.7	0.0	0.0	0.0	95.4
1021	NW_086de	0.933	0.933	0.00	0.933	17.7	0.0	0.0	0.0	95.4
1022	NW_093de	1.0	1.0	0.00	1.0	17.7	0.0	0.0	0.0	95.4
1023	NW_100de	0.066	0.066	0.00	0.066	17.7	0.0	0.0	0.0	95.4
1024	NW_006de	0.133	0.133	0.00	0.133	17.7	0.0	0.0	0.0	95.4
1025	NW_013de	0.2	0.2	0.00	0.2	17.7	0.0	0.0	0.0	95.4
1026	NW_020de	0.266	0.266	0.00	0.266	17.7	0.0	0.0	0.0	95.4
1027	NW_026de	0.333	0.333	0.00	0.333	17.7	0.0	0.0	0.0	95.4
1028	NW_033de	0.4	0.4	0.00	0.4	17.7	0.0	0.0	0.0	95.4
1029	NW_040de	0.466	0.466	0.00	0.466	17.7	0.0	0.0	0.0	95.4
1030	NW_046de	0.533	0.533	0.00	0.533	17.7	0.0	0.0	0.0	95.4
1031	NW_053de	0.6	0.6	0.00	0.6	17.7	0.0	0.0	0.0	95.4
1032	NW_060de	0.666	0.666	0.00	0.666	17.7	0.0	0.0	0.0	95.4
1033	NW_066de	0.734	0.734	0.00	0.734	17.7	0.0	0.0	0.0	95.4
1034	NW_073de	0.8	0.8	0.00	0.8	17.7	0.0	0.0	0.0	95.4
1035	NW_080de	0.866	0.866	0.00	0.866	17.7	0.0	0.0	0.0	95.4
1036	NW_086de	0.933	0.933	0.00	0.933	17.7	0.0	0.0	0.0	95.4
1037	NW_093de	1.0	1.0	0.00	1.0	17.7	0.0	0.0	0.0	95.4
1038	NW_100de	0.066	0.066	0.00	0.066	17.7	0.0	0.0	0.0	95.4
1039	NW_006de	0.133	0.133	0.00	0.133	17.7	0.0	0.0	0.0	95.4
1040	NW_013de	0.2	0.2	0.00	0.2	17.7	0.0	0.0	0.0	95.4
1041	NW_020de	0.266	0.266	0.00	0.266	17.7	0.0	0.0	0.0	95.4
1042	NW_026de	0.333	0.333	0.00	0.333	17.7	0.0	0.0	0.0	95.4
1043	NW_033de	0.4	0.4	0.00	0.4	17.7	0.0	0.0	0.0	95.4
1044	NW_040de	0.466	0.466	0.00	0.466	17.7	0.0	0.0	0.0	95.4
1045	NW_046de	0.533	0.533	0.00	0.533	17.7	0.0	0.0	0.0	95.4
1046	NW_053de	0.6	0.6	0.00	0.6	17.7	0.0	0.0	0.0	95.4
1047	NW_060de	0.666	0.666	0.00	0.666	17.7	0.0	0.0	0.0	95.4
1048	NW_066de	0.734	0.734	0.00	0.734	17.7	0.0	0.0	0.0	95.4
1049	NW_073de	0.8	0.8	0.00	0.8	17.7	0.0	0.0	0.0	95.4
1050	NW_080de	0.866	0.866	0.00	0.866	17.7	0.0	0.0	0.0	95.4
1051	NW_086de	0.933	0.933	0.00	0.933	17.7	0.0	0.0	0.0	95.4
1052	NW_093de	1.0	1.0	0.00	1.0	17.7	0.0	0.0	0.0	95.4

delta

Mean color difference of this page:

QE450-7N; Page 32/33-F

TUB-test chart QE45; hue code: H\*\_e=Y25G\_e  
colors and differences,  $\Delta E^*$

input: rgb/cmyk -> rgbde  
output: 3D-linearization to cmyk\*de

n	HC*Fde	rgb*Fde	iet*Fde	hsa*Fde	rgb*Fde	LabC0*Fde	cmyp*sep*Fde	delta	cmyp*sep*Fde	rgb*Fde	LabC0*Fde	hsa*Fde	rgb*Fde	LabC0*Fde
1053	NW_086de	0.866	0.866	0.0	0.866	0.866	0.007	0.179	0.007	0.0	0.179	0.007	0.0	0.179
1054	NW_093de	0.933	0.933	0.0	0.933	0.933	0.005	0.084	0.005	0.0	0.084	0.005	0.0	0.084
1055	NW_100de	1.0	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_006de	0.066	0.066	0.0	0.066	0.066	0.139	0.933	0.139	0.0	0.933	0.139	0.0	0.933
1057	NW_013de	0.133	0.133	0.0	0.133	0.133	0.043	0.871	0.043	0.0	0.871	0.043	0.0	0.871
1058	NW_020de	0.2	0.2	0.0	0.2	0.2	0.057	0.825	0.057	0.0	0.825	0.057	0.0	0.825
1059	NW_026de	0.266	0.266	0.0	0.266	0.266	0.013	0.781	0.013	0.0	0.781	0.013	0.0	0.781
1060	NW_033de	0.333	0.333	0.0	0.333	0.333	0.016	0.731	0.016	0.0	0.731	0.016	0.0	0.731
1061	NW_040de	0.4	0.4	0.0	0.4	0.4	0.019	0.628	0.019	0.0	0.628	0.019	0.0	0.628
1062	NW_046de	0.466	0.466	0.0	0.466	0.466	0.021	0.541	0.021	0.0	0.541	0.021	0.0	0.541
1063	NW_053de	0.533	0.533	0.0	0.533	0.533	0.006	0.478	0.006	0.0	0.478	0.006	0.0	0.478
1064	NW_060de	0.6	0.6	0.0	0.6	0.6	0.006	0.405	0.006	0.0	0.405	0.006	0.0	0.405
1065	NW_066de	0.666	0.666	0.0	0.666	0.666	0.021	0.322	0.021	0.0	0.322	0.021	0.0	0.322
1066	NW_073de	0.734	0.734	0.0	0.734	0.734	0.007	0.26	0.007	0.0	0.26	0.007	0.0	0.26
1067	NW_080de	0.8	0.8	0.0	0.8	0.8	0.024	0.179	0.024	0.0	0.179	0.024	0.0	0.179
1068	NW_086de	0.866	0.866	0.0	0.866	0.866	0.005	0.084	0.005	0.0	0.084	0.005	0.0	0.084
1069	NW_093de	0.933	0.933	0.0	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	NW_100de	1.0	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	NW_006de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_013de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_020de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	NW_026de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	NW_033de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	NW_040de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	NW_046de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	NW_053de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	NW_060de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	ES08L_100_100de	1.0	1.0	0.0	1.0	1.0	0.407	0.0	0.407	0.0	0.0	293	0.407	0.0