

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_- = Y25G_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = Y25G_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 83 -18 79 81 102

$HIC^*_{-,Ma}$ : Y25G\_100\_100\_

$rgbic^*_{-,Ma}$ :

0.76 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE47/QE47.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS  
 application for measurement of offset print output

TUB material: code=rh4ta

1-003031-L0 QE470-7N

TUB-test chart QE47; hue code:  $H^*_- = Y25G_-$

Test chart according to DIN 33872, 3D=0, de=0,  $cm_y0$


input:  $rgb/cmyk \rightarrow rgb/cmyk$   
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = Y25G_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$ : 81 -17 84 86 101



$HIC^*_{d, Ma}$ : Y25G\_100\_100d

$rgbic^*_{d, Ma}$ : 0.76 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15



%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H, rel} = 57$   
 $g^*_{C, rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = Y25G_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$ : 81 -17 84 86 101

$HIC^*_d, Ma$ : Y25G\_100\_100d



$rgbic^*_d, Ma$ :  
0.76 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15



%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rh4ta




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = Y25G_d$   
triangle lightness  $T^*$



**ORS20a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d,Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d,Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d,Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d,Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d,Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d,Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 81 -17 84 86 101$

$HIC^*_d, Ma: Y25G\_100\_100_d$

$rgbic^*_d, Ma:$



0.76 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**


$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = Y25G_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$ : 81 -17 84 86 101

$HIC^*_{d, Ma}$ : Y25G\_100\_100d



$rgbic^*_{d, Ma}$ :  
0.76 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_H, rel = 57$   
 $g^*_C, rel = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE47/QE47.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta


1-003431-L0 QE470-70

TUB-test chart QE47; hue code:  $H^*_d=Y25G_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0


input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$

1-003431-F0


TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmy0 (CMY0)



http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/33



see similar files: <http://130.149.60.45/~farbmetrik/QE47/QE47.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-003531-L0 QE470-70

TUB-test chart QE47; hue code:  $H^*_d=Y25G_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$



QE4700L

http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /PS; transfer output  
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS TUB material: code=rha4ta  
 application for measurement of offset print output, separation cmy0 (CMY0)

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM<sub>d</sub>:  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

**device CIELAB ( $a^*_d, b^*_d$ ) chroma diagram**

**J=Y<sub>d</sub> Yellow**  
 $LCH^*_d = 87.8 \ 96.0 \ 96.1$   
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

**L=G<sub>d</sub> leaf-green**  
 $LCH^*_d = 50.0 \ 71.4 \ 155.5$   
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

**O=R<sub>d</sub> orange-red**  
 $LCH^*_d = 45.4 \ 83.9 \ 32.3$   
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

**C=C<sub>d</sub> cyan-blue**  
 $LCH^*_d = 56.8 \ 48.7 \ 238.4$   
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

**M=M<sub>d</sub> magenta-red**  
 $LCH^*_d = 46.1 \ 79.3 \ 359.8$   
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

**V=B<sub>d</sub> violet-blue**  
 $LCH^*_d = 25.0 \ 50.0 \ 306.2$   
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

**elementary CIELAB ( $a^*_e, b^*_e$ ) chroma diagram**

**Y<sub>e</sub> yellow**  
 $LCH^*_e = 83.6 \ 90.4 \ 92.3$   
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$   
 $rgb^*_de = 1.0 \ 0.878 \ 0.0$

**G<sub>e</sub> green**  
 $LCH^*_e = 50.6 \ 65.2 \ 162.2$   
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$   
 $rgb^*_de = 0.0 \ 1.0 \ 0.151$

**R<sub>e</sub> red**  
 $LCH^*_e = 45.6 \ 80.0 \ 25.4$   
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$   
 $rgb^*_de = 1.0 \ 0.0 \ 0.254$

**M<sub>e</sub> blue-red**  
 $LCH^*_e = 31.1 \ 55.9 \ 328.6$   
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$   
 $rgb^*_de = 0.321 \ 0.0 \ 1.0$

**B<sub>e</sub> blue**  
 $LCH^*_e = 40.2 \ 40.6 \ 271.7$   
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$   
 $rgb^*_de = 0.0 \ 0.458 \ 1.0$

**C<sub>e</sub> blue-green**  
 $LCH^*_e = 55.0 \ 45.3 \ 216.9$   
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$   
 $rgb^*_de = 0.0 \ 1.0 \ 0.747$

**standard CIELAB ( $a^*_s, b^*_s$ ) chroma diagram**

**Y<sub>s</sub> yellow**  
 $LCH^*_s = 81.4 \ 87.9 \ 90.0$   
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$   
 $rgb^*_ds = 1.0 \ 0.828 \ 0.0$

**G<sub>s</sub> green**  
 $LCH^*_s = 52.3 \ 68.9 \ 150.0$   
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$   
 $rgb^*_ds = 0.062 \ 1.0 \ 0.0$

**R<sub>s</sub> red**  
 $LCH^*_s = 45.5 \ 82.4 \ 30.0$   
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$   
 $rgb^*_ds = 1.0 \ 0.0 \ 0.096$

**M<sub>s</sub> blue-red**  
 $LCH^*_s = 31.6 \ 56.5 \ 330.0$   
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$   
 $rgb^*_ds = 0.337 \ 0.0 \ 1.0$

**B<sub>s</sub> blue**  
 $LCH^*_s = 40.9 \ 40.6 \ 270.0$   
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$   
 $rgb^*_ds = 0.0 \ 0.479 \ 1.0$

**Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )**

- For the  $rgb^*_s$ -input values the CIELAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{ms}$  use for any device values  $rgb^*_s$  the equation:  
 $h_{ms} = \arctan \left[ \frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270)$  (1)
- For the 48 or 360 equally spaced standard hue angles  $h_{ms}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $e$ :  $h_{ms} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  
 $h_{48ab,si} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$ ) (2)  
 $h_{360ab,si} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$ ) (3)
- For the 48 or 360 elementary hue angles  $h_{ms}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ms} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  
 $h_{48ab,ej} = h_{abs,ej} + j [h_{abs,ej+1} - h_{abs,ej}] / 8$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$ ) (4)  
 $h_{360ab,ej} = h_{abs,ej} + j [h_{abs,ej+1} - h_{abs,ej}] / 60$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$ ) (5)
- For any elementary hue angle  $h_{ms}$  there is a well defined device hue angle  $h_{ms}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues

I-003631-L0 QE470-70 LAB\*<sub>la0</sub>, YN=0%, XY<sub>Znw</sub>=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*<sub>nw</sub>=24.4, 0.0, 0.0, 95.6, 0.0, 0.0  
 TUB-test chart QE47; hue code: H\*\_<sub>d</sub>=Y25G<sub>d</sub>  
 48 step hue circles;  $rgb^*_s$ -LabCh\*tables

Output: Offset standard print; separation cmy0\*, D65, page 7/33  
 input:  $rgb^*_s/cmyk$  ->  $rgb^*_d$   
 output: transfer to  $cmy0_d$

see similar files: <http://130.149.60.45/~farbmetrik/QE47/QE47.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

QE4700L

TUB registration: 20130201-QE47/QE47L0NP.PDF /.PS

TUB material: code=rha4ta

application for measurement of offset print output, separation cmy0 (CMY0)

http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours:  $RYGCBM_c: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours  $RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours  $RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$								
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.9	83.9	32.3	1.0	0.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25							
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.398	0.0	55.4	48.5	57.8	75.4	49
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	92.1	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8	1.0	0.883	1.0	84.6	-13.6	89.7	90.7	98	1.0	0.959	1.0	86.7	-11.4	93.5	94.2	97	1.0	0.807	1.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	1.0	0.75	1.0	80.7	-17.5	83.5	85.3	101.8	1.0	0.75	1.0	80.8	-17.4	83.6	85.4	101	1.0	0.682	1.0	77.8	-21.2	79.4	82.2	105	1.0	0.583	1.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	1.0	0.625	1.0	75.3	-24.0	77.5	79.4	107.6	1.0	0.633	1.0	75.7	-23.6	76.3	79.9	107	1.0	0.54	1.0	72.1	-28.0	69.9	75.0	112	1.0	0.348	1.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	1.0	0.5	1.0	70.6	-29.7	66.5	72.8	114.0	1.0	0.5	1.0	70.6	-29.7	66.5	72.8	114	1.0	0.399	1.0	66.7	-34.5	59.9	69.2	120	1.0	0.322	1.0	62.6	-40.8	53.8	67.6	127
121.4	127.5	136.0	1.0	0.375	1.0	65.7	-35.5	58.3	68.3	121.4	1.0	0.383	1.0	66.1	-35.2	58.9	68.6	120	1.0	0.325	1.0	62.8	-40.6	54.0	67.6	127	1.0	0.249	1.0	58.4	-47.4	46.8	66.6	135
135.3	135.0	144.7	1.0	0.25	1.0	58.4	-47.3	46.8	66.6	135.3	1.0	0.25	1.0	58.4	-47.3	46.8	66.6	135	1.0	0.253	1.0	58.6	-47.0	47.1	66.7	135	1.0	0.122	1.0	54.6	-54.2	38.4	66.5	144
144.4	142.5	153.4	1.0	0.125	1.0	54.7	-53.9	38.5	66.3	144.4	1.0	0.133	1.0	55.0	-53.5	39.2	66.4	143	1.0	0.159	1.0	55.7	-52.3	40.5	68.4	142	1.0	0.03	1.0	51.2	-62.4	32.0	70.2	152
155.5	150.0	162.2	1.0	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	1.0	0.0	1.0	50.1	-64.9	29.6	71.4	155	1.0	0.062	1.0	52.4	-59.6	34.9	68.9	150	1.0	0.151	50.7	-62.0	19.9	65.2	162	
160.7	157.5	169.0	1.0	0.125	0.0	51.2	-62.8	29.2	66.9	160.7	1.0	0.117	0.0	51.2	-62.9	29.2	66.9	160	1.0	0.117	0.0	51.2	-62.9	29.2	66.9	160	1.0	0.117	0.0	51.2	-62.9	29.2	66.9	160
167.7	165.0	175.9	1.0	0.25	0.0	51.2	-58.9	12.7	60.3	167.7	1.0	0.25	0.0	51.2	-58.9	12.7	60.3	167	1.0	0.25	0.0	51.2	-58.9	12.7	60.3	167	1.0	0.25	0.0	51.2	-58.9	12.7	60.3	167
176.7	172.5	182.7	1.0	0.375	0.0	46.5	-48.6	-8.0	49.3	176.7	1.0	0.367	0.0	46.8	-9.8	-40.8	42.1	256	1.0	0.25	0.0	46.8	-9.8	-40.8	42.1	256	1.0	0.25	0.0	46.8	-9.8	-40.8	42.1	256
189.3	180.0	189.6	1.0	0.5	0.0	42.9	-48.6	-8.0	49.3	189.3	1.0	0.5	0.0	42.9	-48.6	-8.0	49.3	189	1.0	0.5	0.0	42.9	-48.6	-8.0	49.3	189	1.0	0.5	0.0	42.9	-48.6	-8.0	49.3	189
203.2	187.5	196.4	1.0	0.625	0.0	37.3	-42.3	-18.1	46.1	203.2	1.0	0.617	0.0	37.6	-42.3	-18.1	46.1	203	1.0	0.617	0.0	37.6	-42.3	-18.1	46.1	203	1.0	0.617	0.0	37.6	-42.3	-18.1	46.1	203
217.2	195.0	203.2	1.0	0.75	0.0	32.8	-36.0	-27.4	45.3	217.2	1.0	0.75	0.0	32.9	-36.0	-27.4	45.3	217	1.0	0.75	0.0	32.9	-36.0	-27.4	45.3	217	1.0	0.75	0.0	32.9	-36.0	-27.4	45.3	217
228.3	202.5	210.1	1.0	0.875	0.0	28.6	-30.7	-34.5	46.2	228.3	1.0	0.867	0.0	28.9	-30.7	-34.5	46.1	227	1.0	0.867	0.0	28.9	-30.7	-34.5	46.1	227	1.0	0.867	0.0	28.9	-30.7	-34.5	46.1	227
238.4	210.0	216.9	1.0	1.0	0.0	25.0	-25.5	-41.5	48.7	238.4	1.0	1.0	0.0	25.1	-25.6	-41.4	48.7	238	1.0	1.0	0.0	25.1	-25.6	-41.4	48.7	238	1.0	1.0	0.0	25.1	-25.6	-41.4	48.7	238
242.9	217.5	223.8	1.0	0.875	0.0	25.0	-25.5	-41.5	48.7	242.9	1.0	0.883	1.0	24.7	-25.7	-36.6	51.2	314	1.0	0.883	1.0	24.7	-25.7	-36.6	51.2	314	1.0	0.883	1.0	24.7	-25.7	-36.6	51.2	314
249.3	225.0	230.6	1.0	0.75	1.0	20.4	-15.4	-41.0	44.0	249.3	1.0	0.75	1.0	20.4	-15.4	-41.0	44.0	249	1.0	0.75	1.0	20.4	-15.4	-41.0	44.0	249	1.0	0.75	1.0	20.4	-15.4	-41.0	44.0	249
256.9	232.5	237.5	1.0	0.625	1.0	16.5	-9.4	-40.8	41.9	256.9	1.0	0.633	1.0	16.5	-9.8	-40.8	42.1	256	1.0	0.633	1.0	16.5	-9.8	-40.8	42.1	256	1.0	0.633	1.0	16.5	-9.8	-40.8	42.1	256
268.2	240.0	244.3	1.0	0.5	1.0	11.7	-1.2	-40.6	40.6	268.2	1.0	0.5	1.0	11.7	-1.2	-40.6	40.6	268	1.0	0.5	1.0	11.7	-1.2	-40.6	40.6	268	1.0	0.5	1.0	11.7	-1.2	-40.6	40.6	268
278.6	247.5	251.2	1.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	1.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	1.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	1.0	0.383	1.0	37.6	5.6	-40.2	40.7	277
289.6	255.0	258.0	1.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	1.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	1.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	1.0	0.25	1.0	32.9	14.4	-40.1	42.7	289
299.0	262.5	264.8	1.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	1.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	1.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	1.0	0.133	1.0	28.9	21.9	-40.2	45.9	298
306.2	270.0	271.7	1.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	1.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	1.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	1.0	0.0	1.0	25.1	29.6	-40.3	50.1	306
314.7	277.5	278.8	1.0	0.125	0.0	27.9	36.0	-36.4	51.2	314.7	1.0	0.117	0.0	27.7	35.7	-36.6	51.2	314	1.0	0.117	0.0	27.7	35.7	-36.6	51.2	314	1.0	0.117	0.0	27.7	35.7	-36.6	51.2	314
322.1	285.0	285.9	1.0	0.25	0.0	28.8	41.9	-32.5	53.1	322.1	1.0	0.25	0.0	28.9	42.0	-32.5	53.2	322	1.0	0.25	0.0	28.9	42.0	-32.5	53.2	322	1.0	0.25	0.0	28.9	42.0	-32.5	53.2	322
333.3	292.5	293.0	1.0	0.375	0.0	32.7	51.8	-26.0	58.0	333.3	1.0	0.367	0.0	32.5	51.3	-26.5	57.7	332	1.0	0.367	0.0	32.5	51.3	-26.5	57.7	332	1.0	0.367	0.0	32.5	51.3	-26.5	57.7	332
340.5	300.0	300.1	1.0	0.																														



http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h_ab,d	h_ab,s	h_ab,e	rgb%_dd64M	LAB*_dxd64M (x=LabCh)	rgb%_dex36IM	LAB*_dex36IM	rgb%_dd64M	LAB*_dex36IM	rgb%_dd64M	LAB*_dex36IM
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	1.0	0.75	1.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	1.0	0.625	1.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	1.0	0.5	1.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	1.0	0.375	1.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	1.0	0.25	1.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	1.0	0.125	1.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	1.0	0.0	1.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	1.0	0.125	0.0	51.2	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	1.0	0.25	0.5	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	1.0	0.375	0.5	54.5	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	1.0	0.5	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	1.0	0.625	0.0	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	1.0	0.75	0.5	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	1.0	0.875	0.5	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	1.0	1.0	0.5	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	1.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	1.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	1.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	1.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	1.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	1.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	1.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	1.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	1.0	0.125	0.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	1.0	0.25	0.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	1.0	0.375	0.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	1.0	0.5	0.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	1.0	0.625	0.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	1.0	0.75	0.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	1.0	0.875	0.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	1.0	0.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.875	1.0	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.75	1.0	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.625	1.0	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.5	1.0	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.375	1.0	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.25	1.0	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.125	1.0	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	1.0	45.4	70.9	44.8	83.9	392.3

Input: *rgb/cmyk* -> *rgb*  
 Output: transfer to *cmy0d*

Output: Offset standard print; separation cmy0; D65, page 9/33

I-003831-L0 QE470-70 LAB\*lab0, YN=0%, XY,Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE47; hue code: H\*\_d=Y25Gd  
 48 step hue circles; *rgb-LabCh*\*tables

http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h\_ab,d, h\_ab,s, h\_ab,e, R\_d, L\*a\*b\*, dss361MI, L\*a\*b\*, dss361MI, L\*a\*b\*, dex361MI, L\*a\*b\*, dex361MI, R\_c, L\*a\*b\*, dd361MI, L\*a\*b\*, dd361MI, R\_g, L\*a\*b\*, dd361MI, R\_b, L\*a\*b\*, dd361MI, R\_m, L\*a\*b\*, dd361MI. Rows 32-86.

Input: rgb/cmyk -> rgbd output: transfer to cmy0d

















http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33


Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h\_ab,d, h\_ab,s) and colorimetric values (LAB\*, RGB\*, CMYK, etc.) for 60 standard colors. The table is organized into sections for different color models and includes a final row for registration marks (R\_d).

LAB\*ab0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE47; hue code: H\*\_d=Y25Gd 48 step hue circles; rgb-LabCh\*tables input: rgb/cmyk -> rgbd output: transfer to cmy0d

Output: Offset standard print; separation cmy0\*, D65, page 17/33



QE4700L

QE4700L

http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

ref	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*Fd	LabCh*Fd	DF*Fd	HsM*Fd	rgb*Md	LabCh*Md	DF*Md	HsM*Md	rgb*Md	LabCh*Md	DF*Md	HsM*Md
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/657	R13Y_100_100a	0.0	0.125	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/666	R25Y_100_100a	0.0	0.25	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/675	R38Y_100_100a	0.0	0.375	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/684	R50Y_100_100a	0.0	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/693	R63Y_100_100a	0.0	0.625	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/702	R75Y_100_100a	0.0	0.75	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/711	R88Y_100_100a	0.0	0.875	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/720	Y00G_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/639	Y13G_100_100a	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/558	Y25G_100_100a	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/477	Y38G_100_100a	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/396	Y50G_100_100a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/315	Y63G_100_100a	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/234	Y75G_100_100a	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/153	Y88G_100_100a	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/72	G00C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/73	G13C_100_100a	0.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/74	G25C_100_100a	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/75	G38C_100_100a	0.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/76	G50C_100_100a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/77	G63C_100_100a	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/78	G75C_100_100a	0.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/79	G88C_100_100a	0.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/80	C00B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/71	C13B_100_100a	0.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/62	C25B_100_100a	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/53	C38B_100_100a	0.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28/44	C50B_100_100a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29/35	C63B_100_100a	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30/26	C75B_100_100a	0.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31/17	C88B_100_100a	0.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32/8	B00M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33/89	B13M_100_100a	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34/170	B25M_100_100a	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35/251	B38M_100_100a	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36/332	B50M_100_100a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/413	B63M_100_100a	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38/494	B75M_100_100a	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39/575	B88M_100_100a	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40/656	M00R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41/655	M13R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42/654	M25R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/653	M38R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44/652	M50R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/651	M63R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/650	M75R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/649	M88R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/0	NV_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013a	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/182	NV_025a	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/273	NV_038a	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/364	NV_050a	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NV_063a	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NV_075a	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NV_088a	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NV_100a	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E\* = 4.0

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE47; hue code: H\*\_d=Y25G\_d colors and differences, ΔE\*'

















QE4700L

QE4700L

QE4700L

QE4700L

see similar files: http://130.149.60.45/~farbmetrik/QE47/QE47.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 15 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd. Rows include color names like R001, R002, B001, B002, etc.

Mean color difference in this page:

input: rgb/cmyk -> rgbd output: transfer to cmy0d

QE470-TN; Page 25/33-F

TUB-test chart QE47; hue code: H\*d=Y25Gd colors and differences, AE\*

I-0032431-F0

I-0032431-F0









QE4700L

QE4700L

QE4700L

QE4700L



http://130.149.60.45/~farbmatrik/QE47/QE47LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Table with 15 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd, rpb\*Fd, LabCh\*Fd, DF\*Fd, hsa\*Fd, LabCh\*Fd, LabCh\*Fd. Rows contain numerical data for various color patches.

Mean color difference of this page: delta E\* = 3.4

QE4700L

Table with 28 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd. Includes a 'Mean color difference of this page:' section at the bottom right.

http://130.149.60.45/~farbmatrik/QE47/QE47LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE47; hue code: H\*d=Y25Gd colors and differences, ΔE\*

QE4700L

http://130.149.60.45/~farbmatrik/QE47/QE47LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 10 columns (n, H#, R, G, B, Y, M, C, K, L) and 100 rows of colorimetric data.

see similar files: http://130.149.60.45/~farbmatrik/QE47/QE47LONP.PDF /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Mean color difference of this page: delta E\* = 7.8

Mean color difference of this page: delta E\* = 7.8

I-0032831-F0

I-0032831-F0

I-0032831-F0



QE4700L

QE4700L

QE4700L

QE4700L

see similar files: http://130.149.60.45/~farbmetrik/QE47/QE47.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 10 columns: n, H#C\*Fid, H#s\_Fid, iet\_Fid, rpb\_Fid, LabC\*Fid, rpb\*Fid, LabCH\*Fid, DF\*Fid, H#s\_Mid, rpb\*Mid, LabCH\*Mid, LabCH\*Yid, and 0.0 values. The table contains 971 rows of color calibration data.

QE470-TN; Page 31/33-F

TUB-test chart QE47; hue code: H\*d=Y25Gd colors and differences, ΔE\*

input: rgb/cmyk -> rgbd output: transfer to cmy0d


Mean color difference of this page: delta E\* = 7.2

http://130.149.60.45/~farbmetrik/QE47/QE47L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H#C\*Fd, rpb\*Fd, iEt\*Fd, iBs\*Fd, rpb\*Fd, LabC\*H\*Fd, LabCH\*Fd, rpb\*Fd, LabCH\*Fd, DP\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd. Rows include color patches like NW\_0004, NW\_0124, NW\_0254, etc.

Mean color difference of this page: delta E\*90 = 9.2 input: rgb/cmyk -> rgbd output: transfer to cmy0d





n	HC*Fd	rgb*Fd	icr*Fd	LabC*Fd	rgb*Fd	LabC*Fd	rgb*Fd	LabC*Fd	DF*Fd	HaM*Fd	rgb*Fd	LabC*Fd	DF*Fd	HaM*Fd	rgb*Fd	LabC*Fd
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	3.7	360	1.0	95.6	3.7	360	1.0	95.6
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	71.6	1.5	360	95.6	114.3	1.7	360	95.6
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	308.5	1.1	360	95.6	308.5	1.1	360	95.6
1056	NW_106d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	6.7	6.5	360	95.6	6.7	6.5	360	95.6
1057	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	9.0	22.4	360	95.6	9.0	22.4	360	95.6
1058	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	30.4	13.3	360	95.6	30.4	13.3	360	95.6
1059	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	44.7	14.0	360	95.6	44.7	14.0	360	95.6
1060	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	40.4	15.5	360	95.6	40.4	15.5	360	95.6
1061	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	48.4	14.5	360	95.6	48.4	14.5	360	95.6
1062	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	51.8	11.8	360	95.6	51.8	11.8	360	95.6
1063	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	56.7	8.3	360	95.6	56.7	8.3	360	95.6
1064	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	62.0	5.9	360	95.6	62.0	5.9	360	95.6
1065	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	69.4	3.6	360	95.6	69.4	3.6	360	95.6
1066	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	71.7	1.5	360	95.6	71.7	1.5	360	95.6
1067	NW_080d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	71.7	1.5	360	95.6	71.7	1.5	360	95.6
1068	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	69.4	3.6	360	95.6	69.4	3.6	360	95.6
1069	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	62.0	5.9	360	95.6	62.0	5.9	360	95.6
1070	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	51.8	11.8	360	95.6	51.8	11.8	360	95.6
1071	NW_106d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	118.4	0.1	360	95.6	118.4	0.1	360	95.6
1072	ROY_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	299.2	2.9	360	95.6	299.2	2.9	360	95.6
1073	ROY_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	138.7	0.0	360	95.6	138.7	0.0	360	95.6
1074	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8	0.7	389	45.4	32.8	0.7	389	45.4
1075	Y06B_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	48.8	38.9	0.5	210	48.8	38.9	0.5	210
1076	Y06B_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.0	0.4	89	87.8	96.0	0.4	89	87.8
1077	B08_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.0	0.5	270	96.0	96.0	0.5	270	96.0
1078	B08_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.5	29.5	0.0	50.0	29.5	29.5	0.0	50.0
1079	B50B_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	359.8	0.2	330	46.1	359.8	0.2	330	46.1

Mean color difference of this page: delta E\*\* = 5.8

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE47; hue code: H\*d=Y25Gd colors and differences, ΔE\*\*