

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 116/360 = 0.32$

$H^*_- = Y50G_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = Y50G_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 73 -31 62 70 116

$HIC^*_{-,Ma}$: Y50G_100_100_



$rgbic^*_{-,Ma}$:

0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-103030-L0 QE540-7N

TUB-test chart QE54; hue code: $H^*_- = Y50G_-$

Test chart according to DIN 33872, 3D=1, de=0, cmk^*

input: $rgb/cmyk \rightarrow rgb/cmyk$


output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 115/360 = 0.32$

$H^*_d = Y50G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y50G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$: 72 -31 66 73 115



$HIC^*_{d, Ma}$: Y50G_100_100d

$rgbic^*_{d, Ma}$:
0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H, rel} = 57$
 $g^*_{C, rel} = 58$


see similar files: <http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE54/QE54L0FP.PDF / .PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta

1-103130-L0 QE540-72



TUB-test chart QE54; hue code: $H^*_d=Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$



see similar files: <http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE54/QE54L0FP.PDF / .PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta



TUB-test chart QE54; hue code: $H^*_d = Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*



input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$





see similar files: <http://130.149.60.45/~farbmetrik/QE54/QE54.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)



1-103330-L0 QE540-72

TUB-test chart QE54; hue code: $H^*_d=Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*





input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103330-F0



TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/QE54/QE54.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart QE54; hue code: $H^*_d=Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 115/360 = 0.32$

$H^*_d = Y50G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y50G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 72 -31 66 73 115

HIC^*_d, Ma : Y50G_100_100d



$rgbic^*_d, Ma$:

0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

brilliance I^*



see similar files: <http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE54/QE54L0FP.PDF / .PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta

1-103530-L0 QE540-72

TUB-test chart QE54; hue code: $H^*_d=Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow
 $LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green
 $LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue
 $LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red
 $LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red
 $LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue
 $LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow
 $LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green
 $LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green
 $LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue
 $LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red
 $LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red
 $LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow
 $LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$


G_s green
 $LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green
 $LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red
 $LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red
 $LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s blue
 $LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$



Notes to the CIELAB chroma diagrams (a*d, b*d), (a*s, b*s), (a*e, b*e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{3}$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{4}$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{5}$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF /.PS; 3D-linearization
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rha4ta


Data of maximum color M in colorimetric system offset standard print; separation cmy6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_ab,d, h_ab,s, h_ab,e, r_gb*d, ddx64M, LAB* ddx64M (x=LabCh), r_gb*s, ddx361M, LAB* ddx361M (x=LabCh), r_gb*t, dsx361M, LAB* dsx361M (x=LabCh), r_gb*v, dex361M, LAB* dex361M, r_gb*w, dsx361M, LAB* dsx361M (x=LabCh). Rows contain colorimetric data for various hue angles.




TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS application for measurement of offset print output, separation cmy6* (CMYK) TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF / .PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd}	dd64M	LAB* _{dd}	ddx64M (x=LabCh)	rgb* _{ds}	ds361M	LAB* _{ds}	ds361M	rgb* _{de}	de361M	LAB* _{de}	de361M
32.8	30.0	25.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 32.8	1.0	0.0	2.09	47.6 64.9 30.9 71.9 25				
40.4	37.5	33.8	1.0	0.125	0.0	51.2 54.9 46.7 72.1 40.4	1.0	0.007	0.0	47.6 63.4 41.6 75.8 33				
50.0	45.0	42.1	1.0	0.25	0.0	56.0 44.4 53.0 69.1 50.0	1.0	0.148	0.0	52.1 53.0 48.1 71.6 42				
61.1	52.5	50.5	1.0	0.375	0.0	61.4 33.2 60.3 68.8 61.1	1.0	0.25	0.0	56.0 44.5 53.0 69.2 49				
71.4	60.0	58.8	1.0	0.5	0.0	67.2 22.6 67.6 71.2 71.4	1.0	0.35	0.0	60.3 35.6 59.0 69.0 58				
81.7	67.5	67.2	1.0	0.625	0.0	73.6 11.0 76.1 76.9 81.7	1.0	0.442	0.0	64.5 27.8 64.5 70.2 66				
88.5	75.0	75.6	1.0	0.75	0.0	79.2 2.0 83.0 83.1 88.5	1.0	0.55	0.0	69.8 18.3 71.3 73.6 75				
93.6	82.5	83.9	1.0	0.875	0.0	84.2 -5.7 89.4 89.6 93.6	1.0	0.655	0.0	75.0 9.0 77.9 78.5 83				
97.1	90.0	92.3	1.0	1.0	0.0	88.3 -11.9 95.1 95.8 97.1	1.0	0.842	0.0	83.0 -3.4 87.8 87.9 92				
100.3	97.5	101.0	0.875	1.0	0.0	85.8 -16.2 88.6 90.0 100.3	0.871	1.0	0.0	85.8 -16.2 88.4 89.9 100				
103.3	105.0	109.7	0.75	1.0	0.0	82.9 -19.7 83.0 85.3 103.3	0.599	1.0	0.0	76.2 -26.6 74.3 78.9 109				
108.3	112.5	118.5	0.625	1.0	0.0	77.0 -25.2 76.3 80.4 108.3	0.455	1.0	0.0	71.4 -33.4 63.2 71.6 117				
115.3	120.0	127.2	0.5	1.0	0.0	72.7 -31.3 66.0 73.1 115.3	0.327	1.0	0.0	65.8 -41.3 54.4 68.4 127				
122.4	127.5	136.0	0.375	1.0	0.0	68.9 -36.9 58.1 68.8 122.4	0.244	1.0	0.0	60.7 -48.1 47.5 67.6 135				
134.9	135.0	144.7	0.25	1.0	0.0	60.8 -47.8 47.8 67.6 134.9	0.124	1.0	0.0	57.4 -54.9 38.9 67.4 144				
144.6	142.5	153.4	0.125	1.0	0.0	57.4 -54.9 38.9 67.3 144.6	0.047	1.0	0.0	54.0 -63.8 32.7 71.7 152				
157.7	150.0	162.2	0.0	1.0	0.0	51.9 -68.8 28.1 74.3 157.7	0.0	1.0	0.093	52.4 -67.0 21.5 70.5 162				
163.7	157.5	169.0	0.0	1.0	0.125	52.5 -66.4 19.3 69.1 163.7	0.0	1.0	0.209	53.1 -63.5 12.8 64.9 168				
170.9	165.0	175.9	0.0	1.0	0.25	53.2 -61.9 9.8 62.7 170.9	0.0	1.0	0.311	53.7 -59.7 4.3 59.9 175				
181.0	172.5	182.7	0.0	1.0	0.375	54.1 -56.9 -1.0 56.9 181.0	0.0	1.0	0.387	54.2 -56.4 -2.2 56.5 182				
193.5	180.0	189.6	0.0	1.0	0.5	54.8 -51.0 -12.3 52.5 193.5	0.0	1.0	0.46	54.6 -53.1 -8.9 54.0 189				
205.9	187.5	196.4	0.0	1.0	0.625	55.8 -45.1 -21.9 50.1 205.9	0.0	1.0	0.524	55.0 -50.0 -14.3 52.1 195				
218.4	195.0	203.2	0.0	1.0	0.75	56.7 -38.9 -30.9 49.7 218.4	0.0	1.0	0.598	55.6 -46.5 -19.9 50.7 203				
227.3	202.5	210.1	0.0	1.0	0.875	57.5 -34.3 -37.2 50.6 227.3	0.0	1.0	0.662	56.1 -43.4 -24.7 50.1 209				
236.1	210.0	216.9	0.0	1.0	1.0	58.3 -29.2 -43.7 52.6 236.1	0.0	1.0	0.736	56.7 -39.7 -29.9 49.8 216				
240.3	217.5	223.8	0.0	0.875	1.0	55.2 -25.0 -43.9 50.5 240.3	0.0	1.0	0.819	57.2 -36.4 -34.4 50.3 223				
245.8	225.0	230.6	0.0	0.75	1.0	51.7 -19.7 -44.1 48.3 245.8	0.0	1.0	0.922	57.9 -32.5 -39.7 51.4 230				
252.5	232.5	237.5	0.0	0.625	1.0	47.7 -13.9 -44.4 46.5 252.5	0.0	0.974	1.0	57.7 -28.3 -43.7 52.2 237				
262.3	240.0	244.3	0.0	0.5	1.0	42.7 -6.0 -45.0 45.4 262.3	0.0	0.785	1.0	52.7 -21.1 -44.1 49.0 244				
271.7	247.5	251.2	0.0	0.375	1.0	37.9 1.3 -45.4 45.4 271.7	0.0	0.659	1.0	48.9 -15.4 -44.3 47.1 250				
281.6	255.0	258.0	0.0	0.25	1.0	33.3 9.4 -46.0 47.0 281.6	0.0	0.555	1.0	45.0 -9.4 -44.8 45.9 258				
290.3	262.5	264.8	0.0	0.125	1.0	28.6 17.4 -46.9 50.1 290.3	0.0	0.472	1.0	41.7 -4.3 -45.1 45.4 264				
296.4	270.0	271.7	0.0	0.0	1.0	25.3 23.5 -47.3 52.8 296.4	0.0	0.375	1.0	37.9 1.4 -45.3 45.5 271				
306.7	277.5	278.8	0.125	0.0	1.0	29.3 31.8 -42.6 53.1 306.7	0.0	0.291	1.0	34.9 6.8 -45.9 46.5 278				
312.7	285.0	285.9	0.25	0.0	1.0	31.5 36.2 -39.2 53.4 312.7	0.0	0.188	1.0	31.0 13.3 -46.6 48.5 285				
326.7	292.5	293.0	0.375	0.0	1.0	33.8 47.6 -31.2 56.9 326.7	0.0	0.079	1.0	27.4 19.6 -47.1 51.1 292				
333.9	300.0	300.1	0.5	0.0	1.0	37.8 53.8 -26.3 59.9 333.9	0.046	0.0	1.0	26.8 26.6 -45.7 53.0 300				
339.6	307.5	307.2	0.625	0.0	1.0	40.9 58.8 -21.8 62.7 339.6	0.126	0.0	1.0	29.4 31.9 -42.5 53.2 306				
347.2	315.0	314.3	0.75	0.0	1.0	43.1 65.9 -14.9 67.6 347.2	0.265	0.0	1.0	31.8 37.7 -38.4 53.8 314				
350.2	322.5	321.4	0.875	0.0	1.0	45.9 69.4 -11.9 70.5 350.2	0.324	0.0	1.0	32.9 43.2 -34.8 55.5 321				
353.3	330.0	328.6	1.0	0.0	1.0	48.2 72.8 -8.5 73.3 353.3	0.407	0.0	1.0	34.9 49.3 -30.0 57.7 328				
356.5	337.5	335.7	1.0	0.0	0.875	48.2 71.6 -4.3 71.7 356.5	0.529	0.0	1.0	38.6 55.0 -25.3 60.6 335				
360.3	345.0	342.8	1.0	0.0	0.75	48.1 70.4 0.3 70.4 360.3	0.678	0.0	1.0	41.9 61.9 -19.0 64.8 342				
365.8	352.5	349.9	1.0	0.0	0.625	48.0 68.9 7.1 69.3 365.8	0.842	0.0	1.0	45.2 68.6 -12.7 69.8 349				
371.6	360.0	357.0	1.0	0.0	0.5	47.7 67.7 14.0 69.1 371.6	0.949	0.0	1.0	47.3 71.5 -9.9 72.2 352				
378.2	367.5	364.1	1.0	0.0	0.375	47.7 66.1 21.8 69.6 378.2	1.0	0.0	0.765	48.2 70.6 -0.1 70.6 359				
383.9	375.0	371.2	1.0	0.0	0.25	47.7 65.0 28.9 71.2 383.9	1.0	0.0	0.563	47.9 68.4 10.6 69.2 368				
388.6	382.5	378.3	1.0	0.0	0.125	47.4 64.4 35.1 73.4 388.6	1.0	0.0	0.408	47.8 66.7 19.8 69.6 376				
392.8	390.0	385.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 392.8	1.0	0.0	0.209	47.6 64.9 30.9 71.9 385				



see similar files: http://130.149.60.45/~farbmetrik/QE54/QE54.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy₆*; D65 for input or output; Six hue angles of the 60 degree standard colours RY₆CBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RY₆CBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RY₆CBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ₆ *_dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb ₆ *_ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb ₆ *_dd361Mi	LAB* de361Mi	R _e	rgb ₆ *_dd361Mi	rgb ₆ *_ds ₆	rgb ₆ *_de ₆
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32	1.0	1.0 0.0 0.084 47.4 64.3 37.1 74.3 30	1.0	1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25	1.0	1.0 0.0 0.0			
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33	1.0	1.0 0.0 0.054 47.4 64.2 38.6 74.9 31	1.0	1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26	1.0	1.0 0.017 0.0			
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34	1.0	1.0 0.0 0.025 47.4 64.0 40.0 75.5 32	1.0	1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27	1.0	1.0 0.033 0.0			
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35	1.0	1.0 0.003 0.0 47.5 63.7 41.3 75.9 33	1.0	1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28	1.0	1.0 0.05 0.0			
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36	1.0	1.0 0.019 0.0 48.0 62.5 42.2 75.4 34	1.0	1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29	1.0	1.0 0.067 0.0			
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37	1.0	1.0 0.036 0.0 48.5 61.4 43.0 74.9 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31	1.0	1.0 0.083 0.0			
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38	1.0	1.0 0.052 0.0 49.0 60.2 43.7 74.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32	1.0	1.0 0.1 0.0			
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39	1.0	1.0 0.069 0.0 49.5 59.0 44.5 73.9 37	1.0	1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33	1.0	1.0 0.117 0.0			
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41	1.0	1.0 0.085 0.0 50.0 57.8 45.2 73.4 38	1.0	1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34	1.0	1.0 0.133 0.0			
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42	1.0	1.0 0.101 0.0 50.5 56.6 45.9 72.9 39	1.0	1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35	1.0	1.0 0.15 0.0			
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43	1.0	1.0 0.118 0.0 51.0 55.4 46.5 72.4 40	1.0	1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36	1.0	1.0 0.167 0.0			
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44	1.0	1.0 0.132 0.0 51.5 54.3 47.2 72.0 41	1.0	1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37	1.0	1.0 0.183 0.0			
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46	1.0	1.0 0.145 0.0 52.0 53.2 47.9 71.7 42	1.0	1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38	1.0	1.0 0.2 0.0			
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47	1.0	1.0 0.158 0.0 52.5 52.2 48.7 71.3 43	1.0	1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39	1.0	1.0 0.217 0.0			
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48	1.0	1.0 0.172 0.0 53.0 51.1 49.3 71.0 44	1.0	1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41	1.0	1.0 0.233 0.0			
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50	1.0	1.0 0.185 0.0 53.5 50.0 50.0 70.7 45	1.0	1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42	1.0	1.0 0.25 0.0			
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51	1.0	1.0 0.198 0.0 54.0 48.9 50.7 70.4 46	1.0	1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43	1.0	1.0 0.267 0.0			
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52	1.0	1.0 0.211 0.0 54.5 47.8 51.3 70.1 47	1.0	1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44	1.0	1.0 0.283 0.0			
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54	1.0	1.0 0.224 0.0 55.0 46.7 51.9 69.8 48	1.0	1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45	1.0	1.0 0.3 0.0			
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55	1.0	1.0 0.237 0.0 55.5 45.6 52.4 69.5 49	1.0	1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46	1.0	1.0 0.317 0.0			
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57	1.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 50	1.0	1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47	1.0	1.0 0.333 0.0			
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58	1.0	1.0 0.261 0.0 56.5 43.5 53.7 69.2 51	1.0	1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48	1.0	1.0 0.35 0.0			
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60	1.0	1.0 0.272 0.0 57.0 42.6 54.5 69.1 52	1.0	1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49	1.0	1.0 0.367 0.0			
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61	1.0	1.0 0.283 0.0 57.5 41.6 55.2 69.1 53	1.0	1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51	1.0	1.0 0.383 0.0			
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63	1.0	1.0 0.295 0.0 58.0 40.6 55.9 69.1 54	1.0	1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52	1.0	1.0 0.4 0.0			
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64	1.0	1.0 0.306 0.0 58.5 39.6 56.6 69.1 55	1.0	1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53	1.0	1.0 0.417 0.0			
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65	1.0	1.0 0.317 0.0 58.9 38.6 57.2 69.0 56	1.0	1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54	1.0	1.0 0.433 0.0			
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67	1.0	1.0 0.328 0.0 59.4 37.6 57.9 69.0 57	1.0	1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55	1.0	1.0 0.45 0.0			
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68	1.0	1.0 0.34 0.0 59.9 36.6 58.5 69.0 58	1.0	1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56	1.0	1.0 0.467 0.0			
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70	1.0	1.0 0.351 0.0 60.4 35.5 59.1 69.0 59	1.0	1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57	1.0	1.0 0.483 0.0			
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71	1.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58	1.0	1.0 0.5 0.0			
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72	1.0	1.0 0.373 0.0 61.4 33.4 60.3 68.9 61	1.0	1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.517 0.0			
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74	1.0	1.0 0.385 0.0 61.9 32.4 61.0 69.1 62	1.0	1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61	1.0	1.0 0.533 0.0			
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75	1.0	1.0 0.397 0.0 62.5 31.5 61.8 69.3 63	1.0	1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62	1.0	1.0 0.55 0.0			
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76	1.0	1.0 0.409 0.0 63.0 30.5 62.5 69.6 64	1.0	1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63	1.0	1.0 0.567 0.0			
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78	1.0	1.0 0.421 0.0 63.6 29.5 63.2 69.8 65	1.0	1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64	1.0	1.0 0.583 0.0			
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79	1.0	1.0 0.434 0.0 64.2 28.5 64.0 70.0 66	1.0	1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65	1.0	1.0 0.6 0.0			
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81	1.0	1.0 0.446 0.0 64.7 27.4 64.7 70.3 67	1.0	1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66	1.0	1.0 0.617 0.0			
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82	1.0	1.0 0.458 0.0 65.3 26.4 65.4 70.5 68	1.0	1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67	1.0	1.0 0.633 0.0			
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83	1.0	1.0 0.47 0.0 65.8 25.3 66.0 70.7 69	1.0	1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68	1.0	1.0 0.65 0.0			
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84	1.0	1.0 0.482 0.0 66.4 24.3 66.7 70.9 70	1.0	1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70	1.0	1.0 0.667 0.0			
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84	1.0	1.0 0.494 0.0 66.9 23.2 67.3 71.2 71	1.0	1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71	1.0	1.0 0.683 0.0			
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85	1.0	1.0 0.506 0.0 67.5 22.1 68.1 71.6 72	1.0	1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72	1.0	1.0 0.7 0.0			
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86	1.0	1.0 0.518 0.0 68.2 21.1 69.0 72.1 73	1.0	1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73	1.0	1.0 0.717 0.0			
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87	1.0	1.0 0.531 0.0 68.8 20.0 69.9 72.7 74	1.0	1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74	1.0	1.0 0.733 0.0			
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0	1.0 0.543 0.0 69.4 19.0 70.7 73.2 75	1.0	1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75	1.0	1.0 0.75 0.0			

1-103930-L0 QE540-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmy₆*; D65, page 10/33

TUB-test chart QE54; hue code: H*d=Y50Gd
48 step hue circles; rgb-LabCh*tables


input: rgb/cmyk -> rgb_{dd}
output: 3D-linearization to cmyk*_{dd}

see similar files: <http://130.149.60.45/~farbmetrik/QE54/QE54.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS
application for measurement of offset print output, separation cmy₆* (CMYK)
TUB material: code=rha4ta


Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBCM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with columns for device colors (h_ab,d, h_ab,s, h_ab,e, rrgb*, dd361M, LAB*, ddx361Mi), elementary colors (rgb*, ds361Mi, LAB*, dsx361Mi, rrgb*, dd361Mi, rgb*, de361Mi, LAB*, dex361Mi), and standard colors (rgb*, dd361Mi, rrgb*, de361Mi, LAB*, dex361Mi). Rows 88-115 show data for 60 degree standard colors.



see similar files: http://130.149.60.45/~farbmetrik/QE54/QE54.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE54/QE54L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_s; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGCMB_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGCMB_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d dd361Mi	LAB* _d ddx361Mi (x=LabCh)	rgb^*_s ds361Mi	LAB* _s dsx361Mi (x=LabCh)	rgb^*_e dd361Mi	rgb^*_e de361Mi	LAB* _e dex361Mi (x=LabCh)	rgb^*_d dd361Mi	rgb^*_d ds361Mi	rgb^*_e de361Mi
115	120	127	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115	0.418 1.0 0.0	70.3 -35.1 60.9 70.3 120	0.5 1.0 0.0	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127	0.5 1.0 0.0		
116	121	128	0.483 1.0 0.0	72.2 -32.1 65.0 72.5 116	0.4 1.0 0.0	69.7 -35.8 59.8 69.7 121	0.483 1.0 0.0	0.315 1.0 0.0	65.1 -42.3 53.5 68.3 128	0.483 1.0 0.0		
117	122	129	0.466 1.0 0.0	71.7 -32.9 63.9 71.9 117	0.383 1.0 0.0	69.2 -36.5 58.6 69.1 122	0.466 1.0 0.0	0.303 1.0 0.0	64.3 -43.3 52.5 68.2 129	0.466 1.0 0.0		
118	123	130	0.45 1.0 0.0	71.2 -33.7 62.9 71.4 118	0.369 1.0 0.0	68.5 -37.4 57.7 68.8 123	0.45 1.0 0.0	0.292 1.0 0.0	63.6 -44.3 51.5 68.1 130	0.45 1.0 0.0		
119	124	131	0.433 1.0 0.0	70.7 -34.5 61.8 70.8 119	0.359 1.0 0.0	67.9 -38.3 56.9 68.7 124	0.433 1.0 0.0	0.28 1.0 0.0	62.8 -45.3 50.6 67.9 131	0.433 1.0 0.0		
120	125	133	0.416 1.0 0.0	70.2 -35.2 60.8 70.2 120	0.349 1.0 0.0	67.3 -39.2 56.2 68.6 125	0.417 1.0 0.0	0.269 1.0 0.0	62.1 -46.2 49.5 67.8 133	0.417 1.0 0.0		
121	126	134	0.4 1.0 0.0	69.6 -35.9 59.7 69.6 121	0.339 1.0 0.0	66.6 -40.2 55.4 68.5 126	0.4 1.0 0.0	0.257 1.0 0.0	61.3 -47.2 48.5 67.7 134	0.4 1.0 0.0		
121	127	135	0.383 1.0 0.0	69.1 -36.5 58.6 69.1 121	0.329 1.0 0.0	66.0 -41.1 54.6 68.4 127	0.383 1.0 0.0	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135	0.383 1.0 0.0		
123	128	136	0.366 1.0 0.0	68.3 -37.7 57.4 68.7 123	0.319 1.0 0.0	65.3 -42.0 53.8 68.3 128	0.367 1.0 0.0	0.229 1.0 0.0	60.3 -49.0 46.5 67.6 136	0.367 1.0 0.0		
124	129	137	0.35 1.0 0.0	67.3 -39.2 56.2 68.6 124	0.309 1.0 0.0	64.7 -42.8 53.0 68.2 129	0.35 1.0 0.0	0.214 1.0 0.0	59.9 -49.9 45.4 67.6 137	0.35 1.0 0.0		
126	130	138	0.333 1.0 0.0	66.2 -40.8 54.9 68.4 126	0.299 1.0 0.0	64.1 -43.7 52.2 68.1 130	0.333 1.0 0.0	0.199 1.0 0.0	59.5 -50.8 44.4 67.5 138	0.333 1.0 0.0		
128	131	140	0.316 1.0 0.0	65.1 -42.3 53.6 68.2 128	0.289 1.0 0.0	63.4 -44.5 51.3 68.0 131	0.317 1.0 0.0	0.184 1.0 0.0	59.1 -51.7 43.3 67.5 140	0.317 1.0 0.0		
129	132	141	0.3 1.0 0.0	64.0 -43.7 52.2 68.1 129	0.28 1.0 0.0	62.8 -45.4 50.5 67.9 132	0.3 1.0 0.0	0.169 1.0 0.0	58.6 -52.5 42.2 67.5 141	0.3 1.0 0.0		
131	133	142	0.283 1.0 0.0	63.0 -45.1 50.8 67.9 131	0.27 1.0 0.0	62.1 -46.2 49.6 67.8 133	0.283 1.0 0.0	0.154 1.0 0.0	58.2 -53.3 41.1 67.4 142	0.283 1.0 0.0		
133	134	143	0.266 1.0 0.0	61.9 -46.5 49.3 67.8 133	0.26 1.0 0.0	61.5 -47.0 48.7 67.8 134	0.267 1.0 0.0	0.139 1.0 0.0	57.8 -54.1 40.0 67.4 143	0.267 1.0 0.0		
134	135	144	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134	0.249 1.0 0.0	60.9 -47.7 47.8 67.7 135	0.25 1.0 0.0	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144	0.25 1.0 0.0		
136	136	145	0.233 1.0 0.0	60.4 -48.8 46.7 67.6 136	0.237 1.0 0.0	60.5 -48.5 47.0 67.6 136	0.233 1.0 0.0	0.113 1.0 0.0	56.9 -56.2 38.1 68.0 145	0.233 1.0 0.0		
137	137	147	0.216 1.0 0.0	59.9 -49.8 45.6 67.5 137	0.224 1.0 0.0	60.1 -49.3 46.1 67.6 137	0.217 1.0 0.0	0.102 1.0 0.0	56.4 -57.5 37.3 68.6 147	0.217 1.0 0.0		
138	138	148	0.2 1.0 0.0	59.4 -50.8 44.4 67.5 138	0.211 1.0 0.0	59.8 -50.1 45.2 67.6 138	0.2 1.0 0.0	0.091 1.0 0.0	55.9 -58.8 36.4 69.2 148	0.2 1.0 0.0		
140	139	149	0.183 1.0 0.0	59.0 -51.8 43.2 67.4 140	0.198 1.0 0.0	59.4 -50.9 44.3 67.5 139	0.183 1.0 0.0	0.08 1.0 0.0	55.4 -60.0 35.6 69.9 149	0.183 1.0 0.0		
141	140	150	0.166 1.0 0.0	58.5 -52.7 42.0 67.4 141	0.185 1.0 0.0	59.1 -51.6 43.4 67.5 140	0.167 1.0 0.0	0.069 1.0 0.0	55.0 -61.3 34.6 70.5 150	0.167 1.0 0.0		
142	141	151	0.15 1.0 0.0	58.1 -53.6 40.8 67.4 142	0.172 1.0 0.0	58.7 -52.3 42.5 67.5 141	0.15 1.0 0.0	0.058 1.0 0.0	54.5 -62.5 33.7 71.1 151	0.15 1.0 0.0		
144	142	152	0.133 1.0 0.0	57.6 -54.5 39.5 67.3 144	0.159 1.0 0.0	58.4 -53.0 41.5 67.4 142	0.133 1.0 0.0	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152	0.133 1.0 0.0		
145	143	154	0.116 1.0 0.0	57.0 -55.9 38.3 67.8 145	0.147 1.0 0.0	58.0 -53.7 40.6 67.4 143	0.117 1.0 0.0	0.035 1.0 0.0	53.5 -65.0 31.7 72.4 154	0.117 1.0 0.0		
147	144	155	0.1 1.0 0.0	56.3 -57.8 37.1 68.7 147	0.134 1.0 0.0	57.7 -54.4 39.6 67.4 144	0.1 1.0 0.0	0.024 1.0 0.0	53.0 -66.2 30.6 73.0 155	0.1 1.0 0.0		
149	145	156	0.083 1.0 0.0	55.5 -59.7 35.8 69.6 149	0.122 1.0 0.0	57.3 -55.2 38.7 67.5 145	0.083 1.0 0.0	0.013 1.0 0.0	52.5 -67.4 29.5 73.6 156	0.083 1.0 0.0		
150	146	157	0.066 1.0 0.0	54.8 -61.6 34.4 70.6 150	0.112 1.0 0.0	56.9 -56.3 38.1 68.0 146	0.067 1.0 0.0	0.002 1.0 0.0	52.0 -68.5 28.3 74.2 157	0.067 1.0 0.0		
152	147	158	0.049 1.0 0.0	54.1 -63.4 32.9 71.5 152	0.103 1.0 0.0	56.4 -57.4 37.4 68.6 147	0.05 1.0 0.0	0.0 1.0 0.0	52.1 -68.4 26.7 73.6 158	0.05 1.0 0.0		
154	148	159	0.033 1.0 0.0	53.4 -65.3 31.4 72.4 154	0.093 1.0 0.0	56.0 -58.5 36.6 69.1 148	0.033 1.0 0.0	0.0 1.0 0.0	52.2 -68.0 24.9 72.5 159	0.033 1.0 0.0		
156	149	161	0.016 1.0 0.0	52.6 -67.1 29.8 73.4 156	0.084 1.0 0.0	55.6 -59.6 35.9 69.7 149	0.017 1.0 0.0	0.0 1.0 0.0	52.3 -67.6 23.2 71.5 161	0.017 1.0 0.0		
157	150	162	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157	G_d 0.074 1.0 0.0	55.2 -60.7 35.1 70.2 150	G_s 0.0 1.0 0.0	0.0 1.0 0.0	52.4 -67.0 21.5 70.5 162	G_e 0.0 1.0 0.0		
158	151	163	0.0 1.0 0.0	0.016 52.0 -68.5 26.9 73.6 158	0.065 1.0 0.0	54.8 -61.8 34.3 70.7 151	0.0 1.0 0.0	0.017 0.0 1.0	52.5 -66.6 20.2 69.7 163	0.0 1.0 0.0	0.017	
159	152	164	0.0 1.0 0.0	0.033 52.1 -68.3 25.7 72.9 159	0.055 1.0 0.0	54.4 -62.8 33.5 71.3 152	0.0 1.0 0.0	0.033 0.0 1.0	52.6 -66.2 18.9 68.9 164	0.0 1.0 0.0	0.033	
160	153	164	0.0 1.0 0.0	0.05 52.2 -68.0 24.5 72.2 160	0.046 1.0 0.0	53.9 -63.9 32.6 71.8 153	0.0 1.0 0.0	0.05 0.0 1.0	52.7 -65.7 17.7 68.1 164	0.0 1.0 0.0	0.05	
160	154	165	0.0 1.0 0.0	0.066 52.2 -67.6 23.3 71.6 160	0.036 1.0 0.0	53.5 -64.9 31.7 72.3 154	0.0 1.0 0.0	0.067 0.0 1.0	52.8 -65.2 16.4 67.3 165	0.0 1.0 0.0	0.067	
161	155	166	0.0 1.0 0.0	0.083 52.3 -67.3 22.1 70.9 161	0.027 1.0 0.0	53.1 -65.9 30.8 72.9 155	0.0 1.0 0.0	0.083 0.0 1.0	52.9 -64.6 15.2 66.5 166	0.0 1.0 0.0	0.083	
162	156	167	0.0 1.0 0.0	0.1 52.4 -66.9 21.0 70.2 162	0.017 1.0 0.0	52.7 -67.0 29.9 73.4 156	0.0 1.0 0.0	0.1 0.0 1.0	53.0 -64.1 14.0 65.7 167	0.0 1.0 0.0	0.1	
163	157	168	0.0 1.0 0.0	0.116 52.5 -66.6 19.9 69.5 163	0.008 1.0 0.0	52.3 -68.0 28.9 73.9 157	0.0 1.0 0.0	0.117 0.0 1.0	53.1 -63.5 12.8 64.9 168	0.0 1.0 0.0	0.117	
164	158	169	0.0 1.0 0.0	0.133 52.6 -66.1 18.6 68.7 164	0.0 1.0 0.0	0.004 52.0 -68.7 27.8 74.2 158	0.0 1.0 0.0	0.133 0.0 1.0	53.2 -62.9 11.6 64.1 169	0.0 1.0 0.0	0.133	
165	159	170	0.0 1.0 0.0	0.15 52.7 -65.6 17.3 67.9 165	0.0 1.0 0.0	0.025 52.1 -68.3 26.3 73.3 159	0.0 1.0 0.0	0.15 0.0 1.0	53.2 -62.3 10.5 63.3 170	0.0 1.0 0.0	0.15	
166	160	171	0.0 1.0 0.0	0.166 52.8 -65.0 16.0 67.0 166	0.0 1.0 0.0	0.046 52.2 -68.0 24.8 72.4 160	0.0 1.0 0.0	0.167 0.0 1.0	53.3 -61.7 9.4 62.6 171	0.0 1.0 0.0	0.167	
167	161	172	0.0 1.0 0.0	0.183 52.9 -64.5 14.7 66.1 167	0.0 1.0 0.0	0.067 52.3 -67.6 23.3 71.6 161	0.0 1.0 0.0	0.183 0.0 1.0	53.4 -61.4 8.4 62.0 172	0.0 1.0 0.0	0.183	
168	162	173	0.0 1.0 0.0	0.2 53.0 -63.9 13.4 65.3 168	0.0 1.0 0.0	0.088 52.4 -67.1 21.8 70.7 162	0.0 1.0 0.0	0.2 0.0 1.0	53.5 -61.0 7.3 61.5 173	0.0 1.0 0.0	0.2	
169	163	174	0.0 1.0 0.0	0.216 53.1 -63.3 12.2 64.4 169	0.0 1.0 0.0	0.109 52.5 -66.7 20.4 69.8 163	0.0 1.0 0.0	0.217 0.0 1.0	53.5 -60.6 6.3 61.0 174	0.0 1.0 0.0	0.217	
170	164	175	0.0 1.0 0.0	0.233 53.2 -62.6 11.0 63.6 170	0.0 1.0 0.0	0.129 52.6 -66.2 19.0 69.0 164	0.0 1.0 0.0	0.233 0.0 1.0	53.6 -60.1 5.3 60.5 175	0.0 1.0 0.0	0.233	
170	165	175	0.0 1.0 0.0	0.25 53.2 -61.9 9.8 62.7 170	0.0 1.0 0.0	0.147 52.7 -65.7 17.6 68.1 165	0.0 1.0 0.0	0.25 0.0 1.0	53.7 -59.7 4.3 59.9 175	0.0 1.0 0.0	0.25	

see similar files: http://130.149.60.45/~farbmetrik/QE54/QE54.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE54/QE54L0FP.PDF /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{ds}	rgb [*] _{ds}	rgb [*] _{ds}																				
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.25	1.0	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0			
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233	1.0	0.0	0.543	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0			
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0	0.0	0.532	1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217	1.0			
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0	0.0	0.52	1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2	1.0			
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0	0.0	0.508	1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183	1.0			
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0	0.0	0.497	1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167	1.0			
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0	0.0	0.484	1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15	1.0			
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133	1.0			
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0	0.0	0.46	1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117	1.0			
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0	0.0	0.448	1.0	40.8	-2.9	-45.2	45.4	266	0.0	0.1	1.0			
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0	0.0	0.436	1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083	1.0			
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0	0.0	0.423	1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067	1.0			
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.05	1.0			
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0	0.0	0.399	1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033	1.0			
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0	0.0	0.387	1.0	38.4	0.7	-45.3	45.4	270	0.0	0.017	1.0			
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	B _d	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270	B _s	0.0	0.0	1.0	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	271	B _e	0.0	0.0	1.0
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.0	0.017	0.0	1.0	0.0	0.363	1.0	37.5	2.1	-45.5	45.6	272	0.017	0.0	1.0		
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.033	0.0	1.0	0.0	0.351	1.0	37.1	2.9	-45.6	45.8	273	0.033	0.0	1.0			
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.05	0.0	1.0	0.0	0.339	1.0	36.6	3.7	-45.7	45.9	274	0.05	0.0	1.0			
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.067	0.0	1.0	0.0	0.327	1.0	36.2	4.4	-45.7	46.0	275	0.067	0.0	1.0			
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.083	0.0	1.0	0.0	0.315	1.0	35.7	5.2	-45.8	46.2	276	0.083	0.0	1.0			
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0	1.0	0.0	0.303	1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0	1.0			
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.117	0.0	1.0	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	0.117	0.0	1.0			
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.133	0.0	1.0	0.0	0.279	1.0	34.4	7.6	-45.9	46.6	279	0.133	0.0	1.0			
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0	1.0	0.0	0.267	1.0	34.0	8.3	-45.9	46.8	280	0.15	0.0	1.0			
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.167	0.0	1.0	0.0	0.256	1.0	33.5	9.1	-45.9	46.9	281	0.167	0.0	1.0			
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0	1.0	0.0	0.243	1.0	33.1	9.9	-46.0	47.2	282	0.183	0.0	1.0			
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0	0.0	0.229	1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0	1.0			
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.217	0.0	1.0	0.0	0.215	1.0	32.0	11.6	-46.3	47.9	284	0.217	0.0	1.0			
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0	1.0	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.233	0.0	1.0			
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0	1.0	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0	1.0			
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.4	-46.6	48.6	286	0.267	0.0	1.0	0.0	0.175	1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0	1.0			
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173	1.0	30.4	14.3	-46.7	48.9	287	0.283	0.0	1.0	0.0	0.161	1.0	30.0	15.1	-46.8	49.2	287	0.283	0.0	1.0			
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0	1.0	0.0	0.147	1.0	29.5	16.0	-46.8	49.6	288	0.3	0.0	1.0			
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3	320	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0	1.0	0.0	0.134	1.0	28.9	16.9	-46.9	49.9	289	0.317	0.0	1.0			
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0	1.0	0.0	0.118	1.0	28.4	17.8	-46.9	50.3	290	0.333	0.0	1.0			
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0	1.0	0.0	0.098	1.0	27.9	18.7	-47.0	50.7	291	0.35	0.0	1.0			
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0	1.0	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292	0.367	0.0	1.0			
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0	1.0	0.0	0.059	1.0	26.9	20.6	-47.2	51.6	293	0.383	0.0	1.0			
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294	0.4	0.0	1.0	0.0	0.04	1.0	26.4	21.6	-47.2	52.0	294	0.4	0.0	1.0			
329	295	295	0.416	0.0</																															

ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep.Fid	mean	delta	hsa_Mid	rgb*_Mid	LabC*_Mid	32.8	69.5	71.4	71.4	69.5	32.8
0/648	R00Y_100_1000d	1.0	0.0	0.0	0.0	47.3	63.8	41.2	0.0	389	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/668	R25Y_100_1000d	0.0	0.5	0.5	0.0	55.3	48.7	67.6	0.0	42	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_1000d	0.0	1.0	1.0	0.0	67.2	22.6	67.6	0.0	59	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_1000d	0.0	0.5	0.5	0.0	83.9	83.9	83.9	0.0	77	1.0	0.766	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00C_100_1000d	0.0	1.0	0.0	0.0	88.3	-11.9	95.1	0.0	89	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25C_100_1000d	0.75	1.0	0.5	0.0	83.3	-19.2	83.7	0.0	102	0.766	1.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50C_100_1000d	0.25	1.0	0.5	0.0	72.7	-31.3	66.0	0.0	119	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75C_100_1000d	0.0	1.0	0.5	0.0	60.4	-48.8	46.7	0.0	137	0.233	1.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	G00B_100_1000d	0.0	1.0	0.5	0.0	51.9	-68.8	28.1	0.0	149	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	G25B_100_1000d	0.0	1.0	0.5	0.0	51.9	-68.8	28.1	0.0	149	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G50B_100_1000d	0.0	1.0	0.5	0.0	54.8	-51.0	-12.3	0.0	180	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
11/80	G75B_100_1000d	0.0	1.0	0.5	0.0	58.3	-29.2	-43.7	0.0	210	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
12/44	G50B_100_1000d	0.0	0.5	0.5	0.0	42.7	-6.0	-45.0	0.0	240	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B00M_100_1000d	0.0	1.0	1.0	0.0	25.3	23.5	-47.3	0.0	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_1000d	0.5	0.0	1.0	0.5	37.8	53.8	-26.3	0.0	300	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/656	B50R_100_1000d	0.0	0.0	1.0	0.0	48.2	72.8	-8.5	0.0	330	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_1000d	0.0	0.0	1.0	0.0	47.7	67.7	14.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_1000d	1.0	0.0	0.5	0.0	47.3	63.8	41.2	0.0	389	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_0500d	1.0	0.5	0.5	0.0	51.9	20.6	38.0	0.0	389	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/608	R50Y_100_0500d	0.0	0.5	0.5	0.0	81.3	33.8	35.6	0.0	389	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
20/724	Y00C_100_0500d	0.0	1.0	0.5	0.0	91.9	-5.9	47.9	0.0	89	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/562	Y25C_100_0500d	0.75	1.0	0.5	0.0	84.1	-15.6	33.0	0.0	119	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/400	Y50C_100_0500d	0.25	1.0	0.5	0.0	75.0	-34.4	14.0	0.0	149	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/400	Y75C_100_0500d	0.0	1.0	0.5	0.0	70.6	-44.6	26.3	0.0	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/568	B00R_100_0500d	0.5	0.5	0.5	0.0	60.4	11.7	-23.6	0.0	330	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/692	B50R_100_0500d	0.0	0.5	0.5	0.0	71.8	36.4	-4.2	0.0	389	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_0500d	1.0	0.5	0.5	0.0	71.4	31.9	20.6	0.0	389	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_0500d	0.75	0.25	0.25	0.0	51.9	20.6	38.0	0.0	389	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0
28/524	R50Y_075_0500d	0.0	0.5	0.5	0.0	61.9	11.3	33.8	0.0	59	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
29/542	Y00C_075_0500d	0.0	0.5	0.5	0.0	72.4	-5.9	47.9	0.0	89	0.0	0.089	0.0	0.0	0.0	0.0	0.0	0.0
30/380	Y50C_075_0500d	0.25	0.75	0.25	0.0	64.6	-15.6	33.0	0.0	149	0.25	0.75	0.0	0.0	0.0	0.0	0.0	0.0
31/218	G00B_075_0500d	0.25	0.75	0.25	0.0	57.4	-14.6	21.8	0.0	210	0.25	0.75	0.0	0.0	0.0	0.0	0.0	0.0
32/222	G50B_075_0500d	0.25	0.75	0.25	0.0	40.9	11.7	-23.6	0.0	270	0.25	0.75	0.0	0.0	0.0	0.0	0.0	0.0
33/186	B00R_075_0500d	0.25	0.25	0.75	0.0	52.4	36.4	-4.2	0.0	330	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0
34/510	B50R_075_0500d	0.0	0.25	0.75	0.0	52.4	36.4	-4.2	0.0	330	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0
35/506	R00Y_075_0500d	0.75	0.25	0.25	0.0	51.9	20.6	38.0	0.0	389	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0
36/324	R00Y_050_0500d	0.5	0.0	0.5	0.0	32.5	31.9	20.6	0.0	389	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/342	R50Y_050_0500d	0.0	0.5	0.5	0.0	42.4	11.3	33.8	0.0	59	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
38/360	Y00C_050_0500d	0.0	0.5	0.5	0.0	53.0	-5.9	47.9	0.0	89	0.0	0.204	0.0	0.0	0.0	0.0	0.0	0.0
39/198	Y50C_050_0500d	0.25	0.5	0.25	0.0	45.2	-15.6	33.0	0.0	119	0.25	0.5	0.0	0.0	0.0	0.0	0.0	0.0
40/36	G00B_050_0500d	0.0	0.5	0.5	0.0	34.8	-14.6	21.8	0.0	149	0.0	0.181	0.0	0.0	0.0	0.0	0.0	0.0
41/40	G50B_050_0500d	0.0	0.5	0.5	0.0	38.0	-14.6	21.8	0.0	210	0.0	0.181	0.0	0.0	0.0	0.0	0.0	0.0
42/4	B00R_050_0500d	0.0	0.5	0.5	0.0	21.5	11.7	-23.6	0.0	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/328	B50R_050_0500d	0.0	0.5	0.5	0.0	32.5	36.4	-4.2	0.0	330	0.0	0.118	0.0	0.0	0.0	0.0	0.0	0.0
44/324	R00Y_050_0500d	0.5	0.0	0.5	0.0	32.5	31.9	20.6	0.0	389	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/0	NW_0000d	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	360	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
46/91	NW_0150d	0.125	0.125	0.125	0.0	27.4	0.0	0.0	0.0	360	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0
47/182	NW_0250d	0.25	0.25	0.25	0.0	37.1	0.0	0.0	0.0	360	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0
48/273	NW_0350d	0.375	0.375	0.375	0.0	46.8	0.0	0.0	0.0	360	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0
49/364	NW_0500d	0.5	0.5	0.5	0.0	56.5	0.0	0.0	0.0	360	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0
50/455	NW_0650d	0.625	0.625	0.625	0.0	66.3	0.0	0.0	0.0	360	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0
51/546	NW_0800d	0.75	0.75	0.75	0.0	76.9	0.0	0.0	0.0	360	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0
52/637	NW_0850d	0.875	0.875	0.875	0.0	87.7	0.0	0.0	0.0	360	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0
53/728	NW_1000d	1.0	1.0	1.0	0.0	95.4	0.0	0.0	0.0	360	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page:

delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

TUB-test chart QE54; hue code: H*_d=Y50G_d colors and differences, ΔE*_*







Table with 80 rows and 15 columns: #, H#C*Fad, rpb*Fad, icr*Fad, Hs*Fad, LabC*Fad, LabC*Fad, cmyk*sep,Fad, LabC*Fad, LabC*Fad, Hs*Fad, rpb*Fad, LabC*Fad, LabC*Fad, delta. Each row contains numerical data for color calibration.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd Mean color difference of this page: delta

TUB-test chart QE54; hue code: H*d=Y50Gd colors and differences, ΔE*





http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE54/QE54L30FP.DAT in file (F), page 21/33

Table with columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb_Fid, LabCM*Fid, cmyk*_sep_Fid, delta, rpb_Fid, LabCM*Fid, hsa_Fid, rpb_Fid, LabCM*Fid, delta. Rows 81-161.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd





Table with 32 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCh*Fid, cmyk*_sep_Fid, rpb**Fid, LabCh**Fid, rpb***Fid, LabCh***Fid, delta. Rows 243-323.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE54; hue code: H*d=Y50Gd colors and differences, AE*^{*}

QE540-TN; Page 23/33-F

I-102320-F0

I-1032230-F0

http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE54/QE54L30FP.DAT in file (F), page 24/33


Table with columns: n, HHC*F0ad, rpb_F0ad, icr_F0ad, Hsa_F0ad, rpb*F0ad, LabC*F0ad, LabC*F0ad, cmyk*_sep_F0ad, HsY*F0ad, HsY*F0ad, LabC*F0ad, LabC*F0ad, delta. Rows include color names like R00Y, R00M, B00R, etc.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE54; hue code: H*d=Y50Gd colors and differences, AE**

QE54-7N; Page 24/33-F



I-1032330-F0



http://130.149.60.45/~farbmetrik/QE54/QE54LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE54/QE54LE30FP.DAT in file (F), page 25/33

Table with columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCh*Fid, cmyk*_sep_Fid, rpb*_Fid, hsa*_Fid, LabCh*_Fid, delta. It contains 485 rows of color calibration data.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd Mean color difference of this page: 0.455




n	HC*Fid	rgb*Fid	Lab*Fid	Lab*Fid	cmyn*sep.Fid	rgb*Fid	Lab*Fid	Lab*Fid	delta
648	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
649	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
650	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
651	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
652	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
653	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
654	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
655	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
656	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
657	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
658	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
659	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
660	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
661	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
662	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
663	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
664	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
665	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
666	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
667	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
668	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
669	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
670	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
671	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
672	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
673	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
674	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
675	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
676	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
677	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
678	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
679	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
680	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
681	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
682	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
683	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
684	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
685	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
686	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
687	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
688	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
689	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
690	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
691	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
692	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
693	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
694	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
695	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
696	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
697	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
698	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
699	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
700	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
701	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
702	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
703	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
704	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
705	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
706	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
707	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
708	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
709	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
710	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
711	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
712	R2Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
713	R3Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
714	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
715	R1Y1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
716	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
717	B6R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
718	ROY1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
719	B5R1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
720	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
721	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
722	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
723	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
724	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
725	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
726	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
727	YOG1_100_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
728	NW_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCM*Fid	cmyp*sep_Fid	cmyp*Fid	hsa_Jad	rgb*Jad	LabCM*Jad	delta
891	NW_1000	1.0	1.0	1.0	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
892	NW_1000	1.0	0.875	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
893	NW_1000	1.0	0.75	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
894	NW_1000	1.0	0.625	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
895	NW_1000	1.0	0.5	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
896	NW_1000	1.0	0.375	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
897	NW_1000	1.0	0.25	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
898	NW_1000	1.0	0.125	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
899	NW_1000	1.0	0.0	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
900	NW_1000	0.875	1.0	0.875	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
901	NW_1000	0.75	1.0	0.75	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
902	NW_1000	0.625	1.0	0.625	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
903	NW_1000	0.5	1.0	0.5	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
904	NW_1000	0.375	1.0	0.375	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
905	NW_1000	0.25	1.0	0.25	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
906	NW_1000	0.125	1.0	0.125	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
907	NW_1000	0.0	1.0	0.0	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
908	NW_1000	0.875	0.875	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
909	NW_1000	0.75	0.875	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
910	NW_1000	0.625	0.875	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
911	NW_1000	0.5	0.875	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
912	NW_1000	0.375	0.875	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
913	NW_1000	0.25	0.875	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
914	NW_1000	0.125	0.875	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
915	NW_1000	0.0	0.875	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
916	NW_1000	0.875	0.75	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
917	NW_1000	0.75	0.75	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
918	NW_1000	0.625	0.75	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
919	NW_1000	0.5	0.75	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
920	NW_1000	0.375	0.75	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
921	NW_1000	0.25	0.75	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
922	NW_1000	0.125	0.75	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
923	NW_1000	0.0	0.75	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
924	NW_1000	0.875	0.625	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
925	NW_1000	0.75	0.625	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
926	NW_1000	0.625	0.625	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
927	NW_1000	0.5	0.625	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
928	NW_1000	0.375	0.625	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
929	NW_1000	0.25	0.625	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
930	NW_1000	0.125	0.625	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
931	NW_1000	0.0	0.625	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
932	NW_1000	0.875	0.5	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
933	NW_1000	0.75	0.5	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
934	NW_1000	0.625	0.5	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
935	NW_1000	0.5	0.5	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
936	NW_1000	0.375	0.5	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
937	NW_1000	0.25	0.5	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
938	NW_1000	0.125	0.5	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
939	NW_1000	0.0	0.5	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
940	NW_1000	0.875	0.375	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
941	NW_1000	0.75	0.375	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
942	NW_1000	0.625	0.375	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
943	NW_1000	0.5	0.375	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
944	NW_1000	0.375	0.375	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
945	NW_1000	0.25	0.375	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
946	NW_1000	0.125	0.375	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
947	NW_1000	0.0	0.375	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
948	NW_1000	0.875	0.25	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
949	NW_1000	0.75	0.25	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
950	NW_1000	0.625	0.25	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
951	NW_1000	0.5	0.25	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
952	NW_1000	0.375	0.25	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
953	NW_1000	0.25	0.25	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
954	NW_1000	0.125	0.25	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
955	NW_1000	0.0	0.25	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
956	NW_1000	0.875	0.125	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
957	NW_1000	0.75	0.125	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
958	NW_1000	0.625	0.125	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
959	NW_1000	0.5	0.125	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
960	NW_1000	0.375	0.125	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
961	NW_1000	0.25	0.125	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
962	NW_1000	0.125	0.125	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
963	NW_1000	0.0	0.125	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0
964	NW_1000	0.875	0.0	1.0	0.875	95.4	0.0	0.0	360	1.0	1.0	0.0
965	NW_1000	0.75	0.0	1.0	0.75	95.4	0.0	0.0	360	1.0	1.0	0.0
966	NW_1000	0.625	0.0	1.0	0.625	95.4	0.0	0.0	360	1.0	1.0	0.0
967	NW_1000	0.5	0.0	1.0	0.5	95.4	0.0	0.0	360	1.0	1.0	0.0
968	NW_1000	0.375	0.0	1.0	0.375	95.4	0.0	0.0	360	1.0	1.0	0.0
969	NW_1000	0.25	0.0	1.0	0.25	95.4	0.0	0.0	360	1.0	1.0	0.0
970	NW_1000	0.125	0.0	1.0	0.125	95.4	0.0	0.0	360	1.0	1.0	0.0
971	NW_1000	0.0	0.0	1.0	0.0	95.4	0.0	0.0	360	1.0	1.0	0.0

input: rgb/cmyk -> rgbdd
 output: 3D-linearization to cmyk*dd


TUB-test chart QE54; hue code: H*_d=Y50G_d
 colors and differences, AE*
 Mean color difference of this page: delta



http://130.149.60.45/~farbmetrik/QE54/QE54L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE54/QE54LE30FP.DAT in file (F), page 33/33

n	HC*Fid	rgb*Fid	icr*Fid	hsa*Fid	rgb*Fid	LabCIP*Fid	hsa*Fid	cmym*sep*Fid	0.007	0.0	0.179	LabCIP*Ydd	rgb*Ydd	hsa*Ydd	0.0	0.0	0.0
1053	NW_086dd	0.866	0.866	0.866	0.866	85.0	0.0	0.024	0.007	0.0	0.179	95.4	1.0	360	0.0	0.0	0.0
1054	NW_093dd	0.933	0.933	0.933	0.933	90.2	0.0	0.024	0.005	0.0	0.084	95.4	1.0	360	0.0	0.0	0.0
1055	NW_100dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	1.0	95.4	1.0	360	0.0	0.0	0.0
1056	NW_006dd	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	0.0	0.0	0.0
1057	NW_006dd	0.066	0.066	0.066	0.066	22.8	0.0	0.139	0.022	0.0	0.933	95.4	1.0	360	0.0	0.0	0.0
1058	NW_013dd	0.133	0.133	0.133	0.133	33.2	0.0	0.0	0.043	0.048	0.871	95.4	1.0	360	0.0	0.0	0.0
1059	NW_026dd	0.266	0.266	0.266	0.266	43.6	0.0	0.057	0.036	0.0	0.825	95.4	1.0	360	0.0	0.0	0.0
1060	NW_026dd	0.266	0.266	0.266	0.266	43.6	0.0	0.013	0.015	0.0	0.781	95.4	1.0	360	0.0	0.0	0.0
1061	NW_033dd	0.333	0.333	0.333	0.333	48.8	0.0	0.0	0.016	0.005	0.628	95.4	1.0	360	0.0	0.0	0.0
1062	NW_040dd	0.4	0.4	0.4	0.4	59.1	0.0	0.019	0.018	0.0	0.541	95.4	1.0	360	0.0	0.0	0.0
1063	NW_046dd	0.466	0.466	0.466	0.466	53.9	0.0	0.021	0.007	0.0	0.478	95.4	1.0	360	0.0	0.0	0.0
1064	NW_053dd	0.533	0.533	0.533	0.533	64.3	0.0	0.006	0.006	0.0	0.405	95.4	1.0	360	0.0	0.0	0.0
1065	NW_066dd	0.666	0.666	0.666	0.666	69.5	0.0	0.006	0.005	0.0	0.322	95.4	1.0	360	0.0	0.0	0.0
1066	NW_066dd	0.666	0.666	0.666	0.666	69.5	0.0	0.021	0.011	0.0	0.26	95.4	1.0	360	0.0	0.0	0.0
1067	NW_073dd	0.734	0.734	0.734	0.734	74.7	0.0	0.024	0.007	0.0	0.179	95.4	1.0	360	0.0	0.0	0.0
1068	NW_086dd	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.024	0.005	0.084	95.4	1.0	360	0.0	0.0	0.0
1069	NW_086dd	0.866	0.866	0.866	0.866	85.0	0.0	0.024	0.005	0.0	0.084	95.4	1.0	360	0.0	0.0	0.0
1070	NW_093dd	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.005	0.0	0.0	95.4	1.0	360	0.0	0.0	0.0
1071	NW_100dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	0.0	0.0	0.0
1072	NW_100dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	0.0	0.0	0.0
1073	ROY_100_100dd	1.0	1.0	1.0	1.0	17.7	0.0	0.0	0.0	0.0	1.0	95.4	1.0	360	0.0	0.0	0.0
1074	ROY_100_100dd	1.0	1.0	1.0	1.0	17.7	0.0	0.0	0.0	0.0	1.0	95.4	1.0	360	0.0	0.0	0.0
1075	GS0B_100_100dd	0.0	0.0	0.0	0.0	47.3	63.8	0.0	0.0	0.0	0.0	41.2	60.0	389	32.8	41.2	60.0
1076	Y06C_100_100dd	0.0	0.0	0.0	0.0	58.3	-29.2	0.0	0.999	0.0	0.0	38.3	-29.2	210	38.3	-29.2	43.7
1077	B06C_100_100dd	0.0	0.0	0.0	0.0	58.3	-11.9	0.0	0.0	0.999	0.0	88.3	-11.9	89	88.3	-11.9	95.8
1078	B06C_100_100dd	0.0	0.0	0.0	0.0	58.3	-11.9	0.0	0.0	0.0	0.0	25.3	23.8	270	25.3	23.8	249.4
1079	B50R_100_100dd	0.0	0.0	0.0	0.0	58.3	28.1	0.0	0.999	0.0	0.0	58.8	28.1	330	58.8	28.1	45.9
1079	B50R_100_100dd	1.0	0.0	1.0	1.0	48.2	72.8	0.0	0.0	0.0	0.0	48.2	72.8	330	48.2	72.8	45.9

Mean color difference of this page: delta



input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE54; hue code: H*_d=Y50G_d colors and differences, ΔE*_*