

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 116/360 = 0.32$

$H^*_- = Y50G_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = Y50G_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 73 -31 62 70 116

$HIC^*_{-,Ma}$: Y50G_100_100_



$rgbic^*_{-,Ma}$:

0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT /PS; start output
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE55/QE55L0FA.TXT /PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-113030-L0 QE550-7N

TUB-test chart QE55; hue code: $H^*_- = Y50G_-$

Test chart according to DIN 33872, 3D=1, de=1, cmk^*

input: $rgb/cmyk \rightarrow rgb/cmyk$
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 127/360 = 0.35$

$H^*_e = Y50G_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = Y50G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$: 65 -41 54 68 127

$HIC^*_{e, Ma}$: Y50G_100_100e

$rgbic^*_{e, Ma}$:



0.32 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100e	47.6	64.9	30.9	71.9	25
R25Y_100_100e	51.5	54.2	47.2	71.9	41
R50Y_100_100e	60.3	35.6	59.0	68.9	58
R75Y_100_100e	70.4	17.0	72.2	74.1	76
Y00G_100_100e	82.9	-3.5	87.8	87.9	92
Y25G_100_100e	76.9	-25.5	75.9	80.1	108
Y50G_100_100e	65.8	-41.4	54.4	68.3	127
Y75G_100_100e	56.9	-56.3	38.1	68.0	145
G00B_100_100e	52.4	-67.1	21.5	70.5	162
G25B_100_100e	54.6	-53.2	-9.0	53.9	189
G50B_100_100e	56.6	-39.7	-29.9	49.8	216
G75B_100_100e	52.7	-21.1	-44.1	48.9	244
B00R_100_100e	37.9	1.3	-45.4	45.4	271
B25R_100_100e	26.7	26.6	-45.8	52.9	300
B50R_100_100e	34.8	49.2	-30.0	57.7	328
B75R_100_100e	47.3	71.5	-9.9	72.1	352

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE55/QE55L0FA.TXT /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

1-113130-L0 QE550-73



TUB-test chart QE55; hue code: $H^*_e = Y50G_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1-113130-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE55/QE55.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE55/QE55L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)



TUB-test chart QE55; hue code: $H^*_e = Y50G_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*



input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$





see similar files: <http://130.149.60.45/~farbmetrik/QE55/QE55.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE55/QE55L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)




1-113330-L0 QE550-73

TUB-test chart QE55; hue code: $H^*_e=Y50G_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*




input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1=113330-F0



TUB registration: 20130201-QE55/QE55L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)

see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



1-113430-L0 QE550-73

TUB-test chart QE55; hue code: $H^*_e=Y50G_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 127/360 = 0.35$

$H^*_e = Y50G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y50G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$: 65 -41 54 68 127

$HIC^*_{e, Ma}$: Y50G_100_100e

$rgbic^*_{e, Ma}$:



0.32 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100e	47.6	64.9	30.9	71.9	25
R25Y_100_100e	51.5	54.2	47.2	71.9	41
R50Y_100_100e	60.3	35.6	59.0	68.9	58
R75Y_100_100e	70.4	17.0	72.2	74.1	76
Y00G_100_100e	82.9	-3.5	87.8	87.9	92
Y25G_100_100e	76.9	-25.5	75.9	80.1	108
Y50G_100_100e	65.8	-41.4	54.4	68.3	127
Y75G_100_100e	56.9	-56.3	38.1	68.0	145
G00B_100_100e	52.4	-67.1	21.5	70.5	162
G25B_100_100e	54.6	-53.2	-9.0	53.9	189
G50B_100_100e	56.6	-39.7	-29.9	49.8	216
G75B_100_100e	52.7	-21.1	-44.1	48.9	244
B00R_100_100e	37.9	1.3	-45.4	45.4	271
B25R_100_100e	26.7	26.6	-45.8	52.9	300
B50R_100_100e	34.8	49.2	-30.0	57.7	328
B75R_100_100e	47.3	71.5	-9.9	72.1	352

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE55/QE55L0FA.TXT /PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rh4ta

1-113530-L0 QE550-73

TUB-test chart QE55; hue code: $H^*_e=Y50G_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1-113530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy^{6*}, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours *RYGCBM_d*: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours *RYGCBM_e*: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green

$LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green

$LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue

$LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red

$LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red

$LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

G_s green

$LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red

$LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red

$LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20130201-QE55/QE55L0FA.TXT /PS
 application for measurement of offset print output, separation cmy^{6*} (CMYK)
 TUB material: code=rha4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^a _{dd}	rgb ^b _{dd}	rgb ^a _{ds}	rgb ^b _{ds}	LAB* _{ddx64M}	LAB* _{ddx64M} (x=LabCh)	rgb ^a _{ddx361M}	rgb ^b _{ddx361M}	LAB* _{ddx361M} (x=LabCh)	rgb ^a _{dsx361M}	rgb ^b _{dsx361M}	LAB* _{dsx361M} (x=LabCh)	rgb ^a _{dex361M}	rgb ^b _{dex361M}	LAB* _{dex361M} (x=LabCh)																		
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.0	47.4	63.9	41.2	76.0	32	1.0	0.0	0.084	47.4	64.3	37.1	74.3	30	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25	
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	1.0	0.117	0.0	51.0	55.5	46.5	72.4	39	1.0	0.069	0.0	49.5	59.0	44.5	73.9	37	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33	
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	1.0	0.25	0.0	56.0	44.4	53.0	69.2	50	1.0	0.185	0.0	53.5	50.0	50.0	70.7	45	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42	
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	1.0	0.367	0.0	61.1	34.0	59.9	68.9	60	1.0	0.272	0.0	57.0	42.6	54.5	69.1	52	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49	
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	1.0	0.5	0.0	67.2	22.6	67.6	71.3	71	1.0	0.362	0.0	60.9	34.5	59.7	68.9	60	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58	
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	1.0	0.617	0.0	73.2	11.9	75.7	76.6	81	1.0	0.446	0.0	64.7	27.4	64.7	70.3	67	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66	
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	1.0	0.75	0.0	79.3	2.0	83.1	83.1	88	1.0	0.543	0.0	69.4	19.0	70.7	73.2	75	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75	
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	1.0	0.867	0.0	84.0	-5.1	89.1	89.2	93	1.0	0.629	0.0	73.8	10.7	76.5	77.2	82	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83	
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	1.0	1.0	0.0	88.4	-11.9	95.1	95.9	97	1.0	0.785	0.0	80.7	0.0	84.9	84.9	90	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92	
100.3	97.5	101.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	0.883	1.0	0.0	86.0	-15.9	89.0	90.5	100	1.0	0.994	0.0	88.2	-11.5	94.8	95.6	97	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100	
103.3	105.0	109.7	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	0.75	1.0	0.0	83.0	-19.6	83.0	85.3	103	0.709	1.0	0.0	81.0	-21.6	80.9	83.7	105	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109	
108.3	112.5	118.5	0.625	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	0.633	1.0	0.0	77.5	-24.8	76.8	80.8	107	0.56	1.0	0.0	74.9	-28.6	71.1	76.6	112	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117	
115.3	120.0	127.5	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	0.5	1.0	0.0	72.8	-31.3	66.1	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	0.25	1.0	0.0	60.9	-47.7	47.9	67.7	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	0.133	1.0	0.0	57.6	-54.4	39.6	67.4	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	0.0	1.0	0.0	52.0	-68.8	28.1	74.4	157	0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	0.0	1.0	0.117	52.5	-66.5	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	0.0	1.0	0.25	53.3	-61.9	9.8	62.8	170	0.0	1.0	0.147	52.7	-65.7	17.6	68.1	165	0.0	1.0	0.311	53.7	-59.7	4.3	59.9	175	
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	0.0	1.0	0.367	54.0	-57.3	-0.3	57.4	180	0.0	1.0	0.263	53.4	-61.5	8.7	62.2	172	0.0	1.0	0.387	54.2	-56.4	-2.2	56.5	182	
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	0.0	1.0	0.5	54.8	-51.0	-12.2	52.6	193	0.0	1.0	0.362	54.0	-57.5	0.0	57.6	180	0.0	1.0	0.46	54.6	-53.1	-8.9	54.0	189	
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	0.0	1.0	0.617	55.8	-45.5	-21.3	50.3	205	0.0	1.0	0.434	54.5	-54.4	-6.6	54.9	187	0.0	1.0	0.524	55.0	-50.0	-14.3	52.1	195	
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	0.0	1.0	0.75	56.8	-38.9	-30.8	49.8	218	0.0	1.0	0.514	55.0	-50.4	-13.4	52.3	195	0.0	1.0	0.598	55.6	-46.5	-19.9	50.7	203	
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	0.0	1.0	0.867	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.585	55.5	-47.1	-19.0	50.9	202	0.0	1.0	0.662	56.1	-43.4	-24.7	50.1	209	
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	0.0	1.0	1.0	58.3	-29.2	-43.6	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	0.0	0.883	1.0	55.5	-25.2	-43.8	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	0.0	0.75	1.0	51.8	-19.7	-44.1	48.4	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	0.0	0.633	1.0	48.0	-14.2	-44.3	46.7	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	0.0	0.5	1.0	42.8	-5.9	-44.9	45.4	262	0.0	1.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240	0.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	0.0	0.383	1.0	38.3	0.9	-44.3	45.4	271	0.0	0.729	1.0	51.1	-18.7	-44.2	48.1	247	0.0	0.659	1.0	48.9	-15.4	-44.3	47.1	250	
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	0.0	0.25	1.0	33.3	9.5	-45.9	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	0.0	0.133	1.0	28.9	16.9	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	0.0	0.0	1.0	25.3	23.5	-47.3	52.9	296	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	271	
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	0.117	0.0	1.0	29.1	31.3	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	0.25	0.0	1.0	31.6	36.3	-39.1	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	0.367	0.0	1.0	33.7	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292	
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	0.5	0.0	1.0	37.9	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	
339.6	307.5	307.2	0.625</																																

Data of Maximum color M in colorimetric system Offset standard print; separation cmy⁶*, D65 for input or output; Six hue angles of the 60 degree standard colours RY⁶G⁶B⁶_C: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RY⁶G⁶B⁶_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RY⁶G⁶B⁶_C: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ⁶ * dd64M	LAB* ddx64M (x=LabCh)	rgb ⁶ * dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE55/QE55L0FA.TXT /PS
application for measurement of offset print output, separation cmy⁶* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R _e	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32	1.0	1.0 0.0 0.084 47.4 64.3 37.1 74.3 30	1.0	1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25	1.0	1.0 0.0 0.0	1.0 0.0 0.0			
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33	1.0	1.0 0.0 0.054 47.4 64.2 38.6 74.9 31	1.0	1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26	1.0	1.0 0.017 0.0	1.0 0.017 0.0			
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34	1.0	1.0 0.0 0.025 47.4 64.0 40.0 75.5 32	1.0	1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27	1.0	1.0 0.033 0.0	1.0 0.033 0.0			
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35	1.0	1.0 0.003 0.0 47.5 63.7 41.3 75.9 33	1.0	1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28	1.0	1.0 0.05 0.0	1.0 0.05 0.0			
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36	1.0	1.0 0.019 0.0 48.0 62.5 42.2 75.4 34	1.0	1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29	1.0	1.0 0.067 0.0	1.0 0.067 0.0			
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37	1.0	1.0 0.036 0.0 48.5 61.4 43.0 74.9 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31	1.0	1.0 0.083 0.0	1.0 0.083 0.0			
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38	1.0	1.0 0.052 0.0 49.0 60.2 43.7 74.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32	1.0	1.0 0.1 0.0	1.0 0.1 0.0			
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39	1.0	1.0 0.069 0.0 49.5 59.0 44.5 73.9 37	1.0	1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33	1.0	1.0 0.117 0.0	1.0 0.117 0.0			
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41	1.0	1.0 0.085 0.0 50.0 57.8 45.2 73.4 38	1.0	1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34	1.0	1.0 0.133 0.0	1.0 0.133 0.0			
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42	1.0	1.0 0.101 0.0 50.5 56.6 45.9 72.9 39	1.0	1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35	1.0	1.0 0.15 0.0	1.0 0.15 0.0			
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43	1.0	1.0 0.118 0.0 51.0 55.4 46.5 72.4 40	1.0	1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36	1.0	1.0 0.167 0.0	1.0 0.167 0.0			
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44	1.0	1.0 0.132 0.0 51.5 54.3 47.2 72.0 41	1.0	1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37	1.0	1.0 0.183 0.0	1.0 0.183 0.0			
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46	1.0	1.0 0.145 0.0 52.0 53.2 47.9 71.7 42	1.0	1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38	1.0	1.0 0.2 0.0	1.0 0.2 0.0			
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47	1.0	1.0 0.158 0.0 52.5 52.2 48.7 71.3 43	1.0	1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39	1.0	1.0 0.217 0.0	1.0 0.217 0.0			
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48	1.0	1.0 0.172 0.0 53.0 51.1 49.3 71.0 44	1.0	1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41	1.0	1.0 0.233 0.0	1.0 0.233 0.0			
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50	1.0	1.0 0.185 0.0 53.5 50.0 50.0 70.7 45	1.0	1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42	1.0	1.0 0.25 0.0	1.0 0.25 0.0			
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51	1.0	1.0 0.198 0.0 54.0 48.9 50.7 70.4 46	1.0	1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43	1.0	1.0 0.267 0.0	1.0 0.267 0.0			
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52	1.0	1.0 0.211 0.0 54.5 47.8 51.3 70.1 47	1.0	1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44	1.0	1.0 0.283 0.0	1.0 0.283 0.0			
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54	1.0	1.0 0.224 0.0 55.0 46.7 51.9 69.8 48	1.0	1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45	1.0	1.0 0.3 0.0	1.0 0.3 0.0			
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55	1.0	1.0 0.237 0.0 55.5 45.6 52.4 69.5 49	1.0	1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46	1.0	1.0 0.317 0.0	1.0 0.317 0.0			
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57	1.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 50	1.0	1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47	1.0	1.0 0.333 0.0	1.0 0.333 0.0			
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58	1.0	1.0 0.261 0.0 56.5 43.5 53.7 69.2 51	1.0	1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48	1.0	1.0 0.35 0.0	1.0 0.35 0.0			
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60	1.0	1.0 0.272 0.0 57.0 42.6 54.5 69.1 52	1.0	1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49	1.0	1.0 0.367 0.0	1.0 0.367 0.0			
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61	1.0	1.0 0.283 0.0 57.5 41.6 55.2 69.1 53	1.0	1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51	1.0	1.0 0.383 0.0	1.0 0.383 0.0			
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63	1.0	1.0 0.295 0.0 58.0 40.6 55.9 69.1 54	1.0	1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52	1.0	1.0 0.4 0.0	1.0 0.4 0.0			
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64	1.0	1.0 0.306 0.0 58.5 39.6 56.6 69.1 55	1.0	1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53	1.0	1.0 0.417 0.0	1.0 0.417 0.0			
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65	1.0	1.0 0.317 0.0 58.9 38.6 57.2 69.0 56	1.0	1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54	1.0	1.0 0.433 0.0	1.0 0.433 0.0			
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67	1.0	1.0 0.328 0.0 59.4 37.6 57.9 69.0 57	1.0	1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55	1.0	1.0 0.45 0.0	1.0 0.45 0.0			
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68	1.0	1.0 0.34 0.0 59.9 36.6 58.5 69.0 58	1.0	1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56	1.0	1.0 0.467 0.0	1.0 0.467 0.0			
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70	1.0	1.0 0.351 0.0 60.4 35.5 59.1 69.0 59	1.0	1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57	1.0	1.0 0.483 0.0	1.0 0.483 0.0			
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71	1.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58	1.0	1.0 0.5 0.0	1.0 0.5 0.0			
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72	1.0	1.0 0.373 0.0 61.4 33.4 60.3 68.9 61	1.0	1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.517 0.0	1.0 0.517 0.0			
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74	1.0	1.0 0.385 0.0 61.9 32.4 61.0 69.1 62	1.0	1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61	1.0	1.0 0.533 0.0	1.0 0.533 0.0			
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75	1.0	1.0 0.397 0.0 62.5 31.5 61.8 69.3 63	1.0	1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62	1.0	1.0 0.55 0.0	1.0 0.55 0.0			
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76	1.0	1.0 0.409 0.0 63.0 30.5 62.5 69.6 64	1.0	1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63	1.0	1.0 0.567 0.0	1.0 0.567 0.0			
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78	1.0	1.0 0.421 0.0 63.6 29.5 63.2 69.8 65	1.0	1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64	1.0	1.0 0.583 0.0	1.0 0.583 0.0			
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79	1.0	1.0 0.434 0.0 64.2 28.5 64.0 70.0 66	1.0	1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65	1.0	1.0 0.6 0.0	1.0 0.6 0.0			
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81	1.0	1.0 0.446 0.0 64.7 27.4 64.7 70.3 67	1.0	1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66	1.0	1.0 0.617 0.0	1.0 0.617 0.0			
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82	1.0	1.0 0.458 0.0 65.3 26.4 65.4 70.5 68	1.0	1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67	1.0	1.0 0.633 0.0	1.0 0.633 0.0			
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83	1.0	1.0 0.47 0.0 65.8 25.3 66.0 70.7 69	1.0	1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68	1.0	1.0 0.65 0.0	1.0 0.65 0.0			
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84	1.0	1.0 0.482 0.0 66.4 24.3 66.7 70.9 70	1.0	1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70	1.0	1.0 0.667 0.0	1.0 0.667 0.0			
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84	1.0	1.0 0.494 0.0 66.9 23.2 67.3 71.2 71	1.0	1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71	1.0	1.0 0.683 0.0	1.0 0.683 0.0			
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85	1.0	1.0 0.506 0.0 67.5 22.1 68.1 71.6 72	1.0	1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72	1.0	1.0 0.7 0.0	1.0 0.7 0.0			
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86	1.0	1.0 0.518 0.0 68.2 21.1 69.0 72.1 73	1.0	1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73	1.0	1.0 0.717 0.0	1.0 0.717 0.0			
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87	1.0	1.0 0.531 0.0 68.8 20.0 69.9 72.7 74	1.0	1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74	1.0	1.0 0.733 0.0	1.0 0.733 0.0			
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0	1.0 0.543 0.0 69.4 19.0 70.7 73.2 75	1.0	1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75	1.0	1.0 0.75 0.0	1.0 0.75 0.0			

see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE55/QE55L0FA.TXT /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	$dd361M$	LAB^*_d	$ddx361Mi$	$(x=LabCh)$	rgb^*_s	$ds361Mi$	LAB^*_s	$dsx361Mi$	$(x=LabCh)$	rgb^*_e	$de361Mi$	LAB^*_e	$dex361Mi$	$(x=LabCh)$	rgb^*_e	$de361Mi$	Y_d	Y_s	Y_e			
88	75	75	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88	1.0	0.543	0.0	69.4	19.0	70.7	73.2	75	1.0	0.75	0.0	1.0	0.75	0.0	
89	76	76	1.0	0.766	0.0	79.9	1.0	83.9	83.9	89	1.0	0.555	0.0	70.0	17.9	71.6	73.8	76	1.0	0.767	0.0	1.0	0.767	0.0	
89	77	77	1.0	0.783	0.0	80.6	0.0	84.8	84.8	89	1.0	0.567	0.0	70.7	16.7	72.4	74.3	77	1.0	0.783	0.0	1.0	0.783	0.0	
90	78	78	1.0	0.8	0.0	81.2	-0.9	85.7	85.7	90	1.0	0.579	0.0	71.3	15.6	73.3	74.9	78	1.0	0.8	0.0	1.0	0.8	0.0	
91	79	80	1.0	0.816	0.0	81.9	-1.9	86.5	86.5	91	1.0	0.591	0.0	71.9	14.4	74.1	75.5	79	1.0	0.817	0.0	1.0	0.817	0.0	
91	80	81	1.0	0.833	0.0	82.6	-3.0	87.4	87.4	91	1.0	0.604	0.0	72.5	13.2	74.9	76.0	80	1.0	0.833	0.0	1.0	0.833	0.0	
92	81	82	1.0	0.85	0.0	83.2	-4.0	88.2	88.3	92	1.0	0.616	0.0	73.2	12.0	75.6	76.6	81	1.0	0.85	0.0	1.0	0.85	0.0	
93	82	83	1.0	0.866	0.0	83.9	-5.1	89.0	89.2	93	1.0	0.629	0.0	73.8	10.7	76.5	77.2	82	1.0	0.867	0.0	1.0	0.867	0.0	
93	83	84	1.0	0.883	0.0	84.5	-6.1	89.8	90.0	93	1.0	0.648	0.0	74.7	9.5	77.5	78.1	83	1.0	0.883	0.0	1.0	0.883	0.0	
94	84	85	1.0	0.9	0.0	85.1	-6.9	90.6	90.8	94	1.0	0.666	0.0	75.5	8.3	78.6	79.0	84	1.0	0.9	0.0	1.0	0.9	0.0	
94	85	86	1.0	0.916	0.0	85.6	-7.7	91.3	91.7	94	1.0	0.684	0.0	76.3	7.0	79.6	79.9	85	1.0	0.917	0.0	1.0	0.917	0.0	
95	86	87	1.0	0.933	0.0	86.1	-8.5	92.1	92.5	95	1.0	0.703	0.0	77.1	5.6	80.6	80.8	86	1.0	0.933	0.0	1.0	0.933	0.0	
95	87	88	1.0	0.95	0.0	86.7	-9.3	92.9	93.3	95	1.0	0.721	0.0	78.0	4.3	81.6	81.7	87	1.0	0.95	0.0	1.0	0.95	0.0	
96	88	90	1.0	0.966	0.0	87.2	-10.2	93.6	94.2	96	1.0	0.739	0.0	78.8	2.9	82.5	82.6	88	1.0	0.967	0.0	1.0	0.967	0.0	
96	89	91	1.0	0.983	0.0	87.8	-11.1	94.3	95.0	96	1.0	0.76	0.0	79.7	1.5	83.6	83.6	89	1.0	0.983	0.0	1.0	0.983	0.0	
97	90	92	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97	1.0	0.785	0.0	80.7	0.0	84.9	84.9	90	1.0	1.0	0.0	1.0	1.0	0.0	
97	91	93	0.983	1.0	0.0	88.0	-12.5	94.2	95.1	97	1.0	0.809	0.0	81.7	-1.4	86.2	86.2	91	0.983	1.0	0.0	1.0	0.983	1.0	0.0
98	92	94	0.966	1.0	0.0	87.7	-13.1	93.4	94.3	98	1.0	0.834	0.0	82.7	-3.0	87.5	87.5	92	0.967	1.0	0.0	1.0	0.967	1.0	0.0
98	93	95	0.95	1.0	0.0	87.3	-13.7	92.5	93.5	98	1.0	0.859	0.0	83.6	-4.5	88.7	88.8	93	0.95	1.0	0.0	1.0	0.95	1.0	0.0
98	94	96	0.933	1.0	0.0	87.0	-14.3	91.6	92.7	98	1.0	0.887	0.0	84.7	-6.2	90.0	90.3	94	0.933	1.0	0.0	1.0	0.993	0.0	0.0
99	95	98	0.916	1.0	0.0	86.6	-14.8	90.8	92.0	99	1.0	0.923	0.0	85.8	-7.9	91.7	92.0	95	0.917	1.0	0.0	1.0	0.963	1.0	0.0
99	96	99	0.9	1.0	0.0	86.3	-15.4	89.9	91.2	99	1.0	0.958	0.0	87.0	-9.7	93.3	93.8	96	0.9	1.0	0.0	1.0	0.917	1.0	0.0
100	97	100	0.883	1.0	0.0	86.0	-15.9	89.0	90.4	100	1.0	0.994	0.0	88.2	-11.5	94.8	95.6	97	0.883	1.0	0.0	1.0	0.871	1.0	0.0
100	98	101	0.866	1.0	0.0	85.6	-16.4	88.2	89.7	100	0.968	1.0	0.0	87.7	-13.0	93.5	94.4	98	0.867	1.0	0.0	1.0	0.823	1.0	0.0
100	99	102	0.85	1.0	0.0	85.2	-16.9	87.4	89.1	100	0.929	1.0	0.0	86.9	-14.4	91.4	92.6	99	0.85	1.0	0.0	1.0	0.774	1.0	0.0
101	100	103	0.833	1.0	0.0	84.8	-17.4	86.7	88.4	101	0.89	1.0	0.0	86.2	-15.7	89.4	90.8	100	0.833	1.0	0.0	1.0	0.735	1.0	0.0
101	101	105	0.816	1.0	0.0	84.5	-17.9	86.0	87.8	101	0.849	1.0	0.0	85.3	-16.9	87.5	89.1	101	0.817	1.0	0.0	1.0	0.706	1.0	0.0
102	102	106	0.8	1.0	0.0	84.1	-18.3	85.2	87.2	102	0.807	1.0	0.0	84.3	-18.1	85.6	87.5	102	0.8	1.0	0.0	1.0	0.676	1.0	0.0
102	103	107	0.783	1.0	0.0	83.7	-18.8	84.5	86.5	102	0.765	1.0	0.0	83.3	-19.2	83.7	85.9	103	0.783	1.0	0.0	1.0	0.647	1.0	0.0
102	104	108	0.766	1.0	0.0	83.3	-19.2	83.7	85.9	102	0.734	1.0	0.0	82.2	-20.4	82.2	84.7	104	0.767	1.0	0.0	1.0	0.62	1.0	0.0
103	105	109	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103	0.709	1.0	0.0	81.0	-21.6	80.9	83.7	105	0.75	1.0	0.0	1.0	0.599	1.0	0.0
104	106	110	0.733	1.0	0.0	82.2	-20.5	82.1	84.6	104	0.684	1.0	0.0	79.9	-22.7	79.5	82.7	106	0.733	1.0	0.0	1.0	0.578	1.0	0.0
104	107	112	0.716	1.0	0.0	81.4	-21.3	81.2	84.0	104	0.658	1.0	0.0	78.7	-23.8	78.2	81.7	107	0.717	1.0	0.0	1.0	0.558	1.0	0.0
105	108	113	0.7	1.0	0.0	80.6	-22.0	80.3	83.3	105	0.633	1.0	0.0	77.5	-24.9	76.8	80.8	108	0.7	1.0	0.0	1.0	0.537	1.0	0.0
106	109	114	0.683	1.0	0.0	79.8	-22.8	79.5	82.7	106	0.613	1.0	0.0	76.7	-25.9	75.4	79.7	109	0.683	1.0	0.0	1.0	0.517	1.0	0.0
106	110	115	0.666	1.0	0.0	79.0	-23.5	78.6	82.0	106	0.595	1.0	0.0	76.1	-26.8	74.0	78.7	110	0.667	1.0	0.0	1.0	0.496	1.0	0.0
107	111	116	0.65	1.0	0.0	78.2	-24.2	77.7	81.4	107	0.578	1.0	0.0	75.5	-27.7	72.5	77.7	111	0.65	1.0	0.0	1.0	0.475	1.0	0.0
107	112	117	0.633	1.0	0.0	77.4	-24.9	76.8	80.7	107	0.56	1.0	0.0	74.9	-28.6	71.1	76.6	112	0.633	1.0	0.0	1.0	0.455	1.0	0.0
108	113	119	0.616	1.0	0.0	76.8	-25.7	75.6	79.9	108	0.542	1.0	0.0	74.2	-29.4	69.6	75.6	113	0.617	1.0	0.0	1.0	0.434	1.0	0.0
109	114	120	0.6	1.0	0.0	76.2	-26.6	74.3	78.9	109	0.525	1.0	0.0	73.6	-30.2	68.1	74.6	114	0.6	1.0	0.0	1.0	0.413	1.0	0.0
110	115	121	0.583	1.0	0.0	75.6	-27.5	72.9	78.0	110	0.507	1.0	0.0	73.0	-31.0	66.7	73.5	115	0.583	1.0	0.0	1.0	0.393	1.0	0.0
111	116	122	0.566	1.0	0.0	75.0	-28.3	71.6	77.0	111	0.489	1.0	0.0	72.5	-31.8	65.4	72.8	116	0.567	1.0	0.0	1.0	0.373	1.0	0.0
112	117	123	0.55	1.0	0.0	74.5	-29.1	70.2	76.0	112	0.471	1.0	0.0	71.9	-32.7	64.3	72.2	117	0.55	1.0	0.0	1.0	0.362	1.0	0.0
113	118	124	0.533	1.0	0.0	73.9	-29.9	68.8	75.0	113	0.454	1.0	0.0	71.4	-33.5	63.2	71.5	118	0.533	1.0	0.0	1.0	0.35	1.0	0.0
114	119	126	0.516	1.0	0.0	73.3	-30.6	67.4	74.1	114	0.436	1.0	0.0	70.8	-34.3	62.0	70.9	119	0.517	1.0	0.0	1.0	0.338	1.0	0.0
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	1.0	0.327	1.0	0.0



see similar files: <http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE55/QE55L0FA.TXT /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyln6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGCMB: $d_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGCMB: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{dd361M}	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																		
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G_d 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	G_s 0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	G_e 0.0	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15
166	160	171	0.0	1.0	0.166	52.8																										

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	rgb* ds361Mi	rgb* de361Mi														
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	53.8	-59.2	3.3	59.4	176	0.0	1.0	0.267	53.8	-59.2	3.3	59.4	176
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	53.8	-58.7	2.3	58.9	177	0.0	1.0	0.283	53.8	-58.7	2.3	58.9	177
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	53.9	-58.3	1.4	58.4	178	0.0	1.0	0.3	53.9	-58.3	1.4	58.4	178
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	54.0	-57.7	0.4	57.8	179	0.0	1.0	0.317	54.0	-57.7	0.4	57.8	179
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	54.1	-57.2	-0.4	57.3	180	0.0	1.0	0.333	54.1	-57.2	-0.4	57.3	180
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	54.1	-56.8	-1.3	56.9	181	0.0	1.0	0.35	54.1	-56.8	-1.3	56.9	181
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	54.2	-56.4	-2.2	56.5	182	0.0	1.0	0.367	54.2	-56.4	-2.2	56.5	182
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	54.2	-56.0	-3.1	56.2	183	0.0	1.0	0.383	54.2	-56.0	-3.1	56.2	183
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	54.3	-55.7	-3.9	55.9	184	0.0	1.0	0.4	54.3	-55.7	-3.9	55.9	184
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	54.3	-55.3	-4.8	55.6	185	0.0	1.0	0.417	54.3	-55.3	-4.8	55.6	185
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	54.4	-54.9	-5.6	55.3	185	0.0	1.0	0.433	54.4	-54.9	-5.6	55.3	185
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	54.4	-54.4	-6.5	54.9	186	0.0	1.0	0.45	54.4	-54.4	-6.5	54.9	186
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	54.5	-54.0	-7.3	54.6	187	0.0	1.0	0.467	54.5	-54.0	-7.3	54.6	187
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	54.6	-53.6	-8.1	54.3	188	0.0	1.0	0.483	54.6	-53.6	-8.1	54.3	188
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	54.6	-53.1	-8.9	54.0	189	0.0	1.0	0.5	54.6	-53.1	-8.9	54.0	189
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	54.7	-52.6	-9.7	53.6	190	0.0	1.0	0.517	54.7	-52.6	-9.7	53.6	190
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	54.7	-52.2	-10.5	53.3	191	0.0	1.0	0.533	54.7	-52.2	-10.5	53.3	191
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	54.8	-51.7	-11.2	53.0	192	0.0	1.0	0.55	54.8	-51.7	-11.2	53.0	192
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	54.8	-51.2	-12.0	52.7	193	0.0	1.0	0.567	54.8	-51.2	-12.0	52.7	193
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	54.9	-50.8	-12.7	52.5	194	0.0	1.0	0.583	54.9	-50.8	-12.7	52.5	194
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	55.0	-50.4	-13.5	52.3	195	0.0	1.0	0.6	55.0	-50.4	-13.5	52.3	195
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	55.0	-50.0	-14.3	52.1	195	0.0	1.0	0.617	55.0	-50.0	-14.3	52.1	195
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.633	55.1	-49.6	-15.0	51.9	196
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	55.2	-49.2	-15.7	51.7	197	0.0	1.0	0.65	55.2	-49.2	-15.7	51.7	197
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	55.3	-48.7	-16.5	51.6	198	0.0	1.0	0.667	55.3	-48.7	-16.5	51.6	198
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	55.3	-48.3	-17.2	51.4	199	0.0	1.0	0.683	55.3	-48.3	-17.2	51.4	199
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	55.4	-47.9	-17.9	51.2	200	0.0	1.0	0.7	55.4	-47.9	-17.9	51.2	200
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	55.5	-47.4	-18.6	51.0	201	0.0	1.0	0.717	55.5	-47.4	-18.6	51.0	201
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	55.6	-46.9	-19.3	50.9	202	0.0	1.0	0.733	55.6	-46.9	-19.3	50.9	202
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	55.6	-46.5	-19.9	50.7	203	0.0	1.0	0.75	55.6	-46.5	-19.9	50.7	203
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	55.7	-46.0	-20.6	50.5	204	0.0	1.0	0.767	55.7	-46.0	-20.6	50.5	204
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	55.8	-45.5	-21.3	50.3	205	0.0	1.0	0.783	55.8	-45.5	-21.3	50.3	205
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	55.8	-45.0	-21.9	50.2	206	0.0	1.0	0.8	55.8	-45.0	-21.9	50.2	206
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	55.9	-44.6	-22.6	50.2	206	0.0	1.0	0.817	55.9	-44.6	-22.6	50.2	206
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	56.0	-44.2	-23.0	50.1	207	0.0	1.0	0.833	56.0	-44.2	-23.0	50.1	207
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	56.0	-43.8	-24.0	50.1	208	0.0	1.0	0.85	56.0	-43.8	-24.0	50.1	208
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	56.1	-43.4	-24.7	50.1	209	0.0	1.0	0.867	56.1	-43.4	-24.7	50.1	209
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	56.2	-43.0	-25.4	50.0	210	0.0	1.0	0.883	56.2	-43.0	-25.4	50.0	210
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	56.3	-42.5	-26.0	50.0	211	0.0	1.0	0.9	56.3	-42.5	-26.0	50.0	211
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	56.3	-42.1	-26.7	50.0	212	0.0	1.0	0.917	56.3	-42.1	-26.7	50.0	212
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	56.4	-41.6	-27.3	49.9	213	0.0	1.0	0.933	56.4	-41.6	-27.3	49.9	213
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	56.5	-41.1	-28.0	49.9	214	0.0	1.0	0.95	56.5	-41.1	-28.0	49.9	214
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	56.5	-40.7	-28.6	49.9	215	0.0	1.0	0.967	56.5	-40.7	-28.6	49.9	215
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	56.6	-40.2	-29.2	49.8	216	0.0	1.0	0.983	56.6	-40.2	-29.2	49.8	216
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	56.7	-39.7	-29.9	49.8	216	0.0	1.0	1.0	56.7	-39.7	-29.9	49.8	216

1-1131230-L0 QE550-73 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*lw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6*, D65, page 13/33

TUB-test chart QE55; hue code: H*_e=Y50G_e
48 step hue circles; rgb-LabCh*tables


input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmyk*_de

see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE55/QE55L0FA.TXT /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta


Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}
281	255	258	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281	0.0 0.594 1.0	46.5 -11.9 -44.6 46.3 255	0.0 0.25 1.0	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258	0.0 0.25 1.0	
282	256	258	0.0 0.233 1.0	32.7 10.5 -46.2 47.4 282	0.0 0.581 1.0	46.0 -11.1 -44.7 46.2 256	0.0 0.233 1.0	0.0 0.543 1.0	44.5 -8.7 -44.9 45.8 258	0.0 0.233 1.0	
283	257	259	0.0 0.216 1.0	32.0 11.5 -46.4 47.8 283	0.0 0.568 1.0	45.5 -10.3 -44.8 46.1 257	0.0 0.217 1.0	0.0 0.532 1.0	44.1 -7.9 -44.9 45.7 259	0.0 0.217 1.0	
285	258	260	0.0 0.2 1.0	31.4 12.5 -46.5 48.2 285	0.0 0.556 1.0	45.0 -9.5 -44.8 45.9 258	0.0 0.2 1.0	0.0 0.52 1.0	43.6 -7.2 -44.9 45.6 260	0.0 0.2 1.0	
286	259	261	0.0 0.183 1.0	30.8 13.6 -46.7 48.6 286	0.0 0.543 1.0	44.5 -8.6 -44.9 45.8 259	0.0 0.183 1.0	0.0 0.508 1.0	43.1 -6.5 -44.9 45.5 261	0.0 0.183 1.0	
287	260	262	0.0 0.166 1.0	30.1 14.7 -46.8 49.0 287	0.0 0.53 1.0	44.0 -7.8 -44.9 45.7 260	0.0 0.167 1.0	0.0 0.497 1.0	42.7 -5.7 -45.0 45.4 262	0.0 0.167 1.0	
288	261	263	0.0 0.15 1.0	29.5 15.8 -46.9 49.4 288	0.0 0.517 1.0	43.5 -7.0 -44.9 45.6 261	0.0 0.15 1.0	0.0 0.484 1.0	42.2 -5.0 -45.0 45.4 263	0.0 0.15 1.0	
289	262	264	0.0 0.133 1.0	28.9 16.8 -46.9 49.9 289	0.0 0.505 1.0	43.0 -6.2 -44.9 45.5 262	0.0 0.133 1.0	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264	0.0 0.133 1.0	
290	263	265	0.0 0.116 1.0	28.3 17.8 -47.0 50.3 290	0.0 0.491 1.0	42.5 -5.4 -45.0 45.4 263	0.0 0.117 1.0	0.0 0.46 1.0	41.2 -3.6 -45.2 45.4 265	0.0 0.117 1.0	
291	264	266	0.0 0.1 1.0	27.9 18.6 -47.1 50.6 291	0.0 0.478 1.0	41.9 -4.6 -45.1 45.4 264	0.0 0.1 1.0	0.0 0.448 1.0	40.8 -2.9 -45.2 45.4 266	0.0 0.1 1.0	
292	265	267	0.0 0.083 1.0	27.5 19.4 -47.1 51.0 292	0.0 0.465 1.0	41.4 -3.9 -45.2 45.4 265	0.0 0.083 1.0	0.0 0.436 1.0	40.3 -2.1 -45.3 45.4 267	0.0 0.083 1.0	
293	266	268	0.0 0.066 1.0	27.0 20.2 -47.2 51.4 293	0.0 0.451 1.0	40.9 -3.1 -45.2 45.4 266	0.0 0.067 1.0	0.0 0.423 1.0	39.8 -1.4 -45.3 45.4 268	0.0 0.067 1.0	
293	267	269	0.0 0.049 1.0	26.6 21.0 -47.3 51.7 293	0.0 0.438 1.0	40.4 -2.3 -45.3 45.4 267	0.0 0.05 1.0	0.0 0.411 1.0	39.4 -0.7 -45.3 45.4 269	0.0 0.05 1.0	
294	268	269	0.0 0.033 1.0	26.2 21.8 -47.3 52.1 294	0.0 0.425 1.0	39.9 -1.5 -45.3 45.4 268	0.0 0.033 1.0	0.0 0.399 1.0	38.9 0.0 -45.3 45.4 269	0.0 0.033 1.0	
295	269	270	0.0 0.016 1.0	25.7 22.6 -47.3 52.5 295	0.0 0.411 1.0	39.4 -0.7 -45.3 45.4 269	0.0 0.017 1.0	0.0 0.387 1.0	38.4 0.7 -45.3 45.4 270	0.0 0.017 1.0	
296	270	271	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296	B_d 0.0 0.398 1.0	B_s 38.8 0.0 -45.3 45.4 270	B_e 0.0 0.0 1.0	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271	B_e 0.0 0.0 1.0	
297	271	272	0.016 0.0 1.0	25.8 24.6 -46.8 52.9 297	0.0 0.385 1.0	38.3 0.8 -45.3 45.4 271	0.017 0.0 1.0	0.0 0.363 1.0	37.5 2.1 -45.5 45.6 272	0.017 0.0 1.0	
299	272	273	0.033 0.0 1.0	26.3 25.8 -46.2 52.9 299	0.0 0.371 1.0	37.8 1.6 -45.4 45.5 272	0.033 0.0 1.0	0.0 0.351 1.0	37.1 2.9 -45.6 45.8 273	0.033 0.0 1.0	
300	273	274	0.05 0.0 1.0	26.9 26.9 -45.6 52.9 300	0.0 0.359 1.0	37.3 2.4 -45.5 45.7 273	0.05 0.0 1.0	0.0 0.339 1.0	36.6 3.7 -45.7 45.9 274	0.05 0.0 1.0	
301	274	275	0.066 0.0 1.0	27.4 28.0 -45.0 53.0 301	0.0 0.346 1.0	36.9 3.2 -45.6 45.8 274	0.067 0.0 1.0	0.0 0.327 1.0	36.2 4.4 -45.7 46.0 275	0.067 0.0 1.0	
303	275	276	0.083 0.0 1.0	27.9 29.1 -44.3 53.0 303	0.0 0.334 1.0	36.4 4.0 -45.7 46.0 275	0.083 0.0 1.0	0.0 0.315 1.0	35.7 5.2 -45.8 46.2 276	0.083 0.0 1.0	
304	276	277	0.1 0.0 1.0	28.5 30.2 -43.6 53.1 304	0.0 0.321 1.0	36.0 4.8 -45.8 46.1 276	0.1 0.0 1.0	0.0 0.303 1.0	35.3 6.0 -45.9 46.3 277	0.1 0.0 1.0	
306	277	278	0.116 0.0 1.0	29.0 31.2 -42.9 53.1 306	0.0 0.309 1.0	35.5 5.6 -45.8 46.3 277	0.117 0.0 1.0	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278	0.117 0.0 1.0	
307	278	279	0.133 0.0 1.0	29.4 32.1 -42.3 53.1 307	0.0 0.296 1.0	35.0 6.5 -45.9 46.4 278	0.133 0.0 1.0	0.0 0.279 1.0	34.4 7.6 -45.9 46.6 279	0.133 0.0 1.0	
307	279	280	0.15 0.0 1.0	29.7 32.7 -41.9 53.2 307	0.0 0.283 1.0	34.6 7.3 -45.9 46.6 279	0.15 0.0 1.0	0.0 0.267 1.0	34.0 8.3 -45.9 46.8 280	0.15 0.0 1.0	
308	280	281	0.166 0.0 1.0	30.0 33.3 -41.5 53.2 308	0.0 0.271 1.0	34.1 8.1 -45.9 46.7 280	0.167 0.0 1.0	0.0 0.256 1.0	33.5 9.1 -45.9 46.9 281	0.167 0.0 1.0	
309	281	282	0.183 0.0 1.0	30.3 33.9 -41.0 53.2 309	0.0 0.258 1.0	33.6 8.9 -45.9 46.9 281	0.183 0.0 1.0	0.0 0.243 1.0	33.1 9.9 -46.0 47.2 282	0.183 0.0 1.0	
310	282	283	0.2 0.0 1.0	30.6 34.5 -40.6 53.3 310	0.0 0.245 1.0	33.1 9.8 -46.0 47.1 282	0.2 0.0 1.0	0.0 0.229 1.0	32.5 10.8 -46.2 47.5 283	0.2 0.0 1.0	
311	283	284	0.216 0.0 1.0	30.9 35.0 -40.1 53.3 311	0.0 0.231 1.0	32.6 10.7 -46.2 47.5 283	0.217 0.0 1.0	0.0 0.215 1.0	32.0 11.6 -46.3 47.9 284	0.217 0.0 1.0	
311	284	285	0.233 0.0 1.0	31.2 35.6 -39.6 53.3 311	0.0 0.216 1.0	32.1 11.6 -46.3 47.8 284	0.233 0.0 1.0	0.0 0.202 1.0	31.5 12.5 -46.5 48.2 285	0.233 0.0 1.0	
312	285	285	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312	0.0 0.202 1.0	31.5 12.5 -46.5 48.2 285	0.25 0.0 1.0	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285	0.25 0.0 1.0	
314	286	286	0.266 0.0 1.0	31.8 37.8 -38.3 53.8 314	0.0 0.188 1.0	31.0 13.4 -46.6 48.6 286	0.267 0.0 1.0	0.0 0.175 1.0	30.5 14.2 -46.7 48.9 286	0.267 0.0 1.0	
316	287	287	0.283 0.0 1.0	32.1 39.4 -37.4 54.3 316	0.0 0.173 1.0	30.4 14.3 -46.7 48.9 287	0.283 0.0 1.0	0.0 0.161 1.0	30.0 15.1 -46.8 49.2 287	0.283 0.0 1.0	
318	288	288	0.3 0.0 1.0	32.4 40.9 -36.4 54.8 318	0.0 0.159 1.0	29.9 15.2 -46.8 49.3 288	0.3 0.0 1.0	0.0 0.147 1.0	29.5 16.0 -46.8 49.6 288	0.3 0.0 1.0	
320	289	289	0.316 0.0 1.0	32.7 42.4 -35.3 55.3 320	0.0 0.145 1.0	29.4 16.2 -46.8 49.6 289	0.317 0.0 1.0	0.0 0.134 1.0	28.9 16.9 -46.9 49.9 289	0.317 0.0 1.0	
322	290	290	0.333 0.0 1.0	33.0 43.9 -34.2 55.7 322	0.0 0.13 1.0	28.8 17.1 -46.9 50.0 290	0.333 0.0 1.0	0.0 0.118 1.0	28.4 17.8 -46.9 50.3 290	0.333 0.0 1.0	
323	291	291	0.35 0.0 1.0	33.3 45.4 -33.1 56.2 323	0.0 0.112 1.0	28.3 18.1 -47.0 50.4 291	0.35 0.0 1.0	0.0 0.098 1.0	27.9 18.7 -47.0 50.7 291	0.35 0.0 1.0	
325	292	292	0.366 0.0 1.0	33.6 46.9 -31.8 56.7 325	0.0 0.091 1.0	27.7 19.1 -47.1 50.9 292	0.367 0.0 1.0	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292	0.367 0.0 1.0	
327	293	293	0.383 0.0 1.0	34.0 48.0 -30.9 57.1 327	0.0 0.07 1.0	27.2 20.1 -47.1 51.3 293	0.383 0.0 1.0	0.0 0.059 1.0	26.9 20.6 -47.2 51.6 293	0.383 0.0 1.0	
328	294	294	0.4 0.0 1.0	34.6 48.9 -30.3 57.5 328	0.0 0.05 1.0	26.6 21.1 -47.2 51.8 294	0.4 0.0 1.0	0.0 0.04 1.0	26.4 21.6 -47.2 52.0 294	0.4 0.0 1.0	
329	295	295	0.416 0.0 1.0	35.1 49.7 -29.7 57.9 329	0.0 0.029 1.0	26.1 22.1 -47.2 52.2 295	0.417 0.0 1.0	0.0 0.02 1.0	25.9 22.5 -47.3 52.4 295	0.417 0.0 1.0	
330	296	296	0.433 0.0 1.0	35.7 50.5 -29.0 58.3 330	0.0 0.008 1.0	25.6 23.1 -47.3 52.7 296	0.433 0.0 1.0	0.0 0.001 1.0	25.3 23.5 -47.3 52.9 296	0.433 0.0 1.0	
331	297	297	0.45 0.0 1.0	36.2 51.4 -28.4 58.7 331	0.007 0.0 1.0	25.6 24.0 -47.0 52.9 297	0.45 0.0 1.0	0.011 0.0 1.0	25.7 24.3 -46.9 52.9 297	0.45 0.0 1.0	
332	298	298	0.466 0.0 1.0	36.7 52.2 -27.7 59.1 332	0.019 0.0 1.0	25.9 24.8 -46.6 52.9 298	0.467 0.0 1.0	0.023 0.0 1.0	26.1 25.1 -46.5 52.9 298	0.467 0.0 1.0	
332	299	299	0.483 0.0 1.0	37.3 53.0 -27.0 59.5 332	0.031 0.0 1.0	26.3 25.7 -46.2 52.9 299	0.483 0.0 1.0	0.034 0.0 1.0	26.4 25.9 -46.1 53.0 299	0.483 0.0 1.0	
333	300	300	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333	0.043 0.0 1.0	26.7 26.5 -45.8 53.0 300	0.5 0.0 1.0	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300	0.5 0.0 1.0	



see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE55/QE55L0FA.TXT /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
333	300	300	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333	0.043 0.0 1.0	26.7 26.5 -45.8 53.0 300	0.5 0.0 1.0	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300	0.5 0.0 1.0	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300	0.5 0.0 1.0	
334	301	301	0.516 0.0 1.0	38.3 54.5 -25.7 60.3 334	0.056 0.0 1.0	27.1 27.3 -45.3 53.0 301	0.517 0.0 1.0	0.057 0.0 1.0	27.2 27.4 -45.3 53.0 301	0.517 0.0 1.0	0.057 0.0 1.0	27.2 27.4 -45.3 53.0 301	0.517 0.0 1.0	
335	302	302	0.533 0.0 1.0	38.7 55.2 -25.2 60.6 335	0.068 0.0 1.0	27.5 28.1 -44.9 53.0 302	0.533 0.0 1.0	0.068 0.0 1.0	27.5 28.2 -44.8 53.0 302	0.533 0.0 1.0	0.068 0.0 1.0	27.5 28.2 -44.8 53.0 302	0.533 0.0 1.0	
336	303	303	0.55 0.0 1.0	39.1 55.8 -24.6 61.0 336	0.08 0.0 1.0	27.9 28.9 -44.4 53.1 303	0.55 0.0 1.0	0.08 0.0 1.0	27.9 28.9 -44.4 53.1 303	0.55 0.0 1.0	0.08 0.0 1.0	27.9 28.9 -44.4 53.1 303	0.55 0.0 1.0	
336	304	303	0.566 0.0 1.0	39.5 56.5 -24.0 61.4 336	0.092 0.0 1.0	28.3 29.7 -43.9 53.1 304	0.567 0.0 1.0	0.091 0.0 1.0	28.3 29.7 -43.9 53.1 303	0.567 0.0 1.0	0.091 0.0 1.0	28.3 29.7 -43.9 53.1 303	0.567 0.0 1.0	
337	305	304	0.583 0.0 1.0	39.9 57.2 -23.4 61.8 337	0.104 0.0 1.0	28.7 30.5 -43.4 53.1 305	0.583 0.0 1.0	0.103 0.0 1.0	28.6 30.4 -43.5 53.1 304	0.583 0.0 1.0	0.103 0.0 1.0	28.6 30.4 -43.5 53.1 304	0.583 0.0 1.0	
338	306	305	0.6 0.0 1.0	40.3 57.8 -22.8 62.2 338	0.116 0.0 1.0	29.0 31.2 -42.9 53.1 306	0.6 0.0 1.0	0.114 0.0 1.0	29.0 31.1 -43.0 53.1 305	0.6 0.0 1.0	0.114 0.0 1.0	29.0 31.1 -43.0 53.1 305	0.6 0.0 1.0	
339	307	306	0.616 0.0 1.0	40.7 58.5 -22.1 62.5 339	0.13 0.0 1.0	29.4 32.0 -42.4 53.2 307	0.617 0.0 1.0	0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306	0.617 0.0 1.0	0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306	0.617 0.0 1.0	
340	308	307	0.633 0.0 1.0	41.1 59.3 -21.4 63.0 340	0.151 0.0 1.0	29.8 32.8 -41.8 53.2 308	0.633 0.0 1.0	0.146 0.0 1.0	29.7 32.6 -42.0 53.2 307	0.633 0.0 1.0	0.146 0.0 1.0	29.7 32.6 -42.0 53.2 307	0.633 0.0 1.0	
341	309	308	0.65 0.0 1.0	41.4 60.3 -20.5 63.7 341	0.172 0.0 1.0	30.2 33.5 -41.3 53.3 309	0.65 0.0 1.0	0.166 0.0 1.0	30.1 33.3 -41.5 53.2 308	0.65 0.0 1.0	0.166 0.0 1.0	30.1 33.3 -41.5 53.2 308	0.65 0.0 1.0	
342	310	309	0.666 0.0 1.0	41.7 61.3 -19.7 64.3 342	0.193 0.0 1.0	30.6 34.3 -40.7 53.3 310	0.667 0.0 1.0	0.186 0.0 1.0	30.4 34.0 -40.9 53.3 309	0.667 0.0 1.0	0.186 0.0 1.0	30.4 34.0 -40.9 53.3 309	0.667 0.0 1.0	
343	311	310	0.683 0.0 1.0	41.9 62.2 -18.8 65.0 343	0.214 0.0 1.0	30.9 35.0 -40.2 53.3 311	0.683 0.0 1.0	0.205 0.0 1.0	30.8 34.7 -40.4 53.3 310	0.683 0.0 1.0	0.205 0.0 1.0	30.8 34.7 -40.4 53.3 310	0.683 0.0 1.0	
344	312	311	0.7 0.0 1.0	42.2 63.2 -17.8 65.6 344	0.234 0.0 1.0	31.3 35.7 -39.6 53.4 312	0.7 0.0 1.0	0.225 0.0 1.0	31.1 35.4 -39.8 53.4 311	0.7 0.0 1.0	0.225 0.0 1.0	31.1 35.4 -39.8 53.4 311	0.7 0.0 1.0	
345	313	312	0.716 0.0 1.0	42.5 64.1 -16.9 66.3 345	0.252 0.0 1.0	31.6 36.5 -39.0 53.5 313	0.717 0.0 1.0	0.245 0.0 1.0	31.5 36.1 -39.3 53.4 312	0.717 0.0 1.0	0.245 0.0 1.0	31.5 36.1 -39.3 53.4 312	0.717 0.0 1.0	
346	314	313	0.733 0.0 1.0	42.8 65.0 -15.9 66.9 346	0.261 0.0 1.0	31.8 37.3 -38.5 53.7 314	0.733 0.0 1.0	0.256 0.0 1.0	31.7 36.8 -38.8 53.6 313	0.733 0.0 1.0	0.256 0.0 1.0	31.7 36.8 -38.8 53.6 313	0.733 0.0 1.0	
347	315	314	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347	0.27 0.0 1.0	31.9 38.2 -38.1 54.0 315	0.75 0.0 1.0	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314	0.75 0.0 1.0	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314	0.75 0.0 1.0	
347	316	315	0.766 0.0 1.0	43.5 66.4 -14.5 68.0 347	0.279 0.0 1.0	32.1 39.0 -37.6 54.2 316	0.767 0.0 1.0	0.273 0.0 1.0	32.0 38.5 -37.9 54.1 315	0.767 0.0 1.0	0.273 0.0 1.0	32.0 38.5 -37.9 54.1 315	0.767 0.0 1.0	
348	317	316	0.783 0.0 1.0	43.8 66.9 -14.1 68.4 348	0.288 0.0 1.0	32.3 39.8 -37.1 54.5 317	0.783 0.0 1.0	0.282 0.0 1.0	32.1 39.3 -37.4 54.3 316	0.783 0.0 1.0	0.282 0.0 1.0	32.1 39.3 -37.4 54.3 316	0.783 0.0 1.0	
348	318	317	0.8 0.0 1.0	44.2 67.3 -13.7 68.7 348	0.297 0.0 1.0	32.4 40.7 -36.5 54.7 318	0.8 0.0 1.0	0.29 0.0 1.0	32.3 40.0 -36.9 54.5 317	0.8 0.0 1.0	0.29 0.0 1.0	32.3 40.0 -36.9 54.5 317	0.8 0.0 1.0	
348	319	318	0.816 0.0 1.0	44.6 67.8 -13.3 69.1 348	0.306 0.0 1.0	32.6 41.5 -36.0 55.0 319	0.817 0.0 1.0	0.299 0.0 1.0	32.4 40.8 -36.4 54.8 318	0.817 0.0 1.0	0.299 0.0 1.0	32.4 40.8 -36.4 54.8 318	0.817 0.0 1.0	
349	320	319	0.833 0.0 1.0	45.0 68.3 -12.9 69.5 349	0.315 0.0 1.0	32.7 42.3 -35.4 55.2 320	0.833 0.0 1.0	0.307 0.0 1.0	32.6 41.6 -35.9 55.0 319	0.833 0.0 1.0	0.307 0.0 1.0	32.6 41.6 -35.9 55.0 319	0.833 0.0 1.0	
349	321	320	0.85 0.0 1.0	45.3 68.8 -12.5 69.9 349	0.324 0.0 1.0	32.9 43.1 -34.8 55.5 321	0.85 0.0 1.0	0.315 0.0 1.0	32.7 42.4 -35.4 55.3 320	0.85 0.0 1.0	0.315 0.0 1.0	32.7 42.4 -35.4 55.3 320	0.85 0.0 1.0	
350	322	321	0.866 0.0 1.0	45.7 69.2 -12.1 70.3 350	0.333 0.0 1.0	33.1 43.9 -34.2 55.8 322	0.867 0.0 1.0	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321	0.867 0.0 1.0	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321	0.867 0.0 1.0	
350	323	321	0.883 0.0 1.0	46.1 69.7 -11.7 70.7 350	0.342 0.0 1.0	33.2 44.7 -33.6 56.0 323	0.883 0.0 1.0	0.332 0.0 1.0	33.0 43.9 -34.2 55.7 321	0.883 0.0 1.0	0.332 0.0 1.0	33.0 43.9 -34.2 55.7 321	0.883 0.0 1.0	
350	324	322	0.9 0.0 1.0	46.4 70.1 -11.2 71.0 350	0.351 0.0 1.0	33.4 45.5 -33.0 56.3 324	0.9 0.0 1.0	0.341 0.0 1.0	33.2 44.7 -33.7 56.0 322	0.9 0.0 1.0	0.341 0.0 1.0	33.2 44.7 -33.7 56.0 322	0.9 0.0 1.0	
351	325	323	0.916 0.0 1.0	46.7 70.6 -10.8 71.4 351	0.359 0.0 1.0	33.5 46.3 -32.3 56.5 325	0.917 0.0 1.0	0.349 0.0 1.0	33.4 45.4 -33.1 56.2 323	0.917 0.0 1.0	0.349 0.0 1.0	33.4 45.4 -33.1 56.2 323	0.917 0.0 1.0	
351	326	324	0.933 0.0 1.0	47.0 71.0 -10.3 71.8 351	0.368 0.0 1.0	33.7 47.1 -31.6 56.8 326	0.933 0.0 1.0	0.358 0.0 1.0	33.5 46.2 -32.4 56.5 324	0.933 0.0 1.0	0.358 0.0 1.0	33.5 46.2 -32.4 56.5 324	0.933 0.0 1.0	
352	327	325	0.95 0.0 1.0	47.3 71.5 -9.9 72.2 352	0.379 0.0 1.0	34.0 47.9 -31.0 57.1 327	0.95 0.0 1.0	0.366 0.0 1.0	33.7 46.9 -31.8 56.7 325	0.95 0.0 1.0	0.366 0.0 1.0	33.7 46.9 -31.8 56.7 325	0.95 0.0 1.0	
352	328	326	0.966 0.0 1.0	47.6 71.9 -9.4 72.5 352	0.397 0.0 1.0	34.5 48.7 -30.4 57.5 328	0.967 0.0 1.0	0.375 0.0 1.0	33.8 47.6 -31.2 57.0 326	0.967 0.0 1.0	0.375 0.0 1.0	33.8 47.6 -31.2 57.0 326	0.967 0.0 1.0	
352	329	327	0.983 0.0 1.0	47.9 72.4 -9.0 72.9 352	0.414 0.0 1.0	35.1 49.6 -29.7 57.9 329	0.983 0.0 1.0	0.391 0.0 1.0	34.3 48.4 -30.6 57.3 327	0.983 0.0 1.0	0.391 0.0 1.0	34.3 48.4 -30.6 57.3 327	0.983 0.0 1.0	
353	330	328	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353	0.432 0.0 1.0	35.7 50.5 -29.1 58.3 330	1.0 0.0 1.0	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328	1.0 0.0 1.0	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328	1.0 0.0 1.0	
353	331	329	1.0 0.0 0.983 48.2	72.7 -7.9 73.1 353	0.449 0.0 1.0	36.2 51.4 -28.4 58.7 331	1.0 0.0 0.983	0.424 0.0 1.0	35.4 50.1 -29.4 58.1 329	1.0 0.0 0.983	0.424 0.0 1.0	35.4 50.1 -29.4 58.1 329	1.0 0.0 0.983	
354	332	330	1.0 0.0 0.966 48.2	72.5 -7.4 72.9 354	0.467 0.0 1.0	36.8 52.2 -27.7 59.1 332	1.0 0.0 0.967	0.441 0.0 1.0	35.9 50.9 -28.7 58.5 330	1.0 0.0 0.967	0.441 0.0 1.0	35.9 50.9 -28.7 58.5 330	1.0 0.0 0.967	
354	333	331	1.0 0.0 0.95 48.2	72.4 -6.8 72.7 354	0.484 0.0 1.0	37.4 53.1 -26.9 59.6 333	1.0 0.0 0.95	0.457 0.0 1.0	36.5 51.8 -28.1 58.9 331	1.0 0.0 0.95	0.457 0.0 1.0	36.5 51.8 -28.1 58.9 331	1.0 0.0 0.95	
355	334	332	1.0 0.0 0.933 48.2	72.2 -6.2 72.5 355	0.502 0.0 1.0	37.9 53.9 -26.2 60.0 334	1.0 0.0 0.933	0.474 0.0 1.0	37.0 52.6 -27.4 59.3 332	1.0 0.0 0.933	0.474 0.0 1.0	37.0 52.6 -27.4 59.3 332	1.0 0.0 0.933	
355	335	333	1.0 0.0 0.916 48.2	72.0 -5.7 72.3 355	0.524 0.0 1.0	38.5 54.8 -25.5 60.5 335	1.0 0.0 0.917	0.49 0.0 1.0	37.6 53.4 -26.7 59.7 333	1.0 0.0 0.917	0.49 0.0 1.0	37.6 53.4 -26.7 59.7 333	1.0 0.0 0.917	
355	336	334	1.0 0.0 0.9 48.2	71.9 -5.1 72.1 355	0.546 0.0 1.0	39.0 55.7 -24.7 61.0 336	1.0 0.0 0.9	0.508 0.0 1.0	38.1 54.2 -26.0 60.1 334	1.0 0.0 0.9	0.508 0.0 1.0	38.1 54.2 -26.0 60.1 334	1.0 0.0 0.9	
356	337	335	1.0 0.0 0.883 48.2	71.7 -4.6 71.8 356	0.567 0.0 1.0	39.6 56.6 -23.9 61.5 337	1.0 0.0 0.883	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335	1.0 0.0 0.883	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335	1.0 0.0 0.883	
356	338	336	1.0 0.0 0.866 48.2	71.5 -4.0 71.7 356	0.589 0.0 1.0	40.1 57.5 -23.1 62.0 338	1.0 0.0 0.867	0.55 0.0 1.0	39.1 55.9 -24.6 61.1 336	1.0 0.0 0.867	0.55 0.0 1.0	39.1 55.9 -24.6 61.1 336	1.0 0.0 0.867	
357	339	337	1.0 0.0 0.85 48.2	71.4 -3.3 71.5 357	0.611 0.0 1.0	40.7 58.3 -22.3 62.5 339	1.0 0.0 0.85	0.57 0.0 1.0	39.6 56.7 -23.8 61.5 337	1.0 0.0 0.85	0.57 0.0 1.0	39.6 56.7 -23.8 61.5 337	1.0 0.0 0.85	
357	340	338	1.0 0.0 0.833 48.2	71.3 -2.7 71.3 357	0.631 0.0 1.0	41.1 59.2 -21.5 63.0 340	1.0 0.0 0.833	0.591 0.0 1.0	40.2 57.5 -23.0 62.0 338	1.0 0.0 0.833	0.591 0.0 1.0	40.2 57.5 -23.0 62.0 338	1.0 0.0 0.833	
358	341	339	1.0 0.0 0.816 48.2	71.1 -2.1 71.1 358	0.648 0.0 1.0	41.4 60.2 -20.6 63.7 341	1.0 0.0 0.817	0.612 0.0 1.0	40.7 58.3 -22.3 62.5 339	1.0 0.0 0.817	0.612 0.0 1.0	40.7 58.3 -22.3 62.5 339	1.0 0.0 0.817	
358	342	339	1.0 0.0 0.8 48.2	70.9 -1.4 71.0 358	0.664 0.0 1.0	41.7 61.1 -19.8 64.3 342	1.0 0.0 0.8	0.631 0.0 1.0	41.1 59.2 -21.5 63.0 339	1.0 0.0 0.8	0.631 0.0 1.0	41.1 59.2 -21.5 63.0 339	1.0 0.0 0.8	
359	343	340	1.0 0.0 0.783 48.1	70.8 -0.8 70.8 359	0.68 0.0 1.0	41.9 62.1 -18.9 64.9 343	1.0 0.0 0.783	0.646 0.0 1.0	41.4 60.1 -20.7 63.6 340	1.0 0.0 0.783	0.646 0.0 1.0	41.4 60.1 -20.7 63.6 340	1.0 0.0 0.783	
359	344	341												

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd _{ds}	rgb* ds _{ds}	rgb* ds _{de}																							
360	345	342	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.713	0.0	1.0	42.5	64.0	-17.0	66.2	345	1.0	0.0	0.75	0.678	0.0	1.0	41.9	61.9	-19.0	64.8	342	1.0	0.0	0.75			
361	346	343	1.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.73	0.0	1.0	42.8	64.9	-16.1	66.9	346	1.0	0.0	0.733	0.693	0.0	1.0	42.2	62.8	-18.2	65.4	343	1.0	0.0	0.733			
361	347	344	1.0	0.0	0.716	48.1	70.1	2.2	70.1	361	0.746	0.0	1.0	43.1	65.8	-15.1	67.5	347	1.0	0.0	0.717	0.709	0.0	1.0	42.4	63.7	-17.3	66.0	344	1.0	0.0	0.717			
362	348	345	1.0	0.0	0.7	48.1	69.9	3.1	70.0	362	0.782	0.0	1.0	43.9	66.9	-14.1	68.4	348	1.0	0.0	0.7	0.724	0.0	1.0	42.7	64.6	-16.4	66.6	345	1.0	0.0	0.7			
363	349	346	1.0	0.0	0.683	48.1	69.7	4.0	69.8	363	0.823	0.0	1.0	44.8	68.0	-13.1	69.3	349	1.0	0.0	0.683	0.74	0.0	1.0	43.0	65.4	-15.5	67.3	346	1.0	0.0	0.683			
364	350	347	1.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.864	0.0	1.0	45.7	69.2	-12.1	70.3	350	1.0	0.0	0.667	0.764	0.0	1.0	43.4	66.4	-14.5	68.0	347	1.0	0.0	0.667			
364	351	348	1.0	0.0	0.65	48.0	69.3	5.7	69.5	364	0.905	0.0	1.0	46.5	70.3	-11.0	71.2	351	1.0	0.0	0.65	0.803	0.0	1.0	44.3	67.5	-13.6	68.9	348	1.0	0.0	0.65			
365	352	349	1.0	0.0	0.633	48.0	69.0	6.6	69.3	365	0.946	0.0	1.0	47.3	71.4	-9.9	72.1	352	1.0	0.0	0.633	0.842	0.0	1.0	45.2	68.6	-12.7	69.8	349	1.0	0.0	0.633			
366	353	350	1.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.988	0.0	1.0	48.0	72.5	-8.8	73.1	353	1.0	0.0	0.617	0.881	0.0	1.0	46.1	69.7	-11.7	70.6	350	1.0	0.0	0.617			
367	354	351	1.0	0.0	0.6	47.9	68.7	8.5	69.2	367	1.0	0.0	0.973	48.3	72.6	-7.5	73.0	354	1.0	0.0	0.6	0.92	0.0	1.0	46.8	70.7	-10.7	71.5	351	1.0	0.0	0.6			
367	355	352	1.0	0.0	0.583	47.9	68.6	9.4	69.2	367	1.0	0.0	0.935	48.3	72.3	-6.2	72.5	355	1.0	0.0	0.583	0.959	0.0	1.0	47.5	71.8	-9.6	72.4	352	1.0	0.0	0.583			
368	356	353	1.0	0.0	0.566	47.9	68.4	10.3	69.2	368	1.0	0.0	0.896	48.3	71.9	-4.9	72.1	356	1.0	0.0	0.567	0.998	0.0	1.0	48.2	72.8	-8.5	73.3	353	1.0	0.0	0.567			
369	357	354	1.0	0.0	0.55	47.8	68.2	11.2	69.2	369	1.0	0.0	0.86	48.3	71.5	-3.6	71.6	357	1.0	0.0	0.55	1.0	0.0	0.965	48.3	72.6	-7.3	72.9	354	1.0	0.0	0.55			
370	358	355	1.0	0.0	0.533	47.8	68.1	12.1	69.1	370	1.0	0.0	0.827	48.2	71.2	-2.4	71.3	358	1.0	0.0	0.533	1.0	0.0	0.929	48.3	72.2	-6.0	72.5	355	1.0	0.0	0.533			
370	359	356	1.0	0.0	0.516	47.7	67.9	13.1	69.1	370	1.0	0.0	0.794	48.2	70.9	-1.1	70.9	359	1.0	0.0	0.517	1.0	0.0	0.892	48.3	71.8	-4.8	72.0	356	1.0	0.0	0.517			
371	360	352	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371	1.0	0.0	0.761	48.2	70.6	0.0	70.6	360	1.0	0.0	0.5	0.949	0.0	1.0	47.3	71.5	-9.9	72.2	352	1.0	0.0	0.5			
372	361	353	1.0	0.0	0.483	47.7	67.5	15.0	69.2	372	1.0	0.0	0.735	48.1	70.3	1.2	70.3	361	1.0	0.0	0.483	0.995	0.0	1.0	48.2	72.7	-8.6	73.2	353	1.0	0.0	0.483			
373	362	354	1.0	0.0	0.466	47.7	67.3	16.1	69.2	373	1.0	0.0	0.712	48.1	70.1	2.4	70.1	362	1.0	0.0	0.467	1.0	0.0	0.962	48.3	72.5	-7.2	72.9	354	1.0	0.0	0.467			
374	363	355	1.0	0.0	0.45	47.7	67.2	17.1	69.3	374	1.0	0.0	0.69	48.1	69.8	3.7	69.9	363	1.0	0.0	0.45	1.0	0.0	0.919	48.3	72.1	-5.7	72.3	355	1.0	0.0	0.45			
375	364	356	1.0	0.0	0.433	47.7	67.0	18.2	69.4	375	1.0	0.0	0.667	48.1	69.5	4.9	69.7	364	1.0	0.0	0.433	1.0	0.0	0.876	48.3	71.7	-4.3	71.8	356	1.0	0.0	0.433			
376	365	357	1.0	0.0	0.416	47.7	66.7	19.2	69.5	376	1.0	0.0	0.645	48.1	69.2	6.1	69.5	365	1.0	0.0	0.417	1.0	0.0	0.839	48.3	71.4	-2.9	71.4	357	1.0	0.0	0.417			
376	366	358	1.0	0.0	0.4	47.7	66.5	20.3	69.5	376	1.0	0.0	0.623	48.0	68.9	7.2	69.3	366	1.0	0.0	0.4	1.0	0.0	0.802	48.2	71.0	-1.5	71.0	358	1.0	0.0	0.4			
377	367	359	1.0	0.0	0.383	47.7	66.3	21.3	69.6	377	1.0	0.0	0.601	48.0	68.8	8.4	69.3	367	1.0	0.0	0.383	1.0	0.0	0.765	48.2	70.6	-0.1	70.6	359	1.0	0.0	0.383			
378	368	360	1.0	0.0	0.366	47.7	66.1	22.3	69.7	378	1.0	0.0	0.58	47.9	68.6	9.6	69.3	368	1.0	0.0	0.367	1.0	0.0	0.735	48.1	70.3	1.2	70.3	360	1.0	0.0	0.367			
379	369	362	1.0	0.0	0.35	47.7	66.0	23.2	69.9	379	1.0	0.0	0.558	47.9	68.4	10.8	69.2	369	1.0	0.0	0.35	1.0	0.0	0.71	48.1	70.1	2.6	70.1	362	1.0	0.0	0.35			
380	370	363	1.0	0.0	0.333	47.7	65.8	24.2	70.2	380	1.0	0.0	0.536	47.8	68.1	12.0	69.2	370	1.0	0.0	0.333	1.0	0.0	0.685	48.1	69.8	3.9	69.9	363	1.0	0.0	0.333			
380	371	364	1.0	0.0	0.316	47.7	65.7	25.1	70.4	380	1.0	0.0	0.515	47.8	67.9	13.2	69.2	371	1.0	0.0	0.317	1.0	0.0	0.66	48.1	69.4	5.2	69.6	364	1.0	0.0	0.317			
381	372	365	1.0	0.0	0.3	47.7	65.6	26.0	70.6	381	1.0	0.0	0.494	47.8	67.7	14.4	69.2	372	1.0	0.0	0.3	1.0	0.0	0.635	48.1	69.1	6.6	69.4	365	1.0	0.0	0.3			
382	373	366	1.0	0.0	0.283	47.7	65.4	27.0	70.8	382	1.0	0.0	0.475	47.8	67.5	15.6	69.3	373	1.0	0.0	0.283	1.0	0.0	0.611	48.0	68.8	7.9	69.3	366	1.0	0.0	0.283			
383	374	367	1.0	0.0	0.266	47.7	65.2	27.9	71.0	383	1.0	0.0	0.456	47.8	67.3	16.8	69.3	374	1.0	0.0	0.267	1.0	0.0	0.587	48.0	68.6	9.2	69.3	367	1.0	0.0	0.267			
383	375	368	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383	1.0	0.0	0.437	47.8	67.1	18.0	69.4	375	1.0	0.0	0.25	1.0	0.0	0.563	47.9	68.4	10.6	69.2	368	1.0	0.0	0.25			
384	376	369	1.0	0.0	0.233	47.6	65.0	29.7	71.5	384	1.0	0.0	0.418	47.8	66.8	19.2	69.5	376	1.0	0.0	0.233	1.0	0.0	0.539	47.8	68.2	11.9	69.2	369	1.0	0.0	0.233			
385	377	370	1.0	0.0	0.216	47.6	64.9	30.5	71.8	385	1.0	0.0	0.399	47.8	66.5	20.3	69.6	377	1.0	0.0	0.217	1.0	0.0	0.515	47.8	67.9	13.2	69.2	370	1.0	0.0	0.217			
385	378	372	1.0	0.0	0.2	47.6	64.9	31.4	72.1	385	1.0	0.0	0.38	47.8	66.3	21.5	69.7	378	1.0	0.0	0.2	1.0	0.0	0.492	47.8	67.6	14.5	69.2	372	1.0	0.0	0.2			
386	379	373	1.0	0.0	0.183	47.5	64.8	32.2	72.4	386	1.0	0.0	0.359	47.8	66.1	22.8	69.9	379	1.0	0.0	0.183	1.0	0.0	0.471	47.8	67.4	15.8	69.3	373	1.0	0.0	0.183			
387	380	374	1.0	0.0	0.166	47.5	64.7	33.0	72.7	387	1.0	0.0	0.337	47.8	65.9	24.0	70.2	380	1.0	0.0	0.167	1.0	0.0	0.45	47.8	67.2	17.2	69.4	374	1.0	0.0	0.167			
387	381	375	1.0	0.0	0.15	47.5	64.6	33.9	72.9	387	1.0	0.0	0.315	47.8	65.7	25.2	70.4	381	1.0	0.0	0.15	1.0	0.0	0.429	47.8	67.0	18.5	69.5	375	1.0	0.0	0.15			
388	382	376	1.0	0.0	0.133	47.4	64.5	34.7	73.2	388	1.0	0.0	0.293	47.7	65.5	26.5	70.7	382	1.0	0.0	0.133	1.0	0.0	0.408	47.8	66.7	19.8	69.6	376	1.0	0.0	0.133			
388	383	377	1.0	0.0	0.116	47.4	64.4	35.5	73.6	388	1.0	0.0	0.271	47.7	65.3	27.7	71.0	383	1.0	0.0	0.117	1.0	0.0	0.386	47.8	66.4	21.2	69.6	377	1.0	0.0	0.117		</	


http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE55/QE55L30FA.DAT in file (F), page 23/33

Table with 15 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabC*File, cmyk*sep, cmyk*File, hsa*File, rgb*File, LabC*File, delta. Rows 243-323.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de

TUB-test chart QE55; hue code: H*e=Y50Ge colors and differences, ΔE*

see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT /.PS; 3D-linearization
 F: 3D-linearization QE55/QE55LE30FA.DAT in file (F), page 24/33

n	HC*File	rgb*File	icc*File	hsa*File	rgb*File	LabCM*File	cmyk*sep*File	LabCM*File	hsa*File	rgb*File	LabCM*File						
324	R00Y_050_0500e	0.5	0.5	0.25	0.5	0.0	0.843	0.663	0.548	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
325	R00Y_050_0500e	0.5	0.0	0.125	0.5	0.0	0.84	0.426	0.554	1.0	0.0	0.538	47.8	47.8	11.8	69.2	9.8
326	R00Y_050_0500e	0.5	0.0	0.25	0.5	0.0	0.829	0.08	0.574	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
327	B61R_050_0500e	0.5	0.0	0.375	0.5	0.0	0.815	0.0	0.597	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
328	B61R_050_0500e	0.5	0.0	0.5	0.5	0.0	0.815	0.0	0.597	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
329	B40K_062_0620e	0.5	0.0	0.625	0.5	0.0	0.802	0.0	0.617	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
330	B40K_062_0620e	0.5	0.0	0.75	0.5	0.0	0.787	0.0	0.644	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
331	B23K_087_0870e	0.5	0.0	0.875	0.5	0.0	0.762	0.0	0.671	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
332	B23K_087_0870e	0.5	0.0	1.0	1.0	0.0	0.747	0.0	0.698	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
333	R23Y_100_1000e	0.5	0.125	0.5	0.5	0.0	0.733	0.0	0.726	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
334	R23Y_100_1000e	0.5	0.125	0.5	0.5	0.0	0.711	0.0	0.754	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
335	R18Y_080_0370e	0.5	0.125	0.25	0.5	0.0	0.691	0.0	0.781	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
336	B63R_080_0370e	0.5	0.125	0.375	0.5	0.0	0.663	0.0	0.808	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
337	B63R_080_0370e	0.5	0.125	0.375	0.5	0.0	0.643	0.0	0.835	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
338	B38K_062_0620e	0.5	0.125	0.625	0.5	0.0	0.617	0.0	0.861	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
339	B38K_062_0620e	0.5	0.125	0.625	0.5	0.0	0.597	0.0	0.888	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
340	B23K_087_0870e	0.5	0.125	0.875	0.5	0.0	0.571	0.0	0.915	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
341	B23K_087_0870e	0.5	0.125	0.875	0.5	0.0	0.545	0.0	0.942	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
342	R50Y_080_0370e	0.5	0.25	0.5	0.5	0.0	0.519	0.0	0.969	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
343	R50Y_080_0370e	0.5	0.25	0.5	0.5	0.0	0.493	0.0	0.996	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
344	R00Y_050_0250e	0.5	0.25	0.375	0.5	0.0	0.467	0.0	1.023	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
345	R00Y_050_0250e	0.5	0.25	0.375	0.5	0.0	0.441	0.0	1.050	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
346	B50K_062_0370e	0.5	0.25	0.625	0.5	0.0	0.415	0.0	1.077	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
347	B50K_062_0370e	0.5	0.25	0.625	0.5	0.0	0.389	0.0	1.104	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
348	B34K_062_0370e	0.5	0.25	0.875	0.5	0.0	0.363	0.0	1.131	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
349	B34K_062_0370e	0.5	0.25	0.875	0.5	0.0	0.337	0.0	1.158	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
350	B18R_100_0750e	0.5	0.375	0.5	0.5	0.0	0.311	0.0	1.185	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
351	B18R_100_0750e	0.5	0.375	0.5	0.5	0.0	0.285	0.0	1.212	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
352	R68Y_080_0370e	0.5	0.375	0.125	0.5	0.0	0.259	0.0	1.239	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
353	R68Y_080_0370e	0.5	0.375	0.125	0.5	0.0	0.233	0.0	1.266	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
354	R00Y_050_0120e	0.5	0.375	0.375	0.5	0.0	0.207	0.0	1.293	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
355	R00Y_050_0120e	0.5	0.375	0.375	0.5	0.0	0.181	0.0	1.320	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
356	B25K_062_0250e	0.5	0.375	0.625	0.5	0.0	0.155	0.0	1.347	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
357	B18R_075_0370e	0.5	0.375	0.75	0.5	0.0	0.129	0.0	1.374	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
358	B18R_075_0370e	0.5	0.375	0.75	0.5	0.0	0.103	0.0	1.401	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
359	B09K_100_0620e	0.5	0.375	1.0	1.0	0.0	0.077	0.0	1.428	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
360	Y00G_050_0500e	0.5	0.5	0.25	0.5	0.0	0.051	0.0	1.455	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
361	Y00G_050_0500e	0.5	0.5	0.25	0.5	0.0	0.025	0.0	1.482	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
362	Y00G_050_0250e	0.5	0.5	0.25	0.5	0.0	0.0	0.0	1.509	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
363	Y00G_050_0120e	0.5	0.5	0.375	0.5	0.0	0.0	0.0	1.536	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
364	NW_0500e	0.5	0.5	0.5	0.5	0.0	0.0	0.0	1.563	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
365	B00R_062_0120e	0.5	0.625	0.125	0.5	0.0	0.0	0.0	1.590	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
366	B00R_075_0250e	0.5	0.625	0.25	0.5	0.0	0.0	0.0	1.617	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
367	B00R_087_0370e	0.5	0.625	0.375	0.5	0.0	0.0	0.0	1.644	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
368	B00R_100_0500e	0.5	0.625	0.5	0.5	0.0	0.0	0.0	1.671	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
369	Y18G_062_0620e	0.5	0.625	0.625	0.5	0.0	0.0	0.0	1.698	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
370	Y18G_062_0620e	0.5	0.625	0.625	0.5	0.0	0.0	0.0	1.725	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
371	Y31G_062_0370e	0.5	0.625	0.375	0.5	0.0	0.0	0.0	1.752	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
372	Y50G_062_0250e	0.5	0.625	0.25	0.5	0.0	0.0	0.0	1.779	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
373	G00B_062_0120e	0.5	0.625	0.125	0.5	0.0	0.0	0.0	1.806	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
374	G50B_062_0120e	0.5	0.625	0.125	0.5	0.0	0.0	0.0	1.833	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
375	G50B_062_0120e	0.5	0.625	0.125	0.5	0.0	0.0	0.0	1.860	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
376	G84B_087_0370e	0.5	0.625	0.375	0.5	0.0	0.0	0.0	1.887	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
377	G88B_100_0500e	0.5	0.625	0.5	0.5	0.0	0.0	0.0	1.914	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
378	Y31G_075_0750e	0.5	0.75	0.375	0.5	0.0	0.0	0.0	1.941	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
379	Y38G_075_0750e	0.5	0.75	0.625	0.5	0.0	0.0	0.0	1.968	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
380	Y46G_075_0750e	0.5	0.75	0.875	0.5	0.0	0.0	0.0	1.995	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
381	G00B_075_0250e	0.5	0.75	0.25	0.5	0.0	0.0	0.0	2.022	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
382	G00B_075_0250e	0.5	0.75	0.25	0.5	0.0	0.0	0.0	2.049	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
383	G25B_075_0250e	0.5	0.75	0.625	0.5	0.0	0.0	0.0	2.076	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
384	G50B_075_0250e	0.5	0.75	0.25	0.5	0.0	0.0	0.0	2.103	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
385	G50B_075_0250e	0.5	0.75	0.25	0.5	0.0	0.0	0.0	2.130	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
386	G50B_087_0370e	0.5	0.75	0.375	0.5	0.0	0.0	0.0	2.157	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
387	Y41G_087_0870e	0.5	0.75	0.125	0.5	0.0	0.0	0.0	2.184	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
388	Y50G_087_0750e	0.5	0.75	0.25	0.5	0.0	0.0	0.0	2.211	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
389	Y60G_087_0620e	0.5	0.75	0.625	0.5	0.0	0.0	0.0	2.238	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
390	Y60G_087_0620e	0.5	0.75	0.625	0.5	0.0	0.0	0.0	2.265	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
391	G00B_087_0570e	0.5	0.875	0.375	0.5	0.0	0.0	0.0	2.292	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
392	G00B_087_0570e	0.5	0.875	0.375	0.5	0.0	0.0	0.0	2.319	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
393	G54B_087_0370e	0.5	0.875	0.625	0.5	0.0	0.0	0.0	2.346	1.0	0.0	1.0	47.3	61.0	19.9	72.1	35.0
394																	

http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE55/QE55L30FA.DAT in file (F), page 26/33

Table with 15 columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabC*File, LabC*sep*File, cmyk*sep*File, Lab*File, Hsa*File, rgb*File, LabC*File, LabC*File, delta. Rows 486-566.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de


TUB-test chart QE55; hue code: H*e=Y50Ge colors and differences, ΔE*

n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCM*File	cmyp*sep*File	hsa*File	rgb*File	LabCM*File	delta									
567	R00Y_087.087a	0.875 0.0	0.875 0.875 0.437	390	0.875 0.0	0.183 43.9	56.8	0.962	0.0	0.162	0.766	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
568	R06Y_087.087a	0.875 0.0	0.875 0.875 0.437	382	0.875 0.0	0.356 44.0	58.3	0.964	0.0	0.164	0.586	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
569	R23Y_087.087a	0.875 0.0	0.875 0.875 0.437	374	0.875 0.0	0.514 44.4	60.0	0.961	0.0	0.164	0.422	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
570	R70K_087.087a	0.875 0.0	0.875 0.875 0.437	365	0.875 0.0	0.734 44.4	62.4	0.961	0.0	0.165	0.187	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
571	B70K_087.087a	0.875 0.0	0.875 0.875 0.437	355	0.875 0.0	0.875 43.7	62.4	0.961	0.0	0.165	0.187	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
572	B63K_087.087a	0.875 0.0	0.875 0.875 0.437	346	0.875 0.0	0.875 39.1	54.9	0.962	0.0	0.165	0.187	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
573	B56K_087.087a	0.875 0.0	0.875 0.875 0.437	338	0.875 0.0	0.875 36.4	48.8	0.962	0.0	0.165	0.187	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
574	B50K_087.087a	0.875 0.0	0.875 0.875 0.437	330	0.875 0.0	0.875 32.8	43.1	0.962	0.0	0.165	0.187	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
575	B44K_100.100a	0.875 0.0	1.0 1.0 0.5	323	0.875 0.0	1.0 33.0	43.3	0.962	0.0	0.165	0.187	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
576	R00Y_087.087a	0.875 0.125	0.875 0.875 0.437	316	0.875 0.125	0.282 49.8	57.1	0.942	0.0	0.161	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
577	R00Y_087.075a	0.875 0.125	0.875 0.875 0.437	310	0.875 0.125	0.282 49.8	57.1	0.942	0.0	0.161	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
578	R35Y_087.075a	0.875 0.125	0.875 0.875 0.437	301	0.875 0.125	0.446 49.9	50.2	0.839	0.0	0.161	0.484	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
579	R18Y_087.075a	0.875 0.125	0.875 0.875 0.437	295	0.875 0.125	0.502 50.2	52.0	0.839	0.0	0.161	0.484	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
580	R18Y_087.075a	0.875 0.125	0.875 0.875 0.437	295	0.875 0.125	0.502 50.2	52.0	0.839	0.0	0.161	0.484	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
581	B65K_087.075a	0.875 0.125	0.875 0.875 0.437	286	0.875 0.125	0.875 46.3	49.0	0.839	0.0	0.161	0.484	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
582	B57K_087.075a	0.875 0.125	0.875 0.875 0.437	279	0.875 0.125	0.875 42.5	42.5	0.839	0.0	0.161	0.484	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
583	B50K_087.075a	0.875 0.125	0.875 0.875 0.437	272	0.875 0.125	0.875 40.2	36.9	0.839	0.0	0.161	0.484	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
584	B43K_100.087a	0.875 0.125	1.0 1.0 0.875	262	0.875 0.125	1.0 40.7	37.1	0.839	0.0	0.161	0.484	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
585	R26Y_087.087a	0.875 0.25	0.875 0.875 0.437	46	0.875 0.25	0.142 48.2	45.3	0.822	0.0	0.162	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
586	R15Y_087.075a	0.875 0.25	0.875 0.875 0.437	37	0.875 0.25	0.158 48.2	45.3	0.822	0.0	0.162	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
587	R00Y_087.062a	0.875 0.25	0.875 0.625 0.562	390	0.875 0.25	0.34 55.9	49.3	0.809	0.0	0.162	0.518	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
588	R31Y_087.062a	0.875 0.25	0.875 0.625 0.562	379	0.875 0.25	0.544 55.9	42.1	0.728	0.0	0.162	0.318	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
589	R11Y_087.062a	0.875 0.25	0.875 0.625 0.562	367	0.875 0.25	0.728 56.1	44.1	0.73	0.0	0.162	0.204	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
590	B09K_087.062a	0.875 0.25	0.875 0.625 0.562	353	0.875 0.25	0.875 54.8	43.3	0.73	0.0	0.162	0.204	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
591	B09K_087.062a	0.875 0.25	0.875 0.625 0.562	341	0.875 0.25	0.875 51.5	36.4	0.73	0.0	0.162	0.204	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
592	B20K_100.075a	0.875 0.25	1.0 0.75 0.875	327	0.875 0.25	1.0 48.1	38.7	0.696	0.0	0.162	0.009	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
593	B20K_100.075a	0.875 0.25	1.0 0.75 0.875	321	0.875 0.25	1.0 48.1	38.7	0.696	0.0	0.162	0.009	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
594	R18Y_087.087a	0.875 0.375	0.875 0.437	57	0.875 0.375	0.251 50.1	52.6	0.696	0.0	0.162	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
595	R18Y_087.087a	0.875 0.375	0.875 0.437	49	0.875 0.375	0.251 50.1	52.6	0.696	0.0	0.162	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
596	R18Y_087.075a	0.875 0.375	0.875 0.437	41	0.875 0.375	0.251 50.1	52.6	0.696	0.0	0.162	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
597	R00Y_087.062a	0.875 0.375	0.875 0.625 0.562	41	0.875 0.375	0.251 50.1	52.6	0.696	0.0	0.162	0.971	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
598	R26Y_087.062a	0.875 0.375	0.875 0.625 0.562	390	0.875 0.375	0.479 61.8	32.4	0.617	0.0	0.162	0.635	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
599	R00Y_087.050a	0.875 0.375	0.875 0.5	625	0.875 0.375	0.644 61.9	34.0	0.617	0.0	0.162	0.635	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
600	B61K_087.050a	0.875 0.375	0.875 0.5	625	0.875 0.375	0.644 61.9	34.0	0.617	0.0	0.162	0.635	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
601	B50K_087.050a	0.875 0.375	0.875 0.5	625	0.875 0.375	0.644 61.9	34.0	0.617	0.0	0.162	0.635	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
602	B40K_100.062a	0.875 0.375	1.0 1.0 0.625	330	0.875 0.375	0.875 55.4	24.6	0.596	0.0	0.162	0.596	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
603	R58Y_087.087a	0.875 0.5	0.875 0.687	319	0.875 0.5	0.625 56.0	55.0	0.596	0.0	0.162	0.596	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
604	R58Y_087.087a	0.875 0.5	0.875 0.687	319	0.875 0.5	0.625 56.0	55.0	0.596	0.0	0.162	0.596	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
605	R58Y_087.075a	0.875 0.5	0.875 0.687	319	0.875 0.5	0.625 56.0	55.0	0.596	0.0	0.162	0.596	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
606	R23Y_087.050a	0.875 0.5	0.875 0.625 0.562	42	0.875 0.5	0.413 61.7	33.6	0.582	0.0	0.162	0.671	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
607	R00Y_087.050a	0.875 0.5	0.875 0.625 0.562	44	0.875 0.5	0.413 61.7	33.6	0.582	0.0	0.162	0.671	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
608	R18Y_087.050a	0.875 0.5	0.875 0.625 0.562	390	0.875 0.5	0.578 63.7	27.1	0.566	0.0	0.162	0.522	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
609	B65K_087.050a	0.875 0.5	0.875 0.687 349	371	0.875 0.5	0.747 67.9	26.0	0.504	0.0	0.162	0.327	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
610	B50K_087.050a	0.875 0.5	0.875 0.687 349	371	0.875 0.5	0.747 67.9	26.0	0.504	0.0	0.162	0.327	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
611	B38K_100.050a	0.875 0.5	1.0 1.0 0.5	316	0.875 0.5	0.875 63.0	18.4	0.471	0.0	0.162	0.172	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
612	R73Y_087.087a	0.875 0.625	0.875 0.875 0.437	74	0.875 0.625	0.5 19.2	21.0	0.466	0.0	0.162	0.467	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
613	R68Y_087.075a	0.875 0.625	0.875 0.875 0.437	74	0.875 0.625	0.5 19.2	21.0	0.466	0.0	0.162	0.467	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
614	R61Y_087.062a	0.875 0.625	0.875 0.625 0.562	67	0.875 0.625	0.499 62.6	17.0	0.466	0.0	0.162	0.467	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
615	R50Y_087.050a	0.875 0.625	0.875 0.625 0.562	60	0.875 0.625	0.526 62.5	66.4	0.453	0.0	0.162	0.327	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
616	R31Y_087.050a	0.875 0.625	0.875 0.687 49	390	0.875 0.625	0.5 70.3	18.8	0.437	0.0	0.162	0.172	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
617	R00Y_087.050a	0.875 0.625	0.875 0.687 49	390	0.875 0.625	0.5 70.3	18.8	0.437	0.0	0.162	0.172	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
618	R00Y_087.050a	0.875 0.625	0.875 0.687 49	390	0.875 0.625	0.5 70.3	18.8	0.437	0.0	0.162	0.172	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
619	B50K_087.050a	0.875 0.625	0.875 0.687 49	390	0.875 0.625	0.5 70.3	18.8	0.437	0.0	0.162	0.172	378	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
620</																				



TUB registration: 20130201-QE55/QE55L0FA.TXT /.PS
 application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta




http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT /.PS; 3D-linearization
 F: 3D-linearization QE55/QE55L30FA.DAT in file (F), page 29/33


n	HC*File	rgb*File	LabC*File	rgb*File	LabC*File	cmyn*sep*File	rgb*File	LabC*File	delta
729	NW_100.00e	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
730	G50B_100.012de	0.875	1.0	1.0	0.966	0.196	0.0035	95.4	0.0
731	G50B_100.025de	0.75	1.0	1.0	0.933	0.338	0.0059	56.6	-39.7
732	G50B_100.037de	0.625	1.0	1.0	0.9	0.476	0.0089	36.6	-39.7
733	G50B_100.050de	0.5	1.0	1.0	0.867	0.614	0.013	16.6	-39.7
734	G50B_100.062de	0.375	1.0	1.0	0.834	0.752	0.0147	5.66	-39.7
735	G50B_100.075de	0.25	1.0	1.0	0.801	0.89	0.0172	0.0	-39.7
736	G50B_100.087de	0.125	1.0	1.0	0.768	1.028	0.025	0.0	-39.7
737	G50B_100.100de	0.0	1.0	1.0	0.735	1.166	0.0264	0.0	-39.7
738	ROY_100.012de	1.0	0.875	0.875	0.901	0.152	0.0066	47.6	64.9
739	NW_087de	0.875	0.875	0.875	0.875	0.007	0.0	95.4	0.0
740	G50B_087.012de	0.75	0.875	0.875	0.841	0.023	0.0035	56.6	-39.7
741	G50B_087.025de	0.625	0.875	0.875	0.808	0.046	0.0059	36.6	-39.7
742	G50B_087.037de	0.5	0.875	0.875	0.775	0.069	0.0083	16.6	-39.7
743	G50B_087.050de	0.375	0.875	0.875	0.742	0.092	0.0126	5.66	-39.7
744	G50B_087.062de	0.25	0.875	0.875	0.709	0.115	0.0159	0.0	-39.7
745	G50B_087.075de	0.125	0.875	0.875	0.676	0.138	0.0194	0.0	-39.7
746	G50B_087.087de	0.0	0.875	0.875	0.643	0.161	0.0227	0.0	-39.7
747	ROY_100.025de	0.875	0.75	0.875	0.776	0.025	0.0066	47.6	64.9
748	ROY_100.037de	0.75	0.75	0.875	0.743	0.048	0.0123	27.6	64.9
749	NW_075de	0.75	0.75	0.75	0.75	0.009	0.0	95.4	0.0
750	G50B_075.012de	0.625	0.75	0.75	0.716	0.032	0.0039	56.6	-39.7
751	G50B_075.025de	0.5	0.75	0.75	0.683	0.055	0.0059	36.6	-39.7
752	G50B_075.037de	0.375	0.75	0.75	0.65	0.078	0.0089	16.6	-39.7
753	G50B_075.050de	0.25	0.75	0.75	0.617	0.101	0.0126	5.66	-39.7
754	G50B_075.062de	0.125	0.75	0.75	0.584	0.124	0.0164	0.0	-39.7
755	G50B_075.075de	0.0	0.75	0.75	0.551	0.147	0.0202	0.0	-39.7
756	ROY_100.037de	1.0	0.625	0.625	0.677	0.388	0.025	0.0	-39.7
757	ROY_087.012de	0.875	0.625	0.625	0.644	0.025	0.0039	47.6	64.9
758	NW_062de	0.625	0.625	0.625	0.625	0.002	0.0	95.4	0.0
759	G50B_062.012de	0.5	0.625	0.625	0.591	0.025	0.0044	56.6	-39.7
760	G50B_062.025de	0.375	0.625	0.625	0.558	0.048	0.0069	36.6	-39.7
761	G50B_062.037de	0.25	0.625	0.625	0.525	0.071	0.0099	16.6	-39.7
762	G50B_062.050de	0.125	0.625	0.625	0.492	0.094	0.0145	5.66	-39.7
763	G50B_062.062de	0.0	0.625	0.625	0.459	0.117	0.0187	0.0	-39.7
764	ROY_100.050de	1.0	0.5	0.5	0.604	0.5	0.0375	47.6	64.9
765	ROY_087.037de	0.875	0.5	0.5	0.578	0.025	0.004	36.6	-39.7
766	ROY_075.025de	0.75	0.5	0.5	0.552	0.048	0.007	16.6	-39.7
767	ROY_062.012de	0.625	0.5	0.5	0.526	0.071	0.011	5.66	-39.7
768	NW_050de	0.5	0.5	0.5	0.5	0.002	0.0	95.4	0.0
770	G50B_050.012de	0.375	0.5	0.5	0.466	0.025	0.0026	56.6	-39.7
771	G50B_050.025de	0.25	0.5	0.5	0.433	0.048	0.0049	36.6	-39.7
772	G50B_050.037de	0.125	0.5	0.5	0.4	0.071	0.0079	16.6	-39.7
773	G50B_050.050de	0.0	0.5	0.5	0.367	0.094	0.0118	5.66	-39.7
774	ROY_100.062de	1.0	0.375	0.375	0.405	0.655	0.0223	47.6	64.9
775	ROY_087.050de	0.875	0.375	0.375	0.375	0.025	0.0026	36.6	-39.7
776	ROY_075.037de	0.75	0.375	0.375	0.342	0.048	0.0049	16.6	-39.7
777	ROY_062.025de	0.625	0.375	0.375	0.309	0.071	0.0079	5.66	-39.7
778	NW_037de	0.375	0.375	0.375	0.375	0.002	0.0	95.4	0.0
779	G50B_037.012de	0.25	0.375	0.375	0.342	0.025	0.0018	56.6	-39.7
780	G50B_037.025de	0.125	0.375	0.375	0.309	0.048	0.0032	36.6	-39.7
781	G50B_037.037de	0.0	0.375	0.375	0.276	0.071	0.0052	16.6	-39.7
782	ROY_100.075de	1.0	0.25	0.25	0.275	0.717	0.0072	47.6	64.9
783	ROY_087.050de	0.875	0.25	0.25	0.242	0.048	0.0018	36.6	-39.7
784	ROY_075.037de	0.75	0.25	0.25	0.209	0.071	0.0032	16.6	-39.7
785	ROY_062.025de	0.625	0.25	0.25	0.176	0.094	0.0052	5.66	-39.7
786	ROY_050.012de	0.5	0.25	0.25	0.143	0.117	0.0072	0.0	-39.7
787	ROY_037.012de	0.375	0.25	0.25	0.11	0.14	0.0092	0.0	-39.7
788	ROY_025.012de	0.25	0.25	0.25	0.077	0.167	0.0118	0.0	-39.7
789	NW_025de	0.25	0.25	0.25	0.25	0.0031	0.0	95.4	0.0
790	G50B_025.012de	0.125	0.25	0.25	0.216	0.025	0.0007	56.6	-39.7
791	G50B_025.025de	0.0	0.25	0.25	0.183	0.048	0.0018	36.6	-39.7
792	ROY_100.087de	1.0	0.125	0.125	0.183	0.599	0.0037	47.6	64.9
793	ROY_087.075de	0.875	0.125	0.125	0.15	0.025	0.0009	36.6	-39.7
794	ROY_075.062de	0.75	0.125	0.125	0.117	0.048	0.0018	16.6	-39.7
795	ROY_062.050de	0.625	0.125	0.125	0.084	0.071	0.0032	5.66	-39.7
796	ROY_050.037de	0.5	0.125	0.125	0.051	0.094	0.0052	0.0	-39.7
797	ROY_037.025de	0.375	0.125	0.125	0.018	0.117	0.0072	0.0	-39.7
798	NW_012de	0.25	0.125	0.125	0.125	0.0021	0.0	95.4	0.0
799	G50B_012.012de	0.125	0.125	0.125	0.125	0.0009	0.0	56.6	-39.7
800	G50B_012.025de	0.0	0.125	0.125	0.092	0.025	0.0018	36.6	-39.7
801	ROY_100.100de	1.0	0.0	0.0	0.0	0.0	0.0	47.6	64.9
802	ROY_087.087de	0.875	0.0	0.0	0.0	0.0	0.0	36.6	-39.7
803	ROY_075.075de	0.75	0.0	0.0	0.0	0.0	0.0	16.6	-39.7
804	ROY_062.062de	0.625	0.0	0.0	0.0	0.0	0.0	5.66	-39.7
805	ROY_050.050de	0.5	0.0	0.0	0.0	0.0	0.0	0.0	-39.7
806	ROY_037.037de	0.375	0.0	0.0	0.0	0.0	0.0	0.0	-39.7
807	ROY_025.025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	-39.7
808	ROY_012.012de	0.125	0.0	0.0	0.0	0.0	0.0	0.0	-39.7
809	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	95.4	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbd
 output: 3D-linearization to cmyk*de



see similar files: http://130.149.60.45/~farbmetrik/QE55/QE55.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



I-1132830-F0


QE550-7N; Page 29/33-F

TUB-test chart QE55; hue code: H*e=Y50Ge
 colors and differences, ΔE*_a*




TUB registration: 20130201-QE55/QE55L0FA.TXT /.PS
 application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE55/QE55L0FA.TXT /.PS; 3D-linearization
 F: 3D-linearization QE55/QE55LE30FA.DAT in file (F), page 33/33



see similar files: <http://130.149.60.45/~farbmetrik/QE55/QE55.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HC*Fde	rgb*Fde	icT*Fde	hsa*Fde	rgb*Fde	LabC*Fde	hsa*Fde	cmyn*sep*Fde	0.007	0.0	0.179	LabC*Fde	rgb*Fde	hsa*Fde
1053	NW_086de	0.866	0.866	0.866	0.866	85.0	0.0	0.024	0.007	0.0	0.179	95.4	360	
1054	NW_093de	0.933	0.933	0.933	0.933	90.2	0.0	0.024	0.005	0.0	0.084	95.4	360	
1055	NW_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1056	NW_006de	0.066	0.066	0.066	0.066	17.7	0.0	0.0	0.0	0.0	0.0	95.4	360	
1057	NW_013de	0.133	0.133	0.133	0.133	22.8	0.0	0.139	0.022	0.0	0.933	95.4	360	
1058	NW_020de	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.043	0.048	0.825	95.4	360	
1059	NW_026de	0.266	0.266	0.266	0.266	38.3	0.0	0.057	0.036	0.0	0.871	95.4	360	
1060	NW_033de	0.333	0.333	0.333	0.333	43.6	0.0	0.013	0.015	0.0	0.781	95.4	360	
1061	NW_040de	0.4	0.4	0.4	0.4	48.8	0.0	0.016	0.005	0.0	0.731	95.4	360	
1062	NW_046de	0.466	0.466	0.466	0.466	53.9	0.0	0.019	0.018	0.0	0.628	95.4	360	
1063	NW_053de	0.533	0.533	0.533	0.533	59.1	0.0	0.021	0.007	0.0	0.541	95.4	360	
1064	NW_060de	0.6	0.6	0.6	0.6	64.3	0.0	0.006	0.006	0.0	0.478	95.4	360	
1065	NW_066de	0.666	0.666	0.666	0.666	69.5	0.0	0.006	0.005	0.0	0.405	95.4	360	
1066	NW_073de	0.734	0.734	0.734	0.734	74.7	0.0	0.021	0.011	0.0	0.322	95.4	360	
1067	NW_080de	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.007	0.005	0.0	95.4	360	
1068	NW_086de	0.866	0.866	0.866	0.866	85.0	0.0	0.024	0.007	0.0	0.179	95.4	360	
1069	NW_093de	0.933	0.933	0.933	0.933	90.2	0.0	0.024	0.005	0.0	0.084	95.4	360	
1070	NW_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1071	NW_006de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0	0.0	95.4	360	
1072	NW_013de	0.1	0.1	0.1	0.1	22.8	0.0	0.0	0.0	0.0	0.0	95.4	360	
1073	NW_020de	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0	0.0	95.4	360	
1074	NW_026de	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0	0.0	95.4	360	
1075	NW_033de	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0	0.0	95.4	360	
1076	NW_040de	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0	0.0	95.4	360	
1077	NW_046de	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0	0.0	95.4	360	
1078	NW_053de	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0	0.0	95.4	360	
1079	NW_060de	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.0	0.0	95.4	360	
1080	NW_066de	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.0	0.0	95.4	360	
1081	NW_073de	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.0	0.0	95.4	360	
1082	NW_080de	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.0	0.0	95.4	360	
1083	NW_086de	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0	0.0	95.4	360	
1084	NW_093de	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	95.4	360	
1085	NW_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1086	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1087	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1088	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1089	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1090	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1091	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1092	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1093	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1094	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1095	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1096	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1097	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1098	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1099	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1100	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1101	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1102	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1103	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1104	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1105	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1106	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1107	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1108	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1109	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1110	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1111	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1112	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1113	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1114	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1115	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1116	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1117	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1118	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1119	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1120	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1121	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1122	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1123	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1124	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1125	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1126	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1127	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1128	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1129	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1130	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1131	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1132	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1133	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1134	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1135	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1136	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1137	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1138	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1139	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1140	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1141	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1142	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	360	
1143	RGB_100_100de	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.			