

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 116/360 = 0.32$

$H^*_- = Y50G_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = Y50G_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 73 -31 62 70 116

$HIC^*_{-,Ma}$: Y50G_100_100_

$rgbic^*_{-,Ma}$:

0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT> /PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE57/QE57L0FA.TXT /PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-103031-L0 QE570-7N

TUB-test chart QE57; hue code: $H^*_- = Y50G_-$

Test chart according to DIN 33872, 3D=1, de=0, cm_y0^*

input: $rgb/cmyk \rightarrow rgb/cmyk$

output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y50G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9
Y _{d,Ma}	87.8	-10.2	95.4	96.0
G _{d,Ma}	50.0	-65.0	29.6	71.4
C _{d,Ma}	56.8	-25.5	-41.5	48.7
B _{d,Ma}	25.0	29.5	-40.4	50.0
M _{d,Ma}	46.1	79.3	-0.2	79.3
N _{d,Ma}	24.3	0.0	0.0	0.0
W _{d,Ma}	95.6	0.0	0.0	0.0
R _{d,CIE}	39.9	58.7	27.9	65.0
Y _{d,CIE}	81.2	-2.8	71.5	71.6
G _{d,CIE}	52.2	-42.4	13.6	44.5
B _{d,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 70 -29 66 72 114

$HIC^*_{d,Ma}$: Y50G_100_100d

$rgbic^*_{d,Ma}$:



0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9
R25Y_100_100d	53.0	53.4	54.8	76.5
R50Y_100_100d	64.9	28.9	68.6	74.5
R75Y_100_100d	78.6	4.3	84.7	84.8
Y00G_100_100d	87.8	-10.2	95.4	96.0
Y25G_100_100d	81.2	-17.0	84.3	86.0
Y50G_100_100d	70.6	-29.7	66.5	72.8
Y75G_100_100d	57.9	-48.3	45.8	66.5
G00B_100_100d	50.0	-65.0	29.6	71.4
G25B_100_100d	52.9	-48.6	-8.0	49.3
G50B_100_100d	56.8	-25.5	-41.5	48.7
G75B_100_100d	41.7	-1.2	-40.6	40.6
B00R_100_100d	25.0	29.5	-40.4	50.0
B25R_100_100d	35.6	58.6	-20.7	62.1
B50R_100_100d	46.1	79.3	-0.2	79.3
B75R_100_100d	45.9	74.2	21.1	77.1

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-103131-L0 QE570-72

TUB-test chart QE57; hue code: $H^*_d=Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y50G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 70 -29 66 72 114$

$HIC^*_d, Ma: Y50G_{100_{100d}}$

$rgbic^*_d, Ma:$

0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-103231-L0 QE570-72

TUB-test chart QE57; hue code: $H^*_d=Y50G_d$

Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$

output: 3D-linearization to $cmy0^*_{dd}$

1-103231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y50G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 70 -29 66 72 114$

$HIC^*_d, Ma: Y50G_100_100_d$

$rgbic^*_d, Ma:$



0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE57/QE57L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-103331-L0 QE570-72

TUB-test chart QE57; hue code: $H^*_d=Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

1-103331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y50G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d, Ma}$	45.4	70.9	44.8	83.9
$Y_{d, Ma}$	87.8	-10.2	95.4	96.0
$G_{d, Ma}$	50.0	-65.0	29.6	71.4
$C_{d, Ma}$	56.8	-25.5	-41.5	48.7
$B_{d, Ma}$	25.0	29.5	-40.4	50.0
$M_{d, Ma}$	46.1	79.3	-0.2	79.3
$N_{d, Ma}$	24.3	0.0	0.0	0.0
$W_{d, Ma}$	95.6	0.0	0.0	0.0
$R_{d, CIE}$	39.9	58.7	27.9	65.0
$Y_{d, CIE}$	81.2	-2.8	71.5	71.6
$G_{d, CIE}$	52.2	-42.4	13.6	44.5
$B_{d, CIE}$	30.5	1.4	-46.4	46.4

Data for maximum colour (M_a):

$LabCh^*_d, Ma$: 70 -29 66 72 114

HIC^*_d, Ma : Y50G_100_100d

$rgbic^*_d, Ma$:



0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_H, rel = 57$
 $g^*_C, rel = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100d}$	45.4	70.9	44.8	83.9
$R25Y_{100_100d}$	53.0	53.4	54.8	76.5
$R50Y_{100_100d}$	64.9	28.9	68.6	74.5
$R75Y_{100_100d}$	78.6	4.3	84.7	84.8
$Y00G_{100_100d}$	87.8	-10.2	95.4	96.0
$Y25G_{100_100d}$	81.2	-17.0	84.3	86.0
$Y50G_{100_100d}$	70.6	-29.7	66.5	72.8
$Y75G_{100_100d}$	57.9	-48.3	45.8	66.5
$G00B_{100_100d}$	50.0	-65.0	29.6	71.4
$G25B_{100_100d}$	52.9	-48.6	-8.0	49.3
$G50B_{100_100d}$	56.8	-25.5	-41.5	48.7
$G75B_{100_100d}$	41.7	-1.2	-40.6	40.6
$B00R_{100_100d}$	25.0	29.5	-40.4	50.0
$B25R_{100_100d}$	35.6	58.6	-20.7	62.1
$B50R_{100_100d}$	46.1	79.3	-0.2	79.3
$B75R_{100_100d}$	45.9	74.2	21.1	77.1



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-103431-L0 QE570-72


TUB-test chart QE57; hue code: $H^*_d=Y50G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

1-103431-F0

TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103531-L0 QE570-72

TUB-test chart QE57; hue code: $H_d^* = Y50G_d$
Test chart according to DIN 33872, 3D=1, $de=0$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow


$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$



$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$


C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

elementary CIELAB (a^*_e, b^*_e) chroma diagram



R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$


standard CIELAB (a^*_s, b^*_s) chroma diagram

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$



R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE57/QE57L0FA.TXT /PS
 application for measurement of offset print output, separation cmy0* (CMY0) TUB material: code=rh4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_C: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}³, ddx64M, LAB*_{ddx64M} (x=LabCh), r_{gb}³, ddx361M, LAB*_{ddx361M} (x=LabCh), r_{gb}³, dsx361M, LAB*_{dsx361M} (x=LabCh), r_{gb}³, dex361M, LAB*_{dex361M} (x=LabCh), r_{gb}³, dex361M, LAB*_{dex361M} (x=LabCh). Rows contain numerical data for 385 different color patches.




see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^{dd}	dd64M	LAB ^{dd}	ddx64M (x=LabCh)	rgb ^{dd}	dex361M	LAB ^{dd}	dex361M	rgb ^{ds}	rgb ^{ds}	rgb ^{ds}						
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33	
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42	
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49	
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58	
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66	
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189	
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292	
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	0.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	0.0	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	0.0	0.539	0.0	1.0	36.4	60.8	-18.7	63.7	342
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	0.0	0.667	0.0	1.0	39.3	67.4	-12.4	68.5	349
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9	0.0	0.736	0.0	1.0	41.4	70.5	-9.7	71.1	352
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2	0.0	0.81	0.0	1.0	46.1	79.3	-0.1	79.3	359
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	0.0	0.687	0.0	1.0	46.0	76.5	11.8	77.4	368
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	0.0	0.485	0.0	1.0	45.9	74.1	22.0	77.3	376
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	385	




see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE57/QE57L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e; h_{abe} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 3 columns of header labels and multiple columns of numerical data. Headers include h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*dd361M, LAB* ddx361M(x=LabCh), r_{gb}*ds361Mi, LAB* dsx361Mi(x=LabCh), r_{gb}*de361Mi, LAB* dex361Mi(x=LabCh), r_{gb}*dd361Mi, Y_d, Y_s, and Y_e. The data rows represent color calibration points across a range of hue angles and device colors.



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.8	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGCBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colorimetric data (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, dd361M, LAB^{*}, ddx361Mi) and standard colorimetric data (r_{gb}^{*}, ds361Mi, LAB^{*}, dsx361Mi, r_{gb}^{*}, dd361Mi, LAB^{*}, dex361Mi). It includes 288 rows of data corresponding to hue angles from 0 to 30 degrees.

see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS application for measurement of offset print output, separation cmy0* (CMY0)


TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_S; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_C: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*, d_{d361M}, LAB*, d_{dx361Mi} (x=LabCh), r_{gb}*, d_{s361Mi}, LAB*, d_{dsx361Mi} (x=LabCh), r_{gb}*, d_{de361Mi}, LAB*, d_{dex361Mi} (x=LabCh), r_{gb}*, d_{dd361Mi}) and rows for color indices 289-340.


see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 34 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_d, ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_s, dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, LAB*_e, dex361Mi (x=LabCh), r_{gb}*_dd361Mi, and r_{gb}*_dd361Mi. Rows 340-366 contain data for 48 steps.



TUB registration: 20130201-QE57/QE57L0FA.TXT /.PS application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmy0*_sep.Fid	rgb*Fid	hsa*Fid	LabC*Fid	delta
0/648	R00Y_100_100ad	1.0	1.0	0.5	1.0	0.0	0.0	0.0	389	0.0	0.0
1/657	R13Y_100_100ad	0.125	1.0	0.5	1.0	0.0	0.0	0.0	36	0.0	0.0
2/666	R25Y_100_100ad	0.25	1.0	0.5	1.0	0.0	0.0	0.0	36	0.0	0.0
3/675	R38Y_100_100ad	0.375	1.0	0.5	1.0	0.0	0.0	0.0	42	0.0	0.0
4/684	R50Y_100_100ad	0.5	1.0	0.5	1.0	0.0	0.0	0.0	51	0.0	0.0
5/693	R63Y_100_100ad	0.625	1.0	0.5	1.0	0.0	0.0	0.0	59	0.0	0.0
6/702	R75Y_100_100ad	0.75	1.0	0.5	1.0	0.0	0.0	0.0	68	0.0	0.0
7/711	R88Y_100_100ad	0.875	1.0	0.5	1.0	0.0	0.0	0.0	77	0.0	0.0
8/720	Y00G_100_100ad	1.0	1.0	0.0	1.0	0.0	0.0	0.0	89	0.0	0.0
9/639	Y13G_100_100ad	0.875	1.0	0.0	1.0	0.0	0.0	0.0	89	0.0	0.0
10/658	Y25G_100_100ad	0.75	1.0	0.0	1.0	0.0	0.0	0.0	102	0.0	0.0
11/477	Y38G_100_100ad	0.625	1.0	0.0	1.0	0.0	0.0	0.0	111	0.0	0.0
12/396	Y50G_100_100ad	0.5	1.0	0.0	1.0	0.0	0.0	0.0	119	0.0	0.0
13/315	Y63G_100_100ad	0.375	1.0	0.0	1.0	0.0	0.0	0.0	128	0.0	0.0
14/234	Y75G_100_100ad	0.25	1.0	0.0	1.0	0.0	0.0	0.0	137	0.0	0.0
15/153	Y88G_100_100ad	0.125	1.0	0.0	1.0	0.0	0.0	0.0	143	0.0	0.0
16/72	G00C_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	149	0.0	0.0
17/73	G13C_100_100ad	0.125	1.0	0.0	1.0	0.0	0.0	0.0	156	0.0	0.0
18/74	G25C_100_100ad	0.25	1.0	0.0	1.0	0.0	0.0	0.0	162	0.0	0.0
19/75	G38C_100_100ad	0.375	1.0	0.0	1.0	0.0	0.0	0.0	171	0.0	0.0
20/76	G50C_100_100ad	0.5	1.0	0.0	1.0	0.0	0.0	0.0	180	0.0	0.0
21/77	G63C_100_100ad	0.625	1.0	0.0	1.0	0.0	0.0	0.0	188	0.0	0.0
22/78	G75C_100_100ad	0.75	1.0	0.0	1.0	0.0	0.0	0.0	197	0.0	0.0
23/79	G88C_100_100ad	0.875	1.0	0.0	1.0	0.0	0.0	0.0	203	0.0	0.0
24/71	C10B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	210	0.0	0.0
25/72	C13B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	216	0.0	0.0
26/63	C25B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	222	0.0	0.0
27/63	C38B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	231	0.0	0.0
28/44	C50B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	240	0.0	0.0
29/35	C63B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	248	0.0	0.0
30/26	C75B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	257	0.0	0.0
31/17	C88B_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	263	0.0	0.0
32/8	B00M_100_100ad	0.0	1.0	0.0	1.0	0.0	0.0	0.0	270	0.0	0.0
33/89	B13M_100_100ad	0.125	1.0	0.0	1.0	0.0	0.0	0.0	276	0.0	0.0
34/170	B25M_100_100ad	0.25	1.0	0.0	1.0	0.0	0.0	0.0	282	0.0	0.0
35/251	B38M_100_100ad	0.375	1.0	0.0	1.0	0.0	0.0	0.0	291	0.0	0.0
36/332	B50M_100_100ad	0.5	1.0	0.0	1.0	0.0	0.0	0.0	300	0.0	0.0
37/413	B63M_100_100ad	0.625	1.0	0.0	1.0	0.0	0.0	0.0	308	0.0	0.0
38/494	B75M_100_100ad	0.75	1.0	0.0	1.0	0.0	0.0	0.0	317	0.0	0.0
39/575	B88M_100_100ad	0.875	1.0	0.0	1.0	0.0	0.0	0.0	323	0.0	0.0
40/656	M00R_100_100ad	1.0	0.0	1.0	1.0	0.0	0.0	0.0	330	0.0	0.0
41/655	M13R_100_100ad	0.875	1.0	0.0	1.0	0.0	0.0	0.0	336	0.0	0.0
42/654	M25R_100_100ad	0.75	1.0	0.0	1.0	0.0	0.0	0.0	342	0.0	0.0
43/653	M38R_100_100ad	0.625	1.0	0.0	1.0	0.0	0.0	0.0	351	0.0	0.0
44/652	M50R_100_100ad	0.5	1.0	0.0	1.0	0.0	0.0	0.0	360	0.0	0.0
45/651	M63R_100_100ad	0.375	1.0	0.0	1.0	0.0	0.0	0.0	368	0.0	0.0
46/650	M75R_100_100ad	0.25	1.0	0.0	1.0	0.0	0.0	0.0	377	0.0	0.0
47/649	M88R_100_100ad	0.125	1.0	0.0	1.0	0.0	0.0	0.0	383	0.0	0.0
48/648	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	389	0.0	0.0
49/0	NV_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
50/91	NV_0125ad	0.125	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
51/182	NV_025ad	0.25	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
52/273	NV_0375ad	0.375	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
53/564	NV_050ad	0.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
54/455	NV_063ad	0.625	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
55/546	NV_075ad	0.75	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
56/637	NV_088ad	0.875	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0
57/728	NV_100ad	1.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0

http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 20/33

Table with 19 columns: #, HHC*F04, rgb*F04, Lab*F04, LabCM*F04, Hs*F04, L*a*b*F04, Hs*F04, Lab*F04, LabCM*F04, cmy0*sep,F04, Lab*F04, LabCM*F04, Hs*F04, rgb*F04, Lab*F04, LabCM*F04, #. Contains numerical data for 80 different color patches.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0**dd

TUB-test chart QE57; hue code: H*d=Y50Gd colors and differences, ΔE*

QE570-TN; Page 20/33-F

I-1031931-F0

1031931-F0

QE57IOL

QE57IOL

QE57IOL

QE57IOL

http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*F0d, rpb_F0d, icr_F0d, hsa_F0d, rpb_F0d, LabC0*F0d, cmy0*_sep_F0d, hsa_M0d, rpb_M0d, LabC0*M0d, delta, LabC0*Y0d, rpb_Y0d, LabC0*X0d, hsa_X0d, delta. Rows 81-161.

Mean color difference of this page: delta input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 22/33

Table with 24 columns: n, HHC*F0d, rpb_F0d, icr_F0d, hsa_F0d, rpb*F0d, LabC0*F0d, LabC0*F0d, cmy0*sep_F0d, hsa*F0d, rpb*F0d, LabC0*F0d, LabC0*F0d, delta, and 10 unlabeled columns. It contains a large grid of numerical data for various color patches.

Mean color difference of this page: delta input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

http://130.149.60.45/~farbmtrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 23/33

Table with columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabC0*Fid, LabC0*Fid, cmy0*sep_Fid, rpb*Fid, rpb**Fid, LabC0**Fid, LabC0**Fid, delta. The table contains 323 rows of color calibration data.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0**dd



Table with 15 columns: n, HHC*Fid, rgb*Fid, icr*Fid, rha*Fid, rgh*Fid, LabC*Fid, LabM*Fid, LabY*Fid, LabK*Fid, LabC*Fid, LabM*Fid, LabY*Fid, LabK*Fid, delta. Rows 324-404.

Mean color difference of this page:

input: rgb/cmyk -> rghdd output: 3D-linearization to cmy0*dd

QE57IOL

QE57IOL



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 48 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabC*Fid, LabC*Sep.Fid, cmyk*Sep.Fid, rpb*Fid, hsa*Fid, LabC*Fid, delta. Rows include color names like R001, R002, B001, B002, etc.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*dd

TUB-test chart QE57; hue code: H*d=Y50Gd colors and differences, AE*

I-1032431-F0



TUB registration: 20130201-QE57/QE57LOFA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmy0* (CMY0)



see similar files: http://130.149.60.45/~farbmatrik/QE57/QE57.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

http://130.149.60.45/~farbmatrik/QE57/QE57LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 26/33

http://130.149.60.45/~farbmatrik/QE57/QE57LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 26/33

Table with 28 columns: n, HHC*Fid, rcp_Fid, icr_Fid, Hsa_Fid, rcp_Fid, LabC0*Fid, cmyp*sep_Fid, Hsa_Fid, rcp_Fid, LabC0*Fid, delta. It contains calibration data for various color patches (486-566).

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

QE570-7N; Page 26/33-F



TUB-test chart QE57; hue code: H*d=Y50Gd colors and differences, AE*'

I=1032531-F0

I=1032531-F0

QE57IOL

QE57IOL



http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 27/33

Table with 15 columns: n, HHC*Fid, rgb_Fid, icr_Fid, hsa_Fid, rpb_Fid, LabC0*Fid, LabC0*Sep.Fid, cmy0*Sep.Fid, hsa_Jad, rpb_Jad, LabC0*Jad, LabC0*Sep.Jad, delta. Rows 567-647.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd Mean color difference of this page: delta

Table with 28 columns: n, HHC*Fid, rpb*Fid, icr*Fid, Hrs*Fid, rpb*Fid, LabC*Fid, LabC*Fid, cmy0*sep,Fid, cmy0*sep,Fid, Hrs*Fid, rpb*Fid, LabC*Fid, LabC*Fid, delta. Rows 648-728.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

TUB-test chart QE57; hue code: H*d=Y50Gd colors and differences, AE*^{*}

QE570-7N; Page:2833-F

I-1032731-F0

I-1032731-F0

Table with columns: n, HHC*Fid, rcp_Fid, icr_Fid, hsa_Fid, rcp_Fid, LabCM*Fid, hsa_Fid, rcp_Fid, cmy0*_sep_Fid, delta, LabCM*Yid, rcp_Yid, hsa_Yid, LabCM*Yid, cmy0*_sep_Yid, delta. Rows include color names like NV_1000, G50B_100, etc.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*_dd



TUB-test chart QE57; hue code: H*_d=Y50G_d colors and differences, AE*_*

http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 30/33

Table with columns: n, H#C*Fad, rgp_Fad, iet_Fad, H#s_Fad, rgp_Fad, LabC*Fad, LabC*Fad, cmy0*_sep_Fad, delta, H#s_d, rgp_d, LabC*d, LabC*d, delta. It contains 890 rows of data representing color calibration points and their differences.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*dd

TUB-test chart QE57; hue code: H*d=Y50Gd colors and differences, AE*^{*}




http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 31/33

Table with 18 columns: n, H#C_Fid, rpb_Fid, icr_Fid, H#_Fid, rpb_Fid, LabC*_Fid, LabC*_Sep_Fid, cmyk*_Sep_Fid, delta, H#X_Lab, rpb*_Lab, LabC*_Lab, LabC*_Fid, rpb*_Fid, LabC*_Fid, LabC*_Sep_Fid, cmyk*_Sep_Fid, delta. Rows 891-971.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd



http://130.149.60.45/~farbmetrik/QE57/QE57L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE57/QE57L30FA.DAT in file (F), page 32/33

Table with 15 columns: n, HC*Fid, rgb_Fid, icr_Fid, Hsa_Fid, rgb*Fid, LabC*Fid, cmy*sep_Fid, Hsa_d, rgb*Mid, LabC*Mid, delta. Rows 972-1052.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

TUB-test chart QE57; hue code: H*d=Y50Gd colors and differences, AE*^{*}





Table with 15 columns: n, HHC*Fid, rgb*Fid, icr*Fid, Hs*Fid, LabCH*Fid, LabCP*Fid, cmyk*sep*Fid, delta, Hs*dd, rgb*dd, LabCP*dd, LabCH*dd, delta, Hs*dd, rgb*dd, LabCP*dd, LabCH*dd. Rows list various color patches and their corresponding values for different color models and conditions.

see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgbdd*
output: 3D-linearization to *cmy0**dd

TUB-test chart QE57; hue code: H*_d=Y50G_d
colors and differences, ΔE^*

I=1033231-F0

QE570-7N; Page 33/33-F