

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 116/360 = 0.32$

$H^*_ = Y50G_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = Y50G_$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 73 -31 62 70 116

$HIC^*_{-,Ma}$ : Y50G\_100\_100\_



$rgbic^*_{-,Ma}$ :

0.5 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE57/QE57L0NP.PDF /.PS  
 application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = Y50G_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d,Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d,Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d,Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d,Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d,Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d,Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$ : 70 -29 66 72 114

$HIC^*_{d,Ma}$ : Y50G\_100\_100d



$rgbic^*_{d,Ma}$ :

0.5 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0NP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmy0 (CMY0)

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = Y50G_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 70 -29 66 72 114$

$HIC^*_d, Ma: Y50G\_100\_100_d$

$rgbic^*_d, Ma:$

0.5 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-003231-L0 QE570-70

TUB-test chart QE57; hue code:  $H^*_d=Y50G_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$

1-003231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = Y50G_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 70 -29 66 72 114$

$HIC^*_d, Ma: Y50G\_100\_100_d$

$rgbic^*_d, Ma:$



0.5 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE57/QE57L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-003331-L0 QE570-70

TUB-test chart QE57; hue code:  $H^*_d=Y50G_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$


1-003331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 114/360 = 0.31$

$H^*_d = Y50G_d$

Data for any device (d) or elementary (e) colour:  
 $HIC^*_d$

hue text for the colours of this page:  
 $H^*_d = Y50G_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 70 \ -29 \ 66 \ 72 \ 114$

$HIC^*_{d, Ma}: Y50G\_100\_100_d$



$rgbic^*_{d, Ma}: 0.5 \ 1.0 \ 0.0 \ 1.0 \ 1.0$

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H, rel} = 57$   
 $g^*_{C, rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE57/QE57.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




TUB registration: 20130201-QE57/QE57L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-003431-L0 QE570-70

TUB-test chart QE57; hue code:  $H^*_d=Y50G_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$

1-003431-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

1-003531-L0 QE570-70

TUB-test chart QE57; hue code:  $H^*_d=Y50G_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$





QE5700L

http://130.149.60.45/~farbmetrik/QE57/QE57L0NP.PDF /PS; transfer output  
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

TUB registration: 20130201-QE57/QE57L0NP.PDF /.PS TUB material: code=rha4ta  
 application for measurement of offset print output, separation cmy0 (CMY0)

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM<sub>d</sub>:  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

**device CIELAB ( $a^*_d, b^*_d$ ) chroma diagram**

**J=Ya Yellow**  
 $LCH^*_d = 87.8, 96.0, 96.1$   
 $LAB^*_d = 87.8, -10.2, 95.4$   
 $rgb^*_d = 1.0, 1.0, 0.0$

**C=Cd cyan-blue**  
 $LCH^*_d = 50.0, 71.4, 155.5$   
 $LAB^*_d = 50.0, -65.0, 29.6$   
 $rgb^*_d = 0.0, 1.0, 0.0$

**O=Ra orange-red**  
 $LCH^*_d = 45.4, 83.9, 32.3$   
 $LAB^*_d = 45.4, 70.9, 44.8$   
 $rgb^*_d = 1.0, 0.0, 0.0$

**M=Ma magenta-red**  
 $LCH^*_d = 46.1, 79.3, 359.8$   
 $LAB^*_d = 46.1, 79.3, -0.2$   
 $rgb^*_d = 1.0, 0.0, 1.0$

**V=Va violet-blue**  
 $LCH^*_d = 25.0, 50.0, 306.2$   
 $LAB^*_d = 25.0, 29.5, -40.4$   
 $rgb^*_d = 0.0, 0.0, 1.0$

**elementary CIELAB ( $a^*_e, b^*_e$ ) chroma diagram**

**Gc green**  
 $LCH^*_e = 50.6, 65.2, 162.2$   
 $LAB^*_e = 50.6, -62.1, 19.9$   
 $rgb^*_de = 0.0, 1.0, 0.151$

**Bc blue**  
 $LCH^*_e = 40.2, 40.6, 271.7$   
 $LAB^*_e = 40.2, 1.2, -40.6$   
 $rgb^*_de = 0.0, 0.458, 1.0$

**Ce blue-green**  
 $LCH^*_e = 55.0, 45.3, 216.9$   
 $LAB^*_e = 55.0, -36.2, -27.2$   
 $rgb^*_de = 0.0, 1.0, 0.747$

**Rc red**  
 $LCH^*_e = 45.6, 80.0, 25.4$   
 $LAB^*_e = 45.6, 72.2, 34.4$   
 $rgb^*_de = 1.0, 0.0, 0.254$

**Mc blue-red**  
 $LCH^*_e = 31.1, 55.9, 328.6$   
 $LAB^*_e = 31.1, 47.7, -29.1$   
 $rgb^*_de = 0.321, 0.0, 1.0$

**standard CIELAB ( $a^*_s, b^*_s$ ) chroma diagram**

**Ys yellow**  
 $LCH^*_s = 81.4, 87.9, 90.0$   
 $LAB^*_s = 81.4, 0.0, 87.9$   
 $rgb^*_ds = 1.0, 0.828, 0.0$

**Gs green**  
 $LCH^*_s = 52.3, 68.9, 150.0$   
 $LAB^*_s = 52.3, -59.6, 34.4$   
 $rgb^*_ds = 0.062, 1.0, 0.0$

**Rs red**  
 $LCH^*_s = 45.5, 82.4, 30.0$   
 $LAB^*_s = 45.5, 71.3, 41.2$   
 $rgb^*_ds = 1.0, 0.0, 0.096$

**Cs blue-green**  
 $LCH^*_s = 54.5, 45.7, 210.0$   
 $LAB^*_s = 54.5, -39.6, -22.8$   
 $rgb^*_ds = 0.0, 1.0, 0.685$

**Ms blue-red**  
 $LCH^*_s = 31.6, 56.5, 330.0$   
 $LAB^*_s = 31.6, 49.0, -28.2$   
 $rgb^*_ds = 0.337, 0.0, 1.0$

**Bs blue**  
 $LCH^*_s = 40.9, 40.6, 270.0$   
 $LAB^*_s = 40.9, 0.0, -40.6$   
 $rgb^*_ds = 0.0, 0.479, 1.0$

**Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )**

- For the  $rgb^*_s$ -input values the CIELAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{ms}$  use for any device values  $rgb^*_s$  the equation:  
 $h_{ms} = \arctan \left[ \frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270)$  (1)
- For the 48 or 360 equally spaced standard hue angles  $h_{ms}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $e$ :  $h_{ms} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  
 $h_{48ab,si,j} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$ ) (2)  
 $h_{360ab,si,j} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$ ) (3)
- For the 48 or 360 elementary hue angles  $h_{ms}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ms} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  
 $h_{48ab,ei,j} = h_{abs,ei} + j [h_{abs,ei+1} - h_{abs,ei}] / 8$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$ ) (4)  
 $h_{360ab,ei,j} = h_{abs,ei} + j [h_{abs,ei+1} - h_{abs,ei}] / 60$  ( $i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$ ) (5)
- For any elementary hue angle  $h_{ms}$  there is a well defined device hue angle  $h_{ms}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues

LAB\*<sub>la0</sub>, YN=0%, XY<sub>Znw</sub>=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*<sub>nw</sub>=24.4, 0.0, 0.0, 95.6, 0.0, 0.0  
 TUB-test chart QE57; hue code: H\*\_d=Y50Gd  
 48 step hue circles;  $rgb-LabCh$ -tables

Output: Offset standard print; separation cmy0\*, D65, page 7/33  
 input:  $rgb/cmyk$  ->  $rgb_d$   
 output: transfer to  $cmy0_d$

see similar files: <http://130.149.60.45/~farbmetrik/QE57/QE57.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>





http://130.149.60.45/~farbmetrik/QE57/QE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h_ab,d	h_ab,s	h_ab,e	rgb* dd64M	rgb* dd64M	LAB* dex36IM	LAB* dex36IM	LAB* dex36IM	rgb* dd64M	rgb* dd64M	rgb* dd64M
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	1.0	0.75	1.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	1.0	0.625	1.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	1.0	0.5	1.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	1.0	0.375	1.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	1.0	0.25	1.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	1.0	0.125	1.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	1.0	0.0	1.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	1.0	0.125	0.0	62.8	21.9	66.5	160.7	160.7
167.7	165.0	175.9	1.0	0.25	0.0	71.2	51.2	58.9	127.7	167.7
176.7	172.5	182.7	1.0	0.375	0.0	79.5	52.0	54.5	146.1	176.7
189.3	180.0	189.6	1.0	0.5	0.0	87.8	48.6	48.0	189.3	189.3
203.2	187.5	196.4	1.0	0.625	0.0	94.3	42.3	42.3	203.2	203.2
217.2	195.0	203.2	1.0	0.75	0.0	100.0	36.0	36.0	217.2	217.2
228.3	202.5	210.1	1.0	0.875	0.0	105.0	30.7	34.5	228.3	228.3
238.4	210.0	216.9	1.0	1.0	0.0	110.0	25.4	41.5	238.4	238.4
242.9	217.5	223.8	1.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	1.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	1.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	1.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	1.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	1.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	1.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	1.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	1.0	0.125	0.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	1.0	0.25	0.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	1.0	0.375	0.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	1.0	0.5	0.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	1.0	0.625	0.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	1.0	0.75	0.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	1.0	0.875	0.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	1.0	0.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.875	1.0	45.9	45.9	78.2	41.1	363.0
366.4	345.0	342.8	1.0	0.75	1.0	45.9	45.9	77.1	8.6	366.4
371.1	352.5	349.9	1.0	0.625	1.0	45.9	45.9	75.6	14.8	371.1
375.9	360.0	357.0	1.0	0.5	1.0	45.9	45.9	74.2	21.1	375.9
381.2	367.5	364.1	1.0	0.375	1.0	45.9	45.8	72.9	28.3	381.2
385.6	375.0	371.2	1.0	0.25	1.0	45.6	45.6	72.1	34.6	385.6
389.3	382.5	378.3	1.0	0.125	1.0	45.5	45.5	71.4	40.1	389.3
392.3	390.0	385.4	1.0	0.0	1.0	45.4	45.4	70.9	44.8	392.3





















nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*Fd	LabCh*Fd	DF*Fd	HsM*Fd	rgb*Md	LabCh*Md	DF*Md	HsM*Md	rgb*Md	LabCh*Md	DF*Md	HsM*Md
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/657	R13Y_100_100a	0.0	0.125	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0
2/666	R25Y_100_100a	0.0	0.25	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0
3/675	R38Y_100_100a	0.0	0.375	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0
4/684	R50Y_100_100a	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0
5/693	R63Y_100_100a	0.0	0.625	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0
6/702	R75Y_100_100a	0.0	0.75	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0
7/711	R88Y_100_100a	0.0	0.875	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0
8/720	Y00G_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/658	Y13C_100_100a	0.875	0.0	0.0	0.0	0.845	-10.2	95.4	96.0	0.875	-10.2	95.4	96.0	0.875	-10.2	95.4	96.0
10/558	Y25C_100_100a	0.75	0.0	0.0	0.0	0.766	-13.6	89.7	90.7	0.766	-13.6	89.7	90.7	0.766	-13.6	89.7	90.7
11/477	Y38C_100_100a	0.625	0.0	0.0	0.0	0.633	-17.0	84.3	86.0	0.633	-17.0	84.3	86.0	0.633	-17.0	84.3	86.0
12/396	Y50C_100_100a	0.5	0.0	0.0	0.0	0.5	-23.6	76.2	79.8	0.5	-23.6	76.2	79.8	0.5	-23.6	76.2	79.8
13/315	Y63C_100_100a	0.375	0.0	0.0	0.0	0.366	-29.7	66.5	72.8	0.366	-29.7	66.5	72.8	0.366	-29.7	66.5	72.8
14/234	Y75C_100_100a	0.25	0.0	0.0	0.0	0.233	-36.4	47.8	66.5	0.233	-36.4	47.8	66.5	0.233	-36.4	47.8	66.5
15/153	Y88C_100_100a	0.125	0.0	0.0	0.0	0.116	-47.8	38.0	66.6	0.116	-47.8	38.0	66.6	0.116	-47.8	38.0	66.6
16/72	G00C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/73	G13C_100_100a	0.0	0.125	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0
18/74	G25C_100_100a	0.0	0.25	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0
19/75	G38C_100_100a	0.0	0.375	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0
20/76	G50C_100_100a	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0
21/77	G63C_100_100a	0.0	0.625	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0
22/78	G75C_100_100a	0.0	0.75	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0
23/79	G88C_100_100a	0.0	0.875	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0
24/80	C00B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/71	C13B_100_100a	0.0	0.125	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0
26/62	C25B_100_100a	0.0	0.25	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0
27/53	C38B_100_100a	0.0	0.375	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0
28/44	C50B_100_100a	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0
29/35	C63B_100_100a	0.0	0.625	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0
30/26	C75B_100_100a	0.0	0.75	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0
31/17	C88B_100_100a	0.0	0.875	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0
32/8	B00M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33/89	B13M_100_100a	0.125	0.0	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0	0.116	0.0	0.0	0.0
34/170	B25M_100_100a	0.25	0.0	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0	0.233	0.0	0.0	0.0
35/251	B38M_100_100a	0.375	0.0	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0	0.366	0.0	0.0	0.0
36/332	B50M_100_100a	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0
37/413	B63M_100_100a	0.625	0.0	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0	0.633	0.0	0.0	0.0
38/494	B75M_100_100a	0.75	0.0	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0	0.766	0.0	0.0	0.0
39/575	B88M_100_100a	0.875	0.0	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0	0.883	0.0	0.0	0.0
40/656	M00R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41/655	M13R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42/654	M25R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/653	M38R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44/652	M50R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/651	M63R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/650	M75R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/649	M88R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/0	NV_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013a	0.125	0.0	0.0	0.0	0.125	0.0	0.0	0.0	0.125	0.0	0.0	0.0	0.125	0.0	0.0	0.0
51/182	NV_025a	0.25	0.0	0.0	0.0	0.25	0.0	0.0	0.0	0.25	0.0	0.0	0.0	0.25	0.0	0.0	0.0
52/273	NV_038a	0.375	0.0	0.0	0.0	0.375	0.0	0.0	0.0	0.375	0.0	0.0	0.0	0.375	0.0	0.0	0.0
53/364	NV_050a	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0
54/455	NV_063a	0.625	0.0	0.0	0.0	0.625	0.0	0.0	0.0	0.625	0.0	0.0	0.0	0.625	0.0	0.0	0.0
55/546	NV_075a	0.75	0.0	0.0	0.0	0.75	0.0	0.0	0.0	0.75	0.0	0.0	0.0	0.75	0.0	0.0	0.0
56/637	NV_088a	0.875	0.0	0.0	0.0	0.875	0.0	0.0	0.0	0.875	0.0	0.0	0.0	0.875	0.0	0.0	0.0
57/728	NV_100a	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0

Mean color difference of this page: delta E\* = 4.0

input: rgb/cmyk -> rgbd  
output: transfer to cmy0d

TUB-test chart QE57; hue code: H\*\_d=Y50G\_d  
colors and differences, ΔE\*'











QE5700L

QE5700L

QE5700L

QE5700L



http://130.149.60.45/~farbmetrik/QE57/QE57LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33




input: rgb/cmyk -> rgbd output: transfer to cmy0d

Table with 16 columns: n, HHC\*Fd, rpb\*Fd, iet\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd. Rows 81-161.

Mean color difference of this page: delta E\* = 4.2

QE5700L

QE5700L



http://130.149.60.45/~farbmetrik/QE57/QE57LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE57; hue code: H\*d=Y50Gd colors and differences, ΔE\*

QE570-TN; Page 22/33-F

Table with 24 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, DF\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd. Each cell contains numerical values representing color differences and registration data for various color patches.

I=0032131-F0

I=0032131-F0



















http://130.149.60.45/~farbmetrik/QE57/QE57LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 15 columns: n, H#C\*Fid, r\*gb, i\*ct, i\*rd, i\*rs, i\*sd, LabC\*Fid, LabC\*Pd, LabC\*Fd, LabC\*Pd, LabC\*Fd, LabC\*Pd, LabC\*Fd, LabC\*Pd, LabC\*Fd. Rows 810-890.

Mean color difference of this page: delta E\*90 = 6.2

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE57; hue code: H\*d=Y50Gd colors and differences, AE\*'



QE5700L

QE5700L

http://130.149.60.45/~farbmetrik/QE57/QE57L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H#C\*Fd, r\*gb\*Fd, i\*ct\*Fd, i\*ns\*Fd, r\*gb\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, LabC\*H\*Fd. Rows 972-1052.

Mean color difference of this page: delta E\*90 = 9.2

TUB-test chart QE57; hue code: H\*d=Y50Gd colors and differences, AE\*90

input: rgb/cmyk -> rgbd output: transfer to cmy0d



