

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 139/360 = 0.38$

$H^*_ = Y75G_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = Y75G_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

| name | $L^*=L^*_a a^*_a$ | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ | |
|--------------------|-------------------|---------|--------------|--------------|-----|
| R _{-,Ma} | 47.9 | 65.3 | 50.5 | 82.6 | 37 |
| Y _{-,Ma} | 90.3 | -10.2 | 91.7 | 92.3 | 96 |
| G _{-,Ma} | 50.9 | -62.8 | 34.9 | 71.9 | 150 |
| C _{-,Ma} | 58.6 | -30.3 | -45.0 | 54.2 | 236 |
| B _{-,Ma} | 25.7 | 31.0 | -44.4 | 54.2 | 305 |
| M _{-,Ma} | 48.1 | 75.2 | -8.3 | 75.7 | 353 |
| N _{-,Ma} | 18.0 | 0.0 | 0.0 | 0.0 | 0 |
| W _{-,Ma} | 95.4 | 0.0 | 0.0 | 0.0 | 0 |
| R _{-,CIE} | 39.9 | 58.7 | 27.9 | 65.0 | 25 |
| Y _{-,CIE} | 81.2 | -2.8 | 71.5 | 71.6 | 92 |
| G _{-,CIE} | 52.2 | -42.4 | 13.6 | 44.5 | 162 |
| B _{-,CIE} | 30.5 | 1.4 | -46.4 | 46.4 | 271 |

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 62 -49 43 65 139

$HIC^*_{-,Ma}$: Y75G_100_100_

$rgbic^*_{-,Ma}$:



0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

| $H^*_$ | $L^*=L^*_a a^*_a$ | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ | |
|---------------|-------------------|---------|--------------|--------------|-----|
| R00Y_100_100_ | 48.4 | 66.1 | 40.2 | 77.3 | 31 |
| R25Y_100_100_ | 56.8 | 48.0 | 50.5 | 69.6 | 46 |
| R50Y_100_100_ | 68.6 | 25.0 | 63.9 | 68.6 | 68 |
| R75Y_100_100_ | 80.6 | 4.8 | 77.2 | 77.3 | 86 |
| Y00G_100_100_ | 90.2 | -9.6 | 88.2 | 88.7 | 96 |
| Y25G_100_100_ | 83.2 | -18.4 | 79.9 | 81.9 | 102 |
| Y50G_100_100_ | 73.3 | -31.7 | 62.7 | 70.2 | 116 |
| Y75G_100_100_ | 62.0 | -49.7 | 43.2 | 65.8 | 139 |
| G00B_100_100_ | 55.8 | -65.2 | 33.8 | 73.4 | 152 |
| G25B_100_100_ | 59.3 | -50.3 | -9.0 | 51.0 | 190 |
| G50B_100_100_ | 63.0 | -30.5 | -42.0 | 51.9 | 234 |
| G75B_100_100_ | 45.7 | -5.7 | -44.6 | 44.9 | 262 |
| B00R_100_100_ | 27.5 | 25.9 | -47.3 | 53.9 | 298 |
| B25R_100_100_ | 38.3 | 52.6 | -28.5 | 59.8 | 331 |
| B50R_100_100_ | 49.5 | 73.5 | -9.0 | 74.0 | 353 |
| B75R_100_100_ | 48.9 | 69.3 | 12.9 | 70.4 | 10 |

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE61/QE61.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS
 application for measurement of display output

TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 134/360 = 0.37$

$H^*_d = Y75G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y75G_d$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

| name | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| R _{d,Ma} | 50.4 | 76.9 | 64.5 | 100.4 | 40 |
| Y _{d,Ma} | 92.6 | -20.7 | 90.7 | 93.0 | 102 |
| G _{d,Ma} | 83.6 | -82.7 | 79.8 | 115.0 | 136 |
| C _{d,Ma} | 86.8 | -46.1 | -13.5 | 48.1 | 196 |
| B _{d,Ma} | 30.3 | 76.0 | -103.5 | 128.5 | 306 |
| M _{d,Ma} | 57.2 | 94.3 | -58.4 | 110.9 | 328 |
| N _{d,Ma} | 0.0 | 0.0 | 0.0 | 0.0 | 0 |
| W _{d,Ma} | 95.4 | 0.0 | 0.0 | 0.0 | 0 |
| R _{d,CIE} | 39.9 | 58.7 | 27.9 | 65.0 | 25 |
| Y _{d,CIE} | 81.2 | -2.8 | 71.5 | 71.6 | 92 |
| G _{d,CIE} | 52.2 | -42.4 | 13.6 | 44.5 | 162 |
| B _{d,CIE} | 30.5 | 1.4 | -46.4 | 46.4 | 271 |

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 84 -78 80 112 134

$HIC^*_{d,Ma}$: Y75G_100_100d

$rgbic^*_{d,Ma}$:



0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

| H^*_d | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------------|-------------|---------|---------|--------------|--------------|
| R00Y_100_100 _d | 50.4 | 76.9 | 64.5 | 100.4 | 40 |
| R25Y_100_100 _d | 53.7 | 67.6 | 65.8 | 94.4 | 44 |
| R50Y_100_100 _d | 63.6 | 41.3 | 71.0 | 82.2 | 59 |
| R75Y_100_100 _d | 78.2 | 7.8 | 80.6 | 81.0 | 84 |
| Y00G_100_100 _d | 92.6 | -20.7 | 90.7 | 93.0 | 102 |
| Y25G_100_100 _d | 88.7 | -43.3 | 86.2 | 96.5 | 116 |
| Y50G_100_100 _d | 85.7 | -65.2 | 82.4 | 105.1 | 128 |
| Y75G_100_100 _d | 84.0 | -78.7 | 80.4 | 112.5 | 134 |
| G00B_100_100 _d | 83.6 | -82.7 | 79.8 | 115.0 | 136 |
| G25B_100_100 _d | 84.3 | -73.7 | 44.9 | 86.4 | 148 |
| G50B_100_100 _d | 86.8 | -46.1 | -13.5 | 48.1 | 196 |
| G75B_100_100 _d | 51.7 | 18.3 | -68.3 | 70.7 | 285 |
| B00R_100_100 _d | 30.3 | 76.0 | -103.5 | 128.5 | 306 |
| B25R_100_100 _d | 38.5 | 79.8 | -89.7 | 120.0 | 311 |
| B50R_100_100 _d | 57.2 | 94.3 | -58.4 | 110.9 | 328 |
| B75R_100_100 _d | 52.0 | 81.1 | 4.1 | 81.2 | 2 |



%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$



see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_de = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_de = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_de = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_de = 0.0 \ 0.609 \ 1.0$

R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_de = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_de = 1.0 \ 0.0 \ 0.991$

Y_s yellow

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_ds = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_ds = 0.0 \ 1.0 \ 0.523$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_ds = 0.0 \ 0.927 \ 1.0$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_ds = 1.0 \ 0.0 \ 0.202$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_ds = 1.0 \ 0.0 \ 0.962$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_ds = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF /.PS; transfer output
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, ddx64M (x=LabCh), r_{gb}^a, ddx361M, LAB*, ddx361M (x=LabCh), r_{gb}^a, dsx361M, LAB*, dsx361M (x=LabCh), r_{gb}^a, dex361M, LAB*, dex361M) and rows of color data.



see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF / .PS
application for measurement of display output, no separation



TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_ab,d, h_ab,s, h_ab,e, rgb*, LAB*, dsx361Mi) and elementary colors (h_ab,e, rgb*, LAB*, dex361Mi). Rows 82-128 contain color data for various hue angles.

see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF /.PS application for measurement of display output, no separation technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS TUB material: code=rh4t4



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;



Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb* _{dd361M} | LAB* _{ddx361Mi (x=LabCh)} | rgb* _{ds361Mi} | LAB* _{dsx361Mi (x=LabCh)} | rgb* _{dd361Mi} | LAB* _{de361Mi} | rgb* _{dex361Mi (x=LabCh)} | rgb* _{dd361Mi} | rgb* _{dd361Mi} | rgb* _{dd361Mi} | rgb* _{dd361Mi} |
|-------------------|-------------------|-------------------|------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|-------------------------|------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 139 | 165 | 175 | 0.0 | 1.0 | 0.25 | 83.8 | -80.5 | 69.1 | 106.1 | 139 | 0.0 | 1.0 | 0.25 |
| 139 | 166 | 176 | 0.0 | 1.0 | 0.266 | 83.8 | -80.2 | 67.6 | 104.9 | 139 | 0.0 | 1.0 | 0.267 |
| 140 | 167 | 177 | 0.0 | 1.0 | 0.283 | 83.8 | -79.9 | 66.1 | 103.7 | 140 | 0.0 | 1.0 | 0.283 |
| 140 | 168 | 178 | 0.0 | 1.0 | 0.3 | 83.8 | -79.6 | 64.6 | 102.5 | 140 | 0.0 | 1.0 | 0.3 |
| 141 | 169 | 179 | 0.0 | 1.0 | 0.316 | 83.9 | -79.2 | 63.1 | 101.3 | 141 | 0.0 | 1.0 | 0.317 |
| 141 | 170 | 180 | 0.0 | 1.0 | 0.333 | 83.9 | -78.8 | 61.7 | 100.1 | 141 | 0.0 | 1.0 | 0.333 |
| 142 | 171 | 181 | 0.0 | 1.0 | 0.35 | 83.9 | -78.4 | 60.2 | 98.9 | 142 | 0.0 | 1.0 | 0.35 |
| 142 | 172 | 182 | 0.0 | 1.0 | 0.366 | 84.0 | -78.0 | 58.8 | 97.7 | 142 | 0.0 | 1.0 | 0.367 |
| 143 | 173 | 183 | 0.0 | 1.0 | 0.383 | 84.0 | -77.6 | 57.2 | 96.4 | 143 | 0.0 | 1.0 | 0.383 |
| 144 | 174 | 184 | 0.0 | 1.0 | 0.4 | 84.0 | -77.1 | 55.4 | 94.9 | 144 | 0.0 | 1.0 | 0.4 |
| 145 | 175 | 185 | 0.0 | 1.0 | 0.416 | 84.1 | -76.6 | 53.6 | 93.5 | 145 | 0.0 | 1.0 | 0.417 |
| 145 | 176 | 185 | 0.0 | 1.0 | 0.433 | 84.1 | -76.1 | 51.8 | 92.1 | 145 | 0.0 | 1.0 | 0.433 |
| 146 | 177 | 186 | 0.0 | 1.0 | 0.45 | 84.2 | -75.6 | 50.0 | 90.6 | 146 | 0.0 | 1.0 | 0.45 |
| 147 | 178 | 187 | 0.0 | 1.0 | 0.466 | 84.2 | -75.0 | 48.3 | 89.2 | 147 | 0.0 | 1.0 | 0.467 |
| 147 | 179 | 188 | 0.0 | 1.0 | 0.483 | 84.3 | -74.4 | 46.6 | 87.8 | 147 | 0.0 | 1.0 | 0.483 |
| 148 | 180 | 189 | 0.0 | 1.0 | 0.5 | 84.3 | -73.7 | 44.9 | 86.4 | 148 | 0.0 | 1.0 | 0.5 |
| 149 | 181 | 190 | 0.0 | 1.0 | 0.516 | 84.4 | -73.2 | 42.9 | 84.8 | 149 | 0.0 | 1.0 | 0.517 |
| 150 | 182 | 191 | 0.0 | 1.0 | 0.533 | 84.4 | -72.6 | 40.9 | 83.3 | 150 | 0.0 | 1.0 | 0.533 |
| 151 | 183 | 192 | 0.0 | 1.0 | 0.55 | 84.5 | -71.9 | 39.0 | 81.8 | 151 | 0.0 | 1.0 | 0.55 |
| 152 | 184 | 193 | 0.0 | 1.0 | 0.566 | 84.5 | -71.2 | 37.0 | 80.3 | 152 | 0.0 | 1.0 | 0.567 |
| 153 | 185 | 194 | 0.0 | 1.0 | 0.583 | 84.6 | -70.5 | 35.2 | 78.8 | 153 | 0.0 | 1.0 | 0.583 |
| 154 | 186 | 195 | 0.0 | 1.0 | 0.6 | 84.6 | -69.7 | 33.3 | 77.3 | 154 | 0.0 | 1.0 | 0.6 |
| 155 | 187 | 195 | 0.0 | 1.0 | 0.616 | 84.7 | -68.9 | 31.5 | 75.8 | 155 | 0.0 | 1.0 | 0.617 |
| 156 | 188 | 196 | 0.0 | 1.0 | 0.633 | 84.8 | -68.1 | 29.5 | 74.3 | 156 | 0.0 | 1.0 | 0.633 |
| 157 | 189 | 197 | 0.0 | 1.0 | 0.65 | 84.8 | -67.4 | 27.4 | 72.8 | 157 | 0.0 | 1.0 | 0.65 |
| 159 | 190 | 198 | 0.0 | 1.0 | 0.666 | 84.9 | -66.7 | 25.4 | 71.3 | 159 | 0.0 | 1.0 | 0.667 |
| 160 | 191 | 199 | 0.0 | 1.0 | 0.683 | 85.0 | -65.8 | 23.4 | 69.9 | 160 | 0.0 | 1.0 | 0.683 |
| 161 | 192 | 200 | 0.0 | 1.0 | 0.7 | 85.1 | -65.0 | 21.4 | 68.4 | 161 | 0.0 | 1.0 | 0.7 |
| 163 | 193 | 201 | 0.0 | 1.0 | 0.716 | 85.2 | -64.0 | 19.5 | 67.0 | 163 | 0.0 | 1.0 | 0.717 |
| 164 | 194 | 202 | 0.0 | 1.0 | 0.733 | 85.2 | -63.1 | 17.6 | 65.5 | 164 | 0.0 | 1.0 | 0.733 |
| 165 | 195 | 203 | 0.0 | 1.0 | 0.75 | 85.3 | -62.0 | 15.9 | 64.0 | 165 | 0.0 | 1.0 | 0.75 |
| 167 | 196 | 204 | 0.0 | 1.0 | 0.766 | 85.4 | -61.2 | 13.7 | 62.8 | 167 | 0.0 | 1.0 | 0.767 |
| 169 | 197 | 205 | 0.0 | 1.0 | 0.783 | 85.5 | -60.4 | 11.5 | 61.5 | 169 | 0.0 | 1.0 | 0.783 |
| 170 | 198 | 206 | 0.0 | 1.0 | 0.8 | 85.6 | -59.5 | 9.5 | 60.2 | 170 | 0.0 | 1.0 | 0.8 |
| 172 | 199 | 206 | 0.0 | 1.0 | 0.816 | 85.7 | -58.5 | 7.5 | 59.0 | 172 | 0.0 | 1.0 | 0.817 |
| 174 | 200 | 207 | 0.0 | 1.0 | 0.833 | 85.8 | -57.4 | 5.5 | 57.7 | 174 | 0.0 | 1.0 | 0.833 |
| 176 | 201 | 208 | 0.0 | 1.0 | 0.85 | 85.9 | -56.3 | 3.7 | 56.4 | 176 | 0.0 | 1.0 | 0.85 |
| 177 | 202 | 209 | 0.0 | 1.0 | 0.866 | 86.0 | -55.1 | 1.9 | 55.2 | 177 | 0.0 | 1.0 | 0.867 |
| 180 | 203 | 210 | 0.0 | 1.0 | 0.883 | 86.1 | -54.1 | 0.0 | 54.1 | 180 | 0.0 | 1.0 | 0.883 |
| 182 | 204 | 211 | 0.0 | 1.0 | 0.9 | 86.2 | -53.2 | -2.1 | 53.2 | 182 | 0.0 | 1.0 | 0.9 |
| 184 | 205 | 212 | 0.0 | 1.0 | 0.916 | 86.3 | -52.2 | -4.2 | 52.4 | 184 | 0.0 | 1.0 | 0.917 |
| 187 | 206 | 213 | 0.0 | 1.0 | 0.933 | 86.4 | -51.1 | -6.3 | 51.5 | 187 | 0.0 | 1.0 | 0.933 |
| 189 | 207 | 214 | 0.0 | 1.0 | 0.95 | 86.5 | -50.0 | -8.2 | 50.7 | 189 | 0.0 | 1.0 | 0.95 |
| 191 | 208 | 215 | 0.0 | 1.0 | 0.966 | 86.6 | -48.8 | -10.1 | 49.8 | 191 | 0.0 | 1.0 | 0.967 |
| 194 | 209 | 216 | 0.0 | 1.0 | 0.983 | 86.7 | -47.5 | -11.8 | 48.9 | 194 | 0.0 | 1.0 | 0.983 |
| 196 | 210 | 216 | 0.0 | 1.0 | 1.0 | 86.8 | -46.1 | -13.5 | 48.1 | 196 | 0.0 | 1.0 | 1.0 |



see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF /.PS; transfer output
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4t4





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), C_d, r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), 210C_s, r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), 216C_c, r_{gb}^{*}dd361Mi, r_{gb}^add, r_{gb}^ads, r_{gb}^ade. Rows 196-301.


see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF /.PS application for measurement of display output, no separation technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_d_dsx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_s_dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_s_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 301-311.



see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rh4ta





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb* _{dd361M} | LAB* _{ddx361Mi (x=LabCh)} | rgb* _{ds361Mi} | LAB* _{dsx361Mi (x=LabCh)} | rgb* _{dd361Mi} | LAB* _{de361Mi} | rgb* _{dex361Mi (x=LabCh)} | rgb* _{dd361Mi} | rgb* _{dd} | rgb* _{ds} | rgb* _{de} |
|-------------------|-------------------|-------------------|------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|-------------------------|------------------------------------|-------------------------|--------------------|--------------------|--------------------|
| 341 | 345 | 342 | 1.0 | 0.0 | 0.75 | 54.2 | 86.7 | -28.6 | 91.3 | 341 | 1.0 | 0.0 | 0.75 |
| 342 | 346 | 343 | 1.0 | 0.0 | 0.733 | 54.0 | 86.5 | -26.4 | 90.4 | 342 | 1.0 | 0.0 | 0.733 |
| 344 | 347 | 344 | 1.0 | 0.0 | 0.716 | 53.8 | 86.2 | -24.2 | 89.5 | 344 | 1.0 | 0.0 | 0.716 |
| 345 | 348 | 345 | 1.0 | 0.0 | 0.7 | 53.7 | 85.8 | -22.0 | 88.6 | 345 | 1.0 | 0.0 | 0.7 |
| 346 | 349 | 346 | 1.0 | 0.0 | 0.683 | 53.5 | 85.4 | -19.9 | 87.7 | 346 | 1.0 | 0.0 | 0.683 |
| 348 | 350 | 347 | 1.0 | 0.0 | 0.666 | 53.4 | 85.0 | -17.8 | 86.8 | 348 | 1.0 | 0.0 | 0.666 |
| 349 | 351 | 348 | 1.0 | 0.0 | 0.65 | 53.2 | 84.5 | -15.7 | 85.9 | 349 | 1.0 | 0.0 | 0.65 |
| 350 | 352 | 349 | 1.0 | 0.0 | 0.633 | 53.0 | 83.9 | -13.6 | 85.0 | 350 | 1.0 | 0.0 | 0.633 |
| 352 | 353 | 350 | 1.0 | 0.0 | 0.616 | 52.9 | 83.6 | -11.4 | 84.3 | 352 | 1.0 | 0.0 | 0.616 |
| 353 | 354 | 351 | 1.0 | 0.0 | 0.6 | 52.8 | 83.4 | -9.1 | 83.9 | 353 | 1.0 | 0.0 | 0.6 |
| 355 | 355 | 352 | 1.0 | 0.0 | 0.583 | 52.7 | 83.2 | -6.9 | 83.5 | 355 | 1.0 | 0.0 | 0.583 |
| 356 | 356 | 353 | 1.0 | 0.0 | 0.566 | 52.5 | 82.9 | -4.6 | 83.0 | 356 | 1.0 | 0.0 | 0.566 |
| 358 | 357 | 354 | 1.0 | 0.0 | 0.55 | 52.4 | 82.5 | -2.4 | 82.6 | 358 | 1.0 | 0.0 | 0.55 |
| 359 | 358 | 355 | 1.0 | 0.0 | 0.533 | 52.3 | 82.1 | -0.1 | 82.1 | 359 | 1.0 | 0.0 | 0.533 |
| 361 | 359 | 356 | 1.0 | 0.0 | 0.516 | 52.1 | 81.6 | 2.0 | 81.7 | 361 | 1.0 | 0.0 | 0.516 |
| 362 | 360 | 352 | 1.0 | 0.0 | 0.5 | 52.0 | 81.1 | 4.1 | 81.2 | 362 | 1.0 | 0.0 | 0.5 |
| 364 | 361 | 353 | 1.0 | 0.0 | 0.483 | 51.9 | 81.1 | 6.5 | 81.3 | 364 | 1.0 | 0.0 | 0.483 |
| 366 | 362 | 354 | 1.0 | 0.0 | 0.466 | 51.8 | 81.0 | 8.8 | 81.5 | 366 | 1.0 | 0.0 | 0.466 |
| 367 | 363 | 355 | 1.0 | 0.0 | 0.45 | 51.7 | 80.8 | 11.1 | 81.6 | 367 | 1.0 | 0.0 | 0.45 |
| 369 | 364 | 356 | 1.0 | 0.0 | 0.433 | 51.6 | 80.6 | 13.5 | 81.7 | 369 | 1.0 | 0.0 | 0.433 |
| 371 | 365 | 357 | 1.0 | 0.0 | 0.416 | 51.5 | 80.3 | 15.8 | 81.8 | 371 | 1.0 | 0.0 | 0.416 |
| 372 | 366 | 358 | 1.0 | 0.0 | 0.4 | 51.4 | 79.9 | 18.1 | 81.9 | 372 | 1.0 | 0.0 | 0.4 |
| 374 | 367 | 359 | 1.0 | 0.0 | 0.383 | 51.4 | 79.5 | 20.4 | 82.1 | 374 | 1.0 | 0.0 | 0.383 |
| 376 | 368 | 360 | 1.0 | 0.0 | 0.366 | 51.3 | 79.3 | 22.7 | 82.5 | 376 | 1.0 | 0.0 | 0.366 |
| 377 | 369 | 362 | 1.0 | 0.0 | 0.35 | 51.2 | 79.3 | 25.1 | 83.2 | 377 | 1.0 | 0.0 | 0.35 |
| 379 | 370 | 363 | 1.0 | 0.0 | 0.333 | 51.1 | 79.2 | 27.4 | 83.8 | 379 | 1.0 | 0.0 | 0.333 |
| 380 | 371 | 364 | 1.0 | 0.0 | 0.316 | 51.1 | 79.1 | 29.7 | 84.5 | 380 | 1.0 | 0.0 | 0.316 |
| 382 | 372 | 365 | 1.0 | 0.0 | 0.3 | 51.0 | 78.9 | 32.1 | 85.2 | 382 | 1.0 | 0.0 | 0.3 |
| 383 | 373 | 366 | 1.0 | 0.0 | 0.283 | 51.0 | 78.7 | 34.4 | 85.9 | 383 | 1.0 | 0.0 | 0.283 |
| 385 | 374 | 367 | 1.0 | 0.0 | 0.266 | 50.9 | 78.3 | 36.8 | 86.6 | 385 | 1.0 | 0.0 | 0.266 |
| 386 | 375 | 368 | 1.0 | 0.0 | 0.25 | 50.8 | 77.9 | 39.2 | 87.2 | 386 | 1.0 | 0.0 | 0.25 |
| 387 | 376 | 369 | 1.0 | 0.0 | 0.233 | 50.8 | 78.0 | 41.2 | 88.2 | 387 | 1.0 | 0.0 | 0.233 |
| 389 | 377 | 370 | 1.0 | 0.0 | 0.216 | 50.8 | 78.0 | 43.3 | 89.2 | 389 | 1.0 | 0.0 | 0.216 |
| 390 | 378 | 372 | 1.0 | 0.0 | 0.2 | 50.7 | 78.0 | 45.4 | 90.2 | 390 | 1.0 | 0.0 | 0.2 |
| 391 | 379 | 373 | 1.0 | 0.0 | 0.183 | 50.7 | 77.9 | 47.5 | 91.2 | 391 | 1.0 | 0.0 | 0.183 |
| 392 | 380 | 374 | 1.0 | 0.0 | 0.166 | 50.6 | 77.8 | 49.6 | 92.2 | 392 | 1.0 | 0.0 | 0.166 |
| 393 | 381 | 375 | 1.0 | 0.0 | 0.15 | 50.6 | 77.6 | 51.9 | 93.3 | 393 | 1.0 | 0.0 | 0.15 |
| 394 | 382 | 376 | 1.0 | 0.0 | 0.133 | 50.6 | 77.3 | 53.9 | 94.3 | 394 | 1.0 | 0.0 | 0.133 |
| 395 | 383 | 377 | 1.0 | 0.0 | 0.116 | 50.5 | 77.2 | 55.6 | 95.1 | 395 | 1.0 | 0.0 | 0.116 |
| 396 | 384 | 378 | 1.0 | 0.0 | 0.1 | 50.5 | 77.2 | 56.8 | 95.9 | 396 | 1.0 | 0.0 | 0.1 |
| 396 | 385 | 379 | 1.0 | 0.0 | 0.083 | 50.5 | 77.2 | 58.1 | 96.6 | 396 | 1.0 | 0.0 | 0.083 |
| 397 | 386 | 381 | 1.0 | 0.0 | 0.066 | 50.5 | 77.2 | 59.4 | 97.4 | 397 | 1.0 | 0.0 | 0.066 |
| 398 | 387 | 382 | 1.0 | 0.0 | 0.049 | 50.5 | 77.1 | 60.6 | 98.1 | 398 | 1.0 | 0.0 | 0.049 |
| 398 | 388 | 383 | 1.0 | 0.0 | 0.033 | 50.5 | 77.1 | 61.9 | 98.9 | 398 | 1.0 | 0.0 | 0.033 |
| 399 | 389 | 384 | 1.0 | 0.0 | 0.016 | 50.5 | 77.0 | 63.2 | 99.6 | 399 | 1.0 | 0.0 | 0.016 |
| 400 | 390 | 385 | 1.0 | 0.0 | 0.0 | 50.4 | 76.9 | 64.5 | 100.4 | 400 | 1.0 | 0.0 | 0.0 |

see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS application for measurement of display output, no separation TUB material: code=rh4t4



TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



Table with 22 columns: nrf, HHC*Fd, rGb*Fd, iCr*Fd, iNs*Fd, rGb*Fd, LabCH*Fd, LabCH*Fd, rGb*Fd, rGb*Fd, DF*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd, rGb*Fd. Rows contain numerical data for various color patches.

Mean color difference of this page: delta E** = 0.9

input: rgb/cmlyk -> rGbD output: transfer to rGbD

see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with columns: n/f, H/C/Fd, Rgb_Fd, iCr_Fd, iBs_Fd, Hs_Fd, Rgb_Md, LabC/Md, LabCH/Md, DF*Fd, Hs/Md, Rgb_Md, LabCH/Md, LabCH/Md, LabCH/Md. Rows include color patches like 0/668 R00Y_100_100a, 1/648 R25Y_100_100a, etc.

Mean color difference of this page: delta E** = 6.5

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*_d=Y75G_d colors and differences, ΔE**





Table with columns: #, HVC*Fd, rgb*Fd, iCr*Fd, iBs*Fd, LabCm*Fd, rgb*Fd, LabCH*Fd, DF*Fd, iBs*Fd, rgb*Fd, LabCH*Fd, LabCH*Fd, LabCH*Fd, LabCH*Fd. Rows 0-80. Includes a vertical 'C' marker on the left.

input: rgb/cmlyk -> rgbd
output: transfer to rgbd

Mean color difference of this page: delta E* = 4.6

QE610-7N; Page 16/29-F

TUB-test chart QE61; hue code: H*d=Y75Gd
colors and differences, AE*'

L-0031530-F0





Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, LabCh*Fd. Rows include color names like B00Y, B00R, B25K, etc.

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, AE*

QE610-7N; Page 17/29-F

L-0031630-F0

L-0031630-F0

Table with columns: n, HHC*Fd, rpb*Fd, iet*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd. Rows include various color names like ROY, BLY, GRY, etc.

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, AE*

QE610-7N; Page 20/29-F

L-0031930-F0

L-0031930-F0

Table with 56 columns (n, HHC*Fd, Rgb*Fd, etc.) and 56 rows of data. Includes a 'delta E* = 9.4' label at the bottom right of the table area.

input: rgb/cmyk -> rgbd output: transfer to rgbd

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, AE*'

QE610-7N; Page 22/29-F

TUB registration: 20130201-QE61/QE61LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd. Rows 567-647.

see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, AE*'

QE610-7N; Page 23/29-F

L-0032230-F0

L-0032230-F0

TUB registration: 20130201-QE61/QE61LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Large data table with columns: n, HHC*Fd, rpb*Fd, icr*Fd, Hs*Fd, LabCh*Fd, rpb**Fd, LabCh**Fd, DF**Fd, Hs**Fd, rpb**Md, LabCh**Md, rpb**Md, LabCh**Md, DF**Md, Hs**Md, rpb**Md, LabCh**Md. Rows list various color and grayscale patches.

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, ΔE*

Mean color difference of this page: ΔE* = 9.3

see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61.HTM technical information: http://www.ps.bam.de/ http://130.149.60.45/~farbmetrik

Table with 3 columns: n, H/C*Fd, Rgb*Fd. It lists various color patches and their corresponding R, G, B values.

Table with 3 columns: LabCH*Yad, Rgb*Yad, DF*Yad. It provides Lab color space values and density factors for the color patches.

Table with 3 columns: LabCH*Fd, Rgb*Fd, DF*Fd. It provides Lab color space values and density factors for the color patches.

Table with 3 columns: LabCH*Fd, Rgb*Fd, DF*Fd. It provides Lab color space values and density factors for the color patches.

Table with 3 columns: LabCH*Fd, Rgb*Fd, DF*Fd. It provides Lab color space values and density factors for the color patches.

Table with 3 columns: LabCH*Fd, Rgb*Fd, DF*Fd. It provides Lab color space values and density factors for the color patches.





Table with 3 columns: LabCH*Fd, Rgb*Fd, DF*Fd. It provides Lab color space values and density factors for the color patches.

input: rgb/cmyk -> rgbd output: transfer to rgbd

Mean color difference of this page: delta E* = 7.3

QE610-7N; Page 25/29-F

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/QE61/QE61LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/29

Main data table with columns: n, HFC*Fd, rpb_Fd, icr_Fd, hsa_Fd, rpb_Fd, LabCH*Fd, iqr_Fd, hsa_Fd, rpb_Fd, LabCH*Fd, DF*Fd, hsa_Md, rpb_Md, LabCH*Md, and various numerical values.

Mean color difference of this page: delta E* = 8.7

input: rgb/cmlyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, AE*'

QE6100-7N; Page 26/29-F

L-0032530-F0

application for measurement of display output, no separation

http://130.149.60.45/~farbmetrik/QE61/QE61LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/29

Table with columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, rpb*Fd. Rows include various color and grayscale patches like B50R_100_0124, B50R_100_0254, etc.

Mean color difference of this page: delta E* = 11.4

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, AE* input: rgb/cmlyk -> rrgb output: transfer to rrgb

see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE61/QE61L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/29

Table with 15 columns: n, HC*Fd, rgb*Fd, iEt*Fd, iRs*Fd, iLs*Fd, rgb*Fd, LabCH*Fd, LabCH*Fd, rgb*Fd, iEt*Fd, iRs*Fd, iLs*Fd, rgb*Fd, LabCH*Fd. Rows 972-1052.

Main data table with 15 columns: n, HC*Fd, rgb*Fd, iEt*Fd, iRs*Fd, iLs*Fd, rgb*Fd, LabCH*Fd, LabCH*Fd, rgb*Fd, iEt*Fd, iRs*Fd, iLs*Fd, rgb*Fd, LabCH*Fd. Rows 972-1052.

Table with 15 columns: n, HC*Fd, rgb*Fd, iEt*Fd, iRs*Fd, iLs*Fd, rgb*Fd, LabCH*Fd, LabCH*Fd, rgb*Fd, iEt*Fd, iRs*Fd, iLs*Fd, rgb*Fd, LabCH*Fd. Rows 972-1052.

see similar files: http://130.149.60.45/~farbmetrik/QE61/QE61.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart QE61; hue code: H*d=Y75Gd colors and differences, ΔE*



Mean color difference of this page: delta E* = 1.6

QE610-TN; Page 28/29-F

L-0032730-F0

TUB registration: 20130201-QE61/QE61L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



C

V

M

L

Y

O

0

Y

V

C

M

O

Y

L

0

Y

V

C

M

O

Y

L

0

Y

V

C

M

O

Y

L

0

Y

V

C

M

O

Y

L

0

Y

V

C

M

O

Y

L

0

Y

V

C

M

O

Y

L

see similar files: <http://130.149.60.45/~farbmetrik/QE61/QE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

I-0032830-F0

QE610-7N; Page 29/29-F

TUB-test chart QE61; hue code: H*_d=Y75G_d
colors and differences, ΔE^*

input: rgb/cmyk -> rgbd
output: transfer to rgbd

| n | HC*Fd | rgb_Fd | ict_Fd | h_s_Fd | rgb*Fd | LabCH*Fd | h_s_Fd | rgb*Fd | LabCH*Fd | DF*Fd | h_s_Md | rgb*Md | LabCH*Md |
|------|---------------|--------|--------|--------|--------|----------|--------|--------|----------|-------|--------|--------|----------|
| 1053 | NW_086d | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1054 | NW_093d | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1055 | NW_100d | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1056 | NW_006d | 0.066 | 0.066 | 0.066 | 0.066 | 0.066 | 0.066 | 0.066 | 0.066 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1057 | NW_013d | 0.133 | 0.133 | 0.133 | 0.133 | 0.133 | 0.133 | 0.133 | 0.133 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1058 | NW_020d | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1059 | NW_026d | 0.266 | 0.266 | 0.266 | 0.266 | 0.266 | 0.266 | 0.266 | 0.266 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1060 | NW_033d | 0.333 | 0.333 | 0.333 | 0.333 | 0.333 | 0.333 | 0.333 | 0.333 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1061 | NW_040d | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1062 | NW_046d | 0.466 | 0.466 | 0.466 | 0.466 | 0.466 | 0.466 | 0.466 | 0.466 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1063 | NW_053d | 0.533 | 0.533 | 0.533 | 0.533 | 0.533 | 0.533 | 0.533 | 0.533 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1064 | NW_060d | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1065 | NW_066d | 0.666 | 0.666 | 0.666 | 0.666 | 0.666 | 0.666 | 0.666 | 0.666 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1066 | NW_073d | 0.734 | 0.734 | 0.734 | 0.734 | 0.734 | 0.734 | 0.734 | 0.734 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1067 | NW_080d | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1068 | NW_086d | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.866 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1069 | NW_093d | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.933 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1070 | NW_100d | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1071 | NW_006d | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1072 | NW_013d | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1073 | NW_020d | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1074 | ROY_100_100d | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1075 | GS0B_100_100d | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1076 | Y06C_100_100d | 0.0 | 1.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1077 | B06M_100_100d | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1078 | B08L_100_100d | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1079 | B50R_100_100d | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Mean color difference of this page: $\Delta E^* = 1.0$

I-0032830-F0