

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 139/360 = 0.38$

$H^*_ = Y75G_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = Y75G_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 62 -49 43 65 139

$HIC^*_{-,Ma}$: Y75G_100_100_

$rgbic^*_{-,Ma}$:

0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-103030-L0 QE640-7N

TUB-test chart QE64; hue code: $H^*_ = Y75G_$

Test chart according to DIN 33872, 3D=1, de=0, cmk^*

input: $rgb/cmyk \rightarrow rgb/cmyk$


output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 136/360 = 0.37$

$H^*_d = Y75G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y75G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 60 -48 46 67 136

$HIC^*_{d,Ma}$: Y75G_100_100d

$rgbic^*_{d,Ma}$:



0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta


TUB-test chart QE64; hue code: $H^*_d=Y75G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$



see similar files: <http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE64/QE64L0FP.PDF / .PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta





TUB-test chart QE64; hue code: $H^*_d = Y75G_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$



TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)


see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



1-103330-L0 QE640-72





TUB-test chart QE64; hue code: H*d=Y75Gd
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: rgb/cmyk -> rgb_{dd}
output: 3D-linearization to cmyk*_{dd}



TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/QE64/QE64.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103430-L0 QE640-72

TUB-test chart QE64; hue code: $H^*_d=Y75G_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 136/360 = 0.37$

$H^*_d = Y75G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y75G_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 60 -48 46 67 136

$HIC^*_{d,Ma}$: Y75G_100_100d



$rgbic^*_{d,Ma}$:
0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rh4ta

1-103530-L0 QE640-72

TUB-test chart QE64; hue code: $H^*_d=Y75G_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy^{6*}, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours *RYGCBM_d*: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours *RYGCBM_e*: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green

$LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green

$LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue

$LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red

$LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red

$LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

G_s green

$LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red

$LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red

$LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.


6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE64/QE64.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
 application for measurement of offset print output, separation cmy^{6*} (CMYK)
 TUB material: code=rha4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, ddx64M (x=LabCh)) and elementary colors (r_{gb}^a, ddx361M, LAB*, ddx361M (x=LabCh)). The table contains 390 rows of color data.




see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd}	dd64M	LAB* _{dd}	ddx64M (x=LabCh)	rgb* _{ds}	dex361M	LAB* _{ds}	dex361M
32.8	30.0	25.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 32.8	1.0	0.0	2.09	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0	0.125	0.0	51.2 54.9 46.7 72.1 40.4	1.0	0.007	0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0	0.25	0.0	56.0 44.4 53.0 69.1 50.0	1.0	0.148	0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0	0.375	0.0	61.4 33.2 60.3 68.8 61.1	1.0	0.25	0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0	0.5	0.0	67.2 22.6 67.6 71.2 71.4	1.0	0.35	0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0	0.625	0.0	73.6 11.0 76.1 76.9 81.7	1.0	0.442	0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0	0.75	0.0	79.2 2.0 83.0 83.1 88.5	1.0	0.55	0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0	0.875	0.0	84.2 -5.7 89.4 89.6 93.6	1.0	0.655	0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0	1.0	0.0	88.3 -11.9 95.1 95.8 97.1	1.0	0.842	0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875	1.0	0.0	85.8 -16.2 88.6 90.0 100.3	0.871	1.0	0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75	1.0	0.0	82.9 -19.7 83.0 85.3 103.3	0.599	1.0	0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625	1.0	0.0	77.0 -25.2 76.3 80.4 108.3	0.455	1.0	0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5	1.0	0.0	72.7 -31.3 66.0 73.1 115.3	0.327	1.0	0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375	1.0	0.0	68.9 -36.9 58.1 68.8 122.4	0.244	1.0	0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25	1.0	0.0	60.8 -47.8 47.8 67.6 134.9	0.124	1.0	0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125	1.0	0.0	57.4 -54.9 38.9 67.3 144.6	0.047	1.0	0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0	1.0	0.0	51.9 -68.8 28.1 74.3 157.7	0.0	1.0	0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0	1.0	0.125	52.5 -66.4 19.3 69.1 163.7	0.0	1.0	0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0	1.0	0.25	53.2 -61.9 9.8 62.7 170.9	0.0	1.0	0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0	1.0	0.375	54.1 -56.9 -1.0 56.9 181.0	0.0	1.0	0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0	1.0	0.5	54.8 -51.0 -12.3 52.5 193.5	0.0	1.0	0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0	1.0	0.625	55.8 -45.1 -21.9 50.1 205.9	0.0	1.0	0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0	1.0	0.75	56.7 -38.9 -30.9 49.7 218.4	0.0	1.0	0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0	1.0	0.875	57.5 -34.3 -37.2 50.6 227.3	0.0	1.0	0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0	1.0	1.0	58.3 -29.2 -43.7 52.6 236.1	0.0	1.0	0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0	0.875	1.0	55.2 -25.0 -43.9 50.5 240.3	0.0	1.0	0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0	0.75	1.0	51.7 -19.7 -44.1 48.3 245.8	0.0	1.0	0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0	0.625	1.0	47.7 -13.9 -44.4 46.5 252.5	0.0	0.974	1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0	0.5	1.0	42.7 -6.0 -45.0 45.4 262.3	0.0	0.785	1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0	0.375	1.0	37.9 1.3 -45.4 45.4 271.7	0.0	0.659	1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0	0.25	1.0	33.3 9.4 -46.0 47.0 281.6	0.0	0.555	1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0	0.125	1.0	28.6 17.4 -46.9 50.1 290.3	0.0	0.472	1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0	0.0	1.0	25.3 23.5 -47.3 52.8 296.4	0.0	0.375	1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125	0.0	1.0	29.3 31.8 -42.6 53.1 306.7	0.0	0.291	1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25	0.0	1.0	31.5 36.2 -39.2 53.4 312.7	0.0	0.188	1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375	0.0	1.0	33.8 47.6 -31.2 56.9 326.7	0.0	0.079	1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5	0.0	1.0	37.8 53.8 -26.3 59.9 333.9	0.046	0.0	1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625	0.0	1.0	40.9 58.8 -21.8 62.7 339.6	0.126	0.0	1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75	0.0	1.0	43.1 65.9 -14.9 67.6 347.2	0.265	0.0	1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875	0.0	1.0	45.9 69.4 -11.9 70.5 350.2	0.324	0.0	1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0	0.0	1.0	48.2 72.8 -8.5 73.3 353.3	0.407	0.0	1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0	0.0	0.875	48.2 71.6 -4.3 71.7 356.5	0.529	0.0	1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0	0.0	0.75	48.1 70.4 0.3 70.4 360.3	0.678	0.0	1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0	0.0	0.625	48.0 68.9 7.1 69.3 365.8	0.842	0.0	1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0	0.0	0.5	47.7 67.7 14.0 69.1 371.6	0.949	0.0	1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0	0.0	0.375	47.7 66.1 21.8 69.6 378.2	1.0	0.0	0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0	0.0	0.25	47.7 65.0 28.9 71.2 383.9	1.0	0.0	0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0	0.0	0.125	47.4 64.4 35.1 73.4 388.6	1.0	0.0	0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0	0.0	0.0	47.3 63.8 41.2 76.0 392.8	1.0	0.0	0.209	47.6 64.9 30.9 71.9 385



see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGCMB_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGCMB_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with 17 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd, r_{gb}*_ds, r_{gb}*_de. The table contains 170 rows of colorimetric data.

see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_d; *h*_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGCMB _d : <i>h</i> _{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3;			Six hue angles of the elementary colours RYGCMB _e : <i>h</i> _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6										
<i>h</i> _{ab,d}	<i>h</i> _{ab,s}	<i>h</i> _{ab,e}	<i>rgb</i> * _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	<i>rgb</i> * _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	<i>rgb</i> * _{dd361Mi}	<i>rgb</i> * _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	<i>rgb</i> * _{dd361Mi}	<i>rgb</i> * _{dd361Mi}	<i>rgb</i> * _{ds}	<i>rgb</i> * _{de}
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0

1-1031230-L0 QE640-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6*, D65, page 13/33

TUB-test chart QE64; hue code: H*_d=Y75G_d
48 step hue circles; *rgb*-LabCh*tables

input: *rgb*/*cmyk* -> *rgb*_dd
output: 3D-linearization to *cmyk**_dd

see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^{*}_{dd}	ds361M	LAB^{*}_{d}	ddx361Mi (x=LabCh)	rgb^{*}_{ds}	ds361Mi	LAB^{*}_{s}	dsx361Mi (x=LabCh)	rgb^{*}_{dd}	de361Mi	LAB^{*}_{e}	dex361Mi (x=LabCh)	rgb^{*}_{de}	de361Mi					
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.25	1.0	0.0	0.25	1.0					
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.233	1.0	0.0	0.233	1.0					
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.217	1.0	0.0	0.217	1.0					
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.2	1.0	0.0	0.2	1.0					
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.183	1.0	0.0	0.183	1.0					
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.167	1.0	0.0	0.167	1.0					
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.15	1.0	0.0	0.15	1.0					
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.133	1.0	0.0	0.133	1.0					
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.117	1.0	0.0	0.117	1.0					
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.1	1.0	0.0	0.1	1.0					
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.083	1.0	0.0	0.083	1.0					
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.067	1.0	0.0	0.067	1.0					
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.05	1.0	0.0	0.05	1.0					
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.033	1.0	0.0	0.033	1.0					
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.017	1.0	0.0	0.017	1.0					
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.0	1.0	0.0	0.0	1.0					
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.017	0.0	1.0
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.033	0.0	1.0
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.05	0.0	1.0
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.067	0.0	1.0
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.083	0.0	1.0
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.117	0.0	1.0
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.133	0.0	1.0
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0	1.0
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.167	0.0	1.0
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0	1.0
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.217	0.0	1.0
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0	1.0
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0	1.0
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.4	-46.6	48.6	286	0.267	0.0	1.0
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173	1.0	30.4	14.3	-46.7	48.9	287	0.283	0.0	1.0
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0	1.0
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3	320	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0	1.0
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0	1.0
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0	1.0
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0	1.0
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0	1.0
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294	0.4	0.0	1.0
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9	329	0.0	0.029	1.0	26.1	22.1	-47.2	52.2	295	0.417	0.0	1.0
330	296	296	0.433	0.0	1.0	35.7	50.5	-29.0	58.3	330	0.0	0.008	1.0	25.6	23.1	-47.3	52.7	296	0.433	0.0	1.0
331	297	297	0.45	0.0	1.0	36.2	51.4	-28.4	58.7	331	0.007	0.0	1.0	25.6	24.0	-47.0	52.9	297	0.45	0.0	1.0
332	298	298	0.466	0.0	1.0	36.7	52.2	-27.7	59.1	332	0.019	0.0	1.0	25.9	24.8	-46.6	52.9	298	0.467	0.0	1.0
332	299	299	0.483	0.0	1.0	37.3	53.0	-27.0	59.5	332	0.031	0.0	1.0	26.3	25.7	-46.2	52.9	299	0.483	0.0	1.0
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0

1-1031430-L0 QE640-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6*, D65, page 15/33

TUB-test chart QE64; hue code: $H^*_d=Y75G_d$
 48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
 output: 3D-linearization to $cmyk^*_{dd}$

see similar files: <http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF>
<http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS
 application for measurement of offset print output, separation cmykn6* (CMYK)
 TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_sdsx361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_edex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 360-392.

see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE64/QE64L0FP.PDF / .PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta



QE6410L

nif	HC*Fwd	rgp_Fwd	icr_Fwd	irs_Fwd	rgp_Fwd	LabCh*Fwd	cmyk*_sep_Fwd	rgp*_Fwd	rsnx_dtd	rgp*_Fwd	LabCh*_Fwd	rsnx_dtd	rgp*_Fwd	rsnx_dtd
0/648	R00Y_100_100d	1.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	47.3	63.8	41.2	76.0
1/657	R13Y_100_100d	0.125	0.0	0.0	1.0	0.116	0.0	0.882	0.0	0.0	50.9	55.5	46.4	32.8
2/666	R25Y_100_100d	0.25	0.0	0.0	1.0	0.233	0.0	0.765	1.0	0.0	55.3	45.8	52.2	76.0
3/675	R38Y_100_100d	0.375	0.0	0.0	1.0	0.366	0.0	0.631	1.0	0.0	61.0	34.0	59.9	68.9
4/684	R50Y_100_100d	0.5	0.0	0.0	1.0	0.5	0.0	0.498	0.999	0.0	67.2	22.6	71.2	71.4
5/693	R63Y_100_100d	0.625	0.0	0.0	1.0	0.633	0.0	0.368	1.0	0.0	74.0	10.4	76.6	82.2
6/702	R75Y_100_100d	0.75	0.0	0.0	1.0	0.766	0.0	0.234	1.0	0.0	79.9	1.0	83.9	89.2
7/711	R88Y_100_100d	0.875	0.0	0.0	1.0	0.883	0.0	0.117	1.0	0.0	84.5	-6.1	89.8	93.8
8/720	Y00G_100_100d	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.999	0.0	88.3	-11.9	95.1	95.8
9/639	Y13G_100_100d	0.875	1.0	0.0	0.0	0.883	1.0	0.0	0.0	0.0	86.0	-15.9	89.0	100.4
10/658	Y25G_100_100d	0.75	1.0	0.0	0.0	0.766	1.0	0.0	0.0	0.0	83.3	-19.2	83.7	85.9
11/477	Y38G_100_100d	0.625	1.0	0.0	0.0	0.633	1.0	0.0	0.0	0.0	77.4	-24.9	76.8	107.9
12/396	Y50G_100_100d	0.5	1.0	0.0	0.0	0.5	1.0	0.0	0.0	0.0	72.7	-31.3	66.0	73.1
13/315	Y63G_100_100d	0.375	1.0	0.0	0.0	0.366	1.0	0.0	0.0	0.0	68.3	-37.7	57.4	68.7
14/234	Y75G_100_100d	0.25	1.0	0.0	0.0	0.233	1.0	0.0	0.0	0.0	60.4	-48.8	46.7	67.6
15/153	Y88G_100_100d	0.125	1.0	0.0	0.0	0.116	1.0	0.0	0.0	0.0	57.0	-55.9	38.3	67.8
16/72	G00C_100_100d	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	51.9	-68.8	28.1	74.3
17/73	G13C_100_100d	0.125	1.0	0.0	1.0	0.116	0.0	0.0	0.0	0.0	52.5	-66.6	19.9	69.5
18/74	G25C_100_100d	0.25	1.0	0.0	1.0	0.233	0.0	0.0	0.0	0.0	53.2	-62.6	11.0	63.6
19/75	G38C_100_100d	0.375	1.0	0.0	1.0	0.366	0.0	0.0	0.0	0.0	54.0	-57.3	-0.4	57.3
20/76	G50C_100_100d	0.5	1.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	54.8	-51.0	-12.3	52.5
21/77	G63C_100_100d	0.625	1.0	0.0	1.0	0.633	0.0	0.0	0.0	0.0	55.8	-44.7	-22.5	50.1
22/78	G75C_100_100d	0.75	1.0	0.0	1.0	0.766	0.0	0.0	0.0	0.0	56.8	-38.4	-31.7	49.8
23/79	G88C_100_100d	0.875	1.0	0.0	1.0	0.883	0.0	0.0	0.0	0.0	57.6	-34.0	-37.7	50.8
24/70	C00B_100_100d	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	58.3	-29.2	-43.7	52.6
25/71	C13B_100_100d	0.0	1.0	0.0	1.0	0.883	1.0	0.0	0.0	0.0	55.4	-25.2	-43.9	50.7
26/63	C25B_100_100d	0.0	1.0	0.0	1.0	0.766	1.0	0.0	0.0	0.0	52.2	-20.4	-44.1	48.6
27/65	C38B_100_100d	0.0	1.0	0.0	1.0	0.633	1.0	0.0	0.0	0.0	48.0	-14.3	-44.4	46.6
28/44	C50B_100_100d	0.0	1.0	0.0	1.0	0.5	1.0	0.0	0.0	0.0	42.7	-6.0	-45.0	45.4
29/35	C63B_100_100d	0.0	1.0	0.0	1.0	0.366	1.0	0.0	0.0	0.0	37.6	1.8	-45.5	45.5
30/26	C75B_100_100d	0.0	1.0	0.0	1.0	0.233	1.0	0.0	0.0	0.0	32.7	10.0	-46.2	47.4
31/17	C88B_100_100d	0.0	1.0	0.0	1.0	0.116	1.0	0.0	0.0	0.0	28.3	17.8	-47.3	50.3
32/8	B00M_100_100d	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	25.3	23.5	-47.3	52.8
33/89	B13M_100_100d	0.125	1.0	0.0	1.0	0.116	0.0	0.0	0.0	0.0	29.0	31.2	-42.9	53.1
34/170	B25M_100_100d	0.25	1.0	0.0	1.0	0.233	0.0	0.0	0.0	0.0	31.2	35.6	-39.6	53.3
35/251	B38M_100_100d	0.375	1.0	0.0	1.0	0.366	0.0	0.0	0.0	0.0	33.6	46.9	-31.8	56.7
36/332	B50M_100_100d	0.5	1.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	37.8	53.8	-26.3	59.9
37/413	B63M_100_100d	0.625	1.0	0.0	1.0	0.633	0.0	0.0	0.0	0.0	41.1	59.3	-21.4	63.0
38/494	B75M_100_100d	0.75	1.0	0.0	1.0	0.766	0.0	0.0	0.0	0.0	43.5	66.4	-14.5	68.0
39/575	B88M_100_100d	0.875	1.0	0.0	1.0	0.883	0.0	0.0	0.0	0.0	46.1	69.7	-11.7	70.7
40/656	M00R_100_100d	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	48.2	72.8	-8.5	73.3
41/655	M13R_100_100d	0.875	1.0	0.0	1.0	0.883	0.0	0.0	0.0	0.0	48.2	71.7	-4.6	71.8
42/654	M25R_100_100d	0.75	1.0	0.0	1.0	0.766	0.0	0.0	0.0	0.0	48.1	70.6	-0.2	70.6
43/653	M38R_100_100d	0.625	1.0	0.0	1.0	0.633	0.0	0.0	0.0	0.0	48.0	69.0	6.6	69.3
44/652	M50R_100_100d	0.5	1.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	47.7	67.7	14.0	69.1
45/651	M63R_100_100d	0.375	1.0	0.0	1.0	0.366	0.0	0.0	0.0	0.0	47.7	66.1	22.3	69.7
46/650	M75R_100_100d	0.25	1.0	0.0	1.0	0.233	0.0	0.0	0.0	0.0	47.6	65.0	29.7	71.5
47/649	M88R_100_100d	0.125	1.0	0.0	1.0	0.116	0.0	0.0	0.0	0.0	47.4	64.4	35.5	73.6
48/648	R00Y_100_100d	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0
49/0	NV_000d	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0
50/91	NV_013d	0.125	0.0	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/82	NV_025d	0.25	0.0	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/73	NV_038d	0.375	0.0	0.0	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/564	NV_050d	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NV_063d	0.625	0.0	0.0	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NV_075d	0.75	0.0	0.0	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NV_088d	0.875	0.0	0.0	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NV_100d	1.0	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	95.4	0.0	0.0	0.0

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

see similar files: <http://130.149.60.45/~farbmetrik/QE64/QE64.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart QE64; hue code: H*_d=Y75G_d
colors and differences, ΔE*_{UV}*

QE6410L

TUB registration: 20130201-QE64/QE64L0FP.PDF /.PS application for measurement of offset print output, separation cmyk* (CMYK)

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 19/33



ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep_Fid	cmyp*_sep_Fid	hsa_Mid	rgb*_Mid	LabC*_Mid	delta
0/648	R00Y_100_100dd	1.0	0.0	0.0	0.0	47.3	63.8	41.2	389	1.0	0.0	0.0
1/668	R25Y_100_100dd	0.0	0.5	0.5	0.0	55.3	48.7	76.0	32.8	0.0	1.0	0.0
2/684	R50Y_100_100dd	0.0	1.0	1.0	0.0	67.2	22.6	69.5	48.7	0.0	0.5	0.0
3/702	R75Y_100_100dd	0.0	0.5	0.0	1.0	83.9	83.9	71.2	71.4	0.0	0.0	0.0
4/720	Y00C_100_100dd	0.0	0.0	1.0	0.0	88.3	-11.9	85.9	97.1	0.0	0.0	0.0
5/558	Y25C_100_100dd	0.0	0.5	0.0	0.0	83.3	-19.2	83.3	85.9	0.0	0.0	0.0
6/396	Y50C_100_100dd	0.0	1.0	0.0	0.0	72.7	-31.3	66.0	73.1	0.0	0.0	0.0
7/234	Y75C_100_100dd	0.0	0.5	0.0	1.0	60.4	-48.8	46.7	67.6	0.0	0.0	0.0
8/72	G00B_100_100dd	0.0	1.0	0.0	0.0	51.9	-68.8	28.1	74.3	0.0	0.0	0.0
9/72	G25B_100_100dd	0.0	1.0	0.0	0.0	51.9	-68.8	28.1	74.3	0.0	0.0	0.0
10/76	G50B_100_100dd	0.0	1.0	0.0	0.0	54.8	-51.0	52.5	157.7	0.0	0.0	0.0
11/80	G75B_100_100dd	0.0	1.0	0.0	0.0	58.3	-29.2	43.7	52.6	0.0	0.0	0.0
12/44	G50B_100_100dd	0.0	0.5	1.0	0.0	42.7	-6.0	-45.0	26.3	0.0	1.0	0.0
13/8	B00M_100_100dd	0.0	1.0	0.0	0.0	25.3	23.5	29.6	4.2	0.0	0.0	0.0
14/332	B25R_100_100dd	0.0	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	0.0	0.0	0.0
15/656	B50R_100_100dd	0.0	1.0	0.0	0.0	48.2	72.8	-8.5	73.3	0.0	0.0	0.0
16/652	B75R_100_100dd	0.0	0.5	0.0	1.0	47.7	67.7	14.0	69.1	0.0	0.0	0.0
17/648	R00Y_100_100dd	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	0.0	0.0	0.0
18/668	R00Y_100_050dd	1.0	0.5	0.5	0.0	51.9	20.6	38.0	32.8	0.0	0.5	0.0
19/706	R50Y_100_050dd	0.0	1.0	0.5	0.0	81.3	33.8	35.6	71.4	0.0	0.251	0.0
20/724	Y00C_100_050dd	0.0	1.0	0.5	0.0	91.9	-5.9	47.9	97.1	0.0	0.021	0.0
21/400	G00B_100_050dd	0.0	1.0	0.5	0.0	84.1	-15.6	33.0	36.5	0.0	0.036	0.018
22/400	G50B_100_050dd	0.0	0.5	1.0	0.0	75.0	-34.4	14.0	37.1	0.0	0.098	0.0
23/400	G75B_100_050dd	0.0	0.5	0.0	1.0	70.6	-14.6	26.3	36.5	0.0	0.004	0.008
24/568	B00R_100_050dd	0.0	1.0	0.5	0.0	60.4	11.7	-23.6	27.0	0.0	0.457	0.534
25/692	B50R_100_050dd	0.0	0.5	0.0	1.0	71.8	36.4	-4.2	35.3	0.0	0.538	0.009
26/688	R00Y_100_050dd	1.0	0.5	0.5	0.0	71.4	31.9	20.6	38.0	0.0	0.5	0.375
27/506	R00Y_075_050dd	0.75	0.25	0.75	0.25	51.9	20.6	38.0	32.8	0.0	0.672	0.561
28/524	R50Y_075_050dd	0.75	0.5	0.5	0.0	61.9	11.3	33.8	35.6	0.0	0.389	0.66
29/542	Y00C_075_050dd	0.75	0.25	0.75	0.25	72.4	-5.9	47.9	97.1	0.0	0.089	0.714
30/380	Y50C_075_050dd	0.25	0.75	0.25	0.75	64.6	-15.6	33.0	36.5	0.0	0.662	0.248
31/218	G00B_075_050dd	0.25	0.75	0.25	0.75	57.4	-14.6	26.3	36.5	0.0	0.689	0.03
32/222	G50B_075_050dd	0.25	0.75	0.25	0.75	40.9	11.7	-23.6	26.4	0.0	0.626	0.0
33/186	B00R_075_050dd	0.25	0.25	0.75	0.25	52.4	36.4	-4.2	36.6	0.0	0.678	0.084
34/510	B50R_075_050dd	0.75	0.25	0.75	0.25	51.9	20.6	38.0	32.8	0.0	0.672	0.252
35/506	R00Y_075_050dd	0.75	0.25	0.25	0.75	31.9	20.6	38.0	32.8	0.0	0.845	0.544
36/324	R00Y_050_050dd	0.5	0.0	0.5	0.0	32.5	31.9	20.6	38.0	0.0	0.845	0.303
37/342	R50Y_050_050dd	0.5	0.25	0.5	0.25	42.4	11.3	33.8	35.6	0.0	0.504	0.84
38/360	Y00C_050_050dd	0.5	0.5	0.5	0.0	53.0	-5.9	47.9	97.1	0.0	0.204	0.868
39/198	Y50C_050_050dd	0.25	0.5	0.25	0.5	45.2	-15.6	33.0	36.5	0.0	0.818	0.592
40/36	G00B_050_050dd	0.0	0.5	0.25	0.5	34.8	-34.4	14.0	37.1	0.0	0.818	0.591
41/40	G50B_050_050dd	0.0	0.5	0.5	0.0	38.0	-14.6	26.3	23.6	0.0	0.807	0.052
42/4	B00R_050_050dd	0.0	0.5	0.25	0.5	21.5	11.7	-23.6	26.4	0.0	0.802	0.0
43/328	B50R_050_050dd	0.5	0.0	0.5	0.25	32.5	36.4	-4.2	36.6	0.0	0.837	0.118
44/324	R00Y_050_050dd	0.5	0.0	0.5	0.25	31.9	20.6	38.0	32.8	0.0	0.845	0.303
45/0	NW_000dd	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	1.0	1.0	0.0
46/91	NW_015dd	0.125	0.125	0.125	0.125	27.4	0.0	0.0	0.0	0.0	0.0	0.878
47/182	NW_025dd	0.25	0.25	0.25	0.25	37.1	0.0	0.0	0.0	0.0	0.031	0.791
48/273	NW_035dd	0.375	0.375	0.375	0.375	46.8	0.0	0.0	0.0	0.0	0.034	0.699
49/364	NW_050dd	0.5	0.5	0.5	0.5	56.5	0.0	0.0	0.0	0.0	0.026	0.581
50/455	NW_075dd	0.625	0.625	0.625	0.625	66.3	0.0	0.0	0.0	0.0	0.02	0.445
51/546	NW_100dd	0.75	0.75	0.75	0.75	76.9	0.0	0.0	0.0	0.0	0.018	0.306
52/637	NW_085dd	0.875	0.875	0.875	0.875	85.7	0.0	0.0	0.0	0.0	0.023	0.177
53/728	NW_100dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*_d=Y75G_d
colors and differences, ΔE*
I-1031830-F0

see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



http://130.149.60.45/~farbmetrik/QE64/QE64LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 20/33

Table with 10 columns: #, H#C*Fad, rgb*Fad, iet*Fad, Hs*Fad, LabC*Fad, LabC*Sep, cmyk*Sep, rgb*Yad, LabC*Yad, Hs*Yad, LabC*Yad, LabC*Fad, LabC*Sep, cmyk*Sep, rgb*Yad, LabC*Yad, Hs*Yad, LabC*Yad, delta. Rows 0-80.


delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

QE640-7N, Page 20/33-F

TUB-test chart QE64; hue code: H*d=Y75Gd colors and differences, ΔE*

I-1031930-F0








Table with 16 columns: n, H#_Fid, rpb_Fid, icr_Fid, Hs_Fid, rpb_Fid, LabCM_Fid, LabCM_Fid, cmyk*_sep_Fid, cmyk*_sep_Fid, rpb_Fid, Hs_Fid, LabCM_Fid, LabCM_Fid, delta. Rows 81-161.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*_d=Y75Gd colors and differences, AE* *




Table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCM*Fid, cmyk*sep,Fid, rpb*Fid, hsa*Fid, LabCM*Fid, icr*Fid, rpb*Fid, hsa*Fid, LabCM*Fid, delta. Rows 162-242.

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*d=Y75Gd
colors and differences, ΔE*

I-1032130-F0

QE640-7N; Page 22/33-F

delta

Mean color difference of this page:

Table with 33 columns: n, HHC*Foid, rpb_Foid, icr_Foid, hsa_Foid, rpb_Foid, LabCh*Foid, LabCh*Sep.Foid, cmyk*Sep.Foid, rpb*Foid, hsa*Foid, LabCh*Foid, rpb*Foid, LabCh*Foid, delta. It contains a large amount of numerical data for color calibration.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*d=Y75Gd colors and differences, AE*F*



QE6410L

QE6410L

http://130.149.60.45/~farbmetrik/QE64/QE64LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 24/33

1032330-F0

1032330-F0




n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	cmyn*_sep.Fid	mean_col	delta
324	ROY_050_050	0.5	0.5	0.25	0.5	32.5	0.0	0.845	0.544
325	ROY_050_050	0.5	0.125	0.5	0.0	32.5	0.0	0.843	0.646
326	ROY_050_050	0.5	0.0	0.25	0.0	32.5	0.0	0.844	0.549
327	ROY_050_050	0.5	0.0	0.5	0.0	32.5	0.0	0.844	0.452
328	ROY_050_050	0.5	0.0	0.75	0.0	32.5	0.0	0.838	0.352
329	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	0.255
330	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	0.158
331	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	0.061
332	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.036
333	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.139
334	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.242
335	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.345
336	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.448
337	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.551
338	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.654
339	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.757
340	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.860
341	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-0.963
342	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.066
343	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.169
344	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.272
345	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.375
346	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.478
347	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.581
348	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.684
349	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.787
350	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.890
351	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-1.993
352	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.096
353	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.199
354	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.302
355	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.405
356	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.508
357	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.611
358	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.714
359	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.817
360	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-2.920
361	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.023
362	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.126
363	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.229
364	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.332
365	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.435
366	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.538
367	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.641
368	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.744
369	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.847
370	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-3.950
371	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.053
372	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.156
373	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.259
374	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.362
375	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.465
376	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.568
377	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.671
378	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.774
379	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.877
380	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-4.980
381	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.083
382	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.186
383	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.289
384	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.392
385	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.495
386	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.598
387	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.701
388	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.804
389	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-5.907
390	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.010
391	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.113
392	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.216
393	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.319
394	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.422
395	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.525
396	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.628
397	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.731
398	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.834
399	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-6.937
400	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-7.040
401	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-7.143
402	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-7.246
403	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-7.349
404	ROY_050_050	0.5	0.0	1.0	0.0	32.5	0.0	0.838	-7.452

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*_d=Y75Gd
colors and differences, AE*
Mean color difference of this page:

1-1032330-F0

1-1032330-F0





http://130.149.60.45/~farbmetrik/QE64/QE64LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 25/33



Table with 10 columns: n, HHC*Fid, rcp_Fid, icr_Fid, Hs_Fid, rcp*Fid, LabCH*Fid, cmyk*_sep_Fid, Hs*Fid, rcp*Fid, LabCH*Fid, Hs*Fid, rcp*Fid, LabCH*Fid, delta. Rows 405-485.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*_d=Y75Gd colors and differences, AE* *

see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik








http://130.149.60.45/~farbmetrik/QE64/QE64LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 26/33

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hs_Fid, rpb*Fid, LabCM*Fid, 30.9, 30.9, 30.9, cmyk**sep_Fid, rpb**Fid, Hs**Fid, LabCM**Fid, LabCM*Fid, rpb**Fid, Hs**Fid, LabCM**Fid, delta. It contains color calibration data for various color patches.

Mean color difference of this page: delta. input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd



QE6410L



http://130.149.60.45/~farbmetrik/QE64/QE64LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 27/33



http://130.149.60.45/~farbmetrik/QE64/QE64LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 27/33



Table with 18 columns: n, HHC*Fid, rgb*Fid, icr*Fid, Hsa*Fid, rgb*Fid, LabCM*Fid, cmyk*sep.Fid, cmyk*Fid, LabCM*Fid, Hsa*Fid, rgb*Fid, LabCM*Fid, delta, LabCM*Fid, rgb*Fid, Hsa*Fid, delta. Rows correspond to color patches 567-647.

Mean color difference of this page: 1.719 0.002 0.0 0.004

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*d=Y75Gd
colors and differences, AE*
I=1032630-F0








http://130.149.60.45/~farbmetrik/QE64/QE64LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 28/33

Table with 15 columns: n, HHC*Fid, rpb*Fid, icr*Fid, Hrs*Fid, LabC*Fid, LabCh*Fid, LabCh*Mid, rpb*Mid, Hrs*Mid, cmyk*sep,Fid, delta. Rows 648-728.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd





http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64L30FP.DAT in file (F), page 29/33



Table with columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, LabC*Fad, cmyk*sep,Fad, cmyk*sep,Fad, rpb*Fad, hsa*Fad, LabC*Fad, LabC*Fad, delta. Rows include color names like NV_100ad, G50B_100ad, etc.

Mean color difference of this page: delta



input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

QE640-7N, Page 29/33-F

TUB-test chart QE64; hue code: H*d=Y75Gd colors and differences, AE*F



see similar files: http://130.149.60.45/~farbmetrik/QE64/QE64.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64L30FP.DAT in file (F), page 30/33

Table with 10 columns: n, H#C*Fad, H#s*Fad, rgb*Fad, LabC*Fad, cmyk*sep,Fad, cmyk*sep,Fad, H#s*Fad, rgb*Fad, LabC*Fad, delta. It contains 890 rows of color calibration data.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*_d=Y75Gd colors and differences, ΔE*^{*}



http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 31/33


Table with columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, cmyk*sep,Fad, rpb*Fad, hsa*Fad, LabC*Fad, delta. Rows include color patches like 891, 892, 893, etc.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

Mean color difference of this page: delta

QE640-7N; Page 31/33-F


TUB-test chart QE64; hue code: H*d=Y75Gd colors and differences, AE*



http://130.149.60.45/~farbmetrik/QE64/QE64L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE64/QE64LE30FP.DAT in file (F), page 33/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	hsa_Fid	cmym*_sep_Fid	0.007	0.0	0.179	LabC*Fid	rgb*Fid	hsa_Fid	LabC*Fid	0.0	0.0
1053	NW_0860dd	0.866	0.866	0.866	0.866	85.0	0.0	0.024	0.007	0.0	0.179	95.4	1.0	360	95.4	0.0	0.0
1054	NW_0975dd	0.933	0.933	0.933	0.933	90.2	0.0	0.02	0.005	0.0	0.084	95.4	1.0	360	95.4	0.0	0.0
1055	NW_1000dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	0.0	0.0
1056	NW_0060dd	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1057	NW_0065dd	0.066	0.066	0.066	0.066	22.8	0.0	0.139	0.022	0.0	0.933	95.4	1.0	360	95.4	0.0	0.0
1058	NW_0130dd	0.133	0.133	0.133	0.133	33.2	0.0	0.0	0.043	0.048	0.871	95.4	1.0	360	95.4	0.0	0.0
1059	NW_0260dd	0.266	0.266	0.266	0.266	33.2	0.0	0.057	0.036	0.0	0.825	95.4	1.0	360	95.4	0.0	0.0
1060	NW_0265dd	0.266	0.266	0.266	0.266	33.2	0.0	0.0	0.013	0.015	0.781	95.4	1.0	360	95.4	0.0	0.0
1061	NW_0330dd	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.016	0.005	0.628	95.4	1.0	360	95.4	0.0	0.0
1062	NW_0400dd	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.019	0.018	0.541	95.4	1.0	360	95.4	0.0	0.0
1063	NW_0460dd	0.466	0.466	0.466	0.466	53.9	0.0	0.021	0.007	0.0	0.478	95.4	1.0	360	95.4	0.0	0.0
1064	NW_0530dd	0.533	0.533	0.533	0.533	59.1	0.0	0.006	0.006	0.0	0.405	95.4	1.0	360	95.4	0.0	0.0
1065	NW_0600dd	0.6	0.6	0.6	0.6	64.3	0.0	0.006	0.005	0.0	0.322	95.4	1.0	360	95.4	0.0	0.0
1066	NW_0660dd	0.666	0.666	0.666	0.666	69.5	0.0	0.021	0.011	0.0	0.26	95.4	1.0	360	95.4	0.0	0.0
1067	NW_0730dd	0.734	0.734	0.734	0.734	74.7	0.0	0.024	0.007	0.005	0.179	95.4	1.0	360	95.4	0.0	0.0
1068	NW_0800dd	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.024	0.005	0.084	95.4	1.0	360	95.4	0.0	0.0
1069	NW_0860dd	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.005	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1070	NW_0930dd	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1071	NW_1000dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1072	NW_1000dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1073	ROY_100_100dd	1.0	1.0	1.0	1.0	17.7	0.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	0.0	0.0
1074	ROY_100_100dd	1.0	1.0	1.0	1.0	17.7	0.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	0.0	0.0
1075	GS0B_100_100dd	0.0	0.0	0.0	0.0	47.3	63.8	0.0	0.0	0.0	0.0	41.2	60.0	389	63.8	41.2	60.0
1076	Y06C_100_100dd	0.0	0.0	0.0	0.0	58.3	-29.2	0.0	0.999	0.0	0.0	38.3	-29.2	210	38.3	-29.2	43.7
1077	B06C_100_100dd	0.0	0.0	0.0	0.0	95.1	95.1	0.0	0.0	0.0	0.0	88.3	-11.9	89	88.3	-11.9	95.1
1078	B06C_100_100dd	0.0	0.0	0.0	0.0	47.3	47.3	0.0	0.0	0.0	0.0	25.3	25.3	270	25.3	25.3	249.4
1079	B50R_100_100dd	0.0	0.0	0.0	0.0	28.1	74.3	0.0	0.999	0.0	0.0	58.8	28.1	330	58.8	28.1	74.3
1079	B50R_100_100dd	1.0	0.0	1.0	1.0	48.2	72.8	0.0	1.0	0.0	0.0	48.2	72.8	330	48.2	72.8	74.3
1079	B50R_100_100dd	1.0	0.0	1.0	1.0	-8.3	75.3	0.0	1.0	0.0	0.0	-8.3	75.3	330	-8.3	75.3	353.3

Mean color difference of this page: delta



input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE64; hue code: H*_d=Y75G_d colors and differences, ΔE*_*