

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 139/360 = 0.38$

$H^*_- = Y75G_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = Y75G_-$

triangle lightness  $T^*$



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 62 -49 43 65 139

$HIC^*_{-,Ma}$ : Y75G\_100\_100\_



$rgbic^*_{-,Ma}$ :

0.23 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF> / .PS; start output  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS  
 application for measurement of offset print output

TUB material: code=rh4ta

1-113030-L0 QE650-7N

TUB-test chart QE65; hue code:  $H^*_- = Y75G_-$

Test chart according to DIN 33872, 3D=1, de=1,  $cmk^*$


input:  $rgb/cmyk \rightarrow rgb/cmyk$   
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 145/360 = 0.4$

$H^*_e = Y75G_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = Y75G_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	47.6	64.9	30.9	71.9	25
$Y_{e, Ma}$	82.9	-3.5	87.8	87.9	92
$G_{e, Ma}$	52.4	-67.1	21.5	70.5	162
$C_{e, Ma}$	56.6	-39.7	-29.9	49.8	216
$B_{e, Ma}$	37.9	1.3	-45.4	45.4	271
$M_{e, Ma}$	34.8	49.2	-30.0	57.7	328
$N_{e, Ma}$	17.7	0.0	0.0	0.0	0
$W_{e, Ma}$	95.4	0.0	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e, CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e, CIE}$	30.5	1.4	-46.4	46.4	271



Data for maximum colour ( $M_a$ ):

$LabCh^*_{e, Ma}$ : 56 -56 38 68 145  
 $HIC^*_{e, Ma}$ : Y75G\_100\_100\_e  
 $rgbic^*_{e, Ma}$ :  
0.11 1.0 0.0 1.0 1.0  
triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_e}$	47.6	64.9	30.9	71.9	25
$R25Y_{100_100_e}$	51.5	54.2	47.2	71.9	41
$R50Y_{100_100_e}$	60.3	35.6	59.0	68.9	58
$R75Y_{100_100_e}$	70.4	17.0	72.2	74.1	76
$Y00G_{100_100_e}$	82.9	-3.5	87.8	87.9	92
$Y25G_{100_100_e}$	76.9	-25.5	75.9	80.1	108
$Y50G_{100_100_e}$	65.8	-41.4	54.4	68.3	127
$Y75G_{100_100_e}$	56.9	-56.3	38.1	68.0	145
$G00B_{100_100_e}$	52.4	-67.1	21.5	70.5	162
$G25B_{100_100_e}$	54.6	-53.2	-9.0	53.9	189
$G50B_{100_100_e}$	56.6	-39.7	-29.9	49.8	216
$G75B_{100_100_e}$	52.7	-21.1	-44.1	48.9	244
$B00R_{100_100_e}$	37.9	1.3	-45.4	45.4	271
$B25R_{100_100_e}$	26.7	26.6	-45.8	52.9	300
$B50R_{100_100_e}$	34.8	49.2	-30.0	57.7	328
$B75R_{100_100_e}$	47.3	71.5	-9.9	72.1	352

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE65/QE65L0FP.PDF / .PS  
application for measurement of offset print output, separation cmykn\* (CMYK)  
TUB material: code=rh4ta

1-113130-L0 QE650-73



TUB-test chart QE65; hue code:  $H^*_e=Y75G_e$   
Test chart according to DIN 33872, 3D=1, de=1,  $cmyk^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$

1-113130-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rh4ta



TUB-test chart QE65; hue code:  $H^*_e = Y75G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*



input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$





see similar files: <http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF> / .PS;  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmyk\* (CMYK)



1-113330-L0 QE650-73

TUB-test chart QE65; hue code:  $H^*_e=Y75G_e$   
Test chart according to DIN 33872, 3D=1,  $de=1$ , cmyk\*




input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$

1=113330-F0



TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation cmykn6\* (CMYK)


see similar files: <http://130.149.60.45/~farbmetrik/QE65/QE65.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113430-L0 QE650-73

TUB-test chart QE65; hue code:  $H^*_e=Y75G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 145/360 = 0.4$

$H^*_e = Y75G_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = Y75G_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271



Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$ : 56 -56 38 68 145  
 $HIC^*_{e, Ma}$ : Y75G\_100\_100\_e  
 $rgbic^*_{e, Ma}$ :  
0.11 1.0 0.0 1.0 1.0  
triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS  
application for measurement of offset print output, separation cmyk\* (CMYK)  
TUB material: code=rh4ta

1-113530-L0 QE650-73

TUB-test chart QE65; hue code:  $H^*_e = Y75G_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmyk\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$

1-113530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy<sup>6\*</sup>, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM<sub>s</sub>*:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours *RYGCBM<sub>d</sub>*:  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours *RYGCBM<sub>e</sub>*:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

**J=Y<sub>d</sub> Yellow**

$LCH^*_d = 88.3 \ 95.8 \ 97.1$   
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

**L=G<sub>d</sub> leaf-green**

$LCH^*_d = 51.9 \ 74.3 \ 157.7$   
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

**C=C<sub>d</sub> cyan-blue**

$LCH^*_d = 58.3 \ 52.6 \ 236.1$   
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

**O=R<sub>d</sub> orange-red**

$LCH^*_d = 47.3 \ 76.0 \ 32.8$   
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

**M=M<sub>d</sub> magenta-red**

$LCH^*_d = 48.2 \ 73.3 \ 353.3$   
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

**V=B<sub>d</sub> violet-blue**

$LCH^*_d = 25.3 \ 52.8 \ 296.4$   
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

**Y<sub>e</sub> yellow**

$LCH^*_e = 82.9 \ 87.9 \ 92.3$   
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$   
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

**G<sub>e</sub> green**

$LCH^*_e = 52.4 \ 70.5 \ 162.2$   
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

**C<sub>e</sub> blue-green**

$LCH^*_e = 56.6 \ 49.8 \ 216.9$   
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

**B<sub>e</sub> blue**

$LCH^*_e = 37.9 \ 45.4 \ 271.7$   
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$   
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

**R<sub>e</sub> red**

$LCH^*_e = 47.6 \ 71.9 \ 25.4$   
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

**M<sub>e</sub> blue-red**

$LCH^*_e = 34.8 \ 57.7 \ 328.6$   
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$   
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

**Y<sub>s</sub> yellow**

$LCH^*_s = 80.6 \ 84.9 \ 90.0$   
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$   
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

**G<sub>s</sub> green**

$LCH^*_s = 55.1 \ 70.1 \ 150.0$   
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$   
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

**C<sub>s</sub> blue-green**

$LCH^*_s = 56.1 \ 50.0 \ 210.0$   
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

**R<sub>s</sub> red**

$LCH^*_s = 47.4 \ 74.2 \ 30.0$   
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

**M<sub>s</sub> blue-red**

$LCH^*_s = 35.6 \ 58.3 \ 330.0$   
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$   
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

**B<sub>s</sub> blue**

$LCH^*_s = 38.8 \ 45.4 \ 270.0$   
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$   
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

1. For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.

2. For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:

$$h_{ab,s} = \text{atan} [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.

6. The values  $rgb^*_e$  produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF / .PS  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE65/QE65L0FP.PDF / .PS  
 application for measurement of offset print output, separation cmy<sup>6\*</sup> (CMYK)  
 TUB material: code=rha4ta





Data of Maximum color M in colorimetric system Offset standard print; separation cmy<sub>6</sub>\*; D65 for input or output; Six hue angles of the 60 degree standard colours RY<sub>6</sub>CB<sub>6</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RY<sub>6</sub>CB<sub>6</sub><sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RY<sub>6</sub>CB<sub>6</sub><sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd64M</sub>	LAB* <sub>ddx64M (x=LabCh)</sub>	rgb* <sub>dex361M</sub>	LAB* <sub>dex361M</sub>
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.06 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



see similar files: http://130.149.60.45/~farbmetrik/QE65/QE65.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy<sub>6</sub>\* (CMYK)  
TUB material: code=rh4ta





Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGCMB:  $d_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGCMB:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361M}$	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{dd}$	$rgb^*_{ds}$	$rgb^*_{de}$
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	0.074	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.15
166	160	171	0.0	1.0	0.166	52.8	-65.0	16.0	67.0	166	0.0	1.0	0.167
167	161	172	0.0	1.0	0.183	52.9	-64.5	14.7	66.1	167	0.0	1.0	0.183
168	162	173	0.0	1.0	0.2	53.0	-63.9	13.4	65.3	168	0.0	1.0	0.2
169	163	174	0.0	1.0	0.216	53.1	-63.3	12.2	64.4	169	0.0	1.0	0.217
170	164	175	0.0	1.0	0.233	53.2	-62.6	11.0	63.6	170	0.0	1.0	0.233
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25

see similar files: http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rh4ta

TUB-test chart QE65; hue code: H\*\_e=Y75G\_e  
48 step hue circles;  $rgb-LabCh$ \*tables

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmyk^*_{de}$







Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBCM;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBCM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with columns: h\_ab,d, h\_ab,s, h\_ab,e, rgbb\*, ds361M, LAB\*, ddx361Mi (x=LabCh), rgbb\*, ds361Mi, LAB\*, dsx361Mi (x=LabCh), rgbb\*, dd361Mi, rgbb\*, de361Mi, LAB\*, dex361Mi (x=LabCh), rgbb\*, dd361Mi, rgbb\*, ds361Mi, rgbb\*, ds361Mi. Rows 281-333.

1-1131430-L0 QE650-73 LAB\*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB\*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6\*, D65, page 15/33

TUB-test chart QE65; hue code: H\*e=Y75Ge  
48 step hue circles; rgB-LabCh\*tables

input: rgb/cmyk -> rgBde  
output: 3D-linearization to cmyk\*de

see similar files: http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE65/QE65L0FP.PDF /.PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rha4ta





Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, rg<sup>b</sup>\*\_dd361M, LAB\*<sub>d</sub>, dx361Mi (x=LabCh), rg<sup>b</sup>\*\_ds361Mi, LAB\*<sub>s</sub>, dsx361Mi (x=LabCh), rg<sup>b</sup>\*\_dd361Mi, rg<sup>b</sup>\*\_de361Mi, LAB\*<sub>e</sub>, dex361Mi (x=LabCh), rg<sup>b</sup>\*\_dd361Mi, rg<sup>b</sup>\*\_dd361Mi, rg<sup>b</sup>\*\_ds, rg<sup>b</sup>\*\_ds, rg<sup>b</sup>\*\_de. Rows 360-392.

see similar files: http://130.149.60.45/~farbmetrik/QE65/QE65.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE65/QE65L0FP.PDF /PS  
application for measurement of offset print output, separation cmykn6\* (CMYK)  
TUB material: code=rha4ta

1-1131630-L0 QE650-73 LAB\*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB\*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6\*, D65, page 17/33

TUB-test chart QE65; hue code: H\*\_e=Y75G\_e  
48 step hue circles; rg<sup>b</sup>-LabCh\*tables

input: rg<sup>b</sup>/cmyk -> rg<sup>b</sup>\_de  
output: 3D-linearization to cmyk\*\_de
















http://130.149.60.45/~farbmetrik/QE65/QE65LOFP.PDF /.PS; 3D-linearization  
F: 3D-linearization QE65/QE65LE30FP.DAT in file (F), page 23/33


Table with 11 columns: n, H#C\*File, H#M\*File, H#B\*File, L\*a\*b\*File, LabC\*File, LabM\*File, LabB\*File, cmyk\*\_sep, cmyk\*\_File, LabC\*File, LabM\*File, LabB\*File, and delta. The table contains 323 rows of color calibration data.


Mean color difference of this page: 0.699

input: rgb/cmyk -> rgdb  
output: 3D-linearization to cmyk\*  
delta

QE650-TN; Page 23/33-F

TUB-test chart QE65; hue code: H\*e=Y75Ge  
colors and differences, ΔE\*





http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE65/QE65LE30FP.DAT in file (F), page 24/33






Table with 17 columns: n, HHC\*File, rgb\*File, icr\*File, Hsa\*File, rgpb\*File, LabC\*File, cmyk\*sep\*File, Hsa\*File, rgpb\*File, LabC\*File, Hsa\*File, rgb\*File, LabC\*File, Hsa\*File, LabC\*File, delta. Rows include color names like R00Y, B00R, Y00G, etc.

Mean color difference of this page: delta


TUB-test chart QE65; hue code: H\*e=Y75Ge colors and differences, ΔE\*

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk\*de









http://130.149.60.45/~farbmetrik/QE65/QE65L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE65/QE65L30FP.DAT in file (F), page 26/33



Table with 15 columns: n, HHC\*File, rgb\_Rate, iet\_File, ius\_File, rpb\*File, LabC\*File, cmyk\*\_sepRate, LabC\*\_File, rpb\*\_File, ius\_File, LabC\*\_File, delta. Rows 486-566.

delta

input: rgb/cmyk -> rgbd  
output: 3D-linearization to cmyk\*de

Mean color difference of this page:

TUB-test chart QE65; hue code: H\*e=Y75Ge colors and differences, ΔE\*  
QE650-7N; Page 26/33-F



http://130.149.60.45/~farbmatrik/QE65/QE65L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE65/QE65LE30FP.DAT in file (F), page 27/33

Table with columns: n, HHC\*File, rgb\*File, Lab\*File, Ina\*File, rgb\*File, Lab\*File, cmyk\*sep, rcm\*sep, Lab\*File, Ina\*File, rgb\*File, Lab\*File, delta. Rows 567-647.

Input: rgb/cmyk -> rbgde output: 3D-linearization to cmyk\*de Mean color difference of this page: delta



Table with columns: n, H/C\*F, r/g/b\*F, i/c/t\*F, H/s\*F, r/g/b\*F, LabC/H\*F, LabC/M\*F, cmyk\*sep, LabC\*F, r/g/b\*F, H/s\*F, LabC/H\*F, LabC/M\*F, delta. Rows list color patches and their corresponding values.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

TUB-test chart QE65; hue code: H\*e=Y75Ge colors and differences, ΔE\*<sub>a</sub>\*

QE650-7N; Page 29/33-F

I-1132830-F0

Table with columns: n, HC\*File, rpb\_Role, icr\_File, hsa\_Fate, rpb\_Fate, LabCM\*Fate, cmyk\*\_sep\_Rate, hsa\_Fate, rpb\_Fate, LabCM\*Fate, rpb\_Fate, LabCM\*Fate, hsa\_Fate, cmyk\*\_sep\_Rate, rpb\_Fate, LabCM\*Fate, hsa\_Fate, LabCM\*Fate, delta

TUB-test chart QE65; hue code: H\*\_e=Y75G\_e colors and differences, ΔE\*\_\*

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*\_de

Mean color difference of this page: delta



Table with 20 columns: n, H#C\*Fde, H#s\_Fde, rgb^\*Fde, LabC\*Fde, LabM\*Fde, LabY\*Fde, cmyk\*\_sep.Fde, delta, H#m\*Fde, rgb^\*Mde, LabC\*Fde, LabM\*Fde, LabY\*Fde, cmyk\*\_sep.Fde, delta, H#m\*Fde, rgb^\*Mde, LabC\*Fde, LabM\*Fde, LabY\*Fde, cmyk\*\_sep.Fde, delta. The table contains 971 rows of data for various color patches.

Mean color difference of this page: delta

see similar files: <http://130.149.60.45/~farbmeterik/QE65/QE65L0FP.PDF> / .PS; 3D-linearization technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk\*de

input: rgb/cmyk -> rgbde  
output: 3D-linearization to cmyk\*de

n	HC*File	rgb_Rate	icc_Ext	Ins_FRate	rgbR*File	LabCm*File	cmyk*_sep.Rate	Ins_Le	rgbR*File	LabCm*File
972	NW_1000de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
973	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
974	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
975	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
976	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
977	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
978	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
979	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
980	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
981	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
982	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
983	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
984	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
985	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
986	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
987	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
988	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
989	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
990	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
991	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
992	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
993	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
994	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
995	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
996	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
997	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
998	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
999	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
1000	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
1001	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
1002	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
1003	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
1004	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
1005	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
1006	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
1007	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
1008	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
1009	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
1010	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
1011	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
1012	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
1013	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
1014	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
1015	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
1016	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
1017	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
1018	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
1019	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
1020	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
1021	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
1022	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
1023	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
1024	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
1025	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
1026	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
1027	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
1028	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
1029	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
1030	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
1031	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
1032	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
1033	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
1034	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
1035	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
1036	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
1037	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
1038	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
1039	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
1040	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
1041	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
1042	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
1043	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4
1044	NW_1100de	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	95.4
1045	NW_1012de	0.125	0.125	0.125	0.0	17.7	0.0	0.0	0.0	95.4
1046	NW_1024de	0.25	0.25	0.25	0.0	17.7	0.0	0.0	0.0	95.4
1047	NW_1037de	0.375	0.375	0.375	0.0	17.7	0.0	0.0	0.0	95.4
1048	NW_1050de	0.5	0.5	0.5	0.0	17.7	0.0	0.0	0.0	95.4
1049	NW_1062de	0.625	0.625	0.625	0.0	17.7	0.0	0.0	0.0	95.4
1050	NW_1075de	0.75	0.75	0.75	0.0	17.7	0.0	0.0	0.0	95.4
1051	NW_1087de	0.875	0.875	0.875	0.0	17.7	0.0	0.0	0.0	95.4
1052	NW_1100de	1.0	1.0	1.0	0.0	17.7	0.0	0.0	0.0	95.4

delta

Mean color difference of this page:

QE650-7N; Page 32/33-F

TUB-test chart QE65; hue code: H\*e=Y75Ge  
colors and differences, ΔE\*\*<sub>ab</sub>\*

I-1133130-F0



