

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 139/360 = 0.38$

$H^*_ = Y75G_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = Y75G_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 62 -49 43 65 139

$HIC^*_{-,Ma}$: Y75G_100_100_



$rgbic^*_{-,Ma}$:

0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

$H^*_$	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE68/QE68.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE68/QE68L0NA.TXT /PS
 application for measurement of offset print output


TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 145/360 = 0.4$

$H^*_e = Y75G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y75G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 54 -55 37 67 145$



$HIC^*_{e, Ma}: Y75G_100_100_e$

$rgbic^*_{e, Ma}: 0.1 1.0 0.0 1.0 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE68/QE68L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013131-L0 QE680-71

TUB-test chart QE68; hue code: $H^*_e=Y75G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 145/360 = 0.4$

$H^*_e = Y75G_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = Y75G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 54 -55 37 67 145$

$HIC^*_{e, Ma}: Y75G_100_100_e$



$rgbic^*_{e, Ma}$:

0.1 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



see similar files: http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /PS application for measurement of offset print output, separation cmy0 (CMY0)

TUB registration: 20130201-QE68/QE68L0NA.TXT /PS TUB material: code=rh4ta

1-013231-L0 QE680-71

TUB-test chart QE68; hue code: $H^*_e=Y75G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 145/360 = 0.4$

$H^*_e = Y75G_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = Y75G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma} : 54 -55 37 67 145$

$HIC^*_{e, Ma} : Y75G_100_100_e$

$rgbic^*_{e, Ma} :$

0.1 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE68/QE68L0NA.TXT /PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rh4ta

1-013331-L0 QE680-71

TUB-test chart QE68; hue code: $H^*_e = Y75G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 145/360 = 0.4$

$H^*_e = Y75G_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = Y75G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 54 -55 37 67 145$

$HIC^*_{e, Ma}: Y75G_100_100_e$

$rgbic^*_{e, Ma}$:



0.1 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




TUB registration: 20130201-QE68/QE68L0NA.TXT /PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013431-L0 QE680-71

TUB-test chart QE68; hue code: $H^*_e = Y75G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013431-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE68/QE68.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


1-013531-L0 QE680-71

TUB-test chart QE68; hue code: $H^*_e=Y75G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0


input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$




Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{abs,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{abs,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{abs,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_s, b^*_s), (a^*_e, b^*_e), (a^*_d, b^*_d)



input: rgb/cmyk -> rgbe
output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM: h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, R_d, L*a*b*_ds361MI, L*a*b*_ds361MI (x=LabCh), L*a*b*_ds361MI (x=LabCh), R_s, L*a*b*_ds361MI, L*a*b*_ds361MI (x=LabCh), L*a*b*_ds361MI (x=LabCh), R_e, L*a*b*_ds361MI, L*a*b*_ds361MI (x=LabCh), L*a*b*_ds361MI (x=LabCh). Rows 32-86.

Input: Offset standard print; separation cmy0*: D65, page 10/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,d,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Table with columns for hue angles (86-114) and colorimetric values (h_ab,d, h_ab,s, h_ab,e, LAB* parameters, and colorimetric values for different color spaces like RGB, CMY, Lab, Luv, etc.).

LAB*lab0, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0

TUB-test chart QE68; hue code: H*_e=Y75G_e input: rgb/cmyk -> rgb_e output: transfer to cmy0_e

Output: Offset standard print; separation cmy0; D65, page 1/33

QE6801L


TUB registration: 20130201-QE68/QE68L0NA.TXT /.PS
TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

Table with columns: hue angle (H*), maximum color M, device colors RGB_CM_d, Lab*_d, RGB*_d, Lab*_d, and device colors RGB*_d. Rows 1-167 list hue angles from 114 to 167 degrees.

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM: h_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Input: rgb/cmyk -> rgb
Output: transfer to cmy0e



QE6801L

QE6801L

TUB registration: 20130201-QE68/QE68L0NA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmy0 (CMY0)

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

V C M Y O L Y O C

Data of Maximum color. M in colorimetric system Offset standard print; separation cmy0*. D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM: $h_{ab,d}, h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$
Six hue angles of the elementary colours RYGBM: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{de}	rgb^*_{dd}	LAB^*_{ds}	LAB^*_{de}	LAB^*_{dd}	rgb^*_{ds}	rgb^*_{de}	rgb^*_{dd}		
167	165	175	0.0	1.0	0.25	51.0	60.5	16.2	62.8	165	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	53.6	0.8	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	52.8	0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	52.1	2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	51.3	3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	50.4	5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	49.6	6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	48.8	8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	47.9	9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	47.2	10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	46.4	12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	45.6	13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	44.7	15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	43.8	16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	42.8	17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	42.0	18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	41.2	20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	40.5	21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	39.7	22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	38.8	23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	37.9	25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	37.0	26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	36.0	27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	35.4	28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	34.7	29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	34.0	30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	33.3	31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	32.6	32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	31.8	33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	31.1	34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	30.4	35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	29.7	35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	29.1	36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	28.4	37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	27.7	38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	27.0	39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	26.2	40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	0.568	54.5	39.5	22.8	45.7	210	0.0	1.0	0.883
238	210	216	0.0	1.0	0.685	54.5	39.5	22.8	45.7	210	0.0	1.0	0.883
238	210	216	0.0	1.0	0.632	54.1	42.0	18.6	46.1	204	0.0	1.0	0.9
238	210	216	0.0	1.0	0.641	54.2	41.6	19.3	46.0	205	0.0	1.0	0.917
238	210	216	0.0	1.0	0.659	54.3	41.2	20.0	46.0	206	0.0	1.0	0.933
238	210	216	0.0	1.0	0.676	54.4	40.4	21.4	45.8	208	0.0	1.0	0.95
238	210	216	0.0	1.0	0.682	54.5	39.9	22.1	45.8	209	0.0	1.0	0.967
238	210	216	0.0	1.0	0.685	54.5	39.5	22.1	45.8	209	0.0	1.0	0.983
238	210	216	0.0	1.0	0.685	54.5	39.5	22.1	45.8	209	0.0	1.0	0.983
238	210	216	0.0	1.0	0.747	55.0	36.1	27.2	45.3	216	0.0	1.0	1.0

I=0131231=L0 QE680-71 LAB*lab, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE68; hue code: H*_e=Y75G_e output: transfer to cmy0_e input: rgb/cmyk -> rgb

Output: Offset standard print; separation cmy0*

48 step hue circles; rgb-LabCh*tables

see similar files: http://130.149.60.45/~farbmetrik/QE68/QE68.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;					
Six hue angles of the device colours RYGBM; $h_{ab,d}$: 155.5, 238.4, 306.2, 359.8; LAB* hue angles of the elementary colours RYGBM; $h_{ab,e}$: 25.5, 92.3, 162.2, 217.0, 271.7, 328.6					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}
$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$
C_d	C_d	C_d	C_d	C_d	C_d
238	210	216	0.0	1.0	0.685
239	211	217	0.0	1.0	0.694
240	212	218	0.0	1.0	0.703
241	213	219	0.0	1.0	0.712
242	214	220	0.0	1.0	0.721
243	215	221	0.0	1.0	0.73
244	216	222	0.0	1.0	0.739
245	217	223	0.0	1.0	0.747
246	218	224	0.0	1.0	0.758
247	219	225	0.0	1.0	0.769
248	220	226	0.0	1.0	0.781
249	221	227	0.0	1.0	0.792
250	222	228	0.0	1.0	0.803
251	223	229	0.0	1.0	0.815
252	224	230	0.0	1.0	0.826
253	225	231	0.0	1.0	0.837
254	226	232	0.0	1.0	0.849
255	227	233	0.0	1.0	0.86
256	228	234	0.0	1.0	0.871
257	229	235	0.0	1.0	0.883
258	230	236	0.0	1.0	0.895
259	231	237	0.0	1.0	0.904
260	232	238	0.0	1.0	0.915
261	233	239	0.0	1.0	0.926
262	234	240	0.0	1.0	0.938
263	235	241	0.0	1.0	0.949
264	236	242	0.0	1.0	0.956
265	237	243	0.0	1.0	0.962
266	238	244	0.0	1.0	0.967
267	239	245	0.0	1.0	0.971
268	240	246	0.0	1.0	0.975
269	241	247	0.0	1.0	0.978
270	242	248	0.0	1.0	0.981
271	243	249	0.0	1.0	0.984
272	244	250	0.0	1.0	0.987
273	245	251	0.0	1.0	0.99
274	246	252	0.0	1.0	0.992
275	247	253	0.0	1.0	0.994
276	248	254	0.0	1.0	0.996
277	249	255	0.0	1.0	0.998
278	250	256	0.0	1.0	0.999
279	251	257	0.0	1.0	1.0
280	252	258	0.0	1.0	1.0
281	253	259	0.0	1.0	1.0
282	254	260	0.0	1.0	1.0
283	255	261	0.0	1.0	1.0
284	256	262	0.0	1.0	1.0
285	257	263	0.0	1.0	1.0
286	258	264	0.0	1.0	1.0
287	259	265	0.0	1.0	1.0
288	260	266	0.0	1.0	1.0
289	261	267	0.0	1.0	1.0
290	262	268	0.0	1.0	1.0
291	263	269	0.0	1.0	1.0
292	264	270	0.0	1.0	1.0
293	265	271	0.0	1.0	1.0
294	266	272	0.0	1.0	1.0
295	267	273	0.0	1.0	1.0
296	268	274	0.0	1.0	1.0
297	269	275	0.0	1.0	1.0
298	270	276	0.0	1.0	1.0
299	271	277	0.0	1.0	1.0
300	272	278	0.0	1.0	1.0
301	273	279	0.0	1.0	1.0
302	274	280	0.0	1.0	1.0
303	275	281	0.0	1.0	1.0
304	276	282	0.0	1.0	1.0
305	277	283	0.0	1.0	1.0
306	278	284	0.0	1.0	1.0
307	279	285	0.0	1.0	1.0
308	280	286	0.0	1.0	1.0
309	281	287	0.0	1.0	1.0
310	282	288	0.0	1.0	1.0
311	283	289	0.0	1.0	1.0

input: rgb/cmyk -> rgbe
 output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h_ab,d, h_ab,s, h_ab,e), device colours (RYGBM), and colorimetric values (LAB*, RGB*, CMYK, etc.) for 340 different color patches.

LAB*lab0, YN=0%, XY,Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE68; hue code: H*_e=Y75G_e 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_e output: transfer to cmy0_e

Output: Offset standard print; separation cmy0*, D65, page 15/33

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h_{ab,d}, h_{ab,s}), device colours (RYGBM_d), and standard colours (RYGBM_s). It includes colorimetric data for 60 hue angles and 360 color patches, with columns for Lab, L*a*b*, and LabCh values.

Input: rgb/cmyk -> rgbe output: transfer to cmy0e

Registration marks and technical information including: I=0131531=L0 QE680-71 LAB*at0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0. Output: Offset standard print; separation cmy0*, D65, page 16/33



http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, L*a*b*_d361M, L*a*b*_s361M, L*a*b*_e361M, L*a*b*_d361MI, L*a*b*_s361MI, L*a*b*_e361MI, L*a*b*_d361Ch, L*a*b*_s361Ch, L*a*b*_e361Ch, rg*b*_d361MI, rg*b*_s361MI, rg*b*_e361MI, rg*b*_d361Ch, rg*b*_s361Ch, rg*b*_e361Ch, R_d. Rows 366-392.

I-0131631-L0 QE680-71 LAB*lab, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0 Output: Offset standard print; separation cmy0*, D65, page 17/33

TUB-test chart QE68; hue code: H*_e=Y75G_e input: rgb/cmyk -> rgbe output: transfer to cmy0_e 48 step hue circles; rg*b-LabCh*tables

Table with columns: nif, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabC*Fe, LabCH*Fe, DFE*Fe, Hsa*Fe, rpb*Fe, LabCH*Fe, DFE*Fe, Hsa*Fe, rpb*Fe, LabCH*Fe, DFE*Fe, Hsa*Fe, rpb*Fe, LabCH*Fe, DFE*Fe, Hsa*Fe. The table contains 360 rows of color calibration data.

Mean color difference of this page: delta E* = 20.9

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with columns: nuf, HHC*Fe, rpb*Fe, iet*Fe, hsa*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DE*Fe, hsa*Me, rpb*Me, LabCh*Me, and numerical values. Includes a 'Mean color difference of this page: delta E* = 13.3' note.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*_e=Y75G_e colors and differences, ΔE*_*

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Table with 80 columns (numbered 1-80) and 10 rows of colorimetric data including H*E, r*gb, i*ct, i*st, i*st, i*st, i*st, i*st, i*st, i*st.

see similar files: http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE*

Mean color difference of this page: delta E* = 10.9

http://130.149.60.45/~farbmetrik/QE68/QE68LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, rpb*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. Rows 81-161.

Mean color difference of this page: delta E* = 12.0

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, AE*

Table with 24 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DE*Fe, HaMe, rpb*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. Rows 162-242.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE*

Table with 32 columns: n, HHC*Fe, rgb*Fe, icr*Fe, Hs*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rgb*Fe, DE*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rgb*Fe, DE*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, rgb*Fe. The table contains numerical data for various color patches and color differences.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE*

Mean color difference of this page: ΔE* = 16.2

http://130.149.60.45/~farbmetrik/QE68/QE68LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 324-404.

input: rgb/cmyk -> rgbe output: transfer to cmy0e Mean color difference of this page: delta E* = 15.7

Color calibration table with columns for color names (e.g., R00Y, R01Y, G00, etc.), LabCH*Fe, LabCH*Ye, LabCH*Pe, H*Fe, H*Ye, H*Pe, r*Fe, r*Ye, r*Pe, g*Fe, g*Ye, g*Pe, b*Fe, b*Ye, b*Pe, and Delta E*ab values.

see similar files: http://130.149.60.45/~farbmetrik/QE68/QE68.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE*ab

QE680-7N; Page 26/33-F

I-1032531-F0



http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fe, rgb*Fe, icr*Fe, hsa*Fe, LabCh*Fe, rgb*Fe, LabCh*Fe, DE*Fe, Hsa*Fe, LabCh*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe. Rows 567-647.

Mean color difference of this page: delta E* = 13.8

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, AE*'

http://130.149.60.45/~farbmetrik/QE68/QE68LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows include color names like R00Y, R38Y, B68R, etc.

Mean color difference of this page: delta E* = 15.7

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 30 columns: n, H#C*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabC*H*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe. Rows include color names like NV_100, G50B_100, etc.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE*

Mean color difference of this page: ΔE* = 9.5

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 10 columns: n, H#C*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe. Rows include color names like NV, BOOR, YOCG, etc.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE*

QE680-TN; Page 30/33-F

I-013293-1F0

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 14 columns: n, H#C*Fe, r*gb*Fe, i*ct*Fe, i*rs*Fe, LabC*H*Fe, r*gb*Fe, LabC*H*Fe, i*ct*Fe, i*rs*Fe, H*sa*Fe, r*gb*Fe, LabC*H*Fe, i*ct*Fe, i*rs*Fe, DF*Fe, Ha*Me, LabC*H*Fe, r*gb*Fe, LabC*H*Fe, i*ct*Fe, i*rs*Fe. It contains color calibration data for various color patches.

Mean color difference of this page: delta E** = 15.4

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75G'e colors and differences, ΔE*'


http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H* C* M*, r* g* b*, i* e* r*, i* s* f*, r* g* b* Fe, Lab C* M* Fe, r* g* b* Fe, Lab C* M* Fe, DPF* Fe, H* a* M* e, r* g* b* Fe, Lab C* M* Fe, Lab C* M* Fe. Rows 972-1052.

Mean color difference of this page: delta E*90 = 9.2

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/QE68/QE68L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33



n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	rgb*Me	LabCH*Me	rgb*Me	LabCH*Me	
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.7	69.9	3.7	
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.5	71.6	1.5	
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	114.3	0.1	
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	1.1	308.5	1.1	308.5	1.1	
1057	NW_100e	0.066	0.066	0.066	0.066	0.066	0.066	6.5	6.7	6.5	6.7	6.5	
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	9.0	22.4	9.0	22.4	9.0	
1059	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	13.3	30.4	13.3	30.4	13.3	
1060	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	14.0	44.7	14.0	44.7	14.0	
1061	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	14.7	40.4	15.5	36.0	1.0	
1062	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	14.5	48.4	14.5	48.4	14.5	
1063	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	11.8	51.6	12.7	36.0	1.0	
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	11.5	56.7	11.5	56.7	11.5	
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	8.3	57.5	8.3	57.5	8.3	
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	5.9	62.0	5.9	62.0	5.9	
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	3.6	69.4	3.6	69.4	3.6	
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	2.7	71.7	1.5	36.0	1.0	
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.0	118.4	0.1	36.0	1.0	
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	2.9	299.2	2.9	36.0	1.0	
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.0	138.7	0.0	36.0	1.0	
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	138.7	0.0	36.0	1.0	
1073	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.0	138.7	0.0	36.0	1.0	
1074	ROY_100_100e	1.0	0.0	1.0	0.5	390	0.0	83.9	32.8	11.2	375	0.0	
1075	GS0B_100_100e	0.0	1.0	1.0	0.0	25.4	0.0	41.8	238.9	18.2	195	0.0	
1076	Y06C_100_100e	1.0	1.0	0.0	0.0	56.4	-25.2	-41.8	96.0	8.8	85	1.0	
1077	B06M_100_100e	0.0	0.0	1.0	0.0	87.5	-10.0	95.1	95.7	96.6	32.5	24	0.0
1078	B08L_100_100e	0.0	0.0	1.0	0.0	44.2	29.8	40.1	306.6	32.5	24	0.0	
1079	B50R_100_100e	0.0	0.0	1.0	0.0	45.8	79.4	28.0	71.2	159.8	45.2	288	0.321
1079	B50R_100_100e	1.0	0.0	1.0	1.0	31.1	47.7	-0.2	79.2	359.8	45.2	288	0.321

Mean color difference of this page: delta E* = 10.3

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE68; hue code: H*e=Y75Ge colors and differences, ΔE*'

