

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

$H^*_ = G00B_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = G00B_ -$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 55 -65 33 73 152



$HIC^*_{-,Ma}$: G00B_100_100_

$rgbic^*_{-,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data					
$H^*_ -$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE72/QE72L0FP.PDF /.PS
 application for measurement of display output

TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G00B_e$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 85 -64 20 67 162$

$HIC^*_{e, Ma}: G00B_100_100_e$



$rgbic^*_{e, Ma}:$

0.0 1.0 0.7 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352



see similar files: <http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE72/QE72L0FP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rh4ta

1-113130-L0 QE720-73

TUB-test chart QE72; hue code: $H^*_e = G00B_e$
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

1-113130-F0

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

Y_s yellow standard CIELAB (a^*_s, b^*_s) chroma diagram

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: <http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF> / .PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE72/QE72L0FP.PDF / .PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd64M, LAB*_ddx64M (x=LabCh), r_{gb}*_ddx361M, LAB*_ddx361M (x=LabCh), r_{gb}*_dsx361M, LAB*_dsx361M (x=LabCh), r_{gb}*_dex361M, LAB*_dex361M (x=LabCh). Rows list 48 color patches with their respective colorimetric data.




see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	1.0 0.0	0.0 73.5 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	1.0 0.0	0.0 65.5 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	1.0 0.0	0.0 61.8 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	1.0 0.0	0.0 53.3 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	1.0 0.0	0.0 44.1 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	1.0 0.0	0.0 36.1 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	1.0 0.0	0.0 0.263 50.9 78.3 37.3 86.7 385



see similar files: <http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE72/QE72L0FP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

1-1131230-L0 QE720-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 13/29

TUB-test chart QE72; hue code: H*_e=G00B_e
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to rgb*_{de}

1-1131230-F0

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta





TUB registration: 20130201-QE72/QE72L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE72/QE72LE30FP.DAT in file (F), page 14/29

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB-test chart QE72; hue code: H_e=G00B_e colors and differences, ΔE*_{ab}*

input: rgb/cmyk -> rgbde output: 3D-linearization to rgb*de

Table with columns: nrf, HHC*File, rpb_Rate, icr_FRate, Hsa_FRate, rpb*FRate, LabCh*FRate, rpb*FRate, LabCh*FRate, DF*FRate, Hsa*FRate, rpb*FRate, LabCh*FRate, DP*FRate, Hsa*FRate, rpb*FRate, LabCh*FRate, and numerical values.

Mean color difference of this page: delta E*ab = 0.4

nif	HC*Fate	rgb*Rate	icr*Fate	hsa*Fate	rgb*Fate	LabCh*Fate	LabCh*Fate	rgb*Fate	DF*Fate	rgb*Fate	LabCh*Fate	LabCh*Fate
0/648	ROY_100_100de	1.0	0.0	0.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
1/668	R25Y_100_100de	1.0	0.25	0.0	1.0	0.5	0.102	0.0	0.102	0.0	51.3	74.4
2/684	ROY_100_100de	1.0	0.5	0.0	1.0	0.5	0.087	0.0	0.684	0.0	63.1	42.7
3/670	R75Y_100_100de	1.0	0.75	0.0	1.0	0.5	0.064	0.0	0.887	0.0	73.3	18.3
4/720	YOOG_100_100de	1.0	1.0	0.0	1.0	0.0	0.856	0.0	0.856	0.0	83.7	-3.4
5/558	Y25G_100_100de	0.75	1.0	0.0	1.0	0.5	0.906	1.0	0.906	1.0	91.0	-29.9
6/396	Y50G_100_100de	0.5	1.0	0.0	1.0	0.5	0.528	1.0	0.528	1.0	85.9	-63.0
7/234	Y75G_100_100de	0.25	1.0	0.0	1.0	0.5	0.436	1.0	0.436	1.0	84.1	-76.0
8/72	GOOB_100_100de	0.0	1.0	0.0	1.0	0.5	0.706	85.1	0.0	0.706	85.1	-64.6
9/72	GOOB_100_100de	0.0	1.0	0.5	1.0	0.5	0.706	85.1	0.0	0.706	85.1	-64.6
10/76	G25B_100_100de	0.0	1.0	0.5	1.0	0.5	0.951	86.5	0.0	0.951	86.5	-49.9
11/440	G50B_100_100de	0.0	1.0	0.5	1.0	0.5	0.89	1.0	0.89	1.0	79.0	-34.2
12/44	G75B_100_100de	0.0	1.0	0.5	1.0	0.5	0.763	1.0	0.763	1.0	70.0	-19.0
13/8	B00M_100_100de	0.5	1.0	0.5	2.0	0.0	0.609	1.0	0.609	1.0	59.2	0.0
14/332	B25R_100_100de	0.5	1.0	0.5	2.0	0.0	0.272	1.0	0.272	1.0	38.2	52.8
15/656	B50R_100_100de	1.0	1.0	0.5	3.0	1.0	0.0	0.991	57.1	94.1	94.1	94.1
16/652	B75R_100_100de	1.0	1.0	0.5	3.0	1.0	0.0	0.617	52.9	83.6	84.1	-76.0
17/648	ROY_100_100de	1.0	0.0	0.5	3.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7
18/688	ROY_100_100de	1.0	0.5	0.5	3.0	1.0	0.5	0.631	73.1	39.1	18.6	43.3
19/706	ROY_100_100de	1.0	0.75	0.5	3.0	1.0	0.743	0.5	77.9	16.5	33.4	37.6
20/724	YOOG_100_100de	0.75	1.0	0.5	3.0	1.0	0.928	0.5	89.5	-1.7	42.2	92.3
21/460	G00B_100_100de	0.5	1.0	0.5	2.0	0.0	0.35	0.0	0.35	0.0	31.5	58.8
22/460	G00B_100_100de	0.5	1.0	0.5	2.0	0.0	0.45	0.0	0.45	0.0	35.9	54.9
23/460	B00R_100_100de	0.5	1.0	0.5	2.0	0.0	0.804	1.0	0.804	1.0	77.1	-28.3
24/692	B50R_100_100de	1.0	1.0	0.5	3.0	1.0	0.5	0.995	76.3	47.0	-28.7	55.1
25/688	ROY_100_100de	1.0	0.5	0.5	3.0	1.0	0.5	0.631	73.1	39.1	18.6	43.3
26/688	ROY_100_100de	1.0	0.5	0.5	3.0	1.0	0.5	0.631	73.1	39.1	18.6	43.3
27/506	ROY_075_050de	0.75	0.25	0.5	0.5	0.5	0.25	0.381	49.3	39.1	18.6	43.3
28/524	ROY_075_050de	0.75	0.25	0.5	0.5	0.5	0.493	0.25	55.4	21.3	35.4	58.8
29/542	YOOG_075_050de	0.75	0.25	0.5	0.5	0.5	0.678	0.25	65.7	-1.7	42.2	92.3
30/380	YOOG_075_050de	0.5	0.75	0.5	0.5	1.0	0.514	0.75	66.8	-31.5	41.4	52.0
31/218	GOOB_075_050de	0.25	0.75	0.5	0.5	1.0	0.25	0.75	60.3	-32.3	10.3	33.9
32/222	G50B_075_050de	0.25	0.75	0.5	0.5	1.0	0.25	0.695	0.75	53.4	-17.1	-12.8
33/186	B00R_075_050de	0.25	0.75	0.5	0.5	2.0	0.25	0.554	0.75	53.4	0.8	-28.3
34/510	B50R_075_050de	0.75	0.25	0.5	0.5	3.0	0.75	0.25	0.745	52.4	47.0	-28.7
35/506	ROY_075_050de	0.75	0.25	0.5	0.5	3.0	0.75	0.25	0.381	49.3	39.1	18.6
36/324	ROY_050_050de	0.5	0.0	0.5	0.5	0.5	0.243	0.0	0.131	25.4	39.1	18.6
37/342	ROY_050_050de	0.5	0.25	0.5	0.5	0.5	0.428	0.0	0.131	25.4	39.1	18.6
38/360	YOOG_050_050de	0.25	0.5	0.5	0.5	1.0	0.264	0.0	0.428	0.0	41.8	-1.7
39/198	YOOG_050_050de	0.25	0.5	0.5	0.5	1.0	0.264	0.0	0.428	0.0	41.8	-1.7
40/36	GOOB_050_050de	0.0	0.5	0.5	0.5	1.0	0.0	0.5	0.353	42.5	-32.3	10.3
41/40	G50B_050_050de	0.0	0.5	0.5	0.5	1.0	0.0	0.445	0.5	39.5	-17.1	-12.8
42/4	B00R_050_050de	0.0	0.5	0.5	0.5	2.0	0.0	0.304	0.5	29.6	0.8	-28.3
43/328	B50R_050_050de	0.5	0.0	0.5	0.5	3.0	0.5	0.0	0.495	28.5	47.0	-28.7
44/324	ROY_050_050de	0.5	0.0	0.5	0.5	3.0	0.5	0.0	0.131	25.4	39.1	18.6
45/0	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_015de	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025de	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/274	NW_0375de	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_050de	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50/455	NW_0625de	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/546	NW_075de	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52/638	NW_0875de	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E* = 0.8

input: rgb/cmyk -> rgbde
 output: 3D-linearization to rgb*de

TUB-test chart QE72; hue code: H*e=G00Be
 colors and differences, ΔE*^{*}

TUB registration: 20130201-QE72/QE72LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmtrik/QE72/QE72LOFP.PDF /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmtrik

Table with columns: n, HHC*File, rpb*File, iet*File, hsa*File, rpb*File, LabCh*File, iet*File, hsa*File, rpb*File, LabCh*File, rpb*File, LabCh*File, DP*File, hsa*File, rpb*File, LabCh*File, iet*File, hsa*File, rpb*File, LabCh*File. Rows list various file names and their corresponding numerical values.

delta.F** = 0.6

Mean color difference of this page:

QE720-TN; Page 17/29-F

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, AE**

input: rgb*cmYk -> rgbde output: 3D-linearization to rgb*de










Table with columns: n, HHC*Fate, rpb*Fate, iet*Fate, hsa*Fate, rpb*Fate, LabCH*Fate, rpb*Fate, LabCH*Fate, DF*Fate, hsa*Fate, rpb*Fate, LabCH*Fate, rpb*Fate, LabCH*Fate, delta F** = 0.5. Rows 162-242.

TUB registration: 20130201-QE72/QE72LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



see similar files: http://130.149.60.45/~farbmtrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmtrik

Main data table with columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabCH*File, LabCH*File, rgb*File, DF*File, Hsa*File, rgb*File, LabCH*File, LabCH*File, delta E** = 0.5

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE**


input: rgb/cmYk -> rgbde output: 3D-linearization to rgb*de

Mean color difference of this page:

QE720-TN; Page 19/29-F

L-1131830-F0

L-1131830-F0



QE72L1S

TUB registration: 20130201-QE72/QE72LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta






Table with columns: n, HHC*F0e, rpb*F0e, iet*F0e, ihs*F0e, rpb*F0e, LabCh*F0e, LabCh*F0e, rpb*F0e, DF*F0e, rha*F0e, rpb*F0e, LabCh*F0e. Rows list various color patches from 324 to 404.

Mean color difference of this page: delta E** = 0.4



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



L-1131930-F0

QE720-TN; Page 20/29-F

TUB-test chart QE72; hue code: H*e=G00B_e colors and differences, ΔE**

input: rgb*cmYk -> rgb*de output: 3D-linearization to rpb*de

http://130.149.60.45/~farbmetrik/QE72/QE72LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE72/QE72LE30FP.DAT in file (F), page 20/29

Vertical text on the right edge: L-1131930-F0, QE720-TN; Page 20/29-F, TUB-test chart QE72; hue code: H*e=G00B_e colors and differences, ΔE**, input: rgb*cmYk -> rgb*de output: 3D-linearization to rpb*de, Mean color difference of this page: delta E** = 0.4

Table with 20 columns: n, HHC*F0, rpb*F0, iet*F0, hsa*F0, rpb*F0, LabCh*F0, LabCh*F0, rpb*F0, rpb*F0, LabCh*F0, LabCh*F0, rpb*F0, rpb*F0, LabCh*F0, LabCh*F0, rpb*F0, rpb*F0, LabCh*F0, LabCh*F0. Rows 405-485.

input: rgb/cmyk -> rgbde output: 3D-linearization to rpb*de Mean color difference of this page: delta E* = 0.4

Table with 18 columns: n, HHC*Fde, rpb*Fde, iet*Fde, hsa*Fde, rpb*Fde, LabCh*Fde, rpb*Fde, LabCh*Fde, rpb*Fde, LabCh*Fde, rpb*Fde, LabCh*Fde, rpb*Fde, LabCh*Fde, rpb*Fde, LabCh*Fde, rpb*Fde. Rows 567-647.

Mean color difference of this page:

delta E*ab = 0.3

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE*^a*

input: rgb/cmlyk -> rgbd output: 3D-linearization to rpb*de

TUB registration: 20130201-QE72/QE72L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta





Table with columns: n, HHC*F0e, rpb*F0e, iet*F0e, Hsa*F0e, rpb*F0e, LabCh*F0e, LabCh*F0e, rpb*F0e, DF*F0e, rpb*F0e, LabCh*F0e, LabCh*F0e, rpb*F0e. Rows list various color and grayscale patches.

Mean color difference of this page: delta E*98 = 2.5

see similar files: http://130.149.60.45/~farbmatrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik



TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE*^a input: rgb/cmkyk -> rgbd output: 3D-linearization to rpb*de



QE72.11S


TUB registration: 20130201-QE72/QE72L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



QE72.11S

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



QE72.11S

Table with 30 columns (n, H/C, Rgb, iZ, Hs, Rgb, LabCH, iZ, Hs, Rgb, LabCH, iZ, Hs, Rgb, LabCH, iZ, Hs, Rgb, LabCH, iZ, Hs, Rgb, LabCH, iZ, Hs, Rgb, LabCH, iZ, Hs, Rgb, LabCH) and 800 rows of numerical data.

Mean color difference of this page: delta E** = 0.7

input: rgb/cmlyk -> rgbd output: 3D-linearization to rgb*de

http://130.149.60.45/~farbmetrik/QE72/QE72L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE72/QE72LE30FP.DAT in file (F), page 25/29

QE720-7N; Page 25/29-F

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, AE**

L-1132430-F0

Table with 30 columns: n, HHC*Fate, rpb*Fate, icr*Fate, hsa*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, DP*Fate, hsa*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, LabCh*Fate, DP*Fate, hsa*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, LabCh*Fate, rpb*Fate, LabCh*Fate. Rows 810-890.

QE720-TN; Page 26/29-F

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE*

input: rgb/cmlyk -> rgbd output: 3D-linearization to rbg*de

Mean color difference of this page: delta E** = 0.6

TUB registration: 20130201-QE72/QE72LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, H/C*Fde, r/gb*Fde, i/cr*Fde, i/rs*Fde, r/gb*Fde, Lab/C*Fde, Lab/C*Fde, r/gb*Fde, Lab/C*Fde. Rows include various color and grayscale patches like 891, 892, 893, etc.

Mean color difference of this page: delta E*90 = 0.6

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart QE72; hue code: H*=eG00Be colors and differences, ΔE*90

input: rgb/cmlyk -> rgbd output: 3D-linearization to rgb*de

QE720-TN; Page 27/29-F

I-1132630-F0



I-1132630-F0

TUB registration: 20130201-QE72/QE72L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

n	HC*Fde	rgb*Fde	icT_Fde	hsa_Fde	rgb*Fde	LabCH*Fde	LabCH*Fde	hsa_Fde	rgb*Fde	LabCH*Fde	DF*Fde	rgb*Fde	LabCH*Fde	DF*Fde	rgb*Fde	LabCH*Fde	DF*Fde	rgb*Fde	LabCH*Fde	DF*Fde	rgb*Fde	LabCH*Fde
1053	NW_086de	0.866	0.866	0.866	0.866	0.866	82.6	0.866	0.866	82.6	0.2	0.866	0.866	0.2	0.866	0.866	0.2	0.866	0.866	0.2	0.866	0.866
1054	NW_093de	0.933	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.0	0.2	0.933	0.933	0.2	0.933	0.933	0.2	0.933	0.933	0.2	0.933	0.933
1055	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0
1056	NW_006de	0.066	0.066	0.066	0.066	0.066	6.2	0.066	0.066	6.2	0.0	0.066	0.066	0.0	0.066	0.066	0.0	0.066	0.066	0.0	0.066	0.066
1057	NW_013de	0.133	0.133	0.133	0.133	0.133	12.6	0.133	0.133	12.6	0.0	0.133	0.133	0.0	0.133	0.133	0.0	0.133	0.133	0.0	0.133	0.133
1058	NW_020de	0.2	0.2	0.2	0.2	0.2	19.0	0.2	0.2	19.0	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.2	0.2
1059	NW_026de	0.266	0.266	0.266	0.266	0.266	25.3	0.266	0.266	25.3	0.0	0.266	0.266	0.0	0.266	0.266	0.0	0.266	0.266	0.0	0.266	0.266
1060	NW_033de	0.333	0.333	0.333	0.333	0.333	31.7	0.333	0.333	31.7	0.0	0.333	0.333	0.0	0.333	0.333	0.0	0.333	0.333	0.0	0.333	0.333
1061	NW_040de	0.4	0.4	0.4	0.4	0.4	38.1	0.4	0.4	38.1	0.0	0.4	0.4	0.0	0.4	0.4	0.0	0.4	0.4	0.0	0.4	0.4
1062	NW_046de	0.466	0.466	0.466	0.466	0.466	44.4	0.466	0.466	44.4	0.0	0.466	0.466	0.0	0.466	0.466	0.0	0.466	0.466	0.0	0.466	0.466
1063	NW_053de	0.533	0.533	0.533	0.533	0.533	50.8	0.533	0.533	50.8	0.0	0.533	0.533	0.0	0.533	0.533	0.0	0.533	0.533	0.0	0.533	0.533
1064	NW_057de	0.566	0.566	0.566	0.566	0.566	55.2	0.566	0.566	55.2	0.0	0.566	0.566	0.0	0.566	0.566	0.0	0.566	0.566	0.0	0.566	0.566
1065	NW_066de	0.666	0.666	0.666	0.666	0.666	63.5	0.666	0.666	63.5	0.0	0.666	0.666	0.0	0.666	0.666	0.0	0.666	0.666	0.0	0.666	0.666
1066	NW_073de	0.734	0.734	0.734	0.734	0.734	70.0	0.734	0.734	70.0	0.0	0.734	0.734	0.0	0.734	0.734	0.0	0.734	0.734	0.0	0.734	0.734
1067	NW_080de	0.8	0.8	0.8	0.8	0.8	76.3	0.8	0.8	76.3	0.0	0.8	0.8	0.0	0.8	0.8	0.0	0.8	0.8	0.0	0.8	0.8
1068	NW_086de	0.866	0.866	0.866	0.866	0.866	82.6	0.866	0.866	82.6	0.0	0.866	0.866	0.0	0.866	0.866	0.0	0.866	0.866	0.0	0.866	0.866
1069	NW_093de	0.933	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.0	0.0	0.933	0.933	0.0	0.933	0.933	0.0	0.933	0.933	0.0	0.933	0.933
1070	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0
1071	NW_006de	0.066	0.066	0.066	0.066	0.066	6.2	0.066	0.066	6.2	0.0	0.066	0.066	0.0	0.066	0.066	0.0	0.066	0.066	0.0	0.066	0.066
1072	NW_013de	0.133	0.133	0.133	0.133	0.133	12.6	0.133	0.133	12.6	0.0	0.133	0.133	0.0	0.133	0.133	0.0	0.133	0.133	0.0	0.133	0.133
1073	NW_020de	0.2	0.2	0.2	0.2	0.2	19.0	0.2	0.2	19.0	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.2	0.2
1074	ROY_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0
1075	GS0B_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0
1076	Y06C_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0
1077	B06B_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0
1078	B08B_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0
1079	B50B_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	1.0

Mean color difference of this page: delta E** = 0.3



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart QE72; hue code: H*_e=G00B_e colors and differences, ΔE**_*

input: rgb/cmyk -> rgbde output: 3D-linearization to rgb*_de