

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = G00B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 55 -65 33 73 152

$HIC^*_{-,Ma}$: G00B_100_100_

$rgbic^*_{-,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE72/QE72.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS
 application for measurement of display output

TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G00B_e$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	50.9	78.3	37.3	86.7	25
$Y_{e, Ma}$	83.7	-3.4	84.5	84.5	92
$G_{e, Ma}$	85.1	-64.6	20.7	67.9	162
$C_{e, Ma}$	79.0	-34.2	-25.7	42.8	216
$B_{e, Ma}$	59.2	1.7	-56.6	56.6	271
$M_{e, Ma}$	57.1	94.1	-57.4	110.3	328
$N_{e, Ma}$	0.0	0.0	0.0	0.0	0
$W_{e, Ma}$	95.4	0.0	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e, CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e, CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (M_a):

$LabCh^*_{e, Ma}$: 85 -64 20 67 162

$HIC^*_{e, Ma}$: G00B_100_100_e



$rgbic^*_{e, Ma}$:

0.0 1.0 0.7 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_e}$	50.9	78.3	37.3	86.7	25
$R25Y_{100_100_e}$	51.3	74.4	64.8	98.7	41
$R50Y_{100_100_e}$	63.1	42.7	70.8	82.7	58
$R75Y_{100_100_e}$	73.5	18.3	77.7	79.8	76
$Y00G_{100_100_e}$	83.7	-3.4	84.5	84.5	92
$Y25G_{100_100_e}$	91.0	-29.9	88.9	93.8	108
$Y50G_{100_100_e}$	85.9	-63.0	82.8	104.1	127
$Y75G_{100_100_e}$	84.1	-76.0	51.4	91.8	145
$G00B_{100_100_e}$	85.1	-64.6	20.7	67.9	162
$G25B_{100_100_e}$	86.5	-49.9	-8.4	50.6	189
$G50B_{100_100_e}$	79.0	-34.2	-25.7	42.8	216
$G75B_{100_100_e}$	70.0	-19.0	-39.6	43.9	244
$B00R_{100_100_e}$	59.2	1.7	-56.6	56.6	271
$B25R_{100_100_e}$	38.2	52.7	-90.7	104.9	300
$B50R_{100_100_e}$	57.1	94.1	-57.4	110.3	328
$B75R_{100_100_e}$	52.9	83.6	-11.6	84.4	352



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

R_e red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

Y_s yellow standard CIELAB (a^*_s, b^*_s) chroma diagram

$LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

R_s red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

C_s blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

B_s blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_{dd}64M, LAB*_{ddx64M} (x=LabCh), r_{gb}*_{ddx361M}, LAB*_{ddx361M} (x=LabCh), r_{gb}*_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}*_{dex361M}, LAB*_{dex361M}. Rows contain numerical data for various colorimetric parameters.



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS
application for measurement of display output, no separation


TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, rgbb*dd64M, LAB*ddx64M (x=LabCh). Rows 40.0 to 400.0.

Table with columns: rgb*dex361M, LAB*dex361M. Rows 40.0 to 400.0.

Table with columns: rgbb^add, rgbb^ads, rgbb^ade. Rows 40.0 to 400.0.



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE72/QE72L0NA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh41a

1-013430-L0 QE720-71 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 5/29


TUB-test chart QE72; hue code: H*_e=G00B_e
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_e
output: transfer to rgb_e



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 48 rows and 25 columns. Columns include h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_ddx361Mi (x=LabCh), rgb*_ds361Mi, LAB*_dsx361Mi (x=LabCh), rgb*_dd361Mi, rgb*_de361Mi, LAB*_dex361Mi (x=LabCh), and rgb*_dd361Mi. The table contains numerical data for color calibration.



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


Table with 30 columns and 30 rows of colorimetric data. Columns include h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_d361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_ds361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_ds361Mi. Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_{dsx361Mi} (x=LabCh), r_{gb}*_ds361Mi, LAB*_{dsx361Mi} (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_{dex361Mi} (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 301-311.



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation

TUB material: code=rha4ta




see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}de361Mi, LAB^{*}de361Mi. Rows 311-341.





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	



see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /PS application for measurement of display output, no separation

TUB registration: 20130201-QE72/QE72L0NA.TXT /PS TUB material: code=rha4ta



TUB registration: 20130201-QE72/QE72LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta





nrf	HC*Fe	rgb_Fe	iel_Fe	hsa_Fe	rgb*Fe	LabCH*Fe	rgb**Fe	DF**Fe	hsa*Fe	rgb**Fe	LabCH*Fe	rgb**Fe	DF**Fe	hsa*Fe	rgb**Fe	LabCH*Fe	rgb**Fe	DF**Fe	hsa*Fe								
0/648	R0Y0	1.0	0.0	0.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	
57/728	NW_100e	1.0	0.0	0.0	0.0	0.0	0.125	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: $\Delta E^* = 26.3$

http://130.149.60.45/~farbmetrik/QE72/QE72LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/29

input: rgb/cmyk -> rgbe
output: transfer to rgbe

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20130201-QE72/QE72L0NA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: nif, HHC*Fe, rgb*Fe, iet*Fe, hsa*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, DF*Fe, hsa*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe. Rows include various color patches like 0/668 R00Y_100_100k, 1/668 R25Y_100_100k, etc.

Mean color difference of this page: delta E* = 21.3

input: rgb/cmyk -> rgb output: transfer to rgb

TUB registration: 20130201-QE72/QE72LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 80 columns (m=1 to 80) and 80 rows (n=1 to 80). Columns include: m=J, H/C*Fe, Rgb*Fe, i/cr*Fe, Hs*Fe, Rgb*Fe, LabC*Fe, LabCh*Fe, DF*Fe, Hs*Me, Rgb*Me, LabC*Me, LabCh*Me. Each cell contains numerical data representing color differences and linearization values.

Mean color difference of this page:

delta E* = 39.7

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE*'

input: rgb/cmlyk -> rgbe output: transfer to rgbe

TUB registration: 20130201-QE72/QE72LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 16 columns: n, HHC*Fe, rgB*Fe, iet*Fe, HsL*Fe, rgB*Fe, LabCh*Fe, iet*Fe, HsL*Fe, rgB*Fe, LabCh*Fe, rgB*Fe, iet*Fe, HsL*Fe, rgB*Fe, LabCh*Fe. Rows include color names like R00Y, B00Y, B25K, etc.

delta E* = 36.3

Mean color difference of this page:

TUB-test chart QE72; hue code: H*e=G00B'e colors and differences, ΔE*'

input: rgb/cmlyk -> rgbe output: transfer to rgbe

TUB registration: 20130201-QE72/QE72LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC*Fe, rpb*Fe, iet*Fe, HsL*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, DF*Fe, HsM*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe. Rows 162-242.

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72LONA.TXT /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, AE*'

TUB registration: 20130201-QE72/QE72LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





Table with 32 columns (n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe) and 32 rows of numerical data.

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, AE*'

Mean color difference of this page: delta E* = 24.5

TUB registration: 20130201-QE72/QE72LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 15 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, Hs*Fe. Rows 324-404.

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE*

QE720-TN; Page 20/29-F

I-0131930-F0

I-0131930-F0

Mean color difference of this page:

delta E* = 18.8

TUB registration: 20130201-QE72/QE72LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 15 columns: n, HHC*Fe, Rgb*Fe, iEt*Fe, HsL*Fe, Rgb*Fe, LabCh*Fe, LabCh*Fe, Rgb*Fe, DE*Fe, HsM*Fe, Rgb*Fe, LabCh*Fe, LabCh*Fe, Rgb*Fe. Rows 405-485.

see similar files: http://130.149.60.45/~farbmatrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE*

QE720-TN; Page 21/29-F

L-0132030-F0

L-0132030-F0

Mean color difference of this page: ΔE* = 14.9

TUB registration: 20130201-QE72/QE72LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE72/QE72LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/29

Table with 10 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. Rows include various color codes like ROXY, RXY, B6K, etc.

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72LONA.TXT / .PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

Mean color difference of this page: delta E* = 12.8

QE720-TN; Page 22/29-F

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, AE*'

L-0132130-F0

L-0132130-F0

TUB registration: 20130201-QE72/QE72LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HhC*Fc, rgb*Fc, icr*Fc, HsL*Fc, rgp*Fc, LabCm*Fc, LabCh*Fc, LabCh*Fc, DFE*Fc, HsM*Fc, rgb*Fc, LabCm*Fc, LabCh*Fc. This block contains the first 10 columns of the main data table.

Table with columns: DFE*Fc, HsM*Fc, rgb*Fc, LabCm*Fc, LabCh*Fc, DFE*Fc, HsM*Fc, rgb*Fc, LabCm*Fc, LabCh*Fc. This block contains the next 10 columns of the main data table.

Table with columns: DFE*Fc, HsM*Fc, rgb*Fc, LabCm*Fc, LabCh*Fc, DFE*Fc, HsM*Fc, rgb*Fc, LabCm*Fc, LabCh*Fc. This block contains the next 10 columns of the main data table.

Table with columns: DFE*Fc, HsM*Fc, rgb*Fc, LabCm*Fc, LabCh*Fc, DFE*Fc, HsM*Fc, rgb*Fc, LabCm*Fc, LabCh*Fc. This block contains the final 10 columns of the main data table.

Mean color difference of this page:

delta E** = 12.3

http://130.149.60.45/~farbmatrik/QE72/QE72LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

input: rgb/cmlyk -> rgbe output: transfer to rgbe

TUB registration: 20130201-QE72/QE72LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE72/QE72LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/29

Table with 45 columns (n, HHC*Fe, Rgb*Fe, etc.) and 728 rows of numerical data. Includes a 'Mean color difference of this page' column at the bottom right.

input: rgb/cmyk -> rgbe output: transfer to rgbe

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE72/QE72LONA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HiC*Fe, rpb*Fe, iet*Fe, ihs*Fe, rpb*Fe, LabC*Fe, LabC*Fe, rpb*Fe, LabC*Fe, DF*Fe, rpb*Fe, LabC*Fe, rpb*Fe, LabC*Fe. Rows 729-809. Includes 'Mean color difference of this page: delta E* = 11.2'.



see similar files: <http://130.149.60.45/~farbmetrik/QE72/QE72.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart QE72; hue code: H*e=G00Be
colors and differences, ΔE*

input: rgb/cmyk -> rgbe
output: transfer to rgbe

http://130.149.60.45/~farbmetrik/QE72/QE72LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/29

TUB registration: 20130201-QE72/QE72LONA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 30 columns (n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabC*Fe, LabC*Fe, rpb*Fe, Hs*Fe, iet*Fe, rpb*Fe, LabC*Fe, LabC*Fe, rpb*Fe, Hs*Fe, iet*Fe, rpb*Fe, LabC*Fe, LabC*Fe, rpb*Fe, Hs*Fe, iet*Fe, rpb*Fe, LabC*Fe, LabC*Fe, rpb*Fe, Hs*Fe, iet*Fe) and 30 rows of data.

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE72; hue code: H*e=G00Be colors and differences, ΔE*_a

QE720-TN; Page 26/29-F

L-0132530-F0

L-0132530-F0

delta E* = 27.1

Mean color difference of this page:

TUB registration: 20130201-QE72/QE72LONA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, HfC*Fe, Rgb*Fe, iCr*Fe, Hs*Fe, Rgb*Fe, LabC*Fe, LabCH*Fe, Rgb*Fe, LabCH*Fe, DF*Fe, Hs*Fe, Rgb*Fe, LabCH*Fe. Rows 891-971.

Mean color difference of this page: delta E* = 22.0

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72LONA.TXT /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE72; hue code: H*=G00Be colors and differences, ΔE*'

TUB registration: 20130201-QE72/QE72L0NA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 15 columns: n, HC*Fe, rpb*Fe, iet*Fe, ihs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DP*Fe, ihs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 972-1052.



Mean color difference of this page: delta E* = 1.6

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE72; hue code: H*_e=G00B_e colors and differences, AE*_*



QE720-TN; Page 28/29-F

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20130201-QE72/QE72L0NA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb**Fe	LabCH*Fe	LabCH**Fe	DF*Fe	hsaMe	rgb**Me	LabCH*Me	LabCH**Me	DF**Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1059	NW_026e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1074	ROY_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	G50B_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	0.889	1.0	79.0	78.3	25.4
1076	Y06C_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.889	1.0	79.0	78.3	25.4
1077	B06C_100_100e	0.0	0.0	1.0	1.0	1.0	1.0	1.0	0.889	1.0	79.0	78.3	25.4
1078	B06C_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.889	1.0	79.0	78.3	25.4
1079	B50B_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.889	1.0	79.0	78.3	25.4

Mean color difference of this page: delta E** = 9.3

http://130.149.60.45/~farbmetrik/QE72/QE72L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/29

input: rgb/cmyk -> rgbe output: transfer to rgbe

see similar files: http://130.149.60.45/~farbmetrik/QE72/QE72.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik