

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

$H^*_- = G00B_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = G00B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 55 -65 33 73 152

$HIC^*_{-,Ma}$: G00B_100_100_

$rgbic^*_{-,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-103030-L0 QE740-7N

TUB-test chart QE74; hue code: $H^*_- = G00B_-$

Test chart according to DIN 33872, 3D=1, de=0, cmk^*


input: $rgb/cmyk \rightarrow rgb/cmyk$
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 157/360 = 0.43$

$H^*_d = G00B_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = G00B_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0
Y _{d,Ma}	88.3	-11.9	95.1	95.8
G _{d,Ma}	51.9	-68.8	28.1	74.3
C _{d,Ma}	58.3	-29.2	-43.7	52.6
B _{d,Ma}	25.3	23.5	-47.3	52.8
M _{d,Ma}	48.2	72.8	-8.5	73.3
N _{d,Ma}	17.7	0.0	0.0	0.0
W _{d,Ma}	95.4	0.0	0.0	0.0
R _{d,CIE}	39.9	58.7	27.9	65.0
Y _{d,CIE}	81.2	-2.8	71.5	71.6
G _{d,CIE}	52.2	-42.4	13.6	44.5
B _{d,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 51 -68 28 74 157



$HIC^*_{d,Ma}$: G00B_100_100d

$rgbic^*_{d,Ma}$: 0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0
R25Y_100_100 _d	55.3	45.8	52.2	69.5
R50Y_100_100 _d	67.2	22.6	67.6	71.2
R75Y_100_100 _d	79.9	1.0	83.9	83.9
Y00G_100_100 _d	88.3	-11.9	95.1	95.8
Y25G_100_100 _d	83.3	-19.2	83.7	85.9
Y50G_100_100 _d	72.7	-31.3	66.0	73.1
Y75G_100_100 _d	60.4	-48.8	46.7	67.6
G00B_100_100 _d	51.9	-68.8	28.1	74.3
G25B_100_100 _d	54.8	-51.0	-12.3	52.5
G50B_100_100 _d	58.3	-29.2	-43.7	52.6
G75B_100_100 _d	42.7	-6.0	-45.0	45.4
B00R_100_100 _d	25.3	23.5	-47.3	52.8
B25R_100_100 _d	37.8	53.8	-26.3	59.9
B50R_100_100 _d	48.2	72.8	-8.5	73.3
B75R_100_100 _d	47.7	67.7	14.0	69.1



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

1-103130-L0 QE740-72


TUB-test chart QE74; hue code: $H^*_d=G00B_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103130-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE74/QE74L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)



TUB-test chart QE74; hue code: $H^*_d = G00B_d$
 Test chart according to DIN 33872, 3D=1, de=0, cmyk*



input: $rgb/cmyk \rightarrow rgb_{dd}$
 output: 3D-linearization to $cmyk^*_{dd}$





see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE74/QE74L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)




1-103330-L0 QE740-72

TUB-test chart QE74; hue code: $H^*_d=G00B_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*







input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103330-F0



TUB registration: 20130201-QE74/QE74L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103430-L0 QE740-72

TUB-test chart QE74; hue code: $H^*_d=G00B_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$


1-103430-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 157/360 = 0.43$

$H^*_d = G00B_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = G00B_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 51 -68 28 74 157

HIC^*_d, Ma : G00B_100_100d



$rgbic^*_d, Ma$: 0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta

1-103530-L0 QE740-72

TUB-test chart QE74; hue code: $H^*_d=G00B_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy⁶, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours *RYGCBM_d*: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours *RYGCBM_e*: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow

$LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green

$LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue

$LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red

$LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red

$LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue

$LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green

$LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green

$LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue

$LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red

$LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red

$LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

G_s green

$LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red

$LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red

$LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.


6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS
 application for measurement of offset print output, separation cmy⁶ (CMYK)
 TUB material: code=rha4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 10 columns of color data (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, ddx64M, LAB*, ddx361M, LAB*, dsx361M, r_{gb}^b, ddx361M, LAB*, dsx361M, r_{gb}^c, dsx361M, LAB*, dsx361M, r_{gb}^d, dsx361M, LAB*, dsx361M) and 10 rows of data.



TUB registration: 20130201-QE74/QE74L0FA.TXT / .PS application for measurement of offset print output, separation cmykn6* (CMYK) TUB material: code=rh4ta


TUB-test chart QE74; hue code: H*d=G00Bd 48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}dd output: 3D-linearization to cmyk*dd

see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT / .PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy⁶*, D65 for input or output; Six hue angles of the 60 degree standard colours RY⁶GCB⁶_M; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RY⁶GCB⁶_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RY⁶GCB⁶_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ⁶ *_dd361M	LAB ⁶ *_ddx361Mi (x=LabCh)	rgb ⁶ *_ds361Mi	LAB ⁶ *_dsx361Mi (x=LabCh)	rgb ⁶ *_dd361Mi	LAB ⁶ *_dex361Mi (x=LabCh)	rgb ⁶ *_dd361Mi	rgb ⁶ *_ds361Mi	rgb ⁶ *_ds361Mi	rgb ⁶ *_ds361Mi
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32	1.0 0.0 0.0	0.084 47.4 64.3 37.1 74.3 30	1.0 0.0 0.0	0.209 47.6 64.9 30.9 71.9 25	1.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33	1.0 0.0 0.054	47.4 64.2 38.6 74.9 31	1.0 0.0 0.18	47.6 64.8 32.4 72.5 26	1.0 0.0 0.017	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34	1.0 0.0 0.025	47.4 64.0 40.0 75.5 32	1.0 0.0 0.15	47.5 64.6 33.9 73.0 27	1.0 0.0 0.033	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35	1.0 0.003 0.0	47.5 63.7 41.3 75.9 33	1.0 0.0 0.119	47.5 64.4 35.5 73.6 28	1.0 0.0 0.05	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36	1.0 0.019 0.0	48.0 62.5 42.2 75.4 34	1.0 0.0 0.086	47.4 64.3 37.0 74.2 29	1.0 0.0 0.067	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37	1.0 0.036 0.0	48.5 61.4 43.0 74.9 35	1.0 0.0 0.053	47.4 64.2 38.6 74.9 31	1.0 0.0 0.083	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38	1.0 0.052 0.0	49.0 60.2 43.7 74.4 36	1.0 0.1 0.0	1.0 0.0 0.02	47.4 64.0 40.2 75.6 32	1.0 0.1 0.0	0.0 0.0 0.0	0.0 0.0 0.0
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39	1.0 0.069 0.0	49.5 59.0 44.5 73.9 37	1.0 0.117 0.0	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33	1.0 0.117 0.0	0.0 0.0 0.0	0.0 0.0 0.0
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41	1.0 0.085 0.0	50.0 57.8 45.2 73.4 38	1.0 0.133 0.0	1.0 0.026 0.0	48.2 62.1 42.5 75.2 34	1.0 0.133 0.0	0.0 0.0 0.0	0.0 0.0 0.0
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42	1.0 0.101 0.0	50.5 56.6 45.9 72.9 39	1.0 0.15 0.0	1.0 0.044 0.0	48.7 60.8 43.4 74.6 35	1.0 0.15 0.0	0.0 0.0 0.0	0.0 0.0 0.0
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43	1.0 0.118 0.0	51.0 55.4 46.5 72.4 40	1.0 0.167 0.0	1.0 0.062 0.0	49.3 59.5 44.2 74.1 36	1.0 0.167 0.0	0.0 0.0 0.0	0.0 0.0 0.0
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44	1.0 0.132 0.0	51.5 54.3 47.2 72.0 41	1.0 0.183 0.0	1.0 0.081 0.0	49.8 58.1 45.0 73.5 37	1.0 0.183 0.0	0.0 0.0 0.0	0.0 0.0 0.0
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46	1.0 0.145 0.0	52.0 53.2 47.9 71.7 42	1.0 0.2 0.0	1.0 0.099 0.0	50.4 56.8 45.8 72.9 38	1.0 0.2 0.0	0.0 0.0 0.0	0.0 0.0 0.0
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47	1.0 0.158 0.0	52.5 52.2 48.7 71.3 43	1.0 0.217 0.0	1.0 0.117 0.0	51.0 55.5 46.5 72.4 39	1.0 0.217 0.0	0.0 0.0 0.0	0.0 0.0 0.0
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48	1.0 0.172 0.0	53.0 51.1 49.3 71.0 44	1.0 0.233 0.0	1.0 0.133 0.0	51.5 54.2 47.3 71.9 41	1.0 0.233 0.0	0.0 0.0 0.0	0.0 0.0 0.0
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50	1.0 0.185 0.0	53.5 50.0 50.0 70.7 45	1.0 0.25 0.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42	1.0 0.25 0.0	0.0 0.0 0.0	0.0 0.0 0.0
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51	1.0 0.198 0.0	54.0 48.9 50.7 70.4 46	1.0 0.267 0.0	1.0 0.162 0.0	52.7 51.9 48.9 71.2 43	1.0 0.267 0.0	0.0 0.0 0.0	0.0 0.0 0.0
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52	1.0 0.211 0.0	54.5 47.8 51.3 70.1 47	1.0 0.283 0.0	1.0 0.177 0.0	53.2 50.6 49.6 70.9 44	1.0 0.283 0.0	0.0 0.0 0.0	0.0 0.0 0.0
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54	1.0 0.224 0.0	55.0 46.7 51.9 69.8 48	1.0 0.3 0.0	1.0 0.191 0.0	53.8 49.4 50.4 70.6 45	1.0 0.3 0.0	0.0 0.0 0.0	0.0 0.0 0.0
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55	1.0 0.237 0.0	55.5 45.6 52.4 69.5 49	1.0 0.317 0.0	1.0 0.206 0.0	54.3 48.2 51.1 70.2 46	1.0 0.317 0.0	0.0 0.0 0.0	0.0 0.0 0.0
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57	1.0 0.25 0.0	56.0 44.5 53.0 69.2 50	1.0 0.333 0.0	1.0 0.22 0.0	54.9 47.0 51.7 69.9 47	1.0 0.333 0.0	0.0 0.0 0.0	0.0 0.0 0.0
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58	1.0 0.261 0.0	56.5 43.5 53.7 69.2 51	1.0 0.35 0.0	1.0 0.235 0.0	55.5 45.7 52.4 69.5 48	1.0 0.35 0.0	0.0 0.0 0.0	0.0 0.0 0.0
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60	1.0 0.272 0.0	57.0 42.6 54.5 69.1 52	1.0 0.367 0.0	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49	1.0 0.367 0.0	0.0 0.0 0.0	0.0 0.0 0.0
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61	1.0 0.283 0.0	57.5 41.6 55.2 69.1 53	1.0 0.383 0.0	1.0 0.262 0.0	56.6 43.4 53.8 69.1 51	1.0 0.383 0.0	0.0 0.0 0.0	0.0 0.0 0.0
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63	1.0 0.295 0.0	58.0 40.6 55.9 69.1 54	1.0 0.4 0.0	1.0 0.275 0.0	57.1 42.4 54.6 69.1 52	1.0 0.4 0.0	0.0 0.0 0.0	0.0 0.0 0.0
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64	1.0 0.306 0.0	58.5 39.6 56.6 69.1 55	1.0 0.417 0.0	1.0 0.287 0.0	57.6 41.3 55.4 69.1 53	1.0 0.417 0.0	0.0 0.0 0.0	0.0 0.0 0.0
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65	1.0 0.317 0.0	58.9 38.6 57.2 69.0 56	1.0 0.433 0.0	1.0 0.3 0.0	58.2 40.2 56.2 69.1 54	1.0 0.433 0.0	0.0 0.0 0.0	0.0 0.0 0.0
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67	1.0 0.328 0.0	59.4 37.6 57.9 69.0 57	1.0 0.45 0.0	1.0 0.312 0.0	58.7 39.0 56.9 69.0 55	1.0 0.45 0.0	0.0 0.0 0.0	0.0 0.0 0.0
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68	1.0 0.34 0.0	59.9 36.6 58.5 69.0 58	1.0 0.467 0.0	1.0 0.325 0.0	59.3 37.9 57.7 69.0 56	1.0 0.467 0.0	0.0 0.0 0.0	0.0 0.0 0.0
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70	1.0 0.351 0.0	60.4 35.5 59.1 69.0 59	1.0 0.483 0.0	1.0 0.337 0.0	59.8 36.8 58.4 69.0 57	1.0 0.483 0.0	0.0 0.0 0.0	0.0 0.0 0.0
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71	1.0 0.362 0.0	60.9 34.5 59.7 68.9 60	1.0 0.5 0.0	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58	1.0 0.5 0.0	0.0 0.0 0.0	0.0 0.0 0.0
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72	1.0 0.373 0.0	61.4 33.4 60.3 68.9 61	1.0 0.517 0.0	1.0 0.362 0.0	60.9 34.5 59.7 68.9 60	1.0 0.517 0.0	0.0 0.0 0.0	0.0 0.0 0.0
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74	1.0 0.385 0.0	61.9 32.4 61.0 69.1 62	1.0 0.533 0.0	1.0 0.375 0.0	61.4 33.3 60.3 68.9 61	1.0 0.533 0.0	0.0 0.0 0.0	0.0 0.0 0.0
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75	1.0 0.397 0.0	62.5 31.5 61.8 69.3 63	1.0 0.55 0.0	1.0 0.388 0.0	62.0 32.2 61.2 69.1 62	1.0 0.55 0.0	0.0 0.0 0.0	0.0 0.0 0.0
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76	1.0 0.409 0.0	63.0 30.5 62.5 69.6 64	1.0 0.567 0.0	1.0 0.402 0.0	62.7 31.1 62.0 69.4 63	1.0 0.567 0.0	0.0 0.0 0.0	0.0 0.0 0.0
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78	1.0 0.421 0.0	63.6 29.5 63.2 69.8 65	1.0 0.583 0.0	1.0 0.415 0.0	63.3 30.0 62.9 69.7 64	1.0 0.583 0.0	0.0 0.0 0.0	0.0 0.0 0.0
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79	1.0 0.434 0.0	64.2 28.5 64.0 70.0 66	1.0 0.6 0.0	1.0 0.428 0.0	63.9 28.9 63.7 69.9 65	1.0 0.6 0.0	0.0 0.0 0.0	0.0 0.0 0.0
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81	1.0 0.446 0.0	64.7 27.4 64.7 70.3 67	1.0 0.617 0.0	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66	1.0 0.617 0.0	0.0 0.0 0.0	0.0 0.0 0.0
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82	1.0 0.458 0.0	65.3 26.4 65.4 70.5 68	1.0 0.633 0.0	1.0 0.455 0.0	65.2 26.6 65.2 70.4 67	1.0 0.633 0.0	0.0 0.0 0.0	0.0 0.0 0.0
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83	1.0 0.47 0.0	65.8 25.3 66.0 70.7 69	1.0 0.65 0.0	1.0 0.469 0.0	65.8 25.4 66.0 70.7 68	1.0 0.65 0.0	0.0 0.0 0.0	0.0 0.0 0.0
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84	1.0 0.482 0.0	66.4 24.3 66.7 70.9 70	1.0 0.667 0.0	1.0 0.482 0.0	66.4 24.2 66.7 71.0 70	1.0 0.667 0.0	0.0 0.0 0.0	0.0 0.0 0.0
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84	1.0 0.494 0.0	66.9 23.2 67.3 71.2 71	1.0 0.683 0.0	1.0 0.496 0.0	67.0 23.0 67.4 71.2 71	1.0 0.683 0.0	0.0 0.0 0.0	0.0 0.0 0.0
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85	1.0 0.506 0.0	67.5 22.1 68.1 71.6 72	1.0 0.7 0.0	1.0 0.509 0.0	67.7 21.9 68.3 71.7 72	1.0 0.7 0.0	0.0 0.0 0.0	0.0 0.0 0.0
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86	1.0 0.518 0.0	68.2 21.1 69.0 72.1 73	1.0 0.717 0.0	1.0 0.523 0.0	68.4 20.7 69.3 72.3 73	1.0 0.717 0.0	0.0 0.0 0.0	0.0 0.0 0.0
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87	1.0 0.531 0.0	68.8 20.0 69.9 72.7 74	1.0 0.733 0.0	1.0 0.537 0.0	69.1 19.5 70.3 73.0 74	1.0 0.733 0.0	0.0 0.0 0.0	0.0 0.0 0.0
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0 0.543 0.0	69.4 19.0 70.7 73.2 75	1.0 0.75 0.0	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75	1.0 0.75 0.0	0.0 0.0 0.0	0.0 0.0 0.0

see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0FA.TXT /.PS
application for measurement of offset print output, separation cmy⁶* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361M}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	Y_d	Y_s	Y_e
88	75	75	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88	1.0	0.75	0.0
89	76	76	1.0	0.766	0.0	79.9	1.0	83.9	83.9	89	1.0	0.767	0.0
89	77	77	1.0	0.783	0.0	80.6	0.0	84.8	84.8	89	1.0	0.783	0.0
90	78	78	1.0	0.8	0.0	81.2	-0.9	85.7	85.7	90	1.0	0.8	0.0
91	79	80	1.0	0.816	0.0	81.9	-1.9	86.5	86.5	91	1.0	0.817	0.0
91	80	81	1.0	0.833	0.0	82.6	-3.0	87.4	87.4	91	1.0	0.833	0.0
92	81	82	1.0	0.85	0.0	83.2	-4.0	88.2	88.3	92	1.0	0.85	0.0
93	82	83	1.0	0.866	0.0	83.9	-5.1	89.0	89.2	93	1.0	0.867	0.0
93	83	84	1.0	0.883	0.0	84.5	-6.1	89.8	90.0	93	1.0	0.883	0.0
94	84	85	1.0	0.9	0.0	85.1	-6.9	90.6	90.8	94	1.0	0.9	0.0
94	85	86	1.0	0.916	0.0	85.6	-7.7	91.3	91.7	94	1.0	0.917	0.0
95	86	87	1.0	0.933	0.0	86.1	-8.5	92.1	92.5	95	1.0	0.933	0.0
95	87	88	1.0	0.95	0.0	86.7	-9.3	92.9	93.3	95	1.0	0.95	0.0
96	88	90	1.0	0.966	0.0	87.2	-10.2	93.6	94.2	96	1.0	0.967	0.0
96	89	91	1.0	0.983	0.0	87.8	-11.1	94.3	95.0	96	1.0	0.983	0.0
97	90	92	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97	1.0	1.0	0.0
97	91	93	0.983	1.0	0.0	88.0	-12.5	94.2	95.1	97	1.0	0.871	0.0
98	92	94	0.966	1.0	0.0	87.7	-13.1	93.4	94.3	98	1.0	0.91	0.0
98	93	95	0.95	1.0	0.0	87.3	-13.7	92.5	93.5	98	1.0	0.951	0.0
98	94	96	0.933	1.0	0.0	87.0	-14.3	91.6	92.7	98	1.0	0.993	0.0
99	95	98	0.916	1.0	0.0	86.6	-14.8	90.8	92.0	99	1.0	1.0	0.0
99	96	99	0.9	1.0	0.0	86.3	-15.4	89.9	91.2	99	1.0	0.917	0.0
100	97	100	0.883	1.0	0.0	86.0	-15.9	89.0	90.4	100	1.0	0.871	0.0
100	98	101	0.866	1.0	0.0	85.6	-16.4	88.2	89.7	100	1.0	0.823	0.0
100	99	102	0.85	1.0	0.0	85.2	-16.9	87.4	89.1	100	1.0	0.774	0.0
101	100	103	0.833	1.0	0.0	84.8	-17.4	86.7	88.4	101	1.0	0.735	0.0
101	101	105	0.816	1.0	0.0	84.5	-17.9	86.0	87.8	101	1.0	0.706	0.0
102	102	106	0.8	1.0	0.0	84.1	-18.3	85.2	87.2	102	1.0	0.676	0.0
102	103	107	0.783	1.0	0.0	83.7	-18.8	84.5	86.5	102	1.0	0.647	0.0
102	104	108	0.766	1.0	0.0	83.3	-19.2	83.7	85.9	102	1.0	0.62	0.0
103	105	109	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103	1.0	0.599	0.0
104	106	110	0.733	1.0	0.0	82.2	-20.5	82.1	84.6	104	1.0	0.578	0.0
104	107	112	0.716	1.0	0.0	81.4	-21.3	81.2	84.0	104	1.0	0.558	0.0
105	108	113	0.7	1.0	0.0	80.6	-22.0	80.3	83.3	105	1.0	0.537	0.0
106	109	114	0.683	1.0	0.0	79.8	-22.8	79.5	82.7	106	1.0	0.517	0.0
106	110	115	0.666	1.0	0.0	79.0	-23.5	78.6	82.0	106	1.0	0.496	0.0
107	111	116	0.65	1.0	0.0	78.2	-24.2	77.7	81.4	107	1.0	0.475	0.0
107	112	117	0.633	1.0	0.0	77.4	-24.9	76.8	80.7	107	1.0	0.455	0.0
108	113	119	0.616	1.0	0.0	76.8	-25.7	75.6	79.9	108	1.0	0.434	0.0
109	114	120	0.6	1.0	0.0	76.2	-26.6	74.3	78.9	109	1.0	0.413	0.0
110	115	121	0.583	1.0	0.0	75.6	-27.5	72.9	78.0	110	1.0	0.393	0.0
111	116	122	0.566	1.0	0.0	75.0	-28.3	71.6	77.0	111	1.0	0.373	0.0
112	117	123	0.55	1.0	0.0	74.5	-29.1	70.2	76.0	112	1.0	0.362	0.0
113	118	124	0.533	1.0	0.0	73.9	-29.9	68.8	75.0	113	1.0	0.35	0.0
114	119	126	0.516	1.0	0.0	73.3	-30.6	67.4	74.1	114	1.0	0.338	0.0
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	1.0	0.327	0.0



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS
 application for measurement of offset print output, separation cmykn6* (CMYK)
 TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCMB_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGCMB_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dd361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{ds361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}																	
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G _d 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	G _s 0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	G _e 0.0	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15
166	160	171	0.0																													

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*, d_{s361M}, LAB*, d_{dx361Mi} (x=LabCh), C_d, r_{gb}*, d_{s361Mi}, LAB*, d_{dsx361Mi} (x=LabCh), 210C_s, r_{gb}*, d_{e361Mi}, LAB*, d_{dex361Mi} (x=LabCh), 216C_e, r_{gb}*, d_{d361Mi}, r_{gb}*, d_{d361Mi}, r_{gb}*, d_{s361Mi}, r_{gb}*, d_{e361Mi}. Rows 236-281.


see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 36 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_*_dd361M (x=LabCh), r_{gb}*_*_ds361Mi, LAB*_*_dsx361Mi (x=LabCh), r_{gb}*_*_dd361Mi, LAB*_*_de361Mi, dex361Mi (x=LabCh), r_{gb}*_*_dd361Mi, r_{gb}*_*_ds361Mi, r_{gb}*_*_ds361Mi, r_{gb}*_*_ds361Mi. Rows 333-360.



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0FA.TXT /PS application for measurement of offset print output, separation cmy6* (CMYK) TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_d, ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_s, dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, LAB*_e, dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd, r_{gb}*_ds, r_{gb}*_de. Rows 360-392.

see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT / .PS application for measurement of offset print output, separation cmykn6* (CMYK)

TUB registration: 20130201-QE74/QE74L0FA.TXT /.PS TUB material: code=rh4ta

ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep_Fid	cmyp*_sep_Fid	hsa_Mid	rgb*_Mid	LabC*_Mid	delta
0/648	R00Y_100_1000d	1.0	0.0	0.0	0.0	47.3	63.8	41.2	389	1.0	0.0	0.0
1/668	R25Y_100_1000d	0.0	1.0	0.5	0.0	55.3	48.7	0.0	42	1.0	0.233	0.0
2/684	R50Y_100_1000d	0.0	1.0	0.5	0.0	67.2	22.6	67.6	59	1.0	0.5	0.0
3/702	R75Y_100_1000d	0.0	1.0	0.5	0.0	83.9	83.9	0.0	77	1.0	0.766	0.0
4/720	Y00C_100_1000d	1.0	0.0	0.0	1.0	88.3	-11.9	95.1	89	1.0	0.0	0.0
5/558	Y25C_100_1000d	0.75	1.0	0.5	1.0	83.3	-19.2	83.7	102	0.766	1.0	0.0
6/396	Y50C_100_1000d	0.25	1.0	0.5	1.0	72.7	-31.3	66.0	119	0.5	1.0	0.0
7/234	Y75C_100_1000d	0.0	1.0	0.5	1.0	60.4	-48.8	46.7	137	0.233	1.0	0.0
8/72	G00B_100_1000d	0.0	1.0	0.5	1.0	51.9	-68.8	28.1	149	0.0	1.0	0.0
9/72	G25B_100_1000d	0.0	1.0	0.5	1.0	51.9	-68.8	28.1	149	0.0	1.0	0.0
10/76	G50B_100_1000d	0.0	1.0	0.5	1.0	54.8	-51.0	52.5	180	0.0	0.5	0.0
11/840	G75B_100_1000d	0.0	1.0	0.5	1.0	58.3	-29.2	43.7	240	0.0	1.0	0.0
12/44	G50B_100_1000d	0.0	1.0	0.5	1.0	42.7	-6.0	-45.0	210	0.0	0.5	0.0
13/8	B00M_100_1000d	0.0	1.0	0.5	2.0	23.5	-47.3	52.8	270	0.0	0.0	0.0
14/332	B25R_100_1000d	0.5	0.0	1.0	0.5	33.8	-26.3	59.9	300	0.5	0.0	0.0
15/652	B50R_100_1000d	0.0	1.0	0.5	1.0	52.8	-72.8	-8.5	330	1.0	0.0	0.0
16/652	B75R_100_1000d	1.0	0.0	0.5	1.0	47.7	67.7	14.0	389	1.0	0.0	0.0
17/648	R00Y_100_1000d	1.0	0.0	0.5	1.0	47.3	63.8	41.2	389	1.0	0.0	0.0
18/688	R00Y_100_0500d	1.0	0.5	0.5	0.5	71.4	31.9	20.6	389	1.0	0.0	0.0
19/608	R50Y_075_0500d	0.75	0.5	0.5	0.5	81.3	11.3	33.8	59	1.0	0.5	0.0
20/724	Y00C_100_0500d	1.0	1.0	0.5	0.5	91.9	-5.9	47.9	89	1.0	0.0	0.0
21/400	Y25C_100_0500d	0.75	1.0	0.5	0.5	84.1	-15.6	33.0	119	0.5	1.0	0.0
22/400	Y50C_100_0500d	0.5	1.0	0.5	0.5	75.0	-34.4	14.0	149	0.0	0.0	0.0
23/400	Y75C_100_0500d	0.25	1.0	0.5	0.5	70.6	-44.6	26.3	270	0.0	1.0	0.0
24/560	B00R_100_0500d	0.5	0.5	0.5	0.5	61.4	11.7	-23.6	270	0.5	0.0	0.0
25/692	B50R_100_0500d	1.0	0.5	0.5	0.5	71.8	36.4	-4.2	330	1.0	0.0	0.0
26/688	R00Y_100_0500d	1.0	0.5	0.5	0.5	71.4	31.9	20.6	389	1.0	0.0	0.0
27/506	R00Y_075_0500d	0.75	0.25	0.25	0.25	51.9	20.6	38.0	389	1.0	0.0	0.0
28/524	R50Y_075_0500d	0.75	0.5	0.5	0.5	61.9	11.3	33.8	59	1.0	0.5	0.0
29/544	Y00C_075_0500d	0.75	0.75	0.25	0.25	72.4	-5.9	47.9	89	1.0	0.0	0.0
30/380	Y50C_075_0500d	0.25	0.75	0.25	0.25	64.6	-15.6	33.0	149	0.5	1.0	0.0
31/218	G00B_075_0500d	0.25	0.75	0.25	0.25	57.4	-14.6	21.8	210	0.0	0.0	0.0
32/222	G50B_075_0500d	0.25	0.75	0.25	0.25	40.9	11.7	-23.6	270	0.0	1.0	0.0
33/186	B00R_075_0500d	0.25	0.25	0.75	0.25	52.4	36.4	-4.2	330	0.0	0.0	0.0
34/510	B50R_075_0500d	0.75	0.25	0.25	0.25	51.9	20.6	38.0	389	1.0	0.0	0.0
35/506	R00Y_075_0500d	0.75	0.25	0.25	0.25	51.9	20.6	38.0	389	1.0	0.0	0.0
36/324	R00Y_050_0500d	0.5	0.0	0.5	0.5	32.5	31.9	20.6	389	1.0	0.0	0.0
37/342	R50Y_050_0500d	0.5	0.5	0.25	0.25	42.4	11.3	33.8	59	1.0	0.5	0.0
38/360	Y00C_050_0500d	0.5	0.5	0.25	0.25	53.0	-5.9	47.9	89	1.0	0.0	0.0
39/198	Y50C_050_0500d	0.25	0.5	0.25	0.25	45.2	-15.6	33.0	119	0.5	1.0	0.0
40/36	G00B_050_0500d	0.0	0.5	0.25	0.25	34.8	-34.4	14.0	149	0.0	0.0	0.0
41/40	G50B_050_0500d	0.0	0.5	0.25	0.25	38.0	-14.6	21.8	210	0.0	1.0	0.0
42/4	B00R_050_0500d	0.0	0.5	0.25	0.25	21.5	11.7	-23.6	270	0.0	0.0	0.0
43/328	B50R_050_0500d	0.5	0.0	0.5	0.5	32.9	36.4	-4.2	330	0.0	0.0	0.0
44/324	R00Y_050_0500d	0.5	0.0	0.5	0.5	32.5	31.9	20.6	389	1.0	0.0	0.0
45/0	NW_0000d	0.0	0.0	0.0	0.0	17.7	0.0	0.0	360	1.0	1.0	0.0
46/91	NW_0150d	0.125	0.125	0.125	0.125	27.4	0.0	0.0	360	1.0	0.0	0.0
47/182	NW_0250d	0.25	0.25	0.25	0.25	37.1	0.0	0.0	360	1.0	0.0	0.0
48/273	NW_0350d	0.375	0.375	0.375	0.375	46.8	0.0	0.0	360	1.0	0.0	0.0
49/364	NW_0500d	0.5	0.5	0.5	0.5	56.5	0.0	0.0	360	1.0	0.0	0.0
50/455	NW_0650d	0.625	0.625	0.625	0.625	66.3	0.0	0.0	360	1.0	0.0	0.0
51/546	NW_0800d	0.75	0.75	0.75	0.75	76.9	0.0	0.0	360	1.0	0.0	0.0
52/637	NW_0850d	0.875	0.875	0.875	0.875	87.7	0.0	0.0	360	1.0	0.0	0.0
53/728	NW_1000d	1.0	1.0	1.0	1.0	95.4	0.0	0.0	360	1.0	0.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*dd

TUB-test chart QE74; hue code: H*_d=G00Bd
colors and differences, ΔE*_{ab}

Table with columns: #, H#*F, rgb*F, iet*F, Hs*F, Lab*F, Lab*F, cmyk*sep,F, Lab*F, Hs*F, rgb*F, Lab*F, Lab*F, delta. It contains color calibration data for 80 different color patches.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE*#

http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE74/QE74L30FA.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCm*Fid, cmyk*_sep,Fid, rpb*_Fid, hsa*_Fid, LabCm*_Fid, rpb*_Fid, hsa*_Fid, LabCm*_Fid, LabCm*_Fid, delta. Rows 81-161.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

QE740-7N; Page 21/33-F


TUB-test chart QE74; hue code: H*_d=G00Bd colors and differences, AE*_*

http://130.149.60.45/~farbmatrik/QE74/QE74LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE74/QE74LE30FA.DAT in file (F), page 22/33

Table with 15 columns: n, HHC*Foid, rgb*Foid, icr*Foid, hsa*Foid, rpb*Foid, LabCh*Foid, cmyk*sep:Foid, rpb*Foid, hsa*Foid, LabCh*Foid, rpb*Foid, hsa*Foid, LabCh*Foid, delta. Rows 162-242.

Mean color difference of this page: delta input: rgb/cmyk -> rbgdd output: 3D-linearization to cmyk*dd

see similar files: http://130.149.60.45/~farbmatrik/QE74/QE74.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik





http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE74/QE74L30FA.DAT in file (F), page 25/33

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hsa_Fid, rpb*Fid, LabCh*Fid, cmyk*_sep_Fid, Hsa*Fid, rpb*Fid, LabCh*Fid, delta. Rows include color names like R001, R002, etc.

Mean color difference of this page: 0.455

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd



TUB-test chart QE74; hue code: H*_d=G00Bd colors and differences, AE* *

Table with 25 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hsa_Fid, rpb*Fid, LabCh*Fid, 30.9, 57.0, 32.8, cmyk*_sep,Fid, rpb*_Fid, Hsa*_Fid, LabCh*_Fid, rpb*_Fid, LabCh*_Fid, delta. Rows include color names like R00Y, R35Y, B00C, etc.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE* *


I-1032530-F0

QE740-7N; Page 26/33-F

Mean color difference of this page:

QE7410L

QE7410L




http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE74/QE74L30FA.DAT in file (F), page 27/33

Table with 15 columns: n, H#C*F0d, rpb_F0d, icr_F0d, hsa_F0d, rpb_F0d, LabC0*F0d, LabC0*F0d, cmyk*_sep_F0d, rpb*_F0d, hsa*_F0d, LabC0*F0d, LabC0*F0d, delta. Rows 567-647.



input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE* *



http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE74/QE74L30FA.DAT in file (F), page 29/33

Table with columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, LabC*Fad, cmyk*sep,Fad, rpb*Fad, hsa*Fad, rpb*Fad, LabC*Fad, LabC*Fad, delta. It contains 809 rows of color calibration data.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

QE740-7N; Page 29/33-F

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE* *

I-1032830-F0

http://130.149.60.45/~farbmetrik/QE74/QE74L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE74/QE74L30FA.DAT in file (F), page 31/33

Table with 14 columns: n, H#C*Fad, rpb*Fad, icr*Fad, hsa*Fad, rpb*Fad, LabC*Fad, cmyk*sep,Fad, rpb*Fad, hsa*Fad, LabC*Fad, mean color difference of this page, delta. Rows 891-971.



input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

Mean color difference of this page: delta

QE740-7N; Page 31/33-F

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE* *

I-103303-F0



n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	hsa_Fid	cmyp*_sep_Fid	0.007	0.0	0.179	LabC*Fid	rgb*Fid	hsa_Fid	LabC*Fid	0.0	0.0
1053	NW_0860dd	0.866	0.866	0.866	0.866	0.866	0.866	0.024	0.007	0.0	0.179	95.4	1.0	360	95.4	0.0	0.0
1054	NW_0975dd	0.933	0.933	0.933	0.933	0.933	0.933	0.024	0.005	0.0	0.084	95.4	1.0	360	95.4	0.0	0.0
1055	NW_1000dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1056	NW_0060dd	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1057	NW_0065dd	0.066	0.066	0.066	0.066	0.066	0.066	0.139	0.022	0.0	0.933	95.4	1.0	360	95.4	0.0	0.0
1058	NW_0130dd	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.043	0.048	0.871	95.4	1.0	360	95.4	0.0	0.0
1059	NW_0260dd	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.057	0.0	0.825	95.4	1.0	360	95.4	0.0	0.0
1060	NW_0265dd	0.266	0.266	0.266	0.266	0.266	0.266	0.013	0.015	0.0	0.781	95.4	1.0	360	95.4	0.0	0.0
1061	NW_0330dd	0.333	0.333	0.333	0.333	0.333	0.333	0.0	0.016	0.005	0.731	95.4	1.0	360	95.4	0.0	0.0
1062	NW_0400dd	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.019	0.018	0.628	95.4	1.0	360	95.4	0.0	0.0
1063	NW_0460dd	0.466	0.466	0.466	0.466	0.466	0.466	0.021	0.007	0.0	0.541	95.4	1.0	360	95.4	0.0	0.0
1064	NW_0530dd	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.006	0.0	0.478	95.4	1.0	360	95.4	0.0	0.0
1065	NW_0600dd	0.6	0.6	0.6	0.6	0.6	0.6	0.006	0.005	0.0	0.405	95.4	1.0	360	95.4	0.0	0.0
1066	NW_0660dd	0.666	0.666	0.666	0.666	0.666	0.666	0.021	0.011	0.0	0.322	95.4	1.0	360	95.4	0.0	0.0
1067	NW_0730dd	0.734	0.734	0.734	0.734	0.734	0.734	0.0	0.007	0.005	0.26	95.4	1.0	360	95.4	0.0	0.0
1068	NW_0800dd	0.8	0.8	0.8	0.8	0.8	0.8	0.024	0.007	0.0	0.179	95.4	1.0	360	95.4	0.0	0.0
1069	NW_0860dd	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.024	0.0	0.084	95.4	1.0	360	95.4	0.0	0.0
1070	NW_0930dd	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.005	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1071	NW_1000dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1072	NW_0060dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1073	NW_0065dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1074	ROY_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	0.0	0.0
1075	GS0B_100_100dd	0.0	0.0	0.0	0.0	0.0	0.0	0.999	0.0	0.0	0.0	41.2	0.0	389	63.8	41.2	76.0
1076	Y06C_100_100dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	236.1	0.0	210	52.6	-29.2	-43.7
1077	B06M_100_100dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.1	0.0	89	95.8	-11.9	95.1
1078	B08R_100_100dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.3	0.0	270	25.3	23.3	23.3
1079	B50R_100_100dd	0.0	0.0	0.0	0.0	0.0	0.0	0.999	0.0	0.0	0.0	48.8	0.0	330	48.8	28.1	48.8
1079	B50R_100_100dd	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	48.2	0.0	330	48.2	-8.5	-8.5

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

TUB-test chart QE74; hue code: H*_d=G00Bd
colors and differences, ΔE**
I=103320-F0