


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

$H^*_- = G00B_-$

Data for any device (d) or elementary (e) colour:

$HIC^*_-$   
 hue text for the colours of this page:  
 $H^*_- = G00B_-$   
 triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 55 -65 33 73 152$



$HIC^*_{-,Ma}: G00B\_100\_100_-$

$rgbic^*_{-,Ma}: 0.0 1.0 0.0 1.0 1.0$

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE74/QE74L0NA.TXT /PS  
 application for measurement of offset print output


TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 157/360 = 0.43$

$H^*_d = G00B_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = G00B_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	47.3	63.8	41.2	76.0
Y <sub>d, Ma</sub>	88.3	-11.9	95.1	95.8
G <sub>d, Ma</sub>	51.9	-68.8	28.1	74.3
C <sub>d, Ma</sub>	58.3	-29.2	-43.7	52.6
B <sub>d, Ma</sub>	25.3	23.5	-47.3	52.8
M <sub>d, Ma</sub>	48.2	72.8	-8.5	73.3
N <sub>d, Ma</sub>	17.7	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.4	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$ : 51 -68 28 74 157



$HIC^*_{d, Ma}$ : G00B\_100\_100d

$rgbic^*_{d, Ma}$ :  
0.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$   
%Gamut  $u^*_{rel} = 92$   
%Regularity  $g^*_{H, rel} = 57$   
 $g^*_{C, rel} = 58$

ORS20a; adapted (a) CIELAB data


$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	47.3	63.8	41.2	76.0
R25Y_100_100d	55.3	45.8	52.2	69.5
R50Y_100_100d	67.2	22.6	67.6	71.2
R75Y_100_100d	79.9	1.0	83.9	83.9
Y00G_100_100d	88.3	-11.9	95.1	95.8
Y25G_100_100d	83.3	-19.2	83.7	85.9
Y50G_100_100d	72.7	-31.3	66.0	73.1
Y75G_100_100d	60.4	-48.8	46.7	67.6
G00B_100_100d	51.9	-68.8	28.1	74.3
G25B_100_100d	54.8	-51.0	-12.3	52.5
G50B_100_100d	58.3	-29.2	-43.7	52.6
G75B_100_100d	42.7	-6.0	-45.0	45.4
B00R_100_100d	25.3	23.5	-47.3	52.8
B25R_100_100d	37.8	53.8	-26.3	59.9
B50R_100_100d	48.2	72.8	-8.5	73.3
B75R_100_100d	47.7	67.7	14.0	69.1







see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE74/QE74L0NA.TXT /PS  
application for measurement of offset print output, separation cmykn6 (CMYK)  
TUB material: code=rh4ta





see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>






http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /.PS; transfer output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 4/33



see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




1-003330-L0 QE740-70





TUB-test chart QE74; hue code:  $H^*_d=G00B_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: *rgb/cmyk* -> *rgb<sub>d</sub>*  
output: transfer to *cmyk<sub>d</sub>*





see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 157/360 = 0.43$

$H^*_d = G00B_d$

Data for any device (d) or elementary (e) colour:

$HIC^*_d$   
hue text for the colours of this page:  
 $H^*_d = G00B_d$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	47.3	63.8	41.2	76.0	32
Y <sub>d, Ma</sub>	88.3	-11.9	95.1	95.8	97
G <sub>d, Ma</sub>	51.9	-68.8	28.1	74.3	157
C <sub>d, Ma</sub>	58.3	-29.2	-43.7	52.6	236
B <sub>d, Ma</sub>	25.3	23.5	-47.3	52.8	296
M <sub>d, Ma</sub>	48.2	72.8	-8.5	73.3	353
N <sub>d, Ma</sub>	17.7	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$ : 51 -68 28 74 157



$HIC^*_{d, Ma}$ : G00B\_100\_100d

$rgbic^*_{d, Ma}$ :  
0.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0	32
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5	48
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2	71
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9	89
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8	97
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9	102
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1	115
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6	136
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3	157
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5	193
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6	236
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4	262
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8	296
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9	333
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3	353
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1	11



%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H, rel} = 57$   
 $g^*_{C, rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE74/QE74L0NA.TXT /PS  
application for measurement of offset print output, separation cmyk6 (CMYK)  
TUB material: code=rh4ta





1-003530-L0 QE740-70

TUB-test chart QE74; hue code:  $H^*_d = G00B_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmyk_d$

1-003530-F0

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6\* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBM;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$







http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6\* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h\_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h\_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h_ab,d	h_ab,s	h_ab,e	rgb* <sub>dd64M</sub>	LAB* <sub>dx64M</sub> (x=LabCh)	rgb* <sub>dd64M</sub>	LAB* <sub>dx64M</sub>	rgb* <sub>dd64M</sub>	LAB* <sub>dx64M</sub>			
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	
100.3	97.5	101.0	1.0	0.875	1.0	85.8	-16.2	88.6	90.0	100.3	
103.3	105.0	109.7	1.0	0.75	1.0	82.9	-19.7	83.0	85.3	103.3	
108.3	112.5	118.5	1.0	0.625	1.0	77.0	-25.2	76.3	80.4	108.3	
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	
356.5	337.5	335.7	1.0	0.0	1.0	48.7	48.2	71.6	-4.3	71.7	356.5
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	

I-003830-L0 QE740-70 LAB\*lab0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB\*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0 Output: Offset standard print; separation cmyk6\* D65, page 9/33

TUB-test chart QE74; hue code: H\*\_d=G00Bd 48 step hue circles; rgb-LabCh\*tables input: rgb/cmyk -> rgbd output: transfer to cmykd



http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6\*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 12 columns: h\_ab,d, h\_ab,s, h\_ab,e, h\_ab,rgb, h\_ab,ds, h\_ab,de, LAB\*\_ds361MI, LAB\*\_dss361MI (x=LabCh), LAB\*\_dds361MI, LAB\*\_des361MI, LAB\*\_dex361MI (x=LabCh), LAB\*\_des361MI, LAB\*\_des361MI, LAB\*\_des361MI, LAB\*\_des361MI, LAB\*\_des361MI, LAB\*\_des361MI. Rows 88-127.

LAB\*lab0, YN=0%, XY,Znw=2.4,2.5,2.6,85.1,88.8,104.3, LAB\*rw=17.7,0.0,0.0,95.5,0.0,0.0

TUB-test chart QE74; hue code: H\*\_d=G00Bd 48 step hue circles; rgb-LabCh\*tables input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6\*: D65, page 1/33





http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6\*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h\_ab,d, h\_ab,s, h\_ab,e, h\_ab,rgb, h\_ab,rgb, h\_ab,rgb, h\_ab,rgb, h\_ab,rgb, h\_ab,rgb. Rows 206-281.

Six hue angles of the device colours RYGBM; h\_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h\_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

TUB-test chart QE74; hue code: H\*\_d=G00Bd 48 step hue circles; rgb-LabCh\*tables input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6\*: D65, page 14/33







http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 11 columns: h\_ab,d, h\_ab,s, h\_ab,e, rgb\*\_dd361M, LAB\*\_dcs361MI, LAB\*\_dcs361MI, LAB\*\_dcs361MI, LAB\*\_dcs361MI, LAB\*\_dcs361MI, LAB\*\_dcs361MI, LAB\*\_dcs361MI. Rows 360-392.

Six hue angles of the device colours RYGBM; h\_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h\_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

TUB-test chart QE74; hue code: H\*\_d=G00Bd 48 step hue circles; rgb-LabCh\*tables. Input: rgb/cmyk -> rgbd output: transfer to cmykd. Includes registration marks and color bars.



Table with columns: nrf, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, DE\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd. Rows include color names like R000, R001, Y000, Y001, etc.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H\*\_d=G00Bd colors and differences, ΔE\*\_\*

I-0031830-F0

QE740-7N; Page 19/33-F

Mean color difference of this page: delta E\*\_\* = 3.8





Table with 16 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, LabCH\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, LabCH\*Fd. Rows 81-161.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H\*d=G00Bd colors and differences, AE\*

QE7400L

QE7400L



http://130.149.60.45/~farbmetrik/QE74/QE74LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33



Table with columns: n, HHC\*Fd, Rgb\*Fd, Icr\*Fd, Hsa\*Fd, Rgb\*Fd, LabCh\*Fd, LabCh\*Fd, DE\*Fd, Hsa\*Fd, Rgb\*Fd, LabCh\*Fd. It contains a large grid of numerical data for color calibration.

Mean color difference of this page: delta E\* = 4.8 input: rgb/cmyk -> rgbd output: transfer to cmykd



QE7400L

QE7400L



http://130.149.60.45/~farbmetrik/QE74/QE74LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC\*Fd, Rgb\*Fd, iet\*Fd, Hs\*Fd, Rgb\*Fd, LabCH\*Fd, LabCH\*Fd, Rgb\*Fd, Rgb\*Fd, LabCH\*Fd, DE\*Fd, Hs\*Fd, LabCH\*Fd, LabCH\*Fd. It contains a large grid of numerical data for color calibration.




input: rgb/cmyk -> rgbd output: transfer to cmykd Mean color difference of this page: delta E\* = 5.3





QE7400L

QE7400L



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/QE74/QE74LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC\*Fd, Rgb\*Fd, iet\*Fd, Hsa\*Fd, Rgb\*Fd, LabCh\*Fd, LabCh\*Fd, Rgb\*Fd, DE\*Fd, Hsa\*Fd, LabCh\*Fd, LabCh\*Fd, Rgb\*Fd, delta E\* = 4.6. Rows list color patches and their corresponding colorimetric values.

input: rgb/cmyk -> rgbd output: transfer to cmykd Mean color difference of this page: delta E\* = 4.6

I-0032530-F0

I-0032530-F0

Table with 15 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, DE\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd. Rows 567-647.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H\*d=G00Bd colors and differences, AE\*<sup>2</sup>

Mean color difference of this page: delta E\* = 4.8

Table with 10 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, LabCH\*Fd, rpb\*Fd, LabCH\*Fd, DE\*Fd, Hsa\*Fd, rpb\*Fd, LabCH\*Fd. Rows include color names like R001, R002, etc., and numerical values.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H\*d=G00Bd colors and differences, ΔE\*

Mean color difference of this page: delta E\* = 3.9



http://130.149.60.45/~farbmetrik/QE74/QE74LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 10 columns: n, H#C\*Fd, r\*gb, i\*ct, i\*st, i\*sd, i\*sd, i\*sd, i\*sd, i\*sd. Rows 810-890. Includes color names like NV, BOOR, YOCG, etc.

Mean color difference of this page: delta E\*90 = 5.5 input: rgb/cmyk -> rgbd output: transfer to cmykd







http://130.149.60.45/~farbmetrik/QE74/QE74L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fd	rgb*Fd	ict*Fd	hsa*Fd	rgb*Fd	LabCh*Fd	hsa*Fd	LabCh*Fd	rgb*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCh*Fd
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	89.4	-0.1	0.0	0.0	0.0	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	92.2	0.0	0.0	0.0	0.0	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1056	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	17.7	0.0	0.0	0.0	0.0	0.0
1057	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	18.7	0.0	0.0	0.0	0.0	0.0
1058	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	22.3	-0.1	0.0	0.0	0.0	0.0
1059	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	28.0	-0.1	0.0	0.0	0.0	0.0
1060	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	30.4	-0.2	0.0	0.0	0.0	0.0
1061	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	38.9	-0.4	-0.8	0.0	0.0	0.0
1062	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	48.8	-0.4	-0.7	0.0	0.0	0.0
1063	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	51.9	-0.4	-0.6	0.0	0.0	0.0
1064	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	57.3	-0.4	-0.6	0.0	0.0	0.0
1065	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	61.7	-0.3	-0.4	0.0	0.0	0.0
1066	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	72.1	-0.3	-0.4	0.0	0.0	0.0
1067	NW_079d	0.79	0.79	0.79	0.79	0.79	0.79	80.9	-0.2	-0.2	0.0	0.0	0.0
1068	NW_086d	0.8	0.8	0.8	0.8	0.8	0.8	84.8	-0.2	-0.1	0.0	0.0	0.0
1069	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	88.3	-0.1	0.0	0.0	0.0	0.0
1070	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	92.2	0.0	0.0	0.0	0.0	0.0
1071	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
1072	NW_006d	0.0	0.0	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0	0.0
1073	NW_010d	0.1	0.1	0.1	0.1	0.1	0.1	20.0	0.1	0.5	0.5	78.4	2.3
1074	ROY_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0
1075	G50B_100_100d	0.0	1.0	1.0	0.0	0.0	0.0	47.3	66.8	40.9	78.4	31.4	3.9
1076	Y06C_100_100d	1.0	1.0	0.0	0.0	0.0	0.0	58.3	-29.2	-45.7	58.6	237.9	2.9
1077	B06C_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	87.3	-11.0	95.6	96.5	1.3	89
1078	B08C_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	87.3	-11.0	95.6	96.2	29.0	3.4
1079	B50B_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	48.8	25.0	47.3	27.0	0.0	0.0
1079	B50B_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	48.2	75.3	357.2	4.7	5.9	74.3
1079	B50B_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	48.2	-8.5	75.3	355.3	-3.2	75.3

Mean color difference of this page: delta E\* = 4.2

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H\*\_d=G00Bd colors and differences, ΔE\*<sub>d</sub>