

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

$H^*_ = G00B_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = G00B_ -$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 55 -65 33 73 152

$HIC^*_{-,Ma}$: G00B_100_100_



$rgbic^*_{-,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data					
$H^*_ -$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE74/QE74L0NP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 157/360 = 0.43$

$H^*_d = G00B_d$

Data for any device (d) or elementary (e) colour:
 HIC^*_d

hue text for the colours of this page:
 $H^*_d = G00B_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$: 51 -68 28 74 157

$HIC^*_{d, Ma}$: G00B_100_100d

$rgbic^*_{d, Ma}$:



0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE74/QE74L0NP.PDF /.PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta

1-003130-L0 QE740-70




TUB-test chart QE74; hue code: $H^*_d = G00B_d$
Test chart according to DIN 33872, 3D=0, de=0, cmyk






input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$


1-003130-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>







http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/33






see similar files: <http://130.149.60.45/~farbmetrik/QE74/QE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-003430-L0 QE740-70

TUB-test chart QE74; hue code: $H^*_d=G00B_d$
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 157/360 = 0.43$

$H^*_d = G00B_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = G00B_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 51 -68 28 74 157



HIC^*_d, Ma : G00B_100_100_d

$rgbic^*_d, Ma$:
0.0 1.0 0.0 1.0 1.0

triangle lightness T^*



ORS20a; adapted (a) CIELAB data



H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




TUB registration: 20130201-QE74/QE74L0NP.PDF /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)
TUB material: code=rh4ta





http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Notes to the CIE LAB chroma diagrams (a*, b*), (a*, b*), (a*, b*)
1. For the rgb% input values the CIE LAB data LCH% and LAB% have been calculated.
2. For the calculation of the standard hue angle h_max use for any device values rgb% the equation: h_max = atan [r% cos(30) + g% sin(30)] / [r% sin(30) + g% cos(30)]
3. For the 48 or 360 equally spaced standard hue angles h_max of the colours of maximum chroma use the seven hue angles of the 60 degree colours s: h_max = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6) and the equations for a 48 and 360 step elementary hue circle:
4. For the 48 or 360 elementary hue angles h_max of the colours of maximum chroma use the seven hue angles of the elementary colours e: h_max = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6) and the equations for a 48 and 360 step elementary hue circle:
5. For any elementary hue angle h_max there is a well defined device hue angle h_max see the following tables, columns 1 to 4.
6. The values rgb% produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h_ab,d	h_ab,s	h_ab,e	h_ab,e	h_ab,d	h_ab,s	h_ab,e	h_ab,e	R_d	rgb*_ds361MI	LAB*_dss361MI (x=LabCh)	rgb*_dd361MI	LAB*_dex361MI (x=LabCh)	rgb*_dd361MI	LAB*_dex361MI (x=LabCh)	rgb*_ds361MI	LAB*_dss361MI (x=LabCh)	rgb*_dd361MI	LAB*_dex361MI (x=LabCh)	rgb*_ds361MI	LAB*_dss361MI (x=LabCh)	rgb*_dd361MI	LAB*_dex361MI (x=LabCh)	rgb*_ds361MI	LAB*_dss361MI (x=LabCh)	rgb*_dd361MI	LAB*_dex361MI (x=LabCh)									
32	30	25	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32	1.0	0.0	0.084	47.4	64.3	37.1	74.3	30	1.0	0.0	0.0	0.0	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25	R_c	1.0	0.0	0.0	0.0
33	31	26	1.0	0.016	0.0	47.8	62.7	42.0	75.4	33	1.0	0.0	0.054	47.4	64.2	38.6	74.9	31	1.0	0.017	0.0	0.0	1.0	0.0	0.18	47.6	64.8	32.4	72.5	26	1.0	0.017	0.0	0.0	
34	32	27	1.0	0.033	0.0	48.3	61.5	42.8	74.9	34	1.0	0.0	0.025	47.4	64.0	40.0	75.5	32	1.0	0.033	0.0	0.0	1.0	0.0	0.15	47.5	64.6	33.9	73.0	27	1.0	0.033	0.0	0.0	
35	33	28	1.0	0.005	0.0	48.9	60.3	43.6	74.4	35	1.0	0.003	0.0	47.5	63.7	41.3	75.9	33	1.0	0.005	0.0	0.0	1.0	0.0	0.119	47.5	64.4	35.5	73.6	28	1.0	0.005	0.0	0.0	
36	34	29	1.0	0.006	0.0	49.4	59.1	44.3	73.9	36	1.0	0.019	0.0	48.0	62.5	42.2	74.9	34	1.0	0.007	0.0	0.0	1.0	0.0	0.086	47.4	64.3	37.0	74.2	29	1.0	0.007	0.0	0.0	
37	35	31	1.0	0.083	0.0	49.9	57.9	45.1	73.4	37	1.0	0.036	0.0	48.5	61.4	43.0	74.9	35	1.0	0.083	0.0	0.0	1.0	0.0	0.053	47.4	64.2	38.6	74.9	31	1.0	0.083	0.0	0.0	
38	36	32	1.0	0.1	0.0	50.4	56.7	45.7	72.9	38	1.0	0.052	0.0	49.0	60.2	43.7	74.4	36	1.0	0.1	0.0	0.0	1.0	0.0	0.02	47.4	64.0	40.2	75.6	32	1.0	0.1	0.0	0.0	
39	37	33	1.0	0.116	0.0	50.9	55.5	46.4	72.3	39	1.0	0.069	0.0	49.5	59.0	44.5	73.9	37	1.0	0.117	0.0	0.0	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33	1.0	0.117	0.0	0.0	
41	38	34	1.0	0.133	0.0	51.5	54.2	47.2	71.9	41	1.0	0.085	0.0	50.0	57.8	45.2	73.4	38	1.0	0.133	0.0	0.0	1.0	0.026	0.0	48.2	62.1	42.5	75.2	34	1.0	0.133	0.0	0.0	
42	39	35	1.0	0.15	0.0	52.1	52.8	48.1	71.5	42	1.0	0.101	0.0	50.5	56.6	45.9	72.9	39	1.0	0.15	0.0	0.0	1.0	0.044	0.0	48.7	60.8	43.4	74.6	35	1.0	0.15	0.0	0.0	
43	40	36	1.0	0.166	0.0	52.8	51.4	49.0	71.1	43	1.0	0.118	0.0	51.0	55.4	46.5	72.4	40	1.0	0.167	0.0	0.0	1.0	0.062	0.0	49.3	59.5	44.2	74.1	36	1.0	0.167	0.0	0.0	
44	41	37	1.0	0.183	0.0	53.4	50.1	49.9	70.7	44	1.0	0.132	0.0	51.5	54.3	47.2	72.0	41	1.0	0.183	0.0	0.0	1.0	0.081	0.0	49.8	58.1	45.0	73.5	37	1.0	0.183	0.0	0.0	
46	42	38	1.0	0.2	0.0	54.1	48.7	50.7	70.3	46	1.0	0.145	0.0	52.0	53.2	47.9	71.7	42	1.0	0.2	0.0	0.0	1.0	0.099	0.0	50.4	56.8	45.8	72.9	38	1.0	0.2	0.0	0.0	
47	43	39	1.0	0.216	0.0	54.7	47.3	51.5	69.9	47	1.0	0.158	0.0	52.5	52.2	48.7	71.3	43	1.0	0.217	0.0	0.0	1.0	0.117	0.0	51.0	55.5	46.5	72.4	39	1.0	0.217	0.0	0.0	
48	44	41	1.0	0.233	0.0	55.3	45.8	52.2	69.5	48	1.0	0.172	0.0	53.0	51.1	49.3	71.0	44	1.0	0.233	0.0	0.0	1.0	0.133	0.0	51.5	54.2	47.3	71.9	41	1.0	0.233	0.0	0.0	
50	45	42	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50	1.0	0.185	0.0	53.5	50.0	50.7	70.7	45	1.0	0.25	0.0	0.0	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42	1.0	0.25	0.0	0.0	
51	46	43	1.0	0.266	0.0	56.7	43.0	54.1	69.1	51	1.0	0.198	0.0	54.0	48.9	50.7	70.4	46	1.0	0.267	0.0	0.0	1.0	0.162	0.0	52.7	51.9	48.9	71.2	43	1.0	0.267	0.0	0.0	
52	47	44	1.0	0.283	0.0	57.4	41.5	55.1	69.1	52	1.0	0.211	0.0	54.5	47.8	51.3	70.1	47	1.0	0.283	0.0	0.0	1.0	0.177	0.0	53.2	50.6	49.6	70.9	44	1.0	0.283	0.0	0.0	
54	48	45	1.0	0.3	0.0	58.2	40.1	56.2	69.0	54	1.0	0.224	0.0	55.0	46.7	51.9	69.8	48	1.0	0.3	0.0	0.0	1.0	0.191	0.0	53.8	49.4	50.4	70.6	45	1.0	0.3	0.0	0.0	
55	49	46	1.0	0.316	0.0	58.9	38.6	57.1	69.0	55	1.0	0.237	0.0	55.5	45.6	52.4	69.5	49	1.0	0.317	0.0	0.0	1.0	0.206	0.0	54.3	48.2	51.1	70.2	46	1.0	0.317	0.0	0.0	
57	50	47	1.0	0.333	0.0	59.6	37.1	58.1	68.9	57	1.0	0.25	0.0	56.0	44.5	53.0	69.2	50	1.0	0.333	0.0	0.0	1.0	0.22	0.0	54.9	47.0	51.7	69.9	47	1.0	0.333	0.0	0.0	
58	51	48	1.0	0.35	0.0	60.3	35.5	59.0	68.9	58	1.0	0.261	0.0	56.5	43.5	53.7	69.2	51	1.0	0.35	0.0	0.0	1.0	0.235	0.0	55.5	47.5	52.4	69.5	48	1.0	0.35	0.0	0.0	
60	52	49	1.0	0.366	0.0	61.0	34.0	59.9	68.9	60	1.0	0.272	0.0	57.0	42.6	54.5	69.1	52	1.0	0.367	0.0	0.0	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49	1.0	0.367	0.0	0.0	
61	53	51	1.0	0.383	0.0	61.8	32.5	60.8	69.0	61	1.0	0.283	0.0	57.5	41.6	55.2	69.1	53	1.0	0.383	0.0	0.0	1.0	0.262	0.0	56.6	43.4	53.8	69.1	51	1.0	0.383	0.0	0.0	
63	54	52	1.0	0.4	0.0	62.5	31.2	61.9	69.3	63	1.0	0.295	0.0	58.0	40.6	55.9	69.1	54	1.0	0.4	0.0	0.0	1.0	0.275	0.0	57.1	42.4	54.6	69.1	52	1.0	0.4	0.0	0.0	
64	55	53	1.0	0.416	0.0	63.3	29.8	62.9	69.6	64	1.0	0.306	0.0	58.5	39.6	56.6	69.1	55	1.0	0.417	0.0	0.0	1.0	0.287	0.0	57.6	41.3	55.4	69.1	53	1.0	0.417	0.0	0.0	
65	56	54	1.0	0.433	0.0	64.1	28.4	63.9	70.0	65	1.0	0.317	0.0	58.9	38.6	57.2	69.0	56	1.0	0.433	0.0	0.0	1.0	0.3	0.0	58.2	40.2	56.2	69.1	54	1.0	0.433	0.0	0.0	
67	57	55	1.0	0.45	0.0	64.9	27.0	64.9	70.3	67	1.0	0.328	0.0	59.4	37.6	57.9	69.0	57	1.0	0.45	0.0	0.0	1.0	0.312	0.0	58.7	39.0	56.9	69.0	55	1.0	0.45	0.0	0.0	
68	58	56	1.0	0.466	0.0	65.6	25.6	65.8	70.6	68	1.0	0.34	0.0	59.9	36.6	58.5	69.0	58	1.0	0.467	0.0	0.0	1.0	0.325	0.0	59.3	37.9	57.7	69.0	56	1.0	0.467	0.0	0.0	
70	59	57	1.0	0.483	0.0	66.4	24.1	66.7	70.9	70	1.0	0.351	0.0	60.4	35.5	59.1	69.0	59	1.0	0.483	0.0	0.0	1.0	0.337	0.0	59.8	36.8	58.4	69.0	57	1.0	0.483	0.0	0.0	
72	61	60	1.0	0.5	0.0	67.2	22.6	67.6	71.2	72	1.0	0.362	0.0	60.9	34.5	59.7	68.9	60	1.0	0.5	0.0	0.0	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58	1.0	0.5	0.0	0.0	
71	60	59	1.0	0.516	0.0	68.0	21.2	68.8	72.0	71	1.0	0.373	0.0	61.4	33.4	60.3	68.9	61	1.0	0.517	0.0	0.0	1.0	0.362	0.0	60.9	34.5	59.7	68.9	60	1.0	0.517	0.0	0.0	
74	62	61	1.0	0.533	0.0	68.9	19.7	70.0	72.8	74	1.0	0.385	0.0	61.9	32.4	61.0	69.1	62	1.0	0.533	0.0	0.0	1.0	0.375	0.0	61.4	33.3	60.3	68.9	61	1.0	0.533	0.0	0.0	
75	63	62	1.0	0.55	0.0	69.7	18.2	71.2	73.5	75	1.0	0.397	0.0	62.5	31.5	61.8	69.3	63	1.0	0.55	0.0	0.0	1.0	0.388	0.0	62.0	32.2	61.2	69.1	62	1.0	0.55	0.0	0.0	
76	64	63	1.0	0.566	0.0	70.6	16.7	72.4	74.3	76	1.0	0.409	0.0	63.0	30.5	62.5	69.6	64	1.0	0.567	0.0	0.0	1.0	0.402	0.0	62.7	31.1	62.0	69.4	63	1.0	0.567	0.0	0.0	
78	66	64	1.0	0.583	0.0	71.5	15.1	73.5	75.0	78	1.0	0.421	0.0	63.6	29.5	63.2	69.8	65	1.0	0.583	0.0	0.0	1.0	0.415	0.0	63.3	30.0	62.9	69.7	64	1.0	0.583	0.0	0.0	
79	66	65	1.0	0.6	0.0	72.3	13.5	74.6	75.8	79	1.0	0.434	0.0	64.2	28.5	64.0	70.0	66	1.0	0.6	0.0	0.0	1.0	0.428	0.0	63.9	28.9	63.7	69.9	65	1.0	0.6	0.0	0.0	
81	67	66	1.0	0.616	0.0	73.2	11.8	75.6	76.6	81	1.0	0.446	0.0	64.7	27.4	64.7	70.3	67	1.0	0.617	0.0	0.0	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66	1.0	0.617	0.0	0.0	
82	68	67	1.0	0.633	0.0	74.0	10.4	76.6	77.3	82	1.0	0.458	0.0	65.3	26.4	65.4	70.5	68	1.0	0.63															

http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 12 columns: h_ab,d, h_ab,s, h_ab,e, rgb*_ds, rgb*_s, rgb*_e, LAB*_ds361MI, LAB*_s361MI, LAB*_e361MI, rgb*_dd361MI, LAB*_dex361MI (x=LabCh), rgb*_dd361MI. Rows 88-127.

LAB*lab0, YN=0%, XY,Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart QE74; hue code: H*_d=G00Bd 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6*, D65, page 1/33

http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_dcs361MI (x=LabCh), LAB*_dss361MI (x=LabCh), LAB*_dss361MI (x=LabCh), rgb*_dd361MI, LAB*_dex361MI (x=LabCh), LAB*_dex361MI (x=LabCh), rgb*_dd361MI, rgb*_dd361MI, rgb*_ds, rgb*_ds, rgb*_ds, rgb*_ds

Input: rgb/cmyk -> rgbd Output: transfer to cmykd

QE7400L

http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

TUB registration: 20130201-QE74/QE74L0NP.PDF /.PS

TUB material: code=rha4ta

application for measurement of offset print output, separation cmyk6 (CMYK)

h _{ab} ,d	h _{ab} ,s	h _{ab} ,e	rgb* _{ds}	rgb* _{ds} 361MI	LAB* _s dxs361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)	rgb* _{ds} 361MI	LAB* _s dex361MI (x=LabCh)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0	0.057	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0	0.068	0.0	1.0	27.5	28.2	-44.8	53.0	302	0.533	0.0	1.0	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0	0.091	0.0	1.0	28.3	29.7	-43.9	53.1	303	0.567	0.0	1.0	0.103	0.0	1.0	28.6	30.4	-43.5	53.1	304	0.583	0.0	1.0	0.114	0.0	1.0	29.0	31.1	-43.0	53.1	305	0.6	0.0	1.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	0.617	0.0	1.0	0.146	0.0	1.0	29.7	32.6	-42.0	53.2	307	0.633	0.0	1.0	0.166	0.0	1.0	30.1	33.3	-41.5	53.2	308	0.65	0.0	1.0	0.186	0.0	1.0	30.4	34.0	-40.9	53.3	309	0.667	0.0	1.0	0.205	0.0	1.0	30.8	34.7	-40.4	53.3	310	0.683	0.0	1.0	0.225	0.0	1.0	31.1	35.4	-39.8	53.4	311	0.7	0.0	1.0	0.245	0.0	1.0	31.5	36.1	-39.3	53.4	312	0.717	0.0	1.0	0.256	0.0	1.0	31.7	36.8	-38.8	53.6	313	0.733	0.0	1.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	0.75	0.0	1.0	0.273	0.0	1.0	32.0	38.5	-37.9	54.1	315	0.767	0.0	1.0	0.282	0.0	1.0	32.1	39.3	-37.4	54.3	316	0.783	0.0	1.0	0.29	0.0	1.0	32.3	40.0	-36.9	54.5	317	0.8	0.0	1.0	0.299	0.0	1.0	32.4	40.8	-36.4	54.8	318	0.817	0.0	1.0	0.307	0.0	1.0	32.6	41.6	-35.9	55.0	319	0.833	0.0	1.0	0.315	0.0	1.0	32.7	42.3	-35.4	55.2	320	0.85	0.0	1.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	0.867	0.0	1.0	0.332	0.0	1.0	33.0	43.9	-34.2	55.7	321	0.883	0.0	1.0	0.341	0.0	1.0	33.2	44.7	-33.7	56.0	322	0.9	0.0	1.0	0.349	0.0	1.0	33.4	45.4	-33.1	56.2	323	0.917	0.0	1.0	0.358	0.0	1.0	33.5	46.2	-32.4	56.5	324	0.933	0.0	1.0	0.366	0.0	1.0	33.7	46.9	-31.8	56.7	325	0.95	0.0	1.0	0.375	0.0	1.0	33.8	47.6	-31.2	57.0	326	0.967	0.0	1.0	0.391	0.0	1.0	34.3	48.4	-30.6	57.3	327	0.983	0.0	1.0	0.407	0.0	1.0	34.9	49.3	-30.0	57.7	328	0.983	0.0	1.0	0.424	0.0	1.0	35.4	50.1	-29.4	58.1	329	1.0	0.0	0.983	0.441	0.0	1.0	35.9	50.9	-28.7	58.5	330	1.0	0.0	0.967	0.457	0.0	1.0	36.5	51.8	-28.1	58.9	331	1.0	0.0	0.95	0.474	0.0	1.0	37.0	52.6	-27.4	59.3	332	1.0	0.0	0.933	0.49	0.0	1.0	37.6	53.4	-26.7	59.7	333	1.0	0.0	0.917	0.508	0.0	1.0	38.1	54.2	-26.0	60.1	334	1.0	0.0	0.9	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335	1.0	0.0	0.883	0.55	0.0	1.0	39.1	55.9	-24.6	61.1	336	1.0	0.0	0.867	0.57	0.0	1.0	39.6	56.7	-23.8	61.5	337	1.0	0.0	0.85	0.591	0.0	1.0	40.2	57.5	-23.0	62.0	338	1.0	0.0	0.833	0.612	0.0	1.0	40.7	58.3	-22.3	62.5	339	1.0	0.0	0.817	0.631	0.0	1.0	41.1	59.2	-21.5	63.0	340	1.0	0.0	0.8	0.648	0.0	1.0	41.4	60.2	-20.6	63.7	341	1.0	0.0	0.8	0.664	0.0	1.0	41.7	61.1	-19.8	64.3	342	1.0	0.0	0.8	0.68	0.0	1.0	41.9	62.1	-18.9	64.9	343	1.0	0.0	0.783	0.697	0.0	1.0	42.2	63.0	-18.0	65.6	344	1.0	0.0	0.767	0.713	0.0	1.0	42.5	64.0	-17.0	66.2	345	1.0	0.0	0.75	0.713	0.0	1.0	42.5	64.0	-17.0	66.2	345	1.0	0.0	0.75

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

input: rgb/cmyk -> rgbd
output: transfer to cmykd

I-0031530-L0 QE740-70 LAB*_{lab},Y=0%,XY,Zmw=2.4,2.5,2.6,85.1,88.8,104.3,LAB*_{hw}=17.7,0.0,0.0,95.5,0.0,0.0
TUB-test chart QE74; hue code: H*_d=G00Bd
48 step hue circles; rgb-LabCh*tables
Output: Offset standard print; separation cmyk6*, D65, page 16/36

nif	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	HaM*Fd	rgb*Fd	LabCH*Fd	DF*Fd	HaM*Fd	rgb*Fd	LabCH*Fd	DF*Fd	HaM*Fd
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	0.0	0.0	389	1.0	0.0	0.0	389
1/657	R13Y_100_100a	1.0	0.0	0.0	0.0	50.9	55.5	46.4	72.3	39.9	0.0	0.0	36	1.0	0.116	0.0	36
2/666	R25Y_100_100a	1.0	0.0	0.0	0.0	55.3	48.8	52.2	69.5	48.7	0.0	0.0	42	1.0	0.233	0.0	42
3/675	R38Y_100_100a	1.0	0.0	0.0	0.0	61.4	34.0	59.9	68.9	60.4	0.0	0.0	51	1.0	0.366	0.0	51
4/684	R50Y_100_100a	1.0	0.0	0.0	0.0	67.2	22.6	67.6	71.2	71.2	0.0	0.0	59	1.0	0.5	0.0	59
5/693	R63Y_100_100a	1.0	0.0	0.0	0.0	74.0	10.4	76.6	77.3	82.2	0.0	0.0	68	1.0	0.653	0.0	68
6/702	R75Y_100_100a	1.0	0.0	0.0	0.0	79.9	1.0	83.9	83.9	89.8	0.0	0.0	77	1.0	0.766	0.0	77
7/711	R88Y_100_100a	1.0	0.0	0.0	0.0	84.5	-6.1	89.8	90.0	93.8	0.0	0.0	85	1.0	0.883	0.0	85
8/720	Y00G_100_100a	1.0	0.0	0.0	0.0	88.3	-11.9	95.1	95.8	97.1	0.0	0.0	89	1.0	1.0	0.0	89
9/639	Y13C_100_100a	0.875	1.0	0.0	0.0	86.3	-15.9	89.0	90.4	100.1	0.0	0.0	88	0.883	1.0	0.0	88
10/558	Y25C_100_100a	0.75	1.0	0.0	0.0	83.3	-19.2	83.7	85.9	102.9	0.0	0.0	102	0.766	1.0	0.0	102
11/477	Y38C_100_100a	0.625	1.0	0.0	0.0	77.4	-24.9	76.8	80.7	107.9	0.0	0.0	119	0.653	1.0	0.0	119
12/396	Y50C_100_100a	0.5	1.0	0.0	0.0	72.7	-31.3	66.0	73.1	115.3	0.0	0.0	111	0.5	1.0	0.0	111
13/315	Y63C_100_100a	0.375	1.0	0.0	0.0	68.3	-37.7	57.4	68.7	123.2	0.0	0.0	137	0.366	1.0	0.0	137
14/234	Y75C_100_100a	0.25	1.0	0.0	0.0	60.4	-48.4	46.7	67.6	136.2	0.0	0.0	145	0.233	1.0	0.0	145
15/153	Y88C_100_100a	0.125	1.0	0.0	0.0	57.0	-55.9	38.3	67.8	145.5	0.0	0.0	143	0.116	1.0	0.0	143
16/72	G00C_100_100a	0.0	1.0	0.0	0.0	51.9	-68.8	28.1	74.3	157.7	0.0	0.0	149	0.0	1.0	0.0	149
17/73	G13C_100_100a	0.0	1.0	0.0	0.0	52.5	-66.6	19.9	69.5	163.3	0.0	0.0	156	0.0	1.0	0.0	156
18/74	G25C_100_100a	0.0	1.0	0.0	0.0	53.2	-62.6	11.0	63.6	170.0	0.0	0.0	162	0.0	1.0	0.0	162
19/75	G38C_100_100a	0.0	1.0	0.0	0.0	54.0	-57.3	0.4	57.3	180.4	0.0	0.0	171	0.0	1.0	0.0	171
20/76	G50C_100_100a	0.0	1.0	0.0	0.0	54.8	-51.0	-12.3	52.5	193.5	0.0	0.0	180	0.0	1.0	0.0	180
21/77	G63C_100_100a	0.0	1.0	0.0	0.0	55.8	-44.7	-22.5	50.1	206.7	0.0	0.0	188	0.0	1.0	0.0	188
22/78	G75C_100_100a	0.0	1.0	0.0	0.0	56.8	-38.4	-31.7	49.8	219.6	0.0	0.0	197	0.0	1.0	0.0	197
23/79	G88C_100_100a	0.0	1.0	0.0	0.0	57.6	-34.0	-37.7	50.8	227.9	0.0	0.0	203	0.0	1.0	0.0	203
24/80	C00B_100_100a	0.0	1.0	0.0	0.0	58.3	-29.2	-43.7	52.6	236.1	0.0	0.0	210	0.0	1.0	0.0	210
25/71	C13B_100_100a	0.0	1.0	0.0	0.0	55.4	-25.2	-43.9	50.7	240.0	0.0	0.0	216	0.0	1.0	0.0	216
26/62	C25B_100_100a	0.0	1.0	0.0	0.0	52.2	-20.4	-44.1	48.6	245.1	0.0	0.0	222	0.0	1.0	0.0	222
27/53	C38B_100_100a	0.0	1.0	0.0	0.0	48.0	-14.3	-44.4	46.6	252.1	0.0	0.0	231	0.0	1.0	0.0	231
28/44	C50B_100_100a	0.0	1.0	0.0	0.0	42.7	-6.0	-45.0	45.4	262.3	0.0	0.0	240	0.0	1.0	0.0	240
29/35	C63B_100_100a	0.0	1.0	0.0	0.0	37.6	1.8	-45.5	45.5	272.3	0.0	0.0	248	0.0	1.0	0.0	248
30/26	C75B_100_100a	0.0	1.0	0.0	0.0	32.7	10.0	-46.2	47.4	282.8	0.0	0.0	257	0.0	1.0	0.0	257
31/17	C88B_100_100a	0.0	1.0	0.0	0.0	28.3	17.8	-47.3	50.3	290.7	0.0	0.0	263	0.0	1.0	0.0	263
32/8	B00M_100_100a	0.0	1.0	0.0	0.0	25.3	23.5	-47.3	52.8	296.4	0.0	0.0	270	0.0	1.0	0.0	270
33/89	B13M_100_100a	0.125	1.0	0.0	0.0	29.0	31.2	-42.9	53.1	306.0	0.0	0.0	276	0.116	1.0	0.0	276
34/170	B25M_100_100a	0.25	1.0	0.0	0.0	31.2	35.6	-39.6	53.3	311.9	0.0	0.0	282	0.233	1.0	0.0	282
35/251	B38M_100_100a	0.375	1.0	0.0	0.0	33.6	46.9	-31.8	56.7	325.8	0.0	0.0	291	0.366	1.0	0.0	291
36/332	B50M_100_100a	0.5	1.0	0.0	0.0	37.8	53.8	-26.3	59.9	333.9	0.0	0.0	300	0.5	1.0	0.0	300
37/413	B63M_100_100a	0.625	1.0	0.0	0.0	41.1	59.3	-21.4	63.0	340.1	0.0	0.0	308	0.653	1.0	0.0	308
38/494	B75M_100_100a	0.75	1.0	0.0	0.0	43.5	66.4	-14.5	68.0	347.6	0.0	0.0	317	0.766	1.0	0.0	317
39/575	B88M_100_100a	0.875	1.0	0.0	0.0	46.1	69.7	-11.7	70.7	350.4	0.0	0.0	323	0.883	1.0	0.0	323
40/656	M00R_100_100a	1.0	0.0	0.0	0.0	48.2	72.8	-8.5	73.3	353.3	0.0	0.0	330	1.0	0.0	0.0	330
41/655	M13R_100_100a	1.0	0.0	0.0	0.0	48.2	71.7	-4.6	71.8	356.3	0.0	0.0	336	1.0	0.0	0.0	336
42/654	M25R_100_100a	1.0	0.0	0.0	0.0	48.1	70.6	-0.2	70.6	359.8	0.0	0.0	342	1.0	0.0	0.0	342
43/653	M38R_100_100a	1.0	0.0	0.0	0.0	48.0	69.0	6.6	69.3	355	0.0	0.0	351	1.0	0.0	0.0	351
44/652	M50R_100_100a	1.0	0.0	0.0	0.0	47.7	67.7	14.0	69.1	360	0.0	0.0	360	1.0	0.0	0.0	360
45/651	M63R_100_100a	1.0	0.0	0.0	0.0	47.7	66.1	22.3	69.7	368	0.0	0.0	368	1.0	0.0	0.0	368
46/650	M75R_100_100a	1.0	0.0	0.0	0.0	47.6	65.0	29.7	71.5	376	0.0	0.0	377	1.0	0.0	0.0	377
47/649	M88R_100_100a	1.0	0.0	0.0	0.0	47.4	64.4	35.5	73.6	383	0.0	0.0	383	1.0	0.0	0.0	383
48/648	R00Y_100_100a	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	0.0	0.0	389	1.0	0.0	0.0	389
49/0	NV_000a	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	360
50/91	NV_013a	0.125	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.125	0.0	0.0	360
51/182	NV_025a	0.25	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.25	0.0	0.0	360
52/273	NV_038a	0.375	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.375	0.0	0.0	360
53/564	NV_050a	0.5	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.5	0.0	0.0	360
54/455	NV_063a	0.625	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.625	0.0	0.0	360
55/546	NV_075a	0.75	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.75	0.0	0.0	360
56/637	NV_088a	0.875	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.875	0.0	0.0	360
57/728	NV_100a	1.0	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.0	360

Mean color difference of this page: delta E** = 2.6

input: rgb/cmyk -> rgbd
output: transfer to cmykd


TUB-test chart QE74; hue code: H*_d=G00Bd
colors and differences, ΔE**

nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH**Fd	DF*Fd	hsa_Md	rgb**Md	LabCH**Md	DF**Md	hsa_Md	rgb**Md	LabCH**Md	DF**Md
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	390	1.0	0.0	0.0	389	1.0	0.0	0.0
1/668	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	44	1.0	0.0	0.0	48.7	1.0	0.0	0.0
2/684	R50Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	44	1.0	0.0	0.0	48.7	1.0	0.0	0.0
3/702	R75Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	76	1.0	0.0	0.0	83.9	1.0	0.0	0.0
4/720	R100Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	76	1.0	0.0	0.0	83.9	1.0	0.0	0.0
5/558	Y25C_100_100a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	104	1.0	0.0	0.0	85.3	1.0	0.0	0.0
6/396	Y50C_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	120	1.0	0.0	0.0	85.3	1.0	0.0	0.0
7/234	Y75C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	136	1.0	0.0	0.0	85.3	1.0	0.0	0.0
8/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	150	1.0	0.0	0.0	157.7	1.0	0.0	0.0
9/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	150	1.0	0.0	0.0	157.7	1.0	0.0	0.0
10/76	G25B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	180	1.0	0.0	0.0	180	1.0	0.0	0.0
11/80	G50B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	210	1.0	0.0	0.0	210	1.0	0.0	0.0
12/44	G75B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	240	1.0	0.0	0.0	240	1.0	0.0	0.0
13/8	B00M_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270	1.0	0.0	0.0	270	1.0	0.0	0.0
14/332	B25R_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	300	1.0	0.0	0.0	300	1.0	0.0	0.0
15/656	B50R_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	0.0	330	1.0	0.0	0.0
16/652	B75R_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.0	360	1.0	0.0	0.0
17/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	390	1.0	0.0	0.0	389	1.0	0.0	0.0
18/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	390	1.0	0.5	0.5	389	1.0	0.5	0.5
19/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	390	1.0	0.5	0.5	389	1.0	0.5	0.5
20/724	Y00C_100_050a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	420	1.0	0.0	0.0	420	1.0	0.0	0.0
21/400	G00B_100_050a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	450	1.0	0.0	0.0	450	1.0	0.0	0.0
22/548	B00R_100_050a	0.5	0.5	1.0	0.0	0.0	0.0	0.0	480	1.0	0.5	0.5	480	1.0	0.5	0.5
25/692	B50R_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	510	1.0	0.5	0.5	510	1.0	0.5	0.5
26/688	R00Y_100_050a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	540	1.0	0.5	0.5	540	1.0	0.5	0.5
27/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	510	0.75	0.25	0.25	510	0.75	0.25	0.25
28/524	R50Y_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	610	0.75	0.25	0.25	610	0.75	0.25	0.25
29/542	Y00C_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	710	0.75	0.25	0.25	710	0.75	0.25	0.25
30/380	Y50C_075_050a	0.25	0.75	0.25	0.75	0.25	0.25	0.25	640	0.25	0.75	0.25	640	0.25	0.75	0.25
32/222	G50B_075_050a	0.25	0.75	0.25	0.75	0.25	0.25	0.25	570	0.25	0.75	0.25	570	0.25	0.75	0.25
33/186	B00R_075_050a	0.25	0.25	0.75	0.75	0.25	0.25	0.25	409	0.25	0.25	0.75	409	0.25	0.25	0.75
34/510	B50R_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	524	0.75	0.25	0.25	524	0.75	0.25	0.25
35/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	519	0.75	0.25	0.25	519	0.75	0.25	0.25
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	325	0.5	0.0	0.0	325	0.5	0.0	0.0
37/342	R50Y_050_050a	0.5	0.25	0.25	0.5	0.25	0.25	0.25	424	0.5	0.25	0.25	424	0.5	0.25	0.25
38/360	Y00C_050_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	530	0.5	0.5	0.5	530	0.5	0.5	0.5
39/198	Y50C_050_050a	0.25	0.5	0.5	0.5	0.25	0.25	0.25	452	0.25	0.5	0.25	452	0.25	0.5	0.25
40/36	G00B_050_050a	0.0	0.5	0.5	0.0	0.5	0.5	0.5	348	0.0	0.5	0.5	348	0.0	0.5	0.5
41/40	G50B_050_050a	0.0	0.5	0.5	0.0	0.5	0.5	0.5	380	0.0	0.5	0.5	380	0.0	0.5	0.5
42/4	B00R_050_050a	0.0	0.0	0.5	0.5	0.0	0.0	0.0	215	0.0	0.0	0.5	215	0.0	0.0	0.5
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.0	0.0	0.0	329	0.5	0.0	0.5	329	0.5	0.0	0.5
44/324	R00Y_050_050a	0.5	0.0	0.5	0.5	0.0	0.0	0.0	325	0.5	0.0	0.5	325	0.5	0.0	0.5
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	177	0.0	0.0	0.0	177	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	274	0.125	0.125	0.125	274	0.125	0.125	0.125
47/182	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	371	0.25	0.25	0.25	371	0.25	0.25	0.25
48/273	NW_038a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	468	0.375	0.375	0.375	468	0.375	0.375	0.375
49/364	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	565	0.5	0.5	0.5	565	0.5	0.5	0.5
50/455	NW_063a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	663	0.625	0.625	0.625	663	0.625	0.625	0.625
51/546	NW_076a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	760	0.75	0.75	0.75	760	0.75	0.75	0.75
52/637	NW_088a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	857	0.875	0.875	0.875	857	0.875	0.875	0.875
53/728	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	954	1.0	1.0	1.0	954	1.0	1.0	1.0

Mean color difference of this page: delta E* = 3.8

input: rgb/cmyk -> rgbd
output: transfer to cmykd

TUB-test chart QE74; hue code: H*_d=G00Bd
colors and differences, ΔE*'





http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with 80 columns (numbered 1-80) and 10 rows of color data. Each cell contains a 4x4 grid of values representing color differences and registration marks.

Mean color difference of this page: delta E* = 3.7
input: rgb/cmyk -> rgbd
output: transfer to cmykd



TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE*




http://130.149.60.45/~farbmetrik/QE74/QE74LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, DF*Fd, Hsa*Fd, rpb*Fd, LabCH*Fd. It contains color calibration data for various color patches.

Mean color difference of this page: delta E* = 5.3




input: rgb/cmyk -> rgbd output: transfer to cmykd



TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE*'

QE7400L

QE7400L



see similar files: http://130.149.60.45/~farbmetrik/QE74/QE74.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/QE74/QE74LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

input: rgb/cmyk -> rgbd output: transfer to cmykd

Table with 15 columns: n, HHC*Fd, Rgb*Fd, iet*Fd, Hsa*Fd, Rgb*Fd, LabCH*Fd, LabCH*Fd, Rgb*Fd, DF*Fd, Hsa*Fd, LabCH*Fd, LabCH*Fd, Rgb*Fd, and delta E* = 4.6. The table contains color calibration data for various color patches.

Mean color difference of this page:

delta E* = 4.6

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE*

QE740-TN; Page 26/33-F

I=0032530-F0

n	HC*Fd	rgb*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	DF*Fd	Hs*Fd	rgb*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	DF*Fd	Hs*Fd	rgb*Fd	LabCH*Fd	DF*Fd	Hs*Fd	rgb*Fd	LabCH*Fd
729	NW_100a	1.0	0.0	95.4	1.0	110.4	360	1.0	95.4	1.0	95.4	0.0	360	1.0	95.4	0.0	360	1.0	95.4
730	GBL_100.0124	0.875	1.0	90.8	1.0	233.1	360	0.875	90.8	1.0	90.8	0.0	360	0.875	90.8	0.0	360	0.875	90.8
731	GBL_100.0254	0.75	1.0	86.1	1.0	235.3	360	0.75	86.1	1.0	86.1	0.0	360	0.75	86.1	0.0	360	0.75	86.1
732	GBL_100.0374	0.625	1.0	81.5	1.0	235.3	360	0.625	81.5	1.0	81.5	0.0	360	0.625	81.5	0.0	360	0.625	81.5
733	GBL_100.0504	0.5	1.0	76.9	1.0	236.6	360	0.5	76.9	1.0	76.9	0.0	360	0.5	76.9	0.0	360	0.5	76.9
734	GBL_100.0624	0.375	1.0	72.2	1.0	236.6	360	0.375	72.2	1.0	72.2	0.0	360	0.375	72.2	0.0	360	0.375	72.2
735	GBL_100.0754	0.25	1.0	67.6	1.0	236.6	360	0.25	67.6	1.0	67.6	0.0	360	0.25	67.6	0.0	360	0.25	67.6
736	GBL_100.0874	0.125	1.0	63.0	1.0	237.1	360	0.125	63.0	1.0	63.0	0.0	360	0.125	63.0	0.0	360	0.125	63.0
737	GBL_100.1004	0.0	1.0	58.3	1.0	237.1	360	0.0	58.3	1.0	58.3	0.0	360	0.0	58.3	0.0	360	0.0	58.3
738	ROY_100.0124	1.0	0.875	87.5	0.875	63.1	390	1.0	87.5	0.875	87.5	0.0	390	1.0	87.5	0.0	390	1.0	87.5
739	NW_087a	0.875	0.875	87.5	0.875	63.1	390	0.875	87.5	0.875	87.5	0.0	390	0.875	87.5	0.0	390	0.875	87.5
740	GBL_087.0124	0.75	0.875	87.5	0.875	63.1	390	0.75	87.5	0.875	87.5	0.0	390	0.75	87.5	0.0	390	0.75	87.5
741	GBL_087.0254	0.625	0.875	87.5	0.875	63.1	390	0.625	87.5	0.875	87.5	0.0	390	0.625	87.5	0.0	390	0.625	87.5
742	GBL_087.0374	0.5	0.875	87.5	0.875	63.1	390	0.5	87.5	0.875	87.5	0.0	390	0.5	87.5	0.0	390	0.5	87.5
743	GBL_087.0504	0.375	0.875	87.5	0.875	63.1	390	0.375	87.5	0.875	87.5	0.0	390	0.375	87.5	0.0	390	0.375	87.5
744	GBL_087.0624	0.25	0.875	87.5	0.875	63.1	390	0.25	87.5	0.875	87.5	0.0	390	0.25	87.5	0.0	390	0.25	87.5
745	GBL_087.0754	0.125	0.875	87.5	0.875	63.1	390	0.125	87.5	0.875	87.5	0.0	390	0.125	87.5	0.0	390	0.125	87.5
746	GBL_087.0874	0.0	0.875	87.5	0.875	63.1	390	0.0	87.5	0.875	87.5	0.0	390	0.0	87.5	0.0	390	0.0	87.5
747	ROY_100.0254	0.875	0.75	83.4	0.75	63.1	390	0.875	83.4	0.75	83.4	0.0	390	0.875	83.4	0.0	390	0.875	83.4
748	ROY_100.0374	0.75	0.75	79.7	0.75	63.1	390	0.75	79.7	0.75	79.7	0.0	390	0.75	79.7	0.0	390	0.75	79.7
749	NW_075a	0.75	0.75	76.0	0.75	63.1	390	0.75	76.0	0.75	76.0	0.0	390	0.75	76.0	0.0	390	0.75	76.0
750	GBL_075.0124	0.625	0.75	71.3	0.75	63.1	390	0.625	71.3	0.75	71.3	0.0	390	0.625	71.3	0.0	390	0.625	71.3
751	GBL_075.0254	0.5	0.75	66.7	0.75	63.1	390	0.5	66.7	0.75	66.7	0.0	390	0.5	66.7	0.0	390	0.5	66.7
752	GBL_075.0374	0.375	0.75	62.1	0.75	63.1	390	0.375	62.1	0.75	62.1	0.0	390	0.375	62.1	0.0	390	0.375	62.1
753	GBL_075.0504	0.25	0.75	57.4	0.75	63.1	390	0.25	57.4	0.75	57.4	0.0	390	0.25	57.4	0.0	390	0.25	57.4
754	GBL_075.0624	0.125	0.75	52.8	0.75	63.1	390	0.125	52.8	0.75	52.8	0.0	390	0.125	52.8	0.0	390	0.125	52.8
755	GBL_075.0754	0.0	0.75	48.1	0.75	63.1	390	0.0	48.1	0.75	48.1	0.0	390	0.0	48.1	0.0	390	0.0	48.1
756	ROY_100.0374	1.0	0.625	62.5	0.625	63.1	390	1.0	62.5	0.625	62.5	0.0	390	1.0	62.5	0.0	390	1.0	62.5
757	ROY_100.0504	0.875	0.625	57.8	0.625	63.1	390	0.875	57.8	0.625	57.8	0.0	390	0.875	57.8	0.0	390	0.875	57.8
758	ROY_100.0624	0.75	0.625	53.1	0.625	63.1	390	0.75	53.1	0.625	53.1	0.0	390	0.75	53.1	0.0	390	0.75	53.1
759	ROY_100.0754	0.625	0.625	48.4	0.625	63.1	390	0.625	48.4	0.625	48.4	0.0	390	0.625	48.4	0.0	390	0.625	48.4
760	GBL_062.0124	0.5	0.625	43.7	0.625	63.1	390	0.5	43.7	0.625	43.7	0.0	390	0.5	43.7	0.0	390	0.5	43.7
761	GBL_062.0254	0.375	0.625	39.0	0.625	63.1	390	0.375	39.0	0.625	39.0	0.0	390	0.375	39.0	0.0	390	0.375	39.0
762	GBL_062.0374	0.25	0.625	34.3	0.625	63.1	390	0.25	34.3	0.625	34.3	0.0	390	0.25	34.3	0.0	390	0.25	34.3
763	GBL_062.0504	0.125	0.625	29.6	0.625	63.1	390	0.125	29.6	0.625	29.6	0.0	390	0.125	29.6	0.0	390	0.125	29.6
764	GBL_062.0624	0.0	0.625	24.9	0.625	63.1	390	0.0	24.9	0.625	24.9	0.0	390	0.0	24.9	0.0	390	0.0	24.9
765	ROY_100.0504	1.0	0.5	20.2	0.625	63.1	390	1.0	20.2	0.625	20.2	0.0	390	1.0	20.2	0.0	390	1.0	20.2
766	ROY_100.0624	0.875	0.5	15.5	0.625	63.1	390	0.875	15.5	0.625	15.5	0.0	390	0.875	15.5	0.0	390	0.875	15.5
767	ROY_100.0754	0.75	0.5	10.8	0.625	63.1	390	0.75	10.8	0.625	10.8	0.0	390	0.75	10.8	0.0	390	0.75	10.8
768	NW_050a	0.625	0.5	6.1	0.625	63.1	390	0.625	6.1	0.625	6.1	0.0	390	0.625	6.1	0.0	390	0.625	6.1
769	GBL_050.0124	0.5	0.5	1.4	0.625	63.1	390	0.5	1.4	0.625	1.4	0.0	390	0.5	1.4	0.0	390	0.5	1.4
770	GBL_050.0254	0.375	0.5	-3.3	0.625	63.1	390	0.375	-3.3	0.625	-3.3	0.0	390	0.375	-3.3	0.0	390	0.375	-3.3
771	GBL_050.0374	0.25	0.5	-8.0	0.625	63.1	390	0.25	-8.0	0.625	-8.0	0.0	390	0.25	-8.0	0.0	390	0.25	-8.0
772	GBL_050.0504	0.125	0.5	-12.7	0.625	63.1	390	0.125	-12.7	0.625	-12.7	0.0	390	0.125	-12.7	0.0	390	0.125	-12.7
773	GBL_050.0624	0.0	0.5	-17.4	0.625	63.1	390	0.0	-17.4	0.625	-17.4	0.0	390	0.0	-17.4	0.0	390	0.0	-17.4
774	ROY_100.0624	1.0	0.375	37.5	0.375	63.1	390	1.0	37.5	0.375	37.5	0.0	390	1.0	37.5	0.0	390	1.0	37.5
775	ROY_100.0504	0.875	0.375	32.8	0.375	63.1	390	0.875	32.8	0.375	32.8	0.0	390	0.875	32.8	0.0	390	0.875	32.8
776	ROY_100.0374	0.75	0.375	28.1	0.375	63.1	390	0.75	28.1	0.375	28.1	0.0	390	0.75	28.1	0.0	390	0.75	28.1
777	ROY_100.0254	0.625	0.375	23.4	0.375	63.1	390	0.625	23.4	0.375	23.4	0.0	390	0.625	23.4	0.0	390	0.625	23.4
778	ROY_100.0124	0.5	0.375	18.7	0.375	63.1	390	0.5	18.7	0.375	18.7	0.0	390	0.5	18.7	0.0	390	0.5	18.7
779	NW_037a	0.375	0.375	14.0	0.375	63.1	390	0.375	14.0	0.375	14.0	0.0	390	0.375	14.0	0.0	390	0.375	14.0
780	GBL_037.0124	0.25	0.375	9.3	0.375	63.1	390	0.25	9.3	0.375	9.3	0.0	390	0.25	9.3	0.0	390	0.25	9.3
781	GBL_037.0254	0.125	0.375	4.6	0.375	63.1	390	0.125	4.6	0.375	4.6	0.0	390	0.125	4.6	0.0	390	0.125	4.6
782	ROY_100.0374	1.0	0.25	0.0	0.375	63.1	390	1.0	0.0	0.375	0.0	0.0	390	1.0	0.0	0.0	390	1.0	0.0
783	ROY_100.0504	0.875	0.25	-4.7	0.375	63.1	390	0.875	-4.7	0.375	-4.7	0.0	390	0.875	-4.7	0.0	390	0.875	-4.7
784	ROY_100.0624	0.75	0.25	-9.4	0.375	63.1	390	0.75	-9.4	0.375	-9.4	0.0	390	0.75	-9.4	0.0	390	0.75	-9.4
785	ROY_100.0754	0.625	0.25	-14.1	0.375	63.1	390	0.625	-14.1	0.375	-14.1	0.0	390	0.625	-14.1	0.0	390	0.625	-14.1
786	ROY_100.0874	0.5	0.25	-18.8	0.375	6													

http://130.149.60.45/~farbmetrik/QE74/QE74LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabC*Fd, LabCh*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabC*Fd. Rows include color patches like NV, BOOR, YOCG, and YOCG.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE*'


Mean color difference of this page: delta E*90 = 5.5

Table with 10 columns: n, H#C*Fad, H#C*Fad, rpb*Fad, iet*Fad, H#C*Fad, LabCH*Fad, rpb*Fad, LabCH*Fad, DP*Fad, H#C*Fad, rpb*Fad, LabCH*Fad, DP*Fad, H#C*Fad, rpb*Fad, LabCH*Fad, DP*Fad, H#C*Fad, rpb*Fad, LabCH*Fad, DP*Fad. The table contains color calibration data for various color patches.

Mean color difference of this page: delta E* = 6.4

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H*d=G00Bd colors and differences, AE*



n	HC*Fd	rgp*Fd	icr*Fd	igs*Fd	rgp*Fd	LabCh*Fd	rgp*Fd	LabCh*Fd	DF*Fd	rgp*Fd	LabCh*Fd	rgp*Fd	LabCh*Fd
972	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.7	1.6	360	1.0	95.4
973	NW_0124	0.125	0.125	0.125	0.125	0.125	0.125	-0.2	0.3	226.1	3.1	1.0	95.4
974	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.6	0.7	236.5	8.3	1.0	95.4
975	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	-0.4	0.5	217.4	9.3	1.0	95.4
976	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	-0.4	0.5	224.9	8.5	1.0	95.4
977	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.2	0.4	220.0	7.5	1.0	95.4
978	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.2	0.3	215.9	4.1	1.0	95.4
979	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.1	121.2	4.6	1.0	95.4
980	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	138.2	1.0	1.0	95.4
981	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	72.2	1.3	1.0	95.4
982	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	-0.3	0.4	235.2	2.8	1.0	95.4
983	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.6	0.7	235.9	8.2	1.0	95.4
984	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	-0.4	0.5	229.4	9.5	1.0	95.4
985	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	-0.4	0.5	191.4	8.2	1.0	95.4
986	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.2	0.4	210.7	7.3	1.0	95.4
987	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.2	0.3	229.6	5.6	1.0	95.4
988	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	-0.1	0.1	102.7	4.1	1.0	95.4
989	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	197.4	0.1	1.0	95.4
990	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	83.1	0.9	1.0	95.4
991	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	-0.2	0.4	232.8	2.4	1.0	95.4
992	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.6	0.8	237.3	8.0	1.0	95.4
993	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	-0.4	0.7	238.2	9.2	1.0	95.4
994	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	-0.3	0.5	220.2	8.1	1.0	95.4
995	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.3	0.5	224.3	7.1	1.0	95.4
996	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.1	0.1	131.8	3.2	1.0	95.4
997	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.1	102.8	3.7	1.0	95.4
998	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	96.0	0.7	1.0	95.4
999	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.0	0.7	1.0	95.4
1000	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	-0.2	0.4	233.4	2.0	1.0	95.4
1001	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.6	0.8	239.8	7.2	1.0	95.4
1002	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	-0.4	0.6	235.0	8.9	1.0	95.4
1003	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	-0.5	0.5	230.8	8.1	1.0	95.4
1004	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.4	0.5	229.6	6.9	1.0	95.4
1005	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.2	0.3	222.5	5.2	1.0	95.4
1006	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	-0.1	0.1	179.7	3.9	1.0	95.4
1007	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	0.1	0.1	108.6	0.1	1.0	95.4
1008	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	83.1	2.1	1.0	95.4
1009	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	-0.3	0.3	97.7	0.7	1.0	95.4
1010	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.6	0.6	233.6	3.7	1.0	95.4
1011	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	-0.4	0.5	236.6	7.4	1.0	95.4
1012	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	-0.4	0.5	234.6	8.5	1.0	95.4
1013	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.4	0.5	231.7	9.9	1.0	95.4
1014	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.4	0.4	232.1	8.7	1.0	95.4
1015	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	-0.4	0.5	231.8	8.7	1.0	95.4
1016	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	-0.3	0.4	231.9	7.3	1.0	95.4
1017	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.2	226.2	4.9	1.0	95.4
1018	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	-0.2	0.3	225.3	6.1	1.0	95.4
1019	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.1	0.1	212.1	4.6	1.0	95.4
1020	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	325.8	2.0	1.0	95.4
1021	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	87.5	1.7	1.0	95.4
1022	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	114.3	3.4	1.0	95.4
1023	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.2	0.2	234.5	3.4	1.0	95.4
1024	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	-0.5	0.6	237.8	7.0	1.0	95.4
1025	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	-0.4	0.7	237.8	8.4	1.0	95.4
1026	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	-0.6	0.7	235.6	9.4	1.0	95.4
1027	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	-0.6	0.7	236.6	9.4	1.0	95.4
1028	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.4	0.6	233.8	8.5	1.0	95.4
1029	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	-0.4	0.5	229.9	8.3	1.0	95.4
1030	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	-0.4	0.5	233.8	8.5	1.0	95.4
1031	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.3	0.4	229.9	8.4	1.0	95.4
1032	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.3	0.4	72.6	0.6	1.0	95.4
1033	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	-0.3	0.3	228.5	6.9	1.0	95.4
1034	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	-0.3	0.3	231.4	6.2	1.0	95.4
1035	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.1	227.1	4.9	1.0	95.4
1036	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.1	121.4	4.6	1.0	95.4
1037	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	192.4	2.0	1.0	95.4
1038	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	75.7	0.1	1.0	95.4
1039	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	82.9	1.6	1.0	95.4
1040	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.1	0.1	123.7	0.2	1.0	95.4
1041	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.3	0.3	230.8	2.8	1.0	95.4
1042	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	-0.4	0.4	238.3	6.3	1.0	95.4
1043	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	-0.6	0.7	234.2	7.5	1.0	95.4
1044	NW_1124	0.0	0.0	0.0	0.0	0.0	0.0	-0.4	0.6	226.6	4.8	1.0	95.4
1045	NW_1254	0.125	0.125	0.125	0.125	0.125	0.125	-0.4	0.4	233.9	9.3	1.0	95.4
1046	NW_0254	0.25	0.25	0.25	0.25	0.25	0.25	-0.6	0.7	234.3	9.2	1.0	95.4
1047	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	-0.4	0.6	231.6	8.1	1.0	95.4
1048	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	-0.5	0.6	233.4	8.3	1.0	95.4
1049	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	-0.3	0.5	231.2	7.7	1.0	95.4
1050	NW_0754	0.75	0.75	0.75	0.75	0.75	0.75	-0.3	0.5	230.7	6.2	1.0	95.4
1051	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	-0.2	0.3	229.7	7.2	1.0	95.4
1052	NW_1004	1.0	1.0	1.0	1.0	1.0	1.0	-0.1	0.2	213.0	4.8	1.0	95.4

Mean color difference of this page: delta E* = 5.5

input: rgb/cmyk -> rgbd
output: transfer to cmykd

TUB-test chart QE74; hue code: H*_d=G00Bd
colors and differences, AE*'

I-0033130-F0



http://130.149.60.45/~farbmetrik/QE74/QE74L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fd	rgb*Fd	icr*Fd	rgb*Fd	LabCh*Fd	hs*Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DF*Fd	hsMxd	rgb*Mxd	LabCh*Mxd	0.0
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
1056	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0
1057	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.0
1058	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0
1059	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.0
1060	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.0
1061	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0
1062	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.0
1063	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.0
1064	NW_059d	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.0
1065	NW_066d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0
1066	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.0
1067	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.0
1068	NW_080d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0
1069	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0
1070	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0
1071	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
1072	NW_006d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_010d	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
1074	ROY_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0
1075	G50B_100_100d	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0
1076	Y06C_100_100d	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	1.0	0.0
1077	B06C_100_100d	0.0	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0
1078	B08C_100_100d	0.0	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0
1079	B50R_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0

Mean color difference of this page: delta E* = 4.2

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart QE74; hue code: H*_d=G00Bd colors and differences, ΔE*_d

