


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

Data for any device (d) or elementary (e) colour:

$HIC^*_-$   
 hue text for the colours of this page:  
 $H^*_- = G00B_-$   
 triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 55 -65 33 73 152

$HIC^*_{-,Ma}$ : G00B\_100\_100\_



$rgbic^*_{-,Ma}$ : 0.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE77/QE77.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE77/QE77L0NP.PDF /.PS  
 application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 50 \ -65 \ 29 \ 71 \ 155$

$HIC^*_{d, Ma}: G00B\_100\_100_d$



$rgbic^*_{d, Ma}: 0.0 \ 1.0 \ 0.0 \ 1.0 \ 1.0$

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data


$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE77/QE77.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE77/QE77L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 50 -65 29 71 155$

$HIC^*_{d, Ma}: G00B\_100\_100_d$

$rgbic^*_{d, Ma}: 0.0 1.0 0.0 1.0 1.0$

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H, rel} = 57$

$g^*_{C, rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1



see similar files: http://130.149.60.45/~farbmetrik/QE77/QE77.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE77/QE77L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-003231-L0 QE770-70

TUB-test chart QE77; hue code:  $H^*_d=G00B_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$

1-003231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 50 -65 29 71 155$

$HIC^*_d, Ma: G00B\_100\_100_d$

$rgbic^*_d, Ma:$



0.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE77/QE77.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE77/QE77L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-003331-L0 QE770-70

TUB-test chart QE77; hue code:  $H^*_d=G00B_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$

1-003331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 50 -65 29 71 155$

$HIC^*_{d, Ma}: G00B\_100\_100_d$



$rgbic^*_{d, Ma}: 0.0 1.0 0.0 1.0 1.0$

triangle lightness  $T^*$

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H, rel} = 57$   
 $g^*_{C, rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1



see similar files: http://130.149.60.45/~farbmetrik/QE77/QE77.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




TUB registration: 20130201-QE77/QE77L0NP.PDF /.PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-003431-L0 QE770-70

TUB-test chart QE77; hue code:  $H^*_d=G00B_d$   
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input:  $rgb/cmyk \rightarrow rgb_d$   
output: transfer to  $cmy0_d$


1-003431-F0






Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{abs,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours RYGBM;  $h_{abs,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM;  $h_{abs,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


device CIELAB ( $a^*_d, b^*_d$ ) chroma diagram



elementary CIELAB ( $a^*_e, b^*_e$ ) chroma diagram



standard CIELAB ( $a^*_s, b^*_s$ ) chroma diagram



Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

- For the  $rgb^*_s$ -input values the CIELAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{max}$  use for any device values  $rgb^*_s$  the equation:  

$$h_{abs} = \arctan \left[ \frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{max}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48abs,sj} = h_{abs,st} + j [h_{abs,st+1} - h_{abs,st}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360abs,sj} = h_{abs,st} + j [h_{abs,st+1} - h_{abs,st}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{max}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48abs,ej} = h_{abs,et} + j [h_{abs,et+1} - h_{abs,et}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360abs,ej} = h_{abs,et} + j [h_{abs,et+1} - h_{abs,et}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{max}$  there is a well defined device hue angle  $h_{abs}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues





http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h_ab,d	h_ab,s	h_ab,e	rgb* <sub>d</sub>	rgb* <sub>s</sub>	rgb* <sub>e</sub>	LAB* <sub>d</sub>	LAB* <sub>s</sub>	LAB* <sub>e</sub>	rgb* <sub>d</sub>	rgb* <sub>s</sub>	rgb* <sub>e</sub>
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	96.1
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8	98.8
101.8	105.0	109.7	1.0	0.75	1.0	80.7	-17.5	83.5	85.3	101.8	101.8
107.6	112.5	118.5	1.0	0.625	1.0	75.3	-24.0	75.7	79.4	107.6	107.6
114.0	120.0	127.2	1.0	0.5	1.0	70.6	-29.7	66.5	72.8	114.0	114.0
121.4	127.5	136.0	1.0	0.375	1.0	65.7	-35.6	58.3	68.3	121.4	121.4
135.3	135.0	144.7	1.0	0.25	1.0	58.4	-47.3	46.8	66.6	135.3	135.3
144.4	142.5	153.4	1.0	0.125	1.0	54.7	-53.9	38.5	66.3	144.4	144.4
155.5	150.0	162.2	1.0	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	155.5
160.7	157.5	169.0	1.0	0.125	0.0	51.2	-62.8	21.9	66.5	160.7	160.7
167.7	165.0	175.9	1.0	0.25	0.0	51.2	-58.9	12.7	60.3	167.7	167.7
176.7	172.5	182.7	1.0	0.375	0.0	54.5	-54.5	3.1	54.6	176.7	176.7
189.3	180.0	189.6	1.0	0.5	0.0	52.9	-48.6	-8.0	49.3	189.3	189.3
203.2	187.5	196.4	1.0	0.625	0.0	54.0	-42.3	-18.1	46.1	203.2	203.2
217.2	195.0	203.2	1.0	0.75	0.0	55.0	-36.0	-27.4	45.3	217.2	217.2
228.3	202.5	210.1	1.0	0.875	0.0	55.8	-30.7	-34.5	46.2	228.3	228.3
238.4	210.0	216.9	1.0	1.0	0.0	56.8	-25.5	-41.5	48.7	238.4	238.4
242.9	217.5	223.8	1.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	242.9
249.3	225.0	230.6	1.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	249.3
256.9	232.5	237.5	1.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	256.9
268.2	240.0	244.3	1.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	268.2
278.6	247.5	251.2	1.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	278.6
289.6	255.0	258.0	1.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	289.6
299.0	262.5	264.8	1.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	299.0
306.2	270.0	271.7	1.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	306.2
314.7	277.5	278.8	1.0	0.125	0.0	27.9	36.0	-36.4	51.2	314.7	314.7
322.1	285.0	285.9	1.0	0.25	0.0	28.8	41.9	-32.5	53.1	322.1	322.1
333.3	292.5	293.0	1.0	0.375	0.0	32.7	51.8	-26.0	58.0	333.3	333.3
340.5	300.0	300.1	1.0	0.5	0.0	35.6	58.6	-20.7	62.1	340.5	340.5
347.9	307.5	307.2	1.0	0.625	0.0	38.1	65.4	-14.0	66.9	347.9	347.9
352.5	315.0	314.3	1.0	0.75	0.0	41.8	71.0	-9.2	71.6	352.5	352.5
356.1	322.5	321.4	1.0	0.875	0.0	44.2	75.2	-5.0	75.3	356.1	356.1
359.8	330.0	328.6	1.0	1.0	0.0	46.1	79.3	-0.2	79.3	359.8	359.8
363.0	337.5	335.7	1.0	0.875	1.0	45.9	78.2	4.1	78.3	363.0	363.0
366.4	345.0	342.8	1.0	0.75	1.0	45.9	77.1	8.6	77.6	366.4	366.4
371.1	352.5	349.9	1.0	0.625	1.0	46.0	75.6	14.8	77.0	371.1	371.1
375.9	360.0	357.0	1.0	0.5	1.0	45.9	74.2	21.1	77.1	375.9	375.9
381.2	367.5	364.1	1.0	0.375	1.0	45.8	72.9	28.3	78.3	381.2	381.2
385.6	375.0	371.2	1.0	0.25	1.0	45.6	72.1	34.6	80.0	385.6	385.6
389.3	382.5	378.3	1.0	0.125	1.0	45.5	71.4	40.1	81.9	389.3	389.3
392.3	390.0	385.4	1.0	0.0	1.0	45.4	70.9	44.8	83.9	392.3	392.3

http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h\_ab,d, h\_ab,s, h\_ab,e, R\_d, L\*a\*b\*, dss361MI, L\*a\*b\*, dss361MI, L\*a\*b\*, dex361MI, L\*a\*b\*, dex361MI, R\_g, L\*a\*b\*, dd361MI, L\*a\*b\*, dd361MI, R\_b, L\*a\*b\*, dd361MI, R\_g, L\*a\*b\*, dd361MI, R\_g, L\*a\*b\*, dd361MI, R\_b, L\*a\*b\*, dd361MI. Rows 32-86.

Input: rgb/cmyk -> rgbd output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,d\_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h\_ab,d, h\_ab,s, h\_ab,e, rgbb\*, dgbb\*, dgbb\*\_d, dgbb\*\_s, dgbb\*\_e, LAB\*\_ds361MI, LAB\*\_dcs361MI (x=LabCh), rgbb\*\_ds361MI, LAB\*\_dcs361MI (x=LabCh), rgbb\*\_dcs361MI, LAB\*\_dcs361MI (x=LabCh), rgbb\*\_dcs361MI, LAB\*\_dcs361MI (x=LabCh), Yd, Ys, Ye, and color bars for rgbb\*, dgbb\*, dgbb\*\_d, dgbb\*\_s, dgbb\*\_e.

Input: rgb/cmyk -> rgbb output: transfer to cmy0d

Output: Offset standard print; separation cmy0; D65, page 1/33













http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h\_ab,d, h\_ab,s, h\_ab,e), device colours (RYGBM), and colorimetric values (L\*a\*b\*, L\*a\*b\*, L\*a\*b\*, x, y, z, etc.) for 340 different color steps.

Output: Offset standard print; separation cmy0\*, D65, page 15/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h\_ab,d, h\_ab,s), device colours (RYGBM), and separation colours (RYGBM). Rows include color codes (e.g., 340, 300, 301) and corresponding colorimetric values (L\*, a\*, b\*, M, etc.).

Input: rgb/cmyk -> rgbd output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h\_ab,d, h\_ab,s, h\_ab,e), device colours (RYGBM), and various colorimetric values (LAB\*, RGB\*, CMYK, etc.) for 392 different color patches.

I-0031631-L0 QE770-70 LAB\*lab0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0 Output: Offset standard print; separation cmy0\*, D65, page 17/33

TUB-test chart QE77; hue code: H\*\_d=G00Bd input: rgb/cmyk -> rgbd output: transfer to cmy0d 48 step hue circles; rgb-LabCh\*tables






nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH**Fd	DF*Fd	HaMvd	rgb*Vd	LabCH*Vd	LabCH**Vd	839	839	32.3	
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.8	44.8	70.9	32.3
1/668	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53.0	53.0	45.7	45.7
2/684	R50Y_100_100a	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68.6	68.6	74.5	74.5
3/684	R75Y_100_100a	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.8	84.8	87.0	87.0
4/720	Y00C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.8	87.8	102.2	102.2
5/558	Y25C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.8	87.8	102.2	102.2
6/396	Y50C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.8	87.8	102.2	102.2
7/234	Y75C_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.8	87.8	102.2	102.2
8/72	G00B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	50.0	65.0	65.0
9/72	G00B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	50.0	65.0	65.0
10/76	G25B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.9	52.9	48.6	48.6
11/80	G50B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.8	56.8	41.5	41.5
12/44	G75B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68.6	68.6	40.6	40.6
13/8	B00M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.5	29.5	30.0	30.0
14/332	B25R_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.5	29.5	30.0	30.0
15/656	B50R_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.5	29.5	30.0	30.0
16/652	B75R_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.5	29.5	30.0	30.0
17/648	R00Y_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
18/688	R00Y_100_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
19/706	R50Y_100_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
20/724	Y00C_100_050a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
21/400	G00B_100_050a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
22/400	G50B_100_050a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
23/400	G75B_100_050a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
24/568	B00R_100_050a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
25/692	B50R_100_050a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
26/688	R00Y_100_050a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	45.4	70.9	32.3
27/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
28/524	R50Y_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
29/542	Y00C_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
30/380	Y50C_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
31/218	G00B_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
32/222	G50B_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
33/186	B00R_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
34/510	B50R_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
35/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	39.4	39.4	31.9	32.3
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
37/342	R50Y_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
38/360	Y00C_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
39/198	Y50C_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
40/36	G00B_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
41/40	G50B_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
42/4	B00R_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
43/328	B50R_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
44/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	22.4	22.4
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	24.3	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.375	0.125	0.125	0.125	0.125	0.125	0.125	0.125	24.3	24.3	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.375	0.25	0.25	0.25	0.25	0.25	0.25	0.25	24.3	24.3	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	24.3	24.3	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.375	0.5	0.5	0.5	0.5	0.5	0.5	0.5	24.3	24.3	0.0	0.0
50/455	NW_069a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	24.3	24.3	0.0	0.0
51/546	NW_087a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	24.3	24.3	0.0	0.0
52/637	NW_088a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	24.3	24.3	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	24.3	24.3	0.0	0.0

Mean color difference of this page: delta E\* = 5.0

input: rgb/cmyk -> rgbd  
output: transfer to cmy0d

TUB-test chart QE77; hue code: H\*\_d=G00Bd  
colors and differences, ΔE\*'





see similar files: <http://130.149.60.45/~farbmetrik/QE77/QE77.HTM> technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/QE77/QE77LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Table with 80 columns (numbered 1-80) and 80 rows (numbered 1-80). Each cell contains numerical data representing color differences and registration values. The table is organized into a grid with headers for each column and row.

Mean color difference of this page: delta E\* = 4.2

QE770-TN; Page 20/33-F

TUB-test chart QE77; hue code: H\*d=G00Bd colors and differences, ΔE\*

I-0031931-F0

I-0031931-F0



n	HC*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	DF*Fd	rgb*Fd	LabCH*Fd
81	B00Y_012_0124	0.125 0.0	0.0	27.0	8.8	0.0	26.6	14.6	45.4
82	B00R_012_0124	0.125 0.0	0.125 0.0	27.0	9.9	0.0	15.8	15.8	70.9
83	B25K_025_0254	0.125 0.0	0.25 0.0	27.1	10.1	0.0	14.6	14.6	83.9
84	B15K_037_0374	0.125 0.0	0.375 0.0	26.8	11.0	0.0	15.8	15.8	79.3
85	B11K_050_0504	0.125 0.0	0.5 0.0	26.5	11.5	0.0	17.8	17.8	359.8
86	B00K_062_0624	0.125 0.0	0.625 0.0	26.2	11.7	0.0	18.2	18.2	340.5
87	B07K_075_0754	0.125 0.0	0.75 0.0	26.0	12.0	0.0	19.3	19.3	328.1
88	B04K_087_0874	0.125 0.0	0.875 0.0	25.7	12.5	0.0	20.6	20.6	294.4
89	B00K_100_1004	0.125 0.0	1.0 0.0	25.5	13.0	0.0	21.2	21.2	282.1
90	Y00C_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
91	Y00C_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
92	Y00C_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
93	Y00C_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
94	Y00C_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
95	Y00C_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
96	Y00C_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
97	Y00C_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
98	Y00C_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
99	Y00C_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
100	Y00C_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
101	Y00C_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
102	Y00C_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
103	Y00C_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
104	Y00C_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
105	Y00C_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
106	Y00C_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
107	Y00C_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
108	Y00C_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
109	Y00C_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
110	Y00C_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
111	Y00C_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
112	Y00C_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
113	Y00C_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
114	G00B_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
115	G00B_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
116	G00B_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
117	G00B_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
118	G00B_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
119	G00B_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
120	G00B_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
121	G00B_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
122	G00B_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
123	G00B_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
124	G00B_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
125	G00B_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
126	G00B_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
127	G00B_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
128	G00B_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
129	G00B_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
130	G00B_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
131	G00B_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
132	G00B_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
133	G00B_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
134	G00B_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
135	G00B_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
136	G00B_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
137	G00B_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
138	G00B_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
139	G00B_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
140	G00B_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
141	G00B_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
142	G00B_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
143	G00B_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
144	G00B_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
145	G00B_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
146	G00B_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
147	G00B_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
148	G00B_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
149	G00B_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
150	G00B_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
151	G00B_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
152	G00B_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
153	G00B_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6
154	G00B_012_0124	0.125 0.0	0.125 0.0	27.0	8.8	0.0	14.6	14.6	45.4
155	G00B_025_0254	0.125 0.0	0.25 0.0	27.0	9.9	0.0	15.8	15.8	70.9
156	G00B_037_0374	0.125 0.0	0.375 0.0	27.1	10.1	0.0	17.8	17.8	83.9
157	G00B_050_0504	0.125 0.0	0.5 0.0	26.8	11.0	0.0	18.2	18.2	359.8
158	G00B_062_0624	0.125 0.0	0.625 0.0	26.5	11.5	0.0	19.3	19.3	340.5
159	G00B_075_0754	0.125 0.0	0.75 0.0	26.2	11.7	0.0	20.6	20.6	294.4
160	G00B_087_0874	0.125 0.0	0.875 0.0	25.9	12.0	0.0	21.2	21.2	282.1
161	G00B_100_1004	0.125 0.0	1.0 0.0	25.7	12.5	0.0	22.0	22.0	266.6

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE77; hue code: H\*d=G00Bd colors and differences, AE\*

I=003201-F0




QE770-TN; Page 21/33-F

delta E\* = 4.2

Mean color difference of this page:

QE7700L

QE7700L



see similar files: http://130.149.60.45/~farbmatrik/QE77/QE77LONP.PDF /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

http://130.149.60.45/~farbmatrik/QE77/QE77LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Table with 24 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, rpb\*Fd. Each cell contains numerical values representing color differences and registration data for various color patches.

Mean color difference of this page: delta E\* = 5.9

TUB-test chart QE77; hue code: H\*d=G00Bd colors and differences, AE\*'

I=0032131-F0

QE770-TN; Page 22/33-F



Table with 40 columns (n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*\*Fd, LabCH\*Fd, LabCH\*\*Fd, rpb\*\*Fd, LabCH\*\*Fd, DF\*Fd, Hsa\*Fd, rpb\*\*Fd, LabCH\*\*Fd) and 40 rows of color patches. Includes a 'Mean color difference of this page: delta E\* = 6.8' at the bottom right.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE77; hue code: H\*d=G00Bd colors and differences, AE\*

I=0032331-F0

QE770-TN; Page 24/33-F

QE7700L

Table with columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Fd, rpb\*Fd, DF\*Fd, Ham\*Fd, LabCH\*Fd, rpb\*Fd, LabCH\*Fd, rpb\*Fd. Rows include color names like R001, R002, B001, B002, etc.

Mean color difference in this page:

input: rgb/cmyk -> rgbd output: transfer to cmy0d



QE7700L

C

M

Y

O

L

V

S

C

http://130.149.60.45/~farbmetrik/QE77/QE77LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC\*Fd, Rgb\*Fd, Ict\*Fd, Hsa\*Fd, Rgb\*Fd, LabCh\*Fd, LabCh\*Fd, Rgb\*Fd, DF\*Fd, Hsa\*Fd, LabCh\*Fd, LabCh\*Fd, Rgb\*Fd, LabCh\*Fd. Rows include color names like R00Y, R00M, R00C, etc.

Mean color difference of this page: delta E\* = 5.0

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE77; hue code: H\*d=G00Bd colors and differences, AE\*

QE770-TN; Page 26/33-F

I=0032531-F0



QE7700L

QE7700L

Table with 20 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd. Rows 567-647.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE77; hue code: H\*d=G00Bd colors and differences, AE\*MI

Mean color difference of this page: delta E\* = 3.4



QE7700L

QE7700L

Table with columns: n, H#C\*Fd, r\*gb\*Fd, i\*cr\*Fd, i\*rs\*Fd, i\*rs\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, r\*gb\*Fd, r\*gb\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, DF\*F\*Fd, DF\*F\*Fd, H\*rs\*Fd, H\*rs\*Fd, r\*gb\*Fd, r\*gb\*Fd, LabC\*H\*Fd, LabC\*H\*Fd, delta E\*F\* = 7.8

http://130.149.60.45/~farbmetrik/QE77/QE77LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d







QE7700L

http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H#C\*Fd, r\*gb, i\*ct, i\*st, i\*st, i\*st, i\*st, i\*st, i\*st, i\*st, i\*st, i\*st, i\*st, i\*st. Rows 972-1052. Includes color patches and registration marks.

Mean color difference of this page: delta E\*90 = 9.2

TUB-test chart QE77; hue code: H\*d=G00Bd colors and differences, AE\*'

input: rgb/cmyk -> rgbd output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/QE77/QE77L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb**Fd	LabCH*Fd	hsa*Fd	LabCH**Fd	DF**Fd	rgb**Md	LabCH**Md	hsa*Md	DF**Md	rgb**Md	LabCH**Md	hsa*Md
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1057	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1058	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1059	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1060	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1061	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1062	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1063	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1064	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1065	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1066	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1067	NW_080d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1068	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1069	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1070	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1071	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1072	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1073	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1074	ROXY_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1075	G50B_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100d	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B06C_100_100d	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08C_100_100d	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E\*\* = 5.8

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart QE77; hue code: H\*\_d=G00Bd colors and differences, ΔE\*\*