

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

$H^*_- = G00B_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = G00B_-$

triangle lightness  $T^*$



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 55 -65 33 73 152



$HIC^*_{-,Ma}$ : G00B\_100\_100\_

$rgbic^*_{-,Ma}$ :

0.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data					
$H^*_-$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF> / .PS; start output  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE78/QE78L0FP.PDF / .PS  
 application for measurement of offset print output

TUB material: code=rh4ta

1-113031-L0 QE780-7N

TUB-test chart QE78; hue code:  $H^*_- = G00B_-$   
 Test chart according to DIN 33872, 3D=1, de=1,  $cm_y0^*$


input:  $rgb/cmyk \rightarrow rgb/cmyk$   
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = G00B_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 50 -62 19 65 162$



$HIC^*_{e, Ma}: G00B\_100\_100_e$

$rgbic^*_{e, Ma}: 0.0 1.0 0.15 1.0 1.0$

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



see similar files: <http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE78/QE78L0FP.PDF / .PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta

1-113131-L0 QE780-73

TUB-test chart QE78; hue code:  $H^*_e = G00B_e$   
Test chart according to DIN 33872, 3D=1, de=1,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$


1-113131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = G00B_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 50 \ -62 \ 19 \ 65 \ 162$



$HIC^*_{e, Ma}: G00B\_100\_100_e$

$rgbic^*_{e, Ma}: 0.0 \ 1.0 \ 0.15 \ 1.0 \ 1.0$

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352





see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta

1-113231-L0 QE780-73

TUB-test chart QE78; hue code:  $H^*_e = G00B_e$   
Test chart according to DIN 33872, 3D=1, de=1,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = G00B_e$

triangle lightness  $T^*$



**ORS20a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 50 -62 19 65 162$



$HIC^*_{e, Ma}: G00B\_100\_100_e$

$rgbic^*_{e, Ma}: 0.0 1.0 0.15 1.0 1.0$

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE78/QE78L0FP.PDF / .PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta

1-113331-L0 QE780-73

TUB-test chart QE78; hue code:  $H^*_e = G00B_e$   
Test chart according to DIN 33872, 3D=1, de=1,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = G00B_e$

triangle lightness  $T^*$



**ORS20a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 50 -62 19 65 162$

$HIC^*_{e, Ma}: G00B\_100\_100_e$



$rgbic^*_{e, Ma}$ :

0.0 1.0 0.15 1.0 1.0

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta

1-113431-L0 QE780-73


TUB-test chart QE78; hue code:  $H^*_e = G00B_e$   
Test chart according to DIN 33872, 3D=1,  $de=1$ ,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmY0^*_{de}$

1-113431-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE78/QE78.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113531-L0 QE780-73

TUB-test chart QE78; hue code:  $H^*_e=G00B_e$   
Test chart according to DIN 33872, 3D=1, de=1, cmy0\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $cmy0^*_{de}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours  $RYGCBM_s$ :  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours  $RYGCBM_d$ :  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours  $RYGCBM_e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$  Yellow


$LCH^*_d = 87.8 \ 96.0 \ 96.1$   
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$  leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$   
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$  cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$   
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$



$O=R_d$  orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$   
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$  magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$   
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$  violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$   
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

$Y_e$  yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$   
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$   
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

$G_e$  green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$   
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$


$C_e$  blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$   
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

$B_e$  blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$   
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$   
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

elementary CIELAB ( $a^*_e, b^*_e$ ) chroma diagram



$R_e$  red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$   
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

$M_e$  blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$   
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$   
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$


standard CIELAB ( $a^*_s, b^*_s$ ) chroma diagram

$Y_s$  yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$   
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$   
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

$G_s$  green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$   
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$   
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$



$R_s$  red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$   
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

$M_s$  blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$   
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$   
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

$B_s$  blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$   
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$   
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

1. For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.

2. For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:

$$h_{ab,s} = \text{atan} [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$


$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.

6. The values  $rgb^*_e$  produce the output of the device-independent elementary hues

Data of maximum color M in colorimetric system offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>64M</sub>, LAB\*<sub>ddx64M</sub> (x=LabCh), r<sub>gb</sub><sup>b</sup>, d<sub>361M</sub>, LAB\*<sub>ddx361M</sub> (x=LabCh), r<sub>gb</sub><sup>c</sup>, d<sub>361M</sub>, LAB\*<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub><sup>d</sup>, d<sub>361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh), r<sub>gb</sub><sup>e</sup>, d<sub>361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh). Rows contain numerical data for various color patches.




see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>de</sup>	dd64M	LAB <sup>de</sup>	ddx64M (x=LabCh)	rgb <sup>de</sup>	dex361M	LAB <sup>de</sup>	dex361M
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3



see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>S</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGCBM<sub>d</sub>:  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGCBM<sub>C</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361M}$	$LAB^*_{dxx361MI}$ (x=LabCh)	$R_d$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361MI}$ (x=LabCh)	$R_s$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361MI}$ (x=LabCh)	$R_c$	$rgb^*_{dd361Mi}$	$rgb^*_{dd}$	$rgb^*_{ds}$	$rgb^*_{de}$
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.096 45.5 71.4 41.2 82.4 30		1.0 0.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25		1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055 45.5 71.2 42.8 83.1 31		1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26		1.0 0.017 0.0				
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013 45.5 71.0 44.4 83.7 32		1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27		1.0 0.033 0.0				
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0 45.9 70.0 45.5 83.5 33		1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28		1.0 0.05 0.0				
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0 46.5 68.6 46.3 82.8 34		1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29		1.0 0.067 0.0				
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0 47.1 67.3 47.1 82.1 35		1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31		1.0 0.083 0.0				
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0 47.6 65.9 47.9 81.4 36		1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32		1.0 0.1 0.0				
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0 48.2 64.5 48.6 80.7 37		1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33		1.0 0.117 0.0				
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0 48.8 63.1 49.3 80.1 38		1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34		1.0 0.133 0.0				
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0 49.4 61.8 50.1 79.6 39		1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35		1.0 0.15 0.0				
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0 49.9 60.6 50.9 79.1 40		1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36		1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0 50.5 59.4 51.6 78.7 41		1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37		1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0 51.0 58.1 52.3 78.2 42		1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38		1.0 0.2 0.0				
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0 51.6 56.9 53.0 77.8 43		1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39		1.0 0.217 0.0				
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0 52.1 55.6 53.7 77.3 44		1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41		1.0 0.233 0.0				
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0 52.7 54.4 54.4 76.9 45		1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42		1.0 0.25 0.0				
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0 53.2 53.1 55.0 76.4 46		1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43		1.0 0.267 0.0				
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0 53.7 51.8 55.6 76.0 47		1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44		1.0 0.283 0.0				
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0 54.3 50.7 56.3 75.8 48		1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45		1.0 0.3 0.0				
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0 54.8 49.6 57.1 75.6 49		1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46		1.0 0.317 0.0				
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0 55.4 48.5 57.8 75.4 50		1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47		1.0 0.333 0.0				
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0 55.9 47.3 58.5 75.2 51		1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48		1.0 0.35 0.0				
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0 56.5 46.2 59.1 75.0 52		1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49		1.0 0.367 0.0				
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0 57.0 45.0 59.8 74.8 53		1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51		1.0 0.383 0.0				
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0 57.6 43.9 60.4 74.6 54		1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52		1.0 0.4 0.0				
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0 58.1 42.7 61.0 74.4 55		1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53		1.0 0.417 0.0				
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0 58.6 41.5 61.5 74.2 56		1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54		1.0 0.433 0.0				
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0 59.2 40.3 62.1 74.0 57		1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55		1.0 0.45 0.0				
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0 59.8 39.3 62.8 74.1 58		1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56		1.0 0.467 0.0				
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0 60.3 38.2 63.5 74.1 59		1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57		1.0 0.483 0.0				
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58		1.0 0.5 0.0				
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0 61.4 36.0 64.9 74.2 61		1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.517 0.0				
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0 62.0 34.9 65.6 74.3 62		1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61		1.0 0.533 0.0				
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0 62.6 33.7 66.2 74.3 63		1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62		1.0 0.55 0.0				
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0 63.1 32.6 66.9 74.4 64		1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63		1.0 0.567 0.0				
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0 63.7 31.5 67.5 74.4 65		1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64		1.0 0.583 0.0				
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0 64.2 30.3 68.0 74.5 66		1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65		1.0 0.6 0.0				
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0 64.8 29.1 68.6 74.5 67		1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66		1.0 0.617 0.0				
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0 65.4 28.0 69.4 74.8 68		1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67		1.0 0.633 0.0				
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0 66.1 26.9 70.2 75.2 69		1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68		1.0 0.65 0.0				
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0				
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0 67.3 24.7 71.8 75.9 71		1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71		1.0 0.683 0.0				
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0 67.9 23.6 72.6 76.3 72		1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72		1.0 0.7 0.0				
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0 68.6 22.4 73.3 76.6 73		1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73		1.0 0.717 0.0				
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0 69.2 21.2 74.0 77.0 74		1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74		1.0 0.733 0.0				
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0 69.8 20.0 74.7 77.4 75		1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75		1.0 0.75 0.0				

TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>S</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>c</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>ab</sup> *_dd361M	LAB <sup>ab</sup> *_ddx361Mi (x=LabCh)	rgb <sup>ds</sup> *_ds361Mi	LAB <sup>ds</sup> *_dsx361Mi (x=LabCh)	rgb <sup>de</sup> *_de361Mi	LAB <sup>de</sup> *_dex361Mi (x=LabCh)	rgb <sup>ab</sup> *_dd361Mi	rgb <sup>ds</sup> *_ds361Mi	rgb <sup>de</sup> *_de361Mi												
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.75	0.0		
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.767	0.0	78.6	4.3	84.7	84.8	87	1.0	0.767	0.0		
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.783	0.0		
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.8	0.0		
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.817	0.0	80.8	0.8	87.3	87.3	89	1.0	0.817	0.0		
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833	0.0		
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85	0.0		
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.867	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.867	0.0		
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883	0.0		
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9	0.0		
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.917	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.917	0.0		
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933	0.0		
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95	0.0		
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.967	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.967	0.0		
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983	0.0		
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	95.6	96	1.0	1.0	0.0	87.8	-10.2	95.4	95.6	96	1.0	1.0	0.0		
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983	1.0	0.0
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.967	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.967	1.0	0.0
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95	1.0	0.0
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	1.0	0.0
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.917	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.917	1.0	0.0
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9	1.0	0.0
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883	1.0	0.0
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	1.0	0.867	1.0	0.0	84.1	-14.1	88.9	90.0	99	1.0	0.867	1.0	0.0
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85	1.0	0.0
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833	1.0	0.0
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	1.0	0.817	1.0	0.0	82.6	-15.6	86.6	88.0	100	1.0	0.817	1.0	0.0
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8	1.0	0.0
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783	1.0	0.0
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	1.0	0.767	1.0	0.0	81.2	-17.0	84.3	86.0	101	1.0	0.767	1.0	0.0
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75	1.0	0.0
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733	1.0	0.0
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	1.0	0.717	1.0	0.0	79.3	-19.3	81.5	83.8	103	1.0	0.717	1.0	0.0
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7	1.0	0.0
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683	1.0	0.0
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	1.0	0.667	1.0	0.0	77.1	-22.0	78.4	81.4	105	1.0	0.667	1.0	0.0
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65	1.0	0.0
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633	1.0	0.0
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	1.0	0.617	1.0	0.0	75.0	-24.4	75.1	79.0	108	1.0	0.617	1.0	0.0
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6	1.0	0.0
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583	1.0	0.0
110	116	122	0.566	1.0	0.0	73.1	-26.9	71.4	76.3	110	1.0	0.567	1.0	0.0	73.1	-26.9	71.4	76.3	110	1.0	0.567	1.0	0.0
111	117	123	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55	1.0	0.0
112	118	124	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533	1.0	0.0
113	119	126	0.516	1.0	0.0	71.2	-29.0	67.7	73.7	113	1.0	0.517	1.0	0.0	71.2	-29.0	67.7	73.7	113	1.0	0.517	1.0	0.0
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5	1.0	0.0



TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
 application for measurement of offset print output, separation cmy0\* (CMY0)

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system Offset standard print; separation  $cm\dot{y}0^*$ ; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>S</sub>;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGCBM<sub>d</sub>;  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGCBM:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361M}$	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$LAB^*_{dd361Mi}$																	
114	120	127	0.5	1.0	0.0	70.6	-29.7 66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5 59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8 53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5 65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2 58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8 52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4 64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1 57.9	68.3	122	0.466	1.0	0.0	0.301	1.0	0.0	61.4	-42.8 51.9	67.3	129	0.466	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2 63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0 57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8 50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0 62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9 56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7 49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8 61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8 55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6 48.9	66.9	133	0.417	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5 59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7 54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5 47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2 58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6 54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4 46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4 57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5 53.2	67.5	128	0.366	1.0	0.0	0.233	1.0	0.0	57.9	-48.3 45.8	66.6	136	0.366	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2 56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3 52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2 44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8 54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1 51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0 43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4 53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0 50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9 42.7	66.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0 51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8 49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7 41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5 50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5 48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5 40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9 48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3 48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3 39.4	66.4	143	0.267	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3 46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0 47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2 38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3 45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8 46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4 37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2 44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6 45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6 36.7	67.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1 43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4 44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8 35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0 42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1 43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0 34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9 41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8 42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1 34.0	69.2	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7 40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6 41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3 33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5 39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3 40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4 32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7 38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9 40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5 30.9	70.8	154	0.117	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2 37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6 39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6 29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7 35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5 38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6 28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2 34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5 37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2 26.5	69.5	157	0.067	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7 33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5 36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7 24.8	68.4	158	0.05	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2 32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6 36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1 23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6 30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6 35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6 21.5	66.3	161	0.017	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0 29.6	71.4	155	G <sub>d</sub> 0.062	1.0	0.0	52.4	-59.6 34.5	68.9	150G <sub>s</sub> 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0 19.9	65.2	162G <sub>e</sub> 0.0	1.0	0.0	0.0	
156	151	163	0.0	1.0	0.016	50.1	-64.7 28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6 33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6 18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5 27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6 32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1 17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2 26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5 31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6 16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9 25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5 31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0 15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6 24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4 30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5 14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3 23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7 28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9 12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9 22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4 27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5 11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5 21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0 25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1 10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1 19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5 24.4	68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7 9.7	58.6	170	0.0	1.0	0.15
163	160	171	0.0	1.0	0.166	50.7	-61.6 18.7	64.4	163	0.0	1.0	0.107	50.5	-63.1 23.0	67.2	160	0.0	1.0	0.167	0.0	1.0	0.3	51.5	-57.3 8.7	58.1	171	0.0	1.0	0.167
164	161	172	0.0	1.0	0.183	50.8	-61.1 17.4	63.6	164	0.0	1.0	0.129	50.6	-62.6 21.6	66.3	161	0.0	1.0	0.183	0.0	1.0	0.313	51.6	-56.					





Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>S</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM <sub>d</sub> : h <sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8;			Six hue angles of the elementary colours RYGBM <sub>e</sub> : h <sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6											
h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.2	51.0
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.218	51.1
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.236	51.2
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.253	51.2
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.267	51.3
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.281	51.4
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.295	51.5
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.309	51.6
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.323	51.7
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.337	51.8
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.351	51.9
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.365	52.0
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.378	52.0
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.388	52.1
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.398	52.2
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.407	52.3
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.417	52.4
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.427	52.4
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.437	52.5
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.447	52.6
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.457	52.7
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.467	52.7
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.486	52.9
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.496	53.0
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.506	53.0
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.515	53.1
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.524	53.2
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.533	53.3
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.542	53.3
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.551	53.4
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.56	53.5
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.569	53.6
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.578	53.6
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.587	53.7
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.596	53.8
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.605	53.9
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.614	54.0
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.623	54.0
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.632	54.1
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.641	54.2
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.65	54.2
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.659	54.3
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.668	54.4
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.676	54.5
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	0.685	54.5

see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi																								
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C <sub>s</sub>	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	C <sub>e</sub>	0.0	1.0	1.0		
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239	0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211	C <sub>s</sub>	0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	C <sub>e</sub>	0.0	0.983	1.0		
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239	0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212	C <sub>s</sub>	0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	C <sub>e</sub>	0.0	0.967	1.0		
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240	0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213	C <sub>s</sub>	0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	C <sub>e</sub>	0.0	0.95	1.0		
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240	0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214	C <sub>s</sub>	0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	C <sub>e</sub>	0.0	0.933	1.0		
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241	0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215	C <sub>s</sub>	0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	C <sub>e</sub>	0.0	0.917	1.0		
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242	0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216	C <sub>s</sub>	0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	C <sub>e</sub>	0.0	0.9	1.0		
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	C <sub>s</sub>	0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	C <sub>e</sub>	0.0	0.883	1.0		
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243	0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218	C <sub>s</sub>	0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	C <sub>e</sub>	0.0	0.867	1.0		
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244	0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219	C <sub>s</sub>	0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	C <sub>e</sub>	0.0	0.85	1.0		
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245	0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220	C <sub>s</sub>	0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	C <sub>e</sub>	0.0	0.833	1.0		
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245	0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221	C <sub>s</sub>	0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	C <sub>e</sub>	0.0	0.817	1.0		
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246	0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222	C <sub>s</sub>	0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	C <sub>e</sub>	0.0	0.8	1.0		
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247	0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223	C <sub>s</sub>	0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	C <sub>e</sub>	0.0	0.783	1.0		
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248	0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224	C <sub>s</sub>	0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	C <sub>e</sub>	0.0	0.767	1.0		
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	C <sub>s</sub>	0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	C <sub>e</sub>	0.0	0.75	1.0		
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250	0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226	C <sub>s</sub>	0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	C <sub>e</sub>	0.0	0.733	1.0		
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	C <sub>s</sub>	0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	C <sub>e</sub>	0.0	0.717	1.0		
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252	0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228	C <sub>s</sub>	0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	C <sub>e</sub>	0.0	0.7	1.0		
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253	0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229	C <sub>s</sub>	0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	C <sub>e</sub>	0.0	0.683	1.0		
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254	0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230	C <sub>s</sub>	0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	C <sub>e</sub>	0.0	0.667	1.0		
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255	0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231	C <sub>s</sub>	0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	C <sub>e</sub>	0.0	0.65	1.0		
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	C <sub>s</sub>	0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	C <sub>e</sub>	0.0	0.633	1.0		
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257	0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233	C <sub>s</sub>	0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	C <sub>e</sub>	0.0	0.617	1.0		
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259	0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234	C <sub>s</sub>	0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	C <sub>e</sub>	0.0	0.6	1.0	
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260	0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235	C <sub>s</sub>	0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	C <sub>e</sub>	0.0	0.583	1.0	
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262	0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236	C <sub>s</sub>	0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	C <sub>e</sub>	0.0	0.567	1.0	
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263	0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237	C <sub>s</sub>	0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	C <sub>e</sub>	0.0	0.55	1.0	
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238	C <sub>s</sub>	0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	C <sub>e</sub>	0.0	0.533	1.0	
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266	0.0	1.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239	C <sub>s</sub>	0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	C <sub>e</sub>	0.0	0.517	1.0
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268	0.0	1.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	C <sub>s</sub>	0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	C <sub>e</sub>	0.0	0.5	1.0
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269	0.0	1.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241	C <sub>s</sub>	0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245	C <sub>e</sub>	0.0	0.483	1.0
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271	0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242	C <sub>s</sub>	0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246	C <sub>e</sub>	0.0	0.467	1.0	
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272	0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243	C <sub>s</sub>	0.0	0.45	1.0	0.0	1.0	0.793	1.0	51.7	-17.3	-41.2	44.8	247	C <sub>e</sub>	0.0	0.45	1.0	
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273	0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244	C <sub>s</sub>	0.0	0.433	1.0	0.0	1.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	C <sub>e</sub>	0.0	0.433	1.0	
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6	275	0.0	0.834	1.0	53.0	-19.2	-41.3	45.7	245	C <sub>s</sub>	0.0	0.417	1.0	0.0	1.0	0.757	1.0	50.7	-15.8	-41.1	44.1	248	C <sub>e</sub>	0.0	0.417	1.0	
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7	276	0.0	0.815	1.0	52.4	-18.3	-41.3	45.3	246	C <sub>s</sub>	0.0	0.4	1.0	0.0	1.0	0.741	1.0	50.2	-15.0	-41.0	43.8	249	C <sub>e</sub>	0.0	0.4	1.0	
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2																				



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>c</sub>: h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 41 columns and 35 rows of data. Columns include device coordinates (h<sub>ab,d</sub> h<sub>ab,s</sub> h<sub>ab,e</sub> r<sub>gb</sub>\* dd361M LAB\* ddx361Mi (x=LabCh) r<sub>gb</sub>\* ds361Mi LAB\* dsx361Mi (x=LabCh) r<sub>gb</sub>\* dd361Mi r<sub>gb</sub>\* de361Mi LAB\* dex361Mi (x=LabCh) r<sub>gb</sub>\* dd361Mi) and standard color coordinates (r<sub>gb</sub>\*<sub>dd</sub>, r<sub>gb</sub>\*<sub>ds</sub>, r<sub>gb</sub>\*<sub>de</sub>). Rows 289-340 list various device colors with their corresponding LabCh, ds361Mi, and de361Mi values.

see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE78/QE78L0FP.PDF /.PS  
application for measurement of offset print output, separation cmy0\* (CMY0)  
TUB material: code=rh4ta

1-1131431-L0 QE780-73 LAB\*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0\*, D65, page 15/33

TUB-test chart QE78; hue code: H\*<sub>e</sub>=G00B<sub>e</sub>  
48 step hue circles; r<sub>gb</sub>-LabCh\*tables

input: r<sub>gb</sub>/cmyk -> r<sub>gb</sub><sub>de</sub>  
output: 3D-linearization to cmy0\*<sub>de</sub>







http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE78/QE78LE30FP.DAT in file (F), page 18/33

Table with 15 columns: nuf, HHC\*File, rgb\*File, icr\*File, hsa\*File, rrgb\*File, LabC0\*File, LabC0\*File, cmy0\*sep\*File, cmy0\*File, rrgb\*File, hsa\*File, LabC0\*File, LabC0\*File, delta. Rows include color patches like R000, R001, Y000, Y001, etc.

input: rgb/cmyk -> rrgbde output: 3D-linearization to cmy0\*de

TUB-test chart QE78; hue code: H\*\_e=G00B\_e colors and differences, ΔE\*\_\*











http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE78/QE78L0FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC\*File, rpb\_Role, icr\_File, hsa\_File, rpb\*File, LabC\*File, LabC\*File, cmy0\*\_sep, cmy0\*\_sep, hsa\_File, hsa\_File, LabC\*File, LabC\*File, delta. Rows 81-161.

see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de

TUB-test chart QE78; hue code: H\*\_e=G00Be colors and differences, AE\*\_\*

http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS; 3D-linearization  
F: 3D-linearization QE78/QE78LE30FP.DAT in file (F), page 22/33

input: rgb/cmyk -> rgbde  
output: 3D-linearization to cmy0\*de

Table with 16 columns: n, HHC\*File, rgb\_File, icr\_File, Hsa\_Fate, rgp\_Fate, LabCH\*Fate, LabCH\*SepRate, cmy0\*\_SepRate, Hsa\_Mde, rgp\_Mde, LabCH\*Fate, LabCH\*Fate, delta. Rows represent various color calibration charts and their associated data.

QE780-TN; Page 22/33-F

I-1132131-F0

TUB-test chart QE78; hue code: H\*e=G00B\_e  
colors and differences, ΔE\*

Mean color difference of this page:

delta

Table with 33 columns: n, HHC\*File, rgp\_Role, icr\_File, rhp\_Role, rhp\_Rate, LabCh\*File, LabCh\*Rate, cmy0\*sep\_Rate, rha\_Rate, rha\_Role, rhp\_Rate, rhp\_Role, LabCh\*File, LabCh\*Rate, cmy0\*sep\_Rate, rha\_Rate, rha\_Role, rhp\_Rate, rhp\_Role, LabCh\*File, LabCh\*Rate, cmy0\*sep\_Rate, rha\_Rate, rha\_Role, rhp\_Rate, rhp\_Role, LabCh\*File, LabCh\*Rate, cmy0\*sep\_Rate, rha\_Rate, rha\_Role, rhp\_Rate, rhp\_Role, delta. Rows 243-323.

input: rgb/cmyk -> rbgde output: 3D-linearization to cmy0\*de

TUB-test chart QE78; hue code: H\*\_e=G00Be colors and differences, AE\*\_\*

QE780-TN; Page 333-F

I-113231-F0

http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE78/QE78L30FP.DAT in file (F), page 24/33

Table with columns: n, HHC\*File, rgb\*File, iet\*File, Hsa\*File, rgb\*File, LabCM\*File, LabCM\*File, cmy0\*sep\*File, Hsa\*File, rgb\*File, LabCM\*File, LabCM\*File, delta. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page: input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de





Table with 15 columns: n, HHC\*File, rgb\_E, iet, Hsa\_E, Hsa\_F, LabCM\*File, LabCM\_F, cmy0\*\_sep, cmy0\*\_File, LabCM\*File, Hsa\_E, Hsa\_F, LabCM\*File, LabCM\_F, delta. Rows 405-485.



see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de

TUB-test chart QE78; hue code: H\*\_e=G00B\_e colors and differences, ΔE\*\_\*

I-1132431-F0

QE780-7N; Page 25/33-F

Mean color difference of this page: 216.9



http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS; 3D-linearization  
F: 3D-linearization QE78/QE78L0FP.DAT in file (F), page 26/33

QE78L1IL


n	HC*File	rgb_Rate	LabCH*File	rgb_Rate	LabCH*File	cmyp*SepRate	LabCH*File	rgb_Rate	LabCH*File	mean	delta
486	ROY_075_075Se	0.75	0.0	0.75	0.0	0.137	0.955	0.0	0.803	0.0	0.0
487	R35Y_075_075Se	0.75	0.0	0.75	0.0	0.318	0.953	0.0	0.6	0.0	0.0
488	R15Y_075_075Se	0.75	0.0	0.75	0.0	0.321	0.957	0.0	0.405	0.0	0.0
489	ROY_075_075Se	0.75	0.0	0.75	0.0	0.475	0.97	0.29	0.29	0.0	0.0
490	B6SK_075_075Se	0.75	0.0	0.75	0.0	0.572	0.984	0.294	0.0	0.0	0.0
491	B57K_075_075Se	0.75	0.0	0.75	0.0	0.667	0.982	0.267	0.0	0.0	0.0
492	B50K_075_075Se	0.75	0.0	0.75	0.0	0.738	0.985	0.261	0.0	0.0	0.0
493	B43K_087_087Se	0.75	0.0	0.75	0.0	0.803	0.999	0.145	0.0	0.0	0.0
494	B38K_100_100Se	0.75	0.0	1.0	0.0	0.864	1.0	0.0	0.0	0.0	0.0
495	R15Y_075_075Se	0.75	0.125	0.75	0.125	0.899	0.999	0.0	0.0	0.0	0.0
496	ROY_075_062Se	0.75	0.125	0.75	0.125	0.885	0.995	0.0	0.0	0.0	0.0
497	R15Y_075_062Se	0.75	0.125	0.75	0.125	0.815	0.995	0.0	0.0	0.0	0.0
498	R15Y_075_062Se	0.75	0.125	0.75	0.125	0.815	0.995	0.0	0.0	0.0	0.0
499	B69K_075_062Se	0.75	0.125	0.75	0.125	0.831	0.995	0.0	0.0	0.0	0.0
500	B59K_075_062Se	0.75	0.125	0.75	0.125	0.829	0.995	0.0	0.0	0.0	0.0
501	B59K_075_062Se	0.75	0.125	0.75	0.125	0.829	0.995	0.0	0.0	0.0	0.0
502	B42K_087_087Se	0.75	0.125	0.75	0.125	0.868	1.0	0.0	0.0	0.0	0.0
503	B36K_100_100Se	0.75	0.125	1.0	0.0	0.875	1.0	0.0	0.0	0.0	0.0
504	R15Y_075_062Se	0.75	0.25	0.75	0.25	0.917	1.0	0.0	0.0	0.0	0.0
505	R15Y_075_062Se	0.75	0.25	0.75	0.25	0.917	1.0	0.0	0.0	0.0	0.0
506	R26Y_075_050Se	0.75	0.25	0.75	0.25	0.97	1.0	0.0	0.0	0.0	0.0
507	R26Y_075_050Se	0.75	0.25	0.75	0.25	0.97	1.0	0.0	0.0	0.0	0.0
508	B01K_075_050Se	0.75	0.25	0.75	0.25	0.985	1.0	0.0	0.0	0.0	0.0
509	B01K_075_050Se	0.75	0.25	0.75	0.25	0.985	1.0	0.0	0.0	0.0	0.0
510	B30K_075_050Se	0.75	0.25	0.75	0.25	0.985	1.0	0.0	0.0	0.0	0.0
511	B30K_075_050Se	0.75	0.25	0.75	0.25	0.985	1.0	0.0	0.0	0.0	0.0
512	B34K_100_075Se	0.75	0.25	1.0	0.25	0.985	1.0	0.0	0.0	0.0	0.0
513	B34K_100_075Se	0.75	0.25	1.0	0.25	0.985	1.0	0.0	0.0	0.0	0.0
514	R38Y_075_062Se	0.75	0.375	0.75	0.375	1.0	1.0	0.0	0.0	0.0	0.0
515	R38Y_075_062Se	0.75	0.375	0.75	0.375	1.0	1.0	0.0	0.0	0.0	0.0
516	R23Y_075_050Se	0.75	0.375	0.75	0.375	1.0	1.0	0.0	0.0	0.0	0.0
517	R15Y_075_037Se	0.75	0.375	0.75	0.375	1.0	1.0	0.0	0.0	0.0	0.0
518	B69K_075_037Se	0.75	0.375	0.75	0.375	1.0	1.0	0.0	0.0	0.0	0.0
519	B38K_087_037Se	0.75	0.375	0.75	0.375	1.0	1.0	0.0	0.0	0.0	0.0
520	B38K_087_037Se	0.75	0.375	0.75	0.375	1.0	1.0	0.0	0.0	0.0	0.0
521	B30K_100_062Se	0.75	0.375	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
522	R68Y_075_050Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
523	R68Y_075_050Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
524	R30Y_075_062Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
525	R15Y_075_037Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
526	R30Y_075_025Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
527	B50K_075_025Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
528	B50K_075_025Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
529	B34K_087_037Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
530	B34K_087_037Se	0.75	0.5	0.75	0.5	1.0	1.0	0.0	0.0	0.0	0.0
531	R85Y_075_050Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
532	R85Y_075_050Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
533	R76Y_075_050Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
534	R68Y_075_050Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
535	R30Y_075_025Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
536	R30Y_075_025Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
537	B50K_075_012Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
538	B50K_075_012Se	0.75	0.625	0.75	0.625	1.0	1.0	0.0	0.0	0.0	0.0
539	B13K_100_050Se	0.75	0.625	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
540	Y06G_075_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
541	Y06G_075_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
542	Y06G_075_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
543	Y06G_075_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
544	Y06G_075_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
545	Y06G_075_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
546	Y06G_075_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
547	B08K_087_012Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
548	B08K_087_012Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
549	Y13G_087_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
550	Y13G_087_075Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
551	Y18G_087_062Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
552	Y23G_087_050Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
553	Y31G_087_037Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
554	Y50G_087_025Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
555	G08K_087_012Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
556	G58K_087_012Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
557	G58K_087_012Se	0.75	0.75	0.75	0.75	1.0	1.0	0.0	0.0	0.0	0.0
558	Y23G_100_100Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
559	Y26G_100_087Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
560	Y38G_100_075Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
561	Y38G_100_062Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
562	Y68G_100_050Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
563	Y68G_100_037Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
564	G08B_100_025Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
565	G25B_100_025Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0
566	G58B_100_025Se	0.75	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd  
output: 3D-linearization to cmy0\*de


TUB-test chart QE78; hue code: H\*\_e=G00B\_e  
colors and differences, AE\*\_\*





http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE78/QE78L30FP.DAT in file (F), page 27/33

Table with 15 columns: n, H#C\*File, r#B\*File, i#T\*File, i#s\*File, r#B\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File, LabC\*File. The table contains numerical data for 647 different color patches.



input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de

TUB-test chart QE78; hue code: H\*\_e=G00B\_e colors and differences, ΔE\*\_\*

I-1132631-F0

I-1132631-F0

delta





Table with 15 columns: n, HHC\*File, rgb\*File, iCr\*File, iMg\*File, iBs\*File, rgb\*File, LabC\*File, LabCH\*File, cmy\*File, LabCH\*File, iBs\*File, rgb\*File, LabC\*File, LabCH\*File. Contains color calibration data for various color patches.



input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0\*de


TUB-test chart QE78; hue code: H\*\_e=G00Be colors and differences, ΔE\*<sub>a</sub>

QE780-7N; Page:2833-F



I-1132731-F0

delta

Mean color difference of this page:



<http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF> /PS; 3D-linearization  
 F: 3D-linearization QE78/QE78L0FP.DAT in file (F), page 29/33



n	HC*File	rgb*File	Lab*File	rgb*File	Lab*File	cmyp*sep:File	cmyp*sep:File	rgb*File	Lab*File	cmyp*sep:File	cmyp*sep:File	delta
729	NW_100.00e	0.875	1.0	1.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0	0.0
730	G50B_100.012de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.968	0.0	0.0	0.0
731	G50B_100.025de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.936	0.0	0.0	0.0
732	G50B_100.050de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.875	0.0	0.0	0.0
733	G50B_100.062de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.842	0.0	0.0	0.0
734	G50B_100.075de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.81	0.0	0.0	0.0
735	G50B_100.100de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.778	0.0	0.0	0.0
736	G50B_100.125de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.747	0.0	0.0	0.0
737	G50B_100.150de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.715	0.0	0.0	0.0
738	ROY_100.012de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.968	0.0	0.0	0.0
739	ROY_100.025de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.936	0.0	0.0	0.0
740	ROY_100.050de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.875	0.0	0.0	0.0
741	ROY_100.062de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.842	0.0	0.0	0.0
742	ROY_100.075de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.81	0.0	0.0	0.0
743	ROY_100.100de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.778	0.0	0.0	0.0
744	ROY_100.125de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.747	0.0	0.0	0.0
745	ROY_100.150de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.715	0.0	0.0	0.0
746	ROY_100.175de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.683	0.0	0.0	0.0
747	ROY_100.200de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.651	0.0	0.0	0.0
748	ROY_100.225de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.619	0.0	0.0	0.0
749	ROY_100.250de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.587	0.0	0.0	0.0
750	ROY_100.275de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.555	0.0	0.0	0.0
751	ROY_100.300de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.523	0.0	0.0	0.0
752	ROY_100.325de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.491	0.0	0.0	0.0
753	ROY_100.350de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.459	0.0	0.0	0.0
754	ROY_100.375de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.427	0.0	0.0	0.0
755	ROY_100.400de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.395	0.0	0.0	0.0
756	ROY_100.425de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.363	0.0	0.0	0.0
757	ROY_100.450de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.331	0.0	0.0	0.0
758	ROY_100.475de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.299	0.0	0.0	0.0
759	ROY_100.500de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.267	0.0	0.0	0.0
760	ROY_100.525de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.235	0.0	0.0	0.0
761	ROY_100.550de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.203	0.0	0.0	0.0
762	ROY_100.575de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.171	0.0	0.0	0.0
763	ROY_100.600de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.139	0.0	0.0	0.0
764	ROY_100.625de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.107	0.0	0.0	0.0
765	ROY_100.650de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.075	0.0	0.0	0.0
766	ROY_100.675de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.043	0.0	0.0	0.0
767	ROY_100.700de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.011	0.0	0.0	0.0
768	ROY_100.725de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
769	ROY_100.750de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
770	ROY_100.775de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
771	ROY_100.800de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
772	ROY_100.825de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
773	ROY_100.850de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
774	ROY_100.875de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
775	ROY_100.900de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
776	ROY_100.925de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
777	ROY_100.950de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
778	ROY_100.975de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
779	ROY_100.100de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
780	ROY_100.102de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
781	ROY_100.104de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
782	ROY_100.106de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
783	ROY_100.108de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
784	ROY_100.110de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
785	ROY_100.112de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
786	ROY_100.114de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
787	ROY_100.116de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
788	ROY_100.118de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
789	ROY_100.120de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
790	ROY_100.122de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
791	ROY_100.124de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
792	ROY_100.126de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
793	ROY_100.128de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
794	ROY_100.130de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
795	ROY_100.132de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
796	ROY_100.134de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
797	ROY_100.136de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
798	ROY_100.138de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
799	ROY_100.140de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
800	ROY_100.142de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
801	ROY_100.144de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
802	ROY_100.146de	0.875	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
803	ROY_100.148de	0.75	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
804	ROY_100.150de	0.625	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
805	ROY_100.152de	0.5	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
806	ROY_100.154de	0.375	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
807	ROY_100.156de	0.25	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
808	ROY_100.158de	0.125	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
809	ROY_100.160de	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0


input: *rgb/cmyk* -> *rgbde*  
 output: 3D-linearization to *cmy0\*de*

Mean color difference of this page:

TUB-test chart QE78; hue code: H\*\_e=G00Be  
 colors and differences, ΔE\*  
 I-1132831-F0

9





http://130.149.60.45/~farbmetrik/QE78/QE78L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE78/QE78LE30FP.DAT in file (F), page 31/33

Table with 15 columns: n, H#C\*File, rgb\*File, iet\*File, H#s\*File, rrgb\*File, LabC0\*File, cmy0\*sep\*File, cmyp\*sep\*File, H#s\*File, H#m\*File, rrgb\*File, LabC0\*File, LabC0\*File, LabC0\*File. Contains color calibration data for various color patches.

Mean color difference of this page: delta

input: rgb/cmyk -> rrgbde output: 3D-linearization to cmy0\*de




Table with 15 columns: n, HC\*File, rgb\*File, iet\*File, ihs\*File, rgb\*File, LabCIE\*File, LabCIE\*File, cmy0\*sep, cmy0\*sep, rgb\*File, ihs\*File, LabCIE\*File, LabCIE\*File, delta. Rows include color names like NW\_000de, NW\_012de, NW\_025de, etc.



input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmy0\*de

TUB-test chart QE78; hue code: H\*e=G00Be colors and differences, AE\*.\*

Mean color difference of this page:



