

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

$H^*_- = G00B_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = G00B_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 55 -65 33 73 152

$HIC^*_{-,Ma}$ : G00B\_100\_100\_

$rgbic^*_{-,Ma}$ :



0.0 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut  
 $u^*_{rel} = 92$   
 %Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE78/QE78.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE78/QE78L0NA.TXT /PS  
 application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = G00B_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	45.6	72.2	34.4	80.0
$Y_{e, Ma}$	83.6	-3.6	90.4	92
$G_{e, Ma}$	50.6	-62.1	19.9	65.2
$C_{e, Ma}$	55.0	-36.2	-27.2	45.3
$B_{e, Ma}$	40.2	1.2	-40.6	40.6
$M_{e, Ma}$	31.1	47.7	-29.1	55.9
$N_{e, Ma}$	24.3	0.0	0.0	0.0
$W_{e, Ma}$	95.6	0.0	0.0	0.0
$R_{e, CIE}$	39.9	58.7	27.9	65.0
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6
$G_{e, CIE}$	52.2	-42.4	13.6	44.5
$B_{e, CIE}$	30.5	1.4	-46.4	46.4

Data for maximum colour ( $M_a$ ):

$LabCh^*_{e, Ma}: 50 -62 19 65 162$

$HIC^*_{e, Ma}: G00B\_100\_100_e$

$rgbic^*_{e, Ma}$ :



0.0 1.0 0.15 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y\_100\_100_e$	45.6	72.2	34.4	80.0
$R25Y\_100\_100_e$	50.5	59.2	51.6	78.6
$R50Y\_100\_100_e$	60.2	38.2	63.4	74.1
$R75Y\_100\_100_e$	70.9	17.9	75.9	77.9
$Y00G\_100\_100_e$	83.6	-3.6	90.4	92
$Y25G\_100\_100_e$	74.5	-25.0	74.3	78.4
$Y50G\_100\_100_e$	62.6	-40.9	53.8	67.6
$Y75G\_100\_100_e$	54.1	-55.5	37.5	67.0
$G00B\_100\_100_e$	50.6	-62.1	19.9	65.2
$G25B\_100\_100_e$	53.0	-48.6	-8.2	49.2
$G50B\_100\_100_e$	55.0	-36.2	-27.2	45.3
$G75B\_100\_100_e$	53.3	-19.8	-41.3	45.9
$B00R\_100\_100_e$	40.2	1.2	-40.6	40.6
$B25R\_100\_100_e$	28.1	23.4	-40.3	46.7
$B50R\_100\_100_e$	31.1	47.7	-29.1	55.9
$B75R\_100\_100_e$	41.4	70.4	-9.8	71.1

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0NA.TXT /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0NA.TXT /PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-013131-L0 QE780-71

TUB-test chart QE78; hue code:  $H^*_e = G00B_e$   
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
output: transfer to  $cmy0_e$


1-013131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$

Data for any device (d) or elementary (e) colour:

$HIC^*_e$   
hue text for the colours of this page:  
 $H^*_e = G00B_e$   
triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4



Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 50 -62 19 65 162$   
 $HIC^*_{e, Ma}: G00B\_100\_100_e$   
 $rgbic^*_{e, Ma}: 0.0 1.0 0.15 1.0 1.0$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1

triangle lightness  $T^*$   
%Gamut  $u^*_{rel} = 92$   
%Regularity  $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0NA.TXT /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0NA.TXT /PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-013231-L0 QE780-71

TUB-test chart QE78; hue code:  $H^*_e=G00B_e$   
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
output: transfer to  $cmy0_e$

1-013231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = G00B_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 50 -62 19 65 162$

$HIC^*_{e, Ma}: G00B\_100\_100_e$



$rgbic^*_{e, Ma}: 0.0 1.0 0.15 1.0 1.0$

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE78/QE78L0NA.TXT /PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-013331-L0 QE780-71

TUB-test chart QE78; hue code:  $H^*_e=G00B_e$   
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
output: transfer to  $cmy0_e$

1-013331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = G00B_e$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 50 -62 19 65 162$

$HIC^*_{e, Ma}: G00B_{100}_{100}_e$

$rgbic^*_{e, Ma}$ :



0.0 1.0 0.15 1.0 1.0

triangle lightness  $T^*$

ORS20a; adapted (a) CIELAB data

$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE78/QE78L0NA.TXT /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




TUB registration: 20130201-QE78/QE78L0NA.TXT /PS  
application for measurement of offset print output, separation cmy0 (CMY0)  
TUB material: code=rh4ta

1-013431-L0 QE780-71

TUB-test chart QE78; hue code:  $H^*_e = G00B_e$   
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input:  $rgb/cmyk \rightarrow rgb_e$   
output: transfer to  $cmy0_e$




1-013431-F0







Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours RYGBM;  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



**Notes to the CIELAB chroma diagrams ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )**

- For the  $rgb^*_s$ -input values the CIELAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_s$  the equation:  

$$h_{ab,s} = \text{atan} \left[ \frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,si} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{ab}$ , there is a well defined device hue angle  $h_{ab,ds}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues









http://130.149.60.45/~farbmetrik/QE78/QE78L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h\_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM; h\_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h\_ab,d, h\_ab,s, h\_ab,e, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds, rg\_b\*\_ds. Rows 86-114.

I=0131031=L0 QE780-71 LAB\*lab, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB\*rw=24.4,0.0,0.0,95.6,0.0,0.0

TUB-test chart QE78; hue code: H\*\_e=G00B\_e 48 step hue circles; rg\_b-LabCh\*tables

input: rg\_b/cmyk -> rg\_b\_e output: transfer to cmy0\_e

Output: Offset standard print; separation cmy0; D65, page 1/33

http://130.149.60.45/~farbmetrik/QE78/QE78L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h\_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 16 columns: h\_ab,d, h\_ab,s, h\_ab,e, rgb\*, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI, dex361MI. Rows 114-167.

Output: Offset standard print; separation cmy0\*, D65, page 12/33

input: rgb/cmyk -> rgb  
output: transfer to cmy0e

























http://130.149.60.45/~farbmetrik/QE78/QE78LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, hsa\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, rpb\*Fe, DF\*Fe, hAm\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe. Rows 81-161.

Mean color difference of this page: delta E\* = 12.0

TUB-test chart QE78; hue code: H\*e=G00B'e colors and differences, ΔE\*

input: rgb/cmyk -> rgbe output: transfer to cmy0e





http://130.149.60.45/~farbmetrik/QE78/QE78LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, DE\*Fe, Hs\*Fe, LabCh\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe. Rows 324-404.

input: rgb/cmyk -> rgbe output: transfer to cmy0e Mean color difference of this page: delta E\* = 15.7

Table with 15 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, rpb\*Fe, LabCH\*Fe, DE\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe. Rows 405-485.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

QE780-TN; Page 25/33-F

TUB-test chart QE78; hue code: H\*e=G00Be colors and differences, ΔE\*

I-1032431-F0







http://130.149.60.45/~farbmetrik/QE78/QE78LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC\*Fe, rgb\*Fe, icr\*Fe, hsa\*Fe, rgb\*Fe, LabCh\*Fe, LabCh\*Fe, LabCh\*Fe, DE\*Fe, hsa\*Fe, rgb\*Fe, LabCh\*Fe, LabCh\*Fe. Rows 567-647.

Mean color difference of this page: delta E\* = 13.8

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE78; hue code: H\*e=G00Be colors and differences, AE\*'

http://130.149.60.45/~farbmetrik/QE78/QE78LONA.TXT / .PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, DF\*Fe, Hs\*Fe, LabCh\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe. Rows include color names like R00Y, R00M, R00C, etc.

Mean color difference of this page: delta E\* = 15.7

TUB-test chart QE78; hue code: H\*e=G00B'e colors and differences, ΔE\* input: rgb/cmyk -> rgbe output: transfer to cmy0e



Table with 10 columns: n, H#C\*Fe, rpb\*Fe, iet\*Fe, H#s\*Fe, rpb\*Fe, LabC\*Fe, LabCh\*Fe, rpb\*Fe, LabCh\*Fe, DF\*Fe, H#m\*Fe, rpb\*Fe, LabCh\*Fe. Rows include color names like NV, BOOR, YOCG, etc.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE78; hue code: H\*\_e=G00B\_e colors and differences, ΔE\*\_\*

Mean color difference of this page: delta E\* = 12.1

http://130.149.60.45/~farbmetrik/QE78/QE78LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 15 columns: n, H#C\*Fe, rpb\*Fe, iet\*Fe, H#s\*Fe, rpb\*Fe, LabC\*Fe, LabCh\*Fe, DF\*Fe, H#m\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, LabCh\*Fe, delta E\* = 15.4. Rows include color patches like 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971.

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmy0e

QE780-TN; Page 31/33-F

TUB-test chart QE78; hue code: H\*e=G00Be colors and differences, ΔE\*

http://130.149.60.45/~farbmetrik/QE78/QE78L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H\* C\* M\*, r\* g\* b\*, i\* e\* r\*, i\* s\* f\* e, r\* g\* b\* Fe, Lab C\* M\* Fe, Lab C\* M\* Fe, r\* g\* b\* Fe, Lab C\* M\* Fe, D\* F\* Fe, H\* a\* M\* e, r\* g\* b\* Fe, Lab C\* M\* Fe. Rows 972-1052.


Mean color difference of this page: delta E\*90 = 9.2

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE78; hue code: H\*e=G00B\*e colors and differences, AE\*'



http://130.149.60.45/~farbmetrik/QE78/QE78L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33



n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	rgb*Me	LabCH*Me	rgb*Me	LabCH*Me	DF*Me	hsa*Me	rgb*Me	LabCH*Me	DF*Me	hsa*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.4	3.7	69.9	3.7	360	1.0	1.0	95.6	0.0
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.4	1.5	71.6	1.5	360	1.0	1.0	95.6	0.0
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	0.1	114.3	0.1	360	1.0	1.0	95.6	0.0
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	308.5	0.0	0.0	308.5	0.0	360	1.0	1.0	95.6	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	0.066	0.066	6.5	6.7	0.6	5.5	6.7	6.5	360	1.0	1.0	95.6	0.0
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	9.0	22.4	3.4	9.0	22.4	9.0	360	1.0	1.0	95.6	0.0
1059	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	11.6	30.4	5.8	11.6	30.4	11.6	360	1.0	1.0	95.6	0.0
1060	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	13.3	40.4	8.7	13.3	40.4	13.3	360	1.0	1.0	95.6	0.0
1061	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	14.7	49.7	10.4	14.7	49.7	14.7	360	1.0	1.0	95.6	0.0
1062	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	14.5	51.6	11.8	14.5	51.6	14.5	360	1.0	1.0	95.6	0.0
1063	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	11.5	56.7	9.2	11.5	56.7	11.5	360	1.0	1.0	95.6	0.0
1064	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	8.3	62.0	6.5	8.3	62.0	8.3	360	1.0	1.0	95.6	0.0
1065	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	5.9	69.4	5.2	5.9	69.4	5.9	360	1.0	1.0	95.6	0.0
1066	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	3.6	71.7	3.4	3.6	71.7	3.6	360	1.0	1.0	95.6	0.0
1067	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	2.8	79.2	2.4	2.8	79.2	2.8	360	1.0	1.0	95.6	0.0
1068	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.0	118.4	0.0	0.0	118.4	0.0	360	1.0	1.0	95.6	0.0
1069	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.0	138.7	0.0	0.0	138.7	0.0	360	1.0	1.0	95.6	0.0
1070	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.0	299.2	0.0	0.0	299.2	0.0	360	1.0	1.0	95.6	0.0
1071	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.6	0.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.6	0.0
1073	ROY_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.0	18.2	0.0	0.0	18.2	0.0	360	1.0	1.0	95.6	0.0
1074	ROY_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8	0.0	0.0	32.8	0.0	360	1.0	1.0	95.6	0.0
1075	G50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	238.9	0.0	0.0	238.9	0.0	360	1.0	1.0	95.6	0.0
1076	Y06C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.0	0.0	0.0	36.0	0.0	360	1.0	1.0	95.6	0.0
1077	B06C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.0	0.0	0.0	36.0	0.0	360	1.0	1.0	95.6	0.0
1078	B08C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.0	0.0	0.0	36.0	0.0	360	1.0	1.0	95.6	0.0
1079	B50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.0	0.0	0.0	36.0	0.0	360	1.0	1.0	95.6	0.0

Mean color difference of this page: delta E\* = 10.3

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE78; hue code: H\*\_e=G00B\_e colors and differences, ΔE\*'